

WESTGATE

THE FUTURE IS HERE... AND IT'S QUITE BRIGHT!

Commercial

Industrial

Residential

Architectural

Landscape

Solar

Decorative

Lamps

Recessed

Task

Controls

Smart

RGBW

Emergency

Season 1 - 2026

PRODUCTSHEET

VALID 01/01/2026 UNTIL FURTHER NOTICE

@WESTGATEMFG



Serenity LED Lighting | SerenityLEDLighting.com | info@serenityledlighting.com | 866-LED-TIME

CATEGORIES:

OUTDOOR:



PAGE. 4

Wall Packs | Floods & Area Lights | Garage & Canopy Lights | Sign & Street Lights | Solar Lights | Security Lights | Bollards

INDUSTRIAL:



PAGE. 107

UFO & Linear High Bays | Vapor Lights | Hazardous Lights | Loading Docks | Corn Lamps

COMMERCIAL:



PAGE. 123

Panels | Troffers | Linear & Strip Lights | Suspended Lights | Commercial Recessed Lights | T8 Lamps | Cylinders | Vanities

LAMPS:



PAGE. 204

Corn Lamps | Retrofit Lamps | T8 | T5 | String | Residential | Landscape

RESIDENTIAL:



PAGE. 217

Trims | Fans & Lights | Flush Mounts | Disk Lights | Recessed Trims | Pendants | Lamps & String Lights


RIBBON:



PAGE 260

Tapes | Sheets | 12 Volt | 24 Volt | Accessories

LANDSCAPE:



PAGE. 270

Directional Lights | Step Lights | Well Lights | Underwater Lights | Path Lights | Flood Lights | Transformers | Accessories

UNDER CABINET:



PAGE. 287

Liners | Receptacles | USB Ports | Puck Lights | Accessories

EXIT & EMERGENCY:



PAGE. 295

Combo Signs | Wet Location Signs | Edge-Lit Signs | Thermoplastic Signs | Decorative Signs | Lamp Heads Vandal Shields

ELECTRICAL:



PAGE. 305

Combo Signs | Wet Location Signs | Edge-Lit Signs | Thermoplastic Signs | Decorative Signs | Lamp Heads Vandal Shields

See Controls On Each Section: Motion Sensors, Photocell, EM, Smart App Control



POLICIES

All transactions are subject to terms and conditions listed on Westgate website

WWW.WESTGATEMFG.COM/TERMS-AND-CONDITIONS

VALID 01/01/2026 UNTIL FURTHER NOTICE

This season's New Arrivals



WMC4-CD SERIES
PAGE 51



ERSH SERIES
PAGE 61




HNS SERIES
PAGE 62



TSR SERIES
PAGE 67



GPA SERIES
PAGE 75



SFX-G10 SERIES
PAGE 82



LCG SERIES
PAGE 90



SOLB SERIES
PAGE 91



BOL-G8 SERIES
PAGE 95



LTRAR SERIES
PAGE 131



CMC5-MILAN SERIES
PAGE 178



CMCW SERIES
PAGE 184



CRLE-FR SERIES
PAGE 189



CRLB SERIES
PAGE 189



TRPK SERIES
PAGE 200



CL-CONST SERIES
PAGE 209



T10 SERIES
PAGE 216



ST64 SERIES
PAGE 216



RDLT SDLT SERIES
PAGE 232



LCEU SERIES
PAGE 247



LCFE-26 SERIES
PAGE 253




LCFG SERIES
PAGE 253



DPL SERIES
PAGE 254

OUTDOOR LIGHTING

SEARCH FOR THE SERIES NAME @WESTGATEMFG.COM



WPMAX SERIES




WPX SERIES



LWAX SERIES



WHCX SERIES



LWPMAX SERIES



LWPX SERIES



WPCX SERIES



LWAX SERIES



LWAX SERIES



WAX SERIES



LWAX SERIES



LWAX SERIES



LWAX SERIES



WMV SERIES



BKH SERIES



BKR SERIES




WPFX SERIES



WMXE SERIES



WMXMAX SERIES



WMX SERIES



LMW SERIES



WMXE SERIES



STP SERIES



DLW SERIES



WMXE SERIES



LSWX SERIES



LFXU SERIES



LFXE SERIES



LFX SERIES



LFXPRO SERIES



LFXMAX SERIES



LF4MAX SERIES



LF4PRO SERIES



LFX-MD SERIES



LFE SERIES



LFE SERIES



FLDX SERIES



FLDXPRO SERIES



FLDF SERIES



GL SERIES



AD120 SERIES



FLD3 SERIES



FLD2 SERIES



FLH SERIES



FLS SERIES



SLX SERIES



SL SERIES



CRE SERIES



WLF SERIES



WSX SERIES



WSO SERIES



GNBA SERIES



GNB SERIES



WMA SERIES



WMC SERIES



WMC4-CD SERIES



WMCS SERIES



WMCQ5 SERIES



LRS-TU SERIES



LRS-R SERIES




LRS-P SERIES



LDS SERIES



LDSW SERIES



LDSW SERIES



LRS-H SERIES



LRS-C SERIES



LRS-L SERIES




LRS-M SERIES



ERSH SERIES



HNS SERIES



LRS-O SERIES



LRS-K SERIES



LRS-SG SERIES



LRS-SH SERIES




LRS-ML SERIES



LRS-MC SERIES



CIGL SERIES




GICL SERIES



TSR SERIES



LOHB SERIES



SOLS SERIES



SOLB SERIES



LRX SERIES



VTA SERIES



TOL SERIES



GPE SERIES



GPX SERIES



GPA SERIES



GPL SERIES




GPC SERIES




GPH SERIES




DAB SERIES




PML SERIES



EXPR SERIES




SFX-G10 SERIES



SFX SERIES



SOLN SERIES



SOLA SERIES




STL4 SERIES



CXE SERIES



CDLX SERIES



CGL SERIES



CAX SERIES



CXU SERIES



CDX SERIES



GSX SERIES



LCG SERIES




BOL-602 SERIES



BOL-G8 SERIES



BOL-700 SERIES




BOL-605 SERIES




BOL-800 SERIES



WEC SERIES




EVC SERIES



PRIVATE HOME



Live inventory. Real-time pricing. No waiting.
Access the MyWestgate Portal to check
availability and pricing instantly.
Scan the QR code to skip the line.



WPMAX-27-45W-VC
Bronze
Visual Comfort Tech.



WPMAX-27-45W-VC-BK
Black
Visual Comfort Tech.




WPMAX-27-45W-VC-SIL
Silver
Visual Comfort Tech.



WPMAX-25-40W
WPMAX-40-60W
Bronze




WPMAX-25-40W-BK
WPMAX-40-60W-BK
Black




WPMAX-25-40W-SIL
WPMAX-40-60W-SIL
Silver



WPMAX-60-100W
WPMAX-90-150W
Bronze



WPMAX-60-100W-BK
WPMAX-90-150W-BK
Black



WPMAX-60-100W-SIL
WPMAX-90-150W-SIL
Silver

MAX-FEATURE WALL PACK, **VISUAL COMFORT OR LENS TYPE SELECTABLE TYPE 2, 3, 4** ADJUSTABLE CCT, WATTS, PHOTOCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
WPMAX-27-45W-MCT-VC	27W/36W/45W 135LM/W 30K/40K/50K Bronze, Visual Comfort Tech.	1
WPMAX-27-45W-MCT-VC-BK	27W/36W/45W 135LM/W 30K/40K/50K Black, Visual Comfort Tech.	1
WPMAX-27-45W-MCT-VC-SIL	27W/36W/45W 135LM/W 30K/40K/50K Silver, Visual Comfort Tech.	1
WPMAX-25-40W-MCTP	25W/30W/40W 135LM/W 30K/40K/50K Bronze	1
WPMAX-25-40W-MCTP-BK	25W/30W/40W 135LM/W 30K/40K/50K Black	1
WPMAX-25-40W-MCTP-SIL	25W/30W/40W 135LM/W 30K/40K/50K Silver	1
WPMAX-40-60W-MCTP	40W/50W/60W 135LM/W 30K/40K/50K Bronze	1
WPMAX-40-60W-MCTP-BK	40W/50W/60W 135LM/W 30K/40K/50K Black	1
WPMAX-40-60W-MCTP-SIL	40W/50W/60W 135LM/W 30K/40K/50K Silver	1
WPMAX-60-100W-MCTP	60W/80W/100W 135LM/W 30K/40K/50K Bronze	1
WPMAX-60-100W-MCTP-BK	60W/80W/100W 135LM/W 30K/40K/50K Black	1
WPMAX-60-100W-MCTP-SIL	60W/80W/100W 135LM/W 30K/40K/50K Silver	1
WPMAX-90-150W-MCTP	90W/120W/150W 135LM/W 30K/40K/50K Bronze	1
WPMAX-90-150W-MCTP-BK	90W/120W/150W 135LM/W 30K/40K/50K Black	1
WPMAX-90-150W-MCTP-SIL	90W/120W/150W 135LM/W 30K/40K/50K Silver	1

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
60W	OPT-EM-WPMAX-40	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
100W	OPT-EM-WPMAX-60	INTERNAL			OPT-CLR-MC (390 SET UP FEE PER PROJECT)		
	OPT-EM-WPMAX-100	INTERNAL	480 V OPTION	DESCRIPTION		OPT-SEN-NLS-WPMAX	WG NETWORK SENSOR
	VANDAL RES.	DESCRIPTION	OPT-WP-480V	CHANGE VOLTAGE		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-TRS-T20	Tamper Resistant Screw				WEC-8RC	REMOTE CONTROL



WPX-24W
Bronze



WPX-42W
Bronze



WPX-80W
Bronze



WPX-120W
Bronze



WPX-24W
Black



WPX-42W
Black



WPX-80W
Black



WPX-120W
Black



WPX-24W
Silver



WPX-42W
Silver



WPX-80W
Silver



WPX-120W
Silver

SPEC SERIES X-GEN CUT-OFF WALL PACK (POWER & COLOR TEMP. TUNABLE)



CATALOG NO.	DESCRIPTION	PKG. QTY.
WPX-24W-MCTP	12W/18W/24W 135LM/W 30K/40K/50K 8"W Bronze	4
WPX-24W-MCTP-BK	12W/18W/24W 135LM/W 30K/40K/50K 8"W Black	4
WPX-24W-MCTP-SIL	12W/18W/24W 135LM/W 30K/40K/50K 8"W Silver	4
WPX-42W-MCTP	11W/21W/32W/42W 135LM/W 30K/40K/50K 10"W Bronze	4
WPX-42W-MCTP-BK	11W/21W/32W/42W 135LM/W 30K/40K/50K 10"W Black	4
WPX-42W-MCTP-SIL	11W/21W/32W/42W 135LM/W 30K/40K/50K 10"W Silver	4
WPX-80W-MCTP	20W/40W/60W/80W 135LM/W 30K/40K/50K 12"W Bronze	2
WPX-80W-MCTP-BK	20W/40W/60W/80W 135LM/W 30K/40K/50K 12"W Black	2
WPX-80W-MCTP-SIL	20W/40W/60W/80W 135LM/W 30K/40K/50K 12"W Silver	2
WPX-120W-MCTP	80W/100W/120W 135LM/W 30K/40K/50K 16"W Bronze	1
WPX-120W-MCTP-BK	80W/100W/120W 135LM/W 30K/40K/50K 16"W Black	1
WPX-120W-MCTP-SIL	80W/100W/120W 135LM/W 30K/40K/50K 16"W Silver	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
42W	OPT-EM-WPX-24	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
80W	OPT-EM-WPX-42	INTERNAL			OPT-CLR-MC (390 SET UP FEE PER PROJECT)		
	OPT-EM-WPX-80	INTERNAL	480 V OPTION	DESCRIPTION		OPT-SEN-NLS-WPX	WG NETWORK SENSOR
	OPT-EM-WPX-120	INTERNAL	OPT-WP-480V	CHANGE VOLTAGE		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	VANDAL RES.	DESCRIPTION				WEC-8RC	REMOTE CONTROL
	OPT-TRS-T20	Tamper Resistant Screw					

FOR COLD-WEATHER EM OPTION SEE PAGE 304



WPMX
Bronze



WPMX-BK
Black



WPMX-WH
White



WPMX-SIL
Silver



WHCX
Bronze



WHCX
Uplight View



WHCX-BK
Black



WHCX-WH
White



WHCX-SIL
Silver

WALL PACK, POWER AND CCT ADJUSTABLE WITH PHOTOCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
HALF-MOON WALL PACK-POWER & CCT ADJUSTABLE TYPE 3 LENS		
WPMX-24-40W-MCTP-SR	24W/32W/40W 135LM/W 30K/40K/50K Bronze	1
WPMX-24-40W-MCTP-BK	24W/32W/40W 135LM/W 30K/40K/50K Black	1
WPMX-24-40W-MCTP-WH	24W/32W/40W 135LM/W 30K/40K/50K White	1
WPMX-24-40W-MCTP-SIL	24W/32W/40W 135LM/W 30K/40K/50K Silver	1
WPMX-48-80W-MCTP-SR	48W/64W/80W 135LM/W 30K/40K/50K Bronze	1
WPMX-48-80W-MCTP-BK	48W/64W/80W 135LM/W 30K/40K/50K Black	1
WPMX-48-80W-MCTP-WH	48W/64W/80W 135LM/W 30K/40K/50K White	1
WPMX-48-80W-MCTP-SIL	48W/64W/80W 135LM/W 30K/40K/50K Silver	1
CYLINDER WALL PACK, POWER AND CCT ADJUSTABLE WITH CONTROLLED UP/DOWN LIGHTING		
WHCX-24-40W-MCTP	24W/32W/40W 145LM/W 30K/40K/50K Bronze	1
WHCX-24-40W-MCTP-BK	24W/32W/40W 145LM/W 30K/40K/50K Black	1
WHCX-24-40W-MCTP-WH	24W/32W/40W 145LM/W 30K/40K/50K White	1
WHCX-24-40W-MCTP-SIL	24W/32W/40W 145LM/W 30K/40K/50K Silver	1
WHCX-48-80W-MCTP	48W/64W/80W 145LM/W 30K/40K/50K Bronze	1
WHCX-48-80W-MCTP-BK	48W/64W/80W 145LM/W 30K/40K/50K Black	1
WHCX-48-80W-MCTP-WH	48W/64W/80W 145LM/W 30K/40K/50K White	1
WHCX-48-80W-MCTP-SIL	48W/64W/80W 145LM/W 30K/40K/50K Silver	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	480 V OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
WPMX-24W	OPT-EM-WPMX-24	INTERNAL	OPT-WP-480V	CHANGE VOLTAGE	OPT-CLR-85(BK/GR/SR/WH) OPT-CLR-MC (390 SET UP FEE PER PROJECT)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
WPMX-48W	OPT-EM-WPMX-48	INTERNAL				OPT-SEN-NLS-WPMX	WG NETWORK SENSOR
	OPT-TRS-T20	Tamper Resistant Screw				OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
						WEC-8RC	REMOTE CONTROL

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	480 V OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
WHCX-40W	OPT-EM-WHCX-40W	INTERNAL	OPT-WP-480V	CHANGE VOLTAGE	OPT-CLR-85(BK/GR/SR/WH) OPT-CLR-MC (390 SET UP FEE PER PROJECT)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
WHCX-80W	OPT-EM-WHCX-80W	INTERNAL				OPT-SEN-NLS-WHCX	WG NETWORK SENSOR
	OPT-TRS-T20	Tamper Resistant Screw				OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
						WEC-8RC	REMOTE CONTROL



LWPMAX
Bronze



LWPMAX-BK
Black



LWPMAX-SIL
Silver

SPEC SERIES MAX-FEATURE CUT-OFF WALL PACK, LENS TYPE SELECTABLE TYPE 2, 3, 4 ADJUSTABLE CCT, WATTS, PHOTOCELL



CATALOG NO.	DESCRIPTION					PKG. QTY.
LWPMAX-SM-20-40W-MCTPB-P	20W/30W/40W	135LM/W	30K/40K/50K	Bronze		1
LWPMAX-SM-20-40W-MCTPB-P-BK	20W/30W/40W	135LM/W	30K/40K/50K	Black		1
LWPMAX-SM-20-40W-MCTPB-P-SIL	20W/30W/40W	135LM/W	30K/40K/50K	Silver		1
LWPMAX-MD-40-80W-MCTPB-P	40W/60W/80W	135LM/W	30K/40K/50K	Bronze		1
LWPMAX-MD-40-80W-MCTPB-P-BK	40W/60W/80W	135LM/W	30K/40K/50K	Black		1
LWPMAX-MD-40-80W-MCTPB-P-SIL	40W/60W/80W	135LM/W	30K/40K/50K	Silver		1
LWPMAX-MD-80-120W-MCTPB-P	80W/100W/120W	135LM/W	30K/40K/50K	Bronze		1
LWPMAX-MD-80-120W-MCTPB-P-BK	80W/100W/120W	135LM/W	30K/40K/50K	Black		1
LWPMAX-MD-80-120W-MCTPB-P-SIL	80W/100W/120W	135LM/W	30K/40K/50K	Silver		1
LWPMAX-LG-100-150W-MCTPB-P	100W/120W/150W	135LM/W	30K/40K/50K	Bronze		1
LWPMAX-LG-100-150W-MCTPB-P-BK	100W/120W/150W	135LM/W	30K/40K/50K	Black		1
LWPMAX-LG-100-150W-MCTPB-P-SIL	100W/120W/150W	135LM/W	30K/40K/50K	Silver		1



LWPX
Bronze



LWPX-BK
Black

LED CUTOFF WALL PACK, 120-277V, 14" (W) x 9 1/4" (H) x 8 1/4" (D) TYPE 2 LENS



CATALOG NO.	DESCRIPTION				PKG. QTY.
POWER & CCT-ADJUSTABLE VERSION					
LWPX-30-80W-MCTP	30W/40W/60W/80W	125LM/W	30K/40K/50K/57K Bronze		1
LWPX-30-80W-MCTP-BK	30W/40W/60W/80W	125LM/W	30K/40K/50K/57K Black		1
LED SINGLE POWER & CCT VERSION					
LWPX-50W-30K	50W	6600LM	3000K		1
LWPX-50W-40K	50W	6600LM	4000K		1
LWPX-50W-50K	50W	6600LM	5000K		1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
50W	OPT-EM-LWPX-50	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MLRV-5	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
80W	OPT-EM-LWPX-80	INTERNAL	480 V OPTION	DESCRIPTION	OPT-CLR-MC (390 SET UP FEE PER PROJECT)	OPT-SEN-NLS-LWPX	WG NETWORK SENSOR
	VANDAL RES.	DESCRIPTION	OPT-WP-480V	CHANGE VOLTAGE		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-TRS-T20	Tamper Resistant Screw				WEC-8RC	REMOTE CONTROL

FOR COLD-WEATHER EM OPTION SEE PAGE 304



FULL CUT-OFF WALL PACK, POWER AND CCT ADJUSTABLE /w PHOTOCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
WPCX-21-35W-MCTP	21W/28W/35W 135LM/W 30K/40K/50K	1
WPCX-36-60W-MCTP	36W/48W/60W 135LM/W 30K/40K/50K	1
WPCX-60-100W-MCTP	60W/80W/100W 135LM/W 30K/40K/50K	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	480 V OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
60W	OPT-EM-WPCX-60	INTERNAL	OPT-WP-480V	CHANGE VOLTAGE	OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
100W	OPT-EM-WPCX-100	INTERNAL			OPT-CLR-MC (390 SET UP FEE PER PROJECT)	OPT-SEN-NLS-WPCX	WG NETWORK SENSOR
	VANDAL RES.	DESCRIPTION	VANDAL RES.	DESCRIPTION		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-TRS-T20	Tamper Resistant Screw	OPT-WPCX-TYPEII	TYPE II		WEC-8RC	REMOTE CONTROL
			OPT-WPCX-TYPEIV	TYPE IV			



LWAX-BK
Black




LWAX-WH
White



LWAX
Dark Bronze



Shown with Shroud



Mounting Options
Shown with LWAX-12W (See page 100)

GEN. 2 ADJUSTABLE WALL PACK, WATTAGE & CCT SELECT, WITH PHOTOCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
LWAX-SM-12W-30K-P	12W 1500LM 30K	12
LWAX-SM-12W-30K-P-WH	12W 1500LM 30K	12
LWAX-SM-12W-40K-P	12W 1500LM 40K	12
LWAX-SM-12W-50K-P	12W 1500LM 50K	12
LWAX-SM-12W-50K-P-WH	12W 1500LM 50K	12
LWAX-MD-30W-30K-P	30W 3900LM 30K	4
LWAX-MD-30W-40K-P	30W 3900LM 40K	4
LWAX-MD-30W-50K-P	30W 3900LM 50K	4
LWAX-MD-15-50W-MCTP-P	15W/20W/30W/50W 125LM/W 30K/40K/50K/57K	4
LWAX-MD-15-50W-MCTP-P-BK	15W/20W/30W/50W 125LM/W 30K/40K/50K/57K	4
LWAX-MD-15-50W-MCTP-P-WH	15W/20W/30W/50W 125LM/W 30K/40K/50K/57K	4
LWAX-LG-50-120W-MCTP-P	50W/80W/120W 130LM/W 30K/40K/50K/57K	2
LWAX-LG-50-120W-MCTP-P-BK	50W/80W/120W 130LM/W 30K/40K/50K/57K	2
LWAX-LG-50-120W-MCTP-P-WH	50W/80W/120W 130LM/W 30K/40K/50K/57K	2
LWA-SH1	Shroud For LWAX SM, Bronze	
LWA-SH2	Shroud For LWAX MD Bronze	
LWA-SH3	Shroud For LWAX LG, Bronze	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
SM	OPT-EM-LWAX-SM	EXTERNAL BACK BOX	OPT-TRS-T20	Tamper Resistant Screw	OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE (BI-LEVEL)
MD	OPT-EM-LWAX-MD	INTERNAL			OPT-CLR-MC (390 SET UP FEE PER PROJECT)	OPT-SEN-NLS-LWAX	WG NETWORK SENSOR
LG	OPT-EM-LWAX-LG	INTERNAL				OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
						WEC-8RC	OPTIONAL REMOTE

FOR COLD-WEATHER EM OPTION SEE PAGE 304



LWAX-SM
White



LWAX-SM
Dark Bronze




Shown with
Shroud



LWAX-MD
Dark Bronze



LWAX-LG
Dark Bronze



Mounting Options
Shown with LWAX-12W
(See page 100)

POWER & CCT-ADJUSTABLE CUTOFF WALL PACK, 120-277V TYPE 2 LENS

Dark Bronze & White



CATALOG NO.	DESCRIPTION				PKG. QTY.
LWAX-SM-12W-50K	12W	1500LM	5000K		12
LWAX-MD-30W-30K	30W	3900LM	3000K		4
LWAX-MD-30W-50K	30W	3900LM	5000K		4
LWAX-SM-12W-30K-WH	12W	1500LM	3000K		12
LWA-SH1	Shroud For LWAX SM, Bronze				
LWA-SH2	Shroud For LWAX MD, Bronze				
LWA-SH3	Shroud For LWAX LG, Bronze				

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

SIZE	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
SM	OPT-EM-LWAX-SM	EXTERNAL BACK BOX	OPT-TRS-T20	Tamper Resistant Screw	OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE (BI-LEVEL)
MD	OPT-EM-LWAX-MD	INTERNAL			OPT-CLR-MC (390 SET UP FEE PER PROJECT)	OPT-SEN-NLS-LWAX	WG NETWORK SENSOR
LG	OPT-EM-LWAX-LG	INTERNAL				OPT-SEN-KEILTON WEC-8RC	KEILTON NETWORK SENSOR OPTIONAL REMOTE

 **FOR COLD-WEATHER EM OPTION SEE PAGE 304**

OUTDOOR

WALLPACKS

WHILE SUPPLIES LAST


 LW360-25W
 Bronze

 LW360-40W
 LW360-60W
 LW360-80W
 LW360-120W
 Bronze


 LW360-60W-BK-G2
 Black

 LW360-25W-WH-G2
 White

 LW360-60W-WH-G2
 White

 Shown with
 Extended EM Box
 & Shroud

LED 360° ROTATABLE WALL PACK, 120-277V G2 SERIES OFFERS A LARGE, HINGED BACK BOX



CATALOG NO.	DESCRIPTION					PKG. QTY.
LW360-25W-30K-G2	25W	3250LM	3000K	Bronze		4
LW360-25W-40K-G2	25W	3250LM	4000K	Bronze		4
LW360-25W-50K-G2	25W	3250LM	5000K	Bronze		4
LW360-40W-30K-G2	40W	5200LM	3000K	Bronze		4
LW360-40W-40K-G2	40W	5200LM	4000K	Bronze		4
LW360-40W-50K-G2	40W	5200LM	5000K	Bronze		4
LW360-60W-30K-G2	60W	7800LM	3000K	Bronze		2
LW360-60W-40K-G2	60W	7800LM	4000K	Bronze		2
LW360-60W-50K-G2	60W	7800LM	5000K	Bronze		2
LW360-80W-30K-G2	80W	10400LM	3000K	Bronze		2
LW360-80W-40K-G2	80W	10400LM	4000K	Bronze		2
LW360-80W-50K-G2	80W	10400LM	5000K	Bronze		2
LW360-120W-30K-G2	120W	15600LM	3000K	Bronze		2
LW360-120W-40K-G2	120W	15600LM	4000K	Bronze		2
LW360-120W-50K-G2	120W	15600LM	5000K	Bronze		2
CCT-ADJUSTABLE LED 360° ROTATABLE WALL PACK, 120-277V MCT₃						
LW360-25W-MCT-G2	25W	3250LM	30K/40K/50K	Bronze		4
LW360-60W-MCT-G2	60W	7800LM	30K/40K/50K	Bronze		2
POWER & CCT-ADJUSTABLE LED 360° ROTATABLE WALL PACK, 120-277V MCTP						
LW360-60W-MCTP-G2	25W/40W/60W	130LM/W	30K/40K/50K	Bronze		2
LW360-60W-MCTP-WH-G2	25W/40W/60W	130LM/W	30K/40K/50K	White		2
LW360-60W-MCTP-BK-G2	25W/40W/60W	130LM/W	30K/40K/50K	Black		2
LW360-SH1	Shroud For LW360 Series, Bronze Finish					-

FOR FACTORY OPTION SEE LW360 BELOW
 FOR COLD-WEATHER EM OPTION SEE PAGE 304

LED ROTATABLE WALL PACKS, 120-277V

 Dark
 Bronze & White


CATALOG NO.	DESCRIPTION		REPLACEMENT RANGE	PKG. QTY.
LW360-60W-30K	60W	8100LM 3000K Bronze	200-300MH	2
LW360-80W-30K	80W	10800LM 3000K Bronze	250-400 MH	2
LW360-80W-40K	80W	10800LM 4000K Bronze	250-400 MH	2
LW360-25W-30K-WH	25W	3375LM 3000K White	100-150 MH	4
LW360-SH1	Shroud For LW360 Series, Bronze Finish			-

WHILE SUPPLIES LAST

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
25W, 40W, 60W	OPT-EM-LW360	INTERNAL	OPT-LW360-PC-B	BUTTON	OPT-CLR-85(BK/GR/SR/WH) OPT-CLR-95(BK/GR/SR/WH) OPT-CLR-35-SHR (BK/GR/SR/WH) OPT-CLR-MC (390 SET UP FEE PER PROJECT)	OPT-SEN-LW360-3MLRV-5	PROGRAMMABLE MICRO-WAVE
80W	OPT-EM-LW360-LG	INTERNAL				OPT-SEN-NLS-LW360 OPT-SEN-KEILTON WEC-8RC	WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL

FOR COLD-WEATHER EM OPTION SEE PAGE 304



WAX-MCTP
Bronze



WAX-MCTP-BK
Black



Shown Installed
as Indirect Light



WAX-MCTP-WH
White



WAX-MCTP-SIL
Silver

SPEC SERIES MODERN ADJUSTABLE WALL PACK FOR DOWN OR UP LIGHTING INSTALLATIONS WITH PHOTOCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
WAX-20-40W-MCTP	20W/30W/40W 140LM/W 30K/40K/50K Bronze	1
WAX-20-40W-MCTP-WH	20W/30W/40W 140LM/W 30K/40K/50K White	1
WAX-20-40W-MCTP-BK	20W/30W/40W 140LM/W 30K/40K/50K Black	1
WAX-20-40W-MCTP-SIL	20W/30W/40W 140LM/W 30K/40K/50K Silver	1
WAX-50-80W-MCTP	50W/65W/80W 140LM/W 30K/40K/50K Bronze	1
WAX-50-80W-MCTP-WH	50W/65W/80W 140LM/W 30K/40K/50K White	1
WAX-50-80W-MCTP-BK	50W/65W/80W 140LM/W 30K/40K/50K Black	1
WAX-50-80W-MCTP-SIL	50W/65W/80W 140LM/W 30K/40K/50K Silver	1
WAX-90-120W-MCTP	90W/105W/120W 140LM/W 30K/40K/50K Bronze	1
WAX-90-120W-MCTP-WH	90W/105W/120W 140LM/W 30K/40K/50K White	1
WAX-90-120W-MCTP-BK	90W/105W/120W 140LM/W 30K/40K/50K Black	1
WAX-90-120W-MCTP-SIL	90W/105W/120W 140LM/W 30K/40K/50K Silver	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	480 V OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
40W	OPT-EM-WAX-40	INTERNAL	OPT-WP-480V	CHANGE VOLTAGE	OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICRO-WAVE (BI-LEVEL FOR 80W)
80W	OPT-EM-WAX-80	INTERNAL			OPT-CLR-MC (390 SET UP FEE PER PROJECT)	OPT-SEN-NLS-WAX	WG NETWORK SENSOR
120W	OPT-EM-WAX-120	INTERNAL				OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	VANDAL RES.	DESCRIPTION				WEC-8RC	REMOTE CONTROL
	OPT-TRS-T20	Tamper Resistant Screw					

FOR COLD-WEATHER EM OPTION SEE PAGE 304



20% Non-Cutoff Ambient Light

80% Full-Cutoff Light

SPEC SERIES MODERN POWER & CCT ADJUSTABLE CUT-OFF WALL PACK WITH 20% FRONT LIGHT & PHOTOCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
WPAX-100W-MCTP	60W/80W/100W 130LM/W 30K/40K/50K	2

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
All	OPT-EM-WPAX	INTERNAL	OPT-PC-B	BUTTON	N/A	OPT-SEN-3MRLV-5	EXTERNAL MICRO-WAVE (BI-LEVEL FOR 80W)
	VANDAL RES.	DESCRIPTION	480 V OPTION	DESCRIPTION		OPT-SEN-NLS-WPAX	WG NETWORK SENSOR
	OPT-TRS-T20	Tamper Resistant Screw	OPT-WP-480V	CHANGE VOLTAGE		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
						WEC-8RC	REMOTE CONTROL

FOR COLD-WEATHER EM OPTION SEE PAGE 304

LED SEMI-CUTOFF VANDAL-PROOF WALL PACK, 120-277V

 Dark
Bronze


CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
LTW-50NW	50W 4400LM 4000K	150-250 MH	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-LTW	INTERNAL	OPT-PC-B	BUTTON	N/A	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE BI-LEVEL
	480 V OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION		OPT-SEN-NLS-LTW	WG NETWORK SENSOR
	OPT-WP-480V	CHANGE VOLTAGE	OPT-TRS-T20	Tamper Resistant Screw		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
						WEC-8RC	REMOTE CONTROL

VANDAL-PROOF OUTDOOR WALL LIGHT, 3CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
WPV-12W-MCT-DT	12W 80LM/W 30K/40K/50K	6

LED VERSATILE WALL OR CEILING LIGHT, 120-277V



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
WMV-20W-50K	20W 2000LM 5000K 11.4"(L) X 4.5"(W) X 3.5"(H)	50-100 MH	6
WMV-20W-40K	20W 1900LM 4000K 11.4"(L) X 4.5"(W) X 3.5"(H)	50-100 MH	6
WMV-20W-30K	20W 1800LM 3000K 11.4"(L) X 4.5"(W) X 3.5"(H)	50-100 MH	6

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-WMV	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-70(BK/GR/SR/WH)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE BI-LEVEL
	VANDAL RES.	DESCRIPTION			OPT-CLR-MC (390 SET UP FEE PER PROJECT)	OPT-SEN-NLS-WMV	WG NETWORK SENSOR
	OPT-TRS-T20	Tamper Resistant Screw				OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
						WEC-8RC	REMOTE CONTROL



BKH-BK
Black



BKH-BR
Bronze



BKH-WH
White



Shown with
EM
BKH-WH


TRADITIONAL BULKHEADS, POWER & CCT SELECTABLE, WITH PHOTOCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
BKH-10W-MCTP-BK-P	6W/8W/10W 85LM/W 30K/40K/50K Black, 2.45" X 8.29" X 4.80"	8
BKH-10W-MCTP-BR-P	6W/8W/10W 85LM/W 30K/40K/50K Bronze, 2.45" X 8.29" X 4.80"	8
BKH-10W-MCTP-WH-P	6W/8W/10W 85LM/W 30K/40K/50K White, 2.45" X 8.29" X 4.80"	8
BKH-20W-MCTP-BK-P	12W/18W/20W 85LM/W 30K/40K/50K Black, 3.24" X 9.64" X 5.83"	6
BKH-20W-MCTP-BR-P	12W/18W/20W 85LM/W 30K/40K/50K Bronze, 3.24" X 9.64" X 5.83"	6
BKH-20W-MCTP-WH-P	14W/19W/24W 85LM/W 30K/40K/50K White, 3.24" X 9.64" X 5.83"	6

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER


WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
20W	OPT-EM-BKH	INTERNAL	N/A	N/A	N/A	N/A	N/A



BKRD-15W-MCTP-BK-P
Black



BKRD-15W-MCTP-BR-P
Bronze



BKRD-15W-MCTP-WH-P
Bronze



BKRF-15W-MCTP-BK-P
Black



BKRF-15W-MCTP-BR-P
Bronze



BKRF-15W-MCTP-WH-P
Bronze



BKRN-15W-MCTP-BK-P
Black



BKRN-15W-MCTP-BR-P
Bronze



BKRN-15W-MCTP-WH-P
Bronze

ROUND BULKHEADS, POWER & CCT SELECTABLE, WITH PHOTOCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
BKRD-15W-MCTP-BK-P	9W/12W/15W 85LM/W 30K/40K/50K Black	8
BKRD-15W-MCTP-BR-P	9W/12W/15W 85LM/W 30K/40K/50K Bronze	8
BKRD-15W-MCTP-WH-P	9W/12W/15W 85LM/W 30K/40K/50K White	8
BKRF-15W-MCTP-BK-P	9W/12W/15W 85LM/W 30K/40K/50K Black	8
BKRF-15W-MCTP-BR-P	9W/12W/15W 85LM/W 30K/40K/50K Bronze	8
BKRF-15W-MCTP-WH-P	9W/12W/15W 85LM/W 30K/40K/50K White	8
BKRN-15W-MCTP-BK-P	9W/12W/15W 85LM/W 30K/40K/50K Black	8
BKRN-15W-MCTP-BR-P	9W/12W/15W 85LM/W 30K/40K/50K Bronze	8
BKRN-15W-MCTP-WH-P	9W/12W/15W 85LM/W 30K/40K/50K White	8



WPFX-SM



WPFX-MD



WPFX-LG

BUILDER SERIES FLAT WALL PACK WITH PHOTOCELL, GLASS LENS AND VANDAL SCREWS



CATALOG NO.	DESCRIPTION	PKG. QTY.
WPFX-SM-15-40W-MCTP-P	15W/25W/40W 130LM/W 30K/40K/50K	1
WPFX-MD-20-40W-MCTP-P	20W/30W/40W 135LM/W 30K/40K/50K	1
WPFX-MD-40-80W-MCTP-P	40W/60W/80W 130LM/W 30K/40K/50K	1
WPFX-LG-80-120W-MCTP-P	80W/100W/120W 130LM/W 30K/40K/50K	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
SM	OPT-EM-WPFX-SM	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
MD	OPT-EM-WPFX-MD	INTERNAL			OPT-CLR-MC (390 SET UP FEE PER PROJECT)	OPT-SEN-NLS-WPFX	WG NETWORK SENSOR
LG	OPT-EM-WPFX-LG	INTERNAL	480 V OPTION	DESCRIPTION		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	VANDAL RES.	DESCRIPTION	OPT-WP-480V	CHANGE VOLTAGE		WEC-8RC	REMOTE CONTROL
	OPT-TRS-T20	Tamper Resistant Screw					

FOR COLD-WEATHER EM OPTION SEE PAGE 304



WMXE-MD
Dark Bronze



WMXE-LG
Dark Bronze



WMXE-MD
Black



WMXE-LG
Black

BUILDER SERIES TRADITIONAL GLASS LENS WALL PACK WITH PHOTOCELL (PHOTOCELL DISCONNECT SWITCH)

480V OPTION



CATALOG NO.	DESCRIPTION	PKG. QTY.
POWER ADJUSTABLE BUILDER SERIES TRADITIONAL WALL PACK MTP		
WMXE-MD-25-65W-50K-P	25W/45W/65W 140LM/W 5000K	2
WMXE-MD-45-85W-50K-P	45W/65W/85W 140LM/W 5000K	2
WMXE-MD-80-120W-50K-P	80W/100W/120W 140LM/W 5000K	2
POWER & 3CCT ADJUSTABLE BUILDER SERIES TRADITIONAL WALL PACK MCTP		
WMXE-MD-25-65W-MCTP-P	25W/45W/65W 140LM/W 3000K/4000K/5000K	2
WMXE-MD-45-85W-MCTP-P	45W/65W/85W 140LM/W 3000K/4000K/5000K	2
WMXE-MD-80-120W-MCTP-P	80W/100W/120W 140LM/W 3000K/4000K/5000K	2
WMXE-LG-100-150W-MCTP-P	100W/120W/150W 140LM/W 3000K/4000K/5000K	1
WMXE-MD-45-85W-MCTP-P-BK	45W/65W/85W 140LM/W 3000K/4000K/5000K	2
WMXE-LG-100-150W-MCTP-P-BK	100W/120W/150W 140LM/W 3000K/4000K/5000K	1
POWER & 3CCT ADJUSTABLE BUILDER SERIES TRADITIONAL WALL PACK WITH EMERGENCY BACKUP MCTP		
WMXE-MD-25-65W-MCTP-P-EM	25W/45W/65W 140LM/W 30K/40K/50K	2
WMXE-MD-45-85W-MCTP-P-EM	45W/65W/85W 140LM/W 30K/40K/50K	2
WMXE-MD-80-120W-MCTP-P-EM	80W/100W/120W 140LM/W 30K/40K/50K	2
WMXE-LG-100-150W-MCTP-P-EM	100W/120W/150W 140LM/W 30K/40K/50K	1



FOR COLD-WEATHER EM OPTION SEE PAGE 304



WMXMAX FULL CONTROL OF BEAM ANGLE, CCT, WATTS, PHOTOCELL

CATALOG NO.	DESCRIPTION
WMXMAX-40-60W-MCTPB	40W/50W/60W 135LM/W 30K/40K/50K
WMXMAX-50-80W-MCTPB	50W/60W/80W 135LM/W 30K/40K/50K
WMXMAX-80-120W-MCTPB	80W/100W/120W 135LM/W 30K/40K/50K



WMX-SM
Dark Bronze



WMX-MD
Dark Bronze



WMX-LG
Dark Bronze



Shield
For WMX Series

SPEC SERIES TRADITIONAL WALL PACK, GLASS LENS 480V OPTION



SPEC SERIES NO. DESCRIPTION PKG. QTY.					
SPEC SERIES TRADITIONAL WALL PACK, POWER ADJUSTABLE					
WMX-SM-15-30W-30K	15W/20W/25W/30W	130LM/W	3000K	Replaces WML-HL-30W	4
WMX-SM-15-30W-40K	15W/20W/25W/30W	130LM/W	4000K	Replaces WML-HL-30W	4
WMX-SM-15-30W-50K	15W/20W/25W/30W	130LM/W	5000K	Replaces WML-HL-30W	4
WMX-MD-20-50W-30K	20W/30W/40W/50W	130LM/W	3000K	Replaces WML-HL-50W	2
WMX-MD-20-50W-40K	20W/30W/40W/50W	130LM/W	4000K	Replaces WML-HL-50W	2
WMX-MD-20-50W-50K	20W/30W/40W/50W	130LM/W	5000K	Replaces WML-HL-50W	2
WMX-MD-20-80W-30K	20W/40W/60W/80W	130LM/W	3000K	Replaces WML-HL-60W TO 80W	2
WMX-MD-20-80W-40K	20W/40W/60W/80W	130LM/W	4000K	Replaces WML-HL-60W TO 80W	2
WMX-MD-20-80W-50K	20W/40W/60W/80W	130LM/W	5000K	Replaces WML-HL-60W TO 80W	2
WMX-LG-50-120W-30K	50W/80W/100W/120W	130LM/W	3000K	Replaces WML-HL-100W TO 120W	1
WMX-LG-50-120W-40K	50W/80W/100W/120W	130LM/W	4000K	Replaces WML-HL-100W TO 120W	1
WMX-LG-50-120W-50K	50W/80W/100W/120W	130LM/W	5000K	Replaces WML-HL-100W TO 120W	1
SPEC SERIES TRADITIONAL WALL PACK, POWER & CCT ADJUSTABLE					
WMXPRO-SM-15-30W-MCTP	15W/20W/25W/30W	130LM/W	30K/40K/50K/57K		4
WMXPRO-MD-20-60W-MCTP	20W/30W/50W/60W	130LM/W	30K/40K/50K/57K		2
WMXPRO-MD-20-80W-MCTP	20W/40W/60W/80W	130LM/W	30K/40K/50K/57K		2
WMXPRO-LG-50-120W-MCTP	50W/80W/100W/120W	130LM/W	30K/40K/50K/57K		1
SPEC SERIES RC TUNABLE WALL PACKS (POWER & COLOR TEMP. TUNABLE)					
WMX-MCTP-D	80W Max	9000LM Max	3000K-5700K		2
WMX-MCTP-D-WH	80W Max	9000LM Max	3000K-5700K		2
MCTP-RC1	Remote Control for Multi-Color Temp. & Power Outdoor Fixture (One per projects)				

WML-SH2 Shield For WML 50W, 60W, 80W, 100W, WMX
WML-SH3 Shield For FOR WML 120W



FOR COLD-WEATHER EM OPTION SEE PAGE 304

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
SM	OPT-EM-WMX-SM	EXTERNAL BOX			OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRV-5	PROGRAMMABLE MICRO-WAVE BI-LEVEL
MD	OPT-EM-WMX-MD	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-95(BK/GR/SR/WH)	OPT-SEN-NLS-WMXPRO	WG NETWORK SENSOR
LG	OPT-EM-WMX-LG	INTERNAL			OPT-CLR-MC (390 SET UP FEE PER PROJECT)	OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	VANDAL RES.	DESCRIPTION	480 V OPTION	DESCRIPTION		WEC-8RC	REMOTE CONTROL
	OPT-TRS-T20	Tamper Resistant Screw	OPT-WP-480V	CHANGE VOLTAGE			

LED NON-CUTOFF WALL PACKS, 120-277V

Dark Bronze



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
WML-HL-30W-30K	30W 4200LM 3000K	100-150 MH	4
WML-HL-60W-30K	60W 8700LM 3000K	175-250 MH	2
WML-HL-80W-30K	80W 11600LM 3000K	250-400 MH	2
WML-HL-100W-30K	100W 14800LM 3000K	250-400 MH	1



FOR COLD-WEATHER EM OPTION SEE PAGE 304 FOR SHIELD SEE WMX BELOW

LED NON-CUTOFF WALL PACKS WITH DIRECTIONAL OPTIC LENS, 120-277V

TYPE 3 LENS



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
WML2-28W-50K-HL-SM	28W 3780LM 5000K W:10"	100-150 MH	4
WML2-50W-50K-SM-D	50W 6000LM 5000K W:10"	100-200 MH	4
WML2-50W-30K-SM	50W 5500LM 3000K W:10"	100-200 MH	4
WML2-50W-30K-HL	48W 6000LM 3000K W:14-1/4"	175-250 MH	1



WHILE SUPPLIES LAST


LMW
 Bronze

LMW-WH
 White

LMW-BK
 Black


Shown with EM



Shown with EM



Shown with Sensor



Shown with Sensor

LED MINI CUTOFF WALLPACK, 120-277V, 5"X5"

See Below for bollard customization

 Dark
 Bronze & White


CATALOG NO.	DESCRIPTION					PKG. QTY.
LMW-12W-30K	12W	1300LM	3000K	Bronze		12
LMW-12W-40K	12W	1300LM	4000K	Bronze		12
LMW-12W-50K	12W	1300LM	5000K	Bronze		12
LMW-12W-30K-WH	12W	1300LM	3000K	White		12
LMW-12W-40K-WH	12W	1300LM	4000K	White		12
LMW-12W-50K-WH	12W	1300LM	5000K	White		12
LMW-12W-30K-BK	12W	1320LM	3000K	Black		12
LMW-12W-40K-BK	12W	1320LM	4000K	Black		12
LMW-12W-50K-BK	12W	1320LM	5000K	Black		12

POWER & CTT - ADJUSTABLE LED MINI CUTOFF WALLPACK, 120-277V, 5" X 5"

LMW-10-24W-MCTP-P	10W/15W/24W	110LM/W	30K/40K/50K	Bronze	12
LMW-10-24W-MCTP-P-BK	10W/15W/24W	110LM/W	30K/40K/50K	White	12
LMW-10-24W-MCTP-P-WH	10W/15W/24W	110LM/W	30K/40K/50K	Black	12

FOR BOLLARD SETTINGS SEE PAGE 100

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-LMW	EXTERNAL BACK BOX	OPT-PC-BI	BUTTON	N/A	OPT-SEN-LMW	PROGRAMMABLE MICROWAVE BI-LEVEL (ONLY 2" & 3")
	OPT-EM-LMW-WH	EXTERNAL BACK BOX				OPT-SEN-NLS-LMW	W/G NETWORK SENSOR
	0-10V DIM OPTION	DESCRIPTION				OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-010DIM	0-10V Dimming				OPT-SEN-LMW-WH	PROGRAMMABLE MICROWAVE BI-LEVEL, WHITE (ONLY 2"&3")


WMS-S-50K-BR
WMS-S-30K-BR
 Bronze

WMS-R-50K-BR
WMS-R-50K-BR
 Bronze

WMS-S-50K-WH
WMS-S-30K-WH
 White

WMS-R-50K-WH
WMS-R-50K-WH
 White


Shown with EM



Shown with EM

LED WALL/STEP LIGHTS, 120-277V, 5"X5"

 Dark
 Bronze & White


CATALOG NO.	DESCRIPTION					PKG. QTY.
WMS-S-50K-BR	6W	660LM	5000K			24
WMS-S-30K-BR	6W	630LM	3000K			24
WMS-R-50K-BR	6W	660LM	5000K			24
WMS-R-30K-BR	6W	630LM	3000K			24
WMS-S-50K-WH	6W	660LM	5000K			24
WMS-S-30K-WH	6W	630LM	3000K			24
WMS-R-50K-WH	6W	660LM	5000K			24
WMS-R-30K-WH	6W	630LM	3000K			24

FOR BOLLARD SETTINGS SEE PAGE 100

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
6W	OPT-EM-WMS	EXTERNAL BACK BOX	N/A	N/A	OPT-CLR-65(BK/ GR/SR/WH)	OPT-SEN-LMW	PROGRAMMABLE MICROWAVE BI-LEVEL (ONLY 2" & 3")
6W	OPT-EM-WMS-WH	EXTERNAL BACK BOX				OPT-SEN-NLS-LMW	W/G NETWORK SENSOR
POST ALL MODELS	OPT-EM-WMS-POST	POST MOUNT				OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
						OPT-SEN-LMW-WH	PROGRAMMABLE MICROWAVE BI-LEVEL, WHITE (ONLY 2"&3")



STP-10X10



STP-10X3



STP-8X3

COMMERCIAL LARGE RECESSED WALL/STEP LIGHTS, 120-277V



CATALOG NO.	DESCRIPTION		PKG. QTY.
STP-10X10-MCTP-BR	10W/15W/20W 37LM/W 30K/40K/50K Bronze		4
STP-10X10-MCTP-BK	10W/18W/25W 37LM/W 30K/40K/50K Black		4
STP-10X10-MCTP-GY	10W/18W/25W 37LM/W 30K/40K/50K Graphite RAL 7016		4
STP-10X3-MCT-BR	10W 47LM/W 30K/40K/50K Bronze		6
STP-10X3-MCT-BK	10W 47LM/W 30K/40K/50K Black		6
STP-10X3-MCT-GY	10W 47LM/W 30K/40K/50K Graphite RAL 7016		6
STP-8X3-MCTP-BR	10W 31LM/W 30K/40K/50K Bronze		18
STP-8X3-MCTP-BK	10W 31LM/W 30K/40K/50K Black		18
STP-8X3-MCTP-GY	10W 31LM/W 30K/40K/50K Graphite RAL 7016		18



MODERN WALL PACK, 3CCT WITH PHOTOCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
DLW-15W-MCT-BK	15W 120LM/W 35K/40K/50K Black	10
DLW-15W-MCT-BR	15W 120LM/W 35K/40K/50K Bronze	10
DLW-15W-MCT-WH	15W 120LM/W 35K/40K/50K White	10

FOR EM OPTION SEE PAGE 303

MODERN LED SMALL (8.5") WALL PACK WITH PHOTOCELL, 120-277V

Dark Bronze & White



CATALOG NO.	DESCRIPTION	PKG. QTY.
SINGLE POWER & CCT LED SMALL NON-CUTOFF WALL PACK WITH PHOTOCELL		
LESW-15W-30K-P	15W 1675LM 3000K Bronze	10
LESW-15W-50K-P	15W 1875LM 5000K Bronze	10
LESW-20W-30K-P	20W 2300LM 3000K Bronze	10
LESW-20W-50K-P	20W 2500LM 5000K Bronze	10
LESW-15W-30K-P-WH	15W 1675LM 3000K White	10
LESW-15W-50K-P-WH	15W 1875LM 5000K White	10
LESW-20W-30K-P-WH	20W 2300LM 3000K White	10
LESW-20W-50K-P-WH	20W 2500LM 5000K White	10
POWER & CCT - ADJUSTABLE LED SMALL NON-CUTOFF WALL PACK WITH PHOTOCELL		
LESW-8-15W-MCTP-P	8W/12W/15W 135LM/W 30K/40K/50K Bronze	10
LESW-8-15W-MCTP-P-WH	8W/12W/15W 135LM/W 30K/40K/50K White	10
LESW-15-30W-MCTP-P	15W/20W/30W 135LM/W 3000K/4000K/5000K Bronze	10
LESW-15-30W-MCTP-P-WH	15W/20W/30W 135LM/W 3000K/4000K/5000K White	10

120-277V



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-LESW	INTERNAL	OPT-TRS-T20	Tamper Resistant Screw	N/A	OPT-SEN-3MRLV-6 OPT-SEN-NLS-LESW OPT-SEN-KEILTON WEC-3RC	PROGRAMMABLE MICROWAVE BI-LEVEL WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL



LSWX
Bronze



LSWX-BK
Black



LSWX-WH
White

LED SMALL (11") WALL PACK WITH PHOTOCELL 120-277V TYPE 2 LENS



CATALOG NO.	DESCRIPTION	PKG. QTY.
POWER & CCT-ADJUSTABLE SMALL WALL PACK WITH PHOTOCELL MCTP		
LSWX-13-26W-MCTP-PC	13W/20W/26W 4231LM 30K/40K/50K Bronze	4
LSWX-13-26W-MCTP-PC-BK	13W/20W/26W 4231LM 30K/40K/50K Black	4
LSWX-13-26W-MCTP-PC-WH	13W/20W/26W 4231LM 30K/40K/50K White	4
SINGLE POWER AND CCT SMALL WALL PACK WITH PHOTOCELL		
LSWX-20W-30K-PC	20W 2450LM 3000K Bronze	6

120-277V

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-LSWX	INTERNAL	OPT-NOPC	REMOVE PHOTOCELL	N/A	OPT-SEN-SLPIR	EXTERNAL SECURITY LIGHT TYPE
	VANDAL RES.	DESCRIPTION				OPT-SEN-NLS-LSWX	WG NETWORK SENSOR
	OPT-TRS-T20	Tamper Resistant Screw				OPT-SEN-KEILTON	KEILTON NETWORK SENSOR



LFXU-25-75W
Bronze



LFXU-90-150W
Bronze



LFXU-25-75W-BK
Black



LFXU-90-150W-BK
Black



WEC-3RC

WEC-3PR-78-AJ-WH
WEC-3PBT-78-AJ-WH

Sensor-Ready
Plug & Play



"Pole is not Incl"



Shown with LFXU-UPG
"Pole is not Incl"

URBAN AREA AND ROADWAY LIGHT FOR 4in POLES - PHOTOCELL READY



CATALOG NO.	DESCRIPTION	PKG. QTY.
LFXU-25-75W-MCTP-PSR	25W/50W/75W 150LM/W 30K/40K/50K Bronze SENSOR READY	2
LFXU-25-75W-MCTP-PSR-BK	25W/50W/75W 150LM/W 30K/40K/50K Black SENSOR READY	2
LFXU-90-150W-MCTP-PSR	90W/100W/150W 150LM/W 30K/40K/50K Bronze SENSOR READY	2
LFXU-90-150W-MCTP-PSR-BK	90W/100W/150W 150LM/W 30K/40K/50K Black SENSOR READY	2
LFXU-LENS-TYPE2	LFXU Type 2 Replacement Lens	
LFXU-LENS-TYPE4	LFXU Type 4 Replacement Lens	
LFXU-UPG	Universal Pole Grabber Mounting For 4" Square And Round Poles	
LFXU-UPG-BK	Universal Pole Grabber Mounting For 4" Square And Round Poles, Black	
WEC-3PR-78-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & RC (Optional RC WEC-3RC)	
WEC-3PBT-78-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level Bluetooth App Ready	



LFXE-MD-KN Dark Bronze LFXE-MD-KN-BK BLACK LFXE-MD-KN-WH WHITE LFXE-MD-TR Dark Bronze



Can be used as **BILBOARD/SIGN LIGHT**
Shown with ACC-WMA-30-BR (See page 34)



LFXE-LG
Dark Bronze



LFXE-XL
Dark Bronze

BUILDER SERIES FLOOD/AREA LIGHTS WITH PHOTOCELL TYPE 3 LENS (PHOTOCELL DISCONNECT SWITCH)



CATALOG NO.	DESCRIPTION	PKG. QTY.
POWER & CCT ADJUSTABLE BUILDER SERIES FLOOD/AREA LIGHTS WITH PHOTOCELL		
LFXE-MD-50-100W-MCTP-KN-P	50W/80W/100W 135LM/W 30K/40K/50K	4
LFXE-MD-50-100W-MCTP-KN-P-BK	50W/80W/100W 135LM/W 30K/40K/50K	4
LFXE-MD-50-100W-MCTP-KN-P-WH	50W/80W/100W 135LM/W 30K/40K/50K	4
LFXE-MD-50-100W-MCTP-TR-P	50W/80W/100W 135LM/W 30K/40K/50K	4
POWER & 3CCT ADJUSTABLE BUILDER SERIES FLOOD/AREA LIGHTS WITH PHOTOCELL (COMPATIBLE WITH LFX MOUNTING OPTIONS)		
LFXE-LG-80-150W-50K-P	80W/100W/150W 135LM/W 5000K	1
LFXE-LG-80-150W-MCTP-P	80W/100W/150W 135LM/W 30K/40K/50K	1
POWER & 3CCT ADJUSTABLE BUILDER SERIES FLOOD/AREA LIGHTS WITH PHOTOCELL (COMPATIBLE WITH LFX MOUNTING OPTIONS)		
LFXE-XL-200-300W-50K-P	200W/240W/300W 135LM/W 5000K	1
LFXE-XL-200-300W-MCTP-P	200W/240W/300W 135LM/W 30K/40K/50K	1

FOR OPT OPTION SEE PAGE 24.

FOR MOUNTING OPTIONS SEE PAGE 28. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX, LF4MAX)

FOR COLD-WEATHER EM OPTION SEE PAGE 304



LFX-LG
Dark Bronze



LFX-XL
Dark Bronze



LFX-XXL
Dark Bronze

SPEC SERIES POWER-ADJUSTABLE AREA LIGHT, TYPE 3 LENS



CATALOG NO.	DESCRIPTION	PKG. QTY.
SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, 120-277V		
LFX-LG-50-150W-30K	50W/80W/100W/150W 140LM/W 3000K	1
LFX-LG-50-150W-40K	50W/80W/100W/150W 140LM/W 4000K	1
LFX-XL-150-300W-30K	150W/200W/240W/300W 145LM/W 3000K	1
LFX-XL-150-300W-40K	150W/200W/240W/300W 145LM/W 4000K	1
LFX-XXL-300-600W-50K	300W/400W/500W/600W 140LM/W 5000K	1
SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, 480V		
LFX-XXL-300-600W-50K-480V	300W/400W/500W/600W 140LM/W 5000K	1

FOR OPT OPTION SEE PAGE 24.

FOR MOUNTING OPTIONS SEE PAGE 28. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX, LF4MAX)

FOR COLD-WEATHER EM OPTION SEE PAGE 304




LFX-LG
 Dark Bronze

LFX-XL
 Dark Bronze

LFX-XXL
 Dark Bronze

SPEC SERIES POWER-ADJUSTABLE AREA LIGHT, PHOTOCELL READY, TYPE 3 LENS



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, PHOTOCELL READY, 120-277V

LFX-LG-50-150W-30K-SC	50W/80W/100W/150W	140LM/W 3000K	1
LFX-LG-50-150W-40K-SC	50W/80W/100W/150W	140LM/W 4000K	1
LFX-LG-50-150W-50K-SC	50W/80W/100W/150W	140LM/W 5000K	1
LFX-XL-150-300W-30K-SC	150W/200W/240W/300W	145LM/W 3000K	1
LFX-XL-150-300W-40K-SC	150W/200W/240W/300W	145LM/W 4000K	1
LFX-XL-150-300W-50K-SC	150W/200W/240W/300W	145LM/W 5000K	1
LFX-XXL-300-600W-50K-SC	300W/400W/500W/600W	140LM/W 5000K	1

SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, PHOTOCELL READY, 480V

LFX-LG-80-150W-MCTP-480V-SC	80W/100W/150W	145LM/W 30K/40K/50K	1
LFX-XL-200-300W-MCTP-480V-SC	200W/240W/300W	145LM/W 30K/40K/50K	1
LFX-XXL-300-600W-50K-480V-SC	300W/400W/500W/600W	140LM/W 5000K	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LFX-LG	OPT-EM-LFX-LG	EXTERNAL	OPT-3MPC	ELECTRONIC	OPT-CLR-95(BK/GR/SR/WH)	OPT-SEN-3MR-3	PROGRAMMABLE MICROWAVE BI-LEVEL
LFX-XL	OPT-EM-LFX-XL	EXTERNAL BOX	OPT-LF3-PCK	TWIST-LOCK			
	LENS OPTION	DESCRIPTION	OPT-LF3-PCK-480V	TWIST-LOCK	OPT-CLR-MC (390 SET UP FEE PER PROJECT)	OPT-SEN-NLS-LFX	WG NETWORK SENSOR
	OPT-LFX-LG-TYPEIV	TYPE IV	WIRES PULLED OUT	DESCRIPTION		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-LFX-XL-TYPEIV	TYPE IV	OPT-010WP0	0-10V Dim. Wires Pulled Out		WEC-8RC	REMOTE CONTROL
	OPT-LFX-LG-TYPEV	TYPE V					
	OPT-LFX-XL-TYPEV	TYPE V					


LFXPRO-LG
 Dark Bronze

LFXPRO-LG
 White

LFXPRO-LG
 Black

LFXPRO-XL
 Dark Bronze

LFXPRO-XL
 White

LFXPRO-XL
 Black

SPEC PLUS POWER & CCT ADJUSTABLE AREA LIGHT, 120-277V TYPE 3 LENS



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

LFXPRO-LG-50-150W-MCTP	50W/80W/100W/150W	125LM/W 30K/40K/50K/57K	1
LFXPRO-LG-50-150W-MCTP-WH	50W/80W/100W/150W	125LM/W 30K/40K/50K/57K	1
LFXPRO-LG-50-150W-MCTP-BK	50W/80W/100W/150W	125LM/W 30K/40K/50K/57K	1
LFXPRO-XL-150-300W-MCTP	150W/200W/240W/300W	125LM/W 30K/40K/50K/57K	1
LFXPRO-XL-150-300W-MCTP-WH	150W/200W/240W/300W	125LM/W 30K/40K/50K/57K	1
LFXPRO-XL-150-300W-MCTP-BK	150W/200W/240W/300W	125LM/W 30K/40K/50K/57K	1

FOR OPT OPTION SEE PAGE 24.

FOR MOUNTING OPTIONS SEE PAGE 28. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX, LF4MAX)

FOR COLD-WEATHER L EM OPTION SEE PAGE 304




 Field changeable
 Lens

 Shown with
 Half Shroud

 Photocell & Sensor-Ready
 Plug & Play

LFXMAX SPEC SIGNATURE MAXIMUM-FEATURE AREA LIGHT, SENSOR & PHOTOCELL READY, ROTATABLE LENS - TYPE 3 STANDARD



CATALOG NO.	DESCRIPTION	PKG. QTY.
LFXMAX SPEC SIGNATURE MAXIMUM-FEATURE AREA LIGHT, WATTAGE & CCT SELECTABLE		
LFXMAX-LG-70-150W-MCTP-PSR	70W/100W/150W 145LM/W 30K/40K/50K	1
LFXMAX-XL-200-300W-MCTP-PSR	200W/250W/300W 145LM/W 30K/40K/50K	1
LFXMAX-XXL-250-450W-MCTP-PSR	250W/350W/450W 145LM/W 30K/40K/50K	1
LFXMAX-LG-70-150W-MCTP-PSR-480V	70W/100W/150W 145LM/W 30K/40K/50K	1
LFXMAX-XL-200-300W-MCTP-PSR-480V	200W/250W/300W 145LM/W 30K/40K/50K	1
LFXMAX-XXL-250-450W-MCTP-480V	250W/350W/450W 145LM/W 30K/40K/50K	1
LFXMAX SPEC SIGNATURE MAXIMUM-FEATURE AREA LIGHT, WATTAGE & CCT & BEAM ANGLE SELECTABLE		
LFXMAX-LG-70-150W-MCTPB-PSR	70W/100W/150W 145LM/W 30K/40K/50K	1
LFXMAX-XL-200-300W-MCTPB-PSR	200W/250W/300W 145LM/W 30K/40K/50K	1
LFXMAX-TR-A	LFMAX-LG TR U-Shaped Mounting Bracket	
LFXMAX-LG-SHROUD-H	LFMAX-LG Half Shroud	
LFXMAX-XL-SHROUD-H	LFMAX-XL Half Shroud	
LFXMAX-LG-LENS-T1S	LFMAX-LG Type T1S Lens	
LFXMAX-LG-LENS-T2M	LFMAX-LG Type T2M Lens	
LFXMAX-LG-LENS-T4M	LFMAX-LG Type T4M Lens	
LFXMAX-LG-LENS-T5M	LFMAX-LG Type T5M Lens	
LFXMAX-LG-LENS-TFTM	LFMAX-LG Type TFTM Lens	
LFXMAX-LG-LENS-AFR	LFMAX-LG Type AFR Lens	
LFXMAX-LG-LENS-T5W	LFMAX-LG Type T5W Lens	
LFXMAX-XL-LENS-T1S	LFMAX-XL Type T1S Lens	
LFXMAX-XL-LENS-T2M	LFMAX-XL Type T2M Lens	
LFXMAX-XL-LENS-T4M	LFMAX-XL Type T4M Lens	
LFXMAX-XL-LENS-T5M	LFMAX-XL Type T5M Lens	
LFXMAX-XL-LENS-TFTM	LFMAX-XL Type TFTM Lens	
LFXMAX-XL-LENS-AFR	LFMAX-XL Type AFR Lens	
LFXMAX-XL-LENS-T5W	LFMAX-XL Type T5W Lens	
LFXMAX-XXL-LENS-T4	LFMAX-XXL Type T4 Lens	
LFXMAX-XXL-LENS-T5	LFMAX-XXL Type T5 Lens	
PC-TWIST	Twist Lock Photocell 1800W Tungston 120-277V Ac /1800W	
PC-TWIST-480V	Twist Lock Photocell 1800W Tungston 490V	
WEC-3PR-78-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & RC (Optional RC	
	WEC-3RC)	
WEC-3PBT-78-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level Bluetooth App	
	Ready	



FOR COLD-WEATHER EM OPTION SEE PAGE 304

FOR OPT OPTION SEE PAGE 24.

FOR MOUNTING OPTIONS SEE PAGE 28. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX, LF4MAX)



GPX-18-60W-MCTP-PWM
Pole/Wall Mount



GPX-18-60W-MCTP-SF
Slip fitter for 2-3/8" Pole
"POLE IS NOT INCL."



SPEC SERIES POWER & CCT- ADJUSTABLE AREA/FLOOD LIGHT MTO made to order

W/ PRE-INSTALLED MOUNTINGS, 120-277V, TYPE 3 LENS



	DESCRIPTION	MOUNTING	PKG. QTY.
GPX-18-60W-MCTP-PWM	18W/30W/45W/60W 150LM/W 30K/40K/50K	Pole/Wall Mount	1
GPX-18-60W-MCTP-SF	18W/30W/45W/60W 150LM/W 30K/40K/50K	Slip fitter for 2-3/8" Poles/Piles	1
GPX-22-75W-MCTP-PWM	22W/37W/56W/75W 150LM/W 40K/50K	Pole/Wall Mount	1
GPX-22-75W-MCTP-SF	22W/37W/56W/75W 150LM/W 40K/50K	Slip fitter for 2-3/8" Poles/Piles	1
GPX-90-150W-MCTP-PWM	90W/120W/150W 150LM/W 30K/40K/50K	Pole/Wall Mount	1
GPX-90-150W-MCTP-SF	90W/120W/150W 150LM/W 30K/40K/50K	Slip fitter for 2-3/8" Poles/Piles	1

FOR GPX OPTIONS & ACCESSORIES SEE PAGE 73.



LF4MAX-KN
Bronze



LF4MAX-KN-BK
Black



LF4MAX-KN-WH
White



Architectural Round-Back
Design

LF4MAX SPEC SIGNATURE MAXIMUM-FEATURE ROUND-BACK FLOOD LIGHT WITH KNUCKLE FULL CONTROL OF BEAM ANGLE, CCT, WATTS, PHOTOCCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
LF4MAX-SM-15-35W-MCTPB-KN-P	15W/25W/35W 140LM/W 30K/40K/50K Bronze	1
LF4MAX-SM-15-35W-MCTPB-KN-P-BK	15W/25W/35W 140LM/W 30K/40K/50K Black	1
LF4MAX-SM-15-35W-MCTPB-KN-P-WH	15W/25W/35W 140LM/W 30K/40K/50K White	1
LF4MAX-MD-20-50W-MCTPB-KN-P	20W/30W/50W 140LM/W 30K/40K/50K Bronze	1
LF4MAX-MD-20-50W-MCTPB-KN-P-BK	20W/30W/50W 140LM/W 30K/40K/50K Black	1
LF4MAX-MD-20-50W-MCTPB-KN-P-WH	20W/30W/50W 140LM/W 30K/40K/50K White	1
LF4MAX-MD-45-80W-MCTPB-KN-P	45W/60W/80W 140LM/W 30K/40K/50K Bronze	1
LF4MAX-MD-45-80W-MCTPB-KN-P-BK	45W/60W/80W 140LM/W 30K/40K/50K Black	1
LF4MAX-MD-45-80W-MCTPB-KN-P-WH	45W/60W/80W 140LM/W 30K/40K/50K White	1

LF4MAX SPEC SIGNATURE MAXIMUM-FEATURE ROUND-BACK FLOOD LIGHT WITH U BRACKET FULL CONTROL OF BEAM ANGLE, CCT, WATTS, PHOTOCCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
SPEC SIGNATURE MAXIMUM-FEATURE ROUND-BACK FLOOD LIGHT WITH U BRACKET 120-277V		
LF4MAX-SM-15-35W-MCTPB-TR-P	15W/25W/35W 140LM/W 30K/40K/50K Bronze	1
LF4MAX-MD-20-50W-MCTPB-TR-P	20W/30W/50W 140LM/W 30K/40K/50K Bronze	1
LF4MAX-MD-45-80W-MCTPB-TR-P	45W/60W/80W 140LM/W 30K/40K/50K Bronze	1
LF4MAX-LG-75-150W-MCTPB-TR-P	75W/100W/150W 140LM/W 30K/40K/50K Bronze	1
LF4MAX-XL-200-300W-MCTPB-TR-P	200W/240W/300W 140LM/W 30K/40K/50K Bronze	1
SPEC SIGNATURE MAXIMUM-FEATURE ROUND-BACK FLOOD LIGHT WITH U BRACKET 480V		
LF4MAX-LG-150W-MCTPB-TR-P-480V	75W/100W/150W 140LM/W 30K/40K/50K Bronze	1
LF4MAX-XL-300W-MCTPB-TR-P-480V	200W/240W/300W 140LM/W 30K/40K/50K Bronze	1





LF4MAX-LG
Bronze



LF4MAX-LG-BK
Black



LF4MAX-LG-WH
White



Shown with
Slip Fitter



LF4MAX-XL
Bronze



LF4MAX-XL-BK
Black



LF4MAX-XL-WH
White



Shown with
Slip Fitter

LF4MAX SPEC SIGNATURE MAXIMUM-FEATURE ROUND-BACK FLOOD LIGHT FULL CONTROL OF BEAM ANGLE, CCT, WATTS, PHOTOCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
SPEC SIGNATURE MAXIMUM-FEATURE ROUND-BACK FLOOD LIGHT 120-277V		
LF4MAX-LG-75-150W-MCTPB-P	75W/100W/150W 140LM/W 30K/40K/50K Bronze	1
LF4MAX-LG-75-150W-MCTPB-P-BK	75W/100W/150W 140LM/W 30K/40K/50K Black	1
LF4MAX-LG-75-150W-MCTPB-P-WH	75W/100W/150W 140LM/W 30K/40K/50K White	1
LF4MAX-XL-200-300W-MCTPB-P	200W/240W/300W 140LM/W 30K/40K/50K Bronze	1
LF4MAX-XL-200-300W-MCTPB-P-BK	200W/240W/300W 140LM/W 30K/40K/50K Black	1
LF4MAX-XL-200-300W-MCTPB-P-WH	200W/240W/300W 140LM/W 30K/40K/50K White	1
SPEC SIGNATURE MAXIMUM-FEATURE ROUND-BACK FLOOD LIGHT 480V		
LF4MAX-LG-150W-MCTPB-P-480V	75W/100W/150W 140LM/W 30K/40K/50K White	1
LF4MAX-XL-300W-MCTPB-P-480V	200W/240W/300W 140LM/W 30K/40K/50K White	1

FOR COLD-WEATHER EM OPTION SEE PAGE 304
FOR OPT OPTION SEE PAGE 24.
FOR MOUNTING OPTIONS SEE PAGE 28 (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX, LF4MAX)



LF4PRO
Dark Bronze



Shown with
LFX-SF Slip Fitter

SPEC SERIES POWER & CCT ADJUSTABLE ARCHITECTURAL ROUND-BACK FLOOD LIGHT, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
LF4PRO-50-150W-MCTP	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K	1

FOR COLD-WEATHER EM OPTION SEE PAGE 304
FOR OPT OPTION SEE PAGE 24.
FOR MOUNTING OPTIONS SEE PAGE 28 (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX, LF4MAX)

MOUNTING OPTIONS FOR LFX, LFXPRO, LF4PRO, LFXE, LFXMAX SERIES

OUTDOOR

AREA
LIGHTS



LFX-SF (Bronze)

LFX-SF-WH (White)

LFX-SF-BK (Black)

Slip Fitter for LFX & LFX-
XXL & LFXPRO & LFXMAX
& LF4PRO & LFXE Series



LFX-YK (Bronze)

LFX-YK-WH (White)

LFX-YK-BK (Black)

Yoke for LFX & LFX-XXL
& LFXPRO & LFXMAX
& LF4PRO & LFXE Series



LFX-EXT (Bronze)

LFX-EXT-WH (White)

LFX-EXT-BK (Black)

Straight Arm for LFX &
LFX-XXL & LFXPRO &
LFXMAX & LF4PRO & LFXE
Series



LFX-TR-A (Bronze)

LFX-TR-A-WH (White)

LFX-TR-A-BK (Black)

U Bracket for LFX &
LFXPRO "LG" & LF4PRO &
LFXE Series



LFX-ASA (Bronze)

LFX-ASA-WH (White)

LFX-ASA-BK (Black)

Adjustable Straight Arm
for LFX & LFX-XXL & LFX-
PRO & LFXMAX & LF4PRO
& LFXE Series



LFX-TR-B (Bronze)

LFX-TR-B-WH (White)

LFX-TR-B-BK (Black)

U Bracket for LFX "XL" &
LFX-XXL & LFXPRO "XL" &
LFXE Series



LFX-AWB (Bronze)

LFX-AWB-WH (White)

LFX-AWB-BK (Black)

Adjustable Wall Junction
Box for LFX & LFX-XXL
& LFXMAX & LFXPRO
& LF4PRO & LFXE Series



LFX-PASF (Bronze)

LFX-PASF-WH (White)

LFX-PASF-BK (Black)

Pole Adapter for Slip Fitter for
LFX & LFX-XXL & LFXMAX
& LFXPRO & LF4PRO & LFXE
Series

PHOTOCELL FOR LFX SERIES

Microwave Photocell



OPT-3MPC

Twist-Lock Photocell Kit



OPT-LF3-PCK

OPT-LF3-PCK-480V

PHOTOCELL FOR LFXE SERIES



OPT-3MPC

COMPATIBLE WITH
EXT, ASA, SF MOUNTING

7-PIN SOCKET FOR SMART CONTROL RECEIVERS

RECEIVER NOT
INCL.



**SMART CONTROL
RECEIVER SOCKET**

OPT-TLS0C7P



LF-SHROUD-A
Dark Bronze
Reversible



LF-SHROUD-D
Dark Bronze



LF-SHROUD-B
Dark Bronze
Reversible



LF-SHROUD-E
Dark Bronze



LF-SHROUD-F
Dark Bronze



LF-SHROUD-G
Dark Bronze



LFX-WG-A
LFX-WG-B
LFXPRO-WG-A
LFXPRO-WG-B

SHROUD & WIRE GUARD FOR LFX, LFX PRO, LF4 PRO SERIES

CATALOG NO.	DESCRIPTION
LF-SHROUD-A	Half Shroud for LFX & LFXPRO "LG" & LF4PRO Series, Reversible (Back or Front)
LF-SHROUD-B	Half Shroud for LFX & LFXPRO "XL" Series, Reversible (Back or Front)
LF-SHROUD-F	Half Shroud for LFX "XXL" Series
LF-SHROUD-D	Full Shroud for LFX & LFXPRO "LG" & LF4PRO Series
LF-SHROUD-E	Full Shroud for LFX & LFXPRO "XL" Series
LF-SHROUD-G	Full Shroud for LFX "XXL" Series
LFX-WG-A	Wire Guard for LFX "LG" Series
LFX-WG-B	Wire Guard for LFX "XL" Series
LFXPRO-WG-A	Wire Guard for LFXPRO "LG" Series
LFXPRO-WG-B	Wire Guard for LFXPRO "XL" Series

Now
available
With A Built-in
Photocell
Switch



LFX-XS
Dark Bronze



LFX-SM
Dark Bronze



LFX-SM
White



LFX-SM
Black



LFX-SM
Silver



LFX-MD
Dark Bronze



LFX-MD
White



LFX-MD
Black



LFX-MD
Silver

SPEC SERIES X-GEN. SMALL FLOOD LIGHTS

0-10V DIM., INCL. MULTI POWER & MULTI POWER + 3CCT (WITH KNUCKLE) 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
EXTRA SMALL FLOOD LIGHT		
LFX-XS-15W-30K-KN	15W 1950LM 3000K	18
LFX-XS-15W-40K-KN	15W 1950LM 4000K	18
LFX-XS-15W-50K-KN	15W 1950LM 5000K	18
POWER-ADJUSTABLE SMALL FLOOD LIGHT 		
LFX-SM-10-30W-30K-KN	10W/15W/20W/30W 130LM/W 3000K	10
LFX-SM-10-30W-40K-KN	10W/15W/20W/30W 130LM/W 4000K	10
LFX-SM-10-30W-50K-KN	10W/15W/20W/30W 130LM/W 5000K	10
LFX-MD-15-50W-30K-KN	15W/20W/30W/50W 130LM/W 3000K	6
LFX-MD-15-50W-40K-KN	15W/20W/30W/50W 130LM/W 4000K	6
LFX-MD-15-50W-50K-KN	15W/20W/30W/50W 130LM/W 5000K	6
POWER & CCT-ADJUSTABLE SMALL FLOOD LIGHT 		
LFX-SM-10-30W-MCTP-KN	10W/15W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-SM-10-30W-MCTP-KN-WH	10W/15W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-SM-10-30W-MCTP-KN-BK	10W/15W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-SM-10-30W-MCTP-KN-SV	10W/15W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-MD-15-50W-MCTP-KN	15W/20W/30W/50W 130LM/W 30K/40K/50K/57K	6
LFX-MD-15-50W-MCTP-KN-WH	15W/20W/30W/50W 130LM/W 30K/40K/50K/57K	6
LFX-MD-15-50W-MCTP-KN-BK	15W/20W/30W/50W 130LM/W 30K/40K/50K/57K	6
LFX-MD-15-50W-MCTP-KN-SV	15W/20W/30W/50W 130LM/W 30K/40K/50K/57K	6
POWER & CCT-ADJUSTABLE SMALL FLOOD LIGHT WITH PHOTOCELL 		
LFX-SM-10-30W-MCTP-KN-P	10W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-SM-10-30W-MCTP-KN-WH-P	10W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-SM-10-30W-MCTP-KN-BK-P	10W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-SM-10-30W-MCTP-KN-SV-P	10W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-MD-30-50W-MCTP-KN-P	30W/40W/50W 130LM/W 30K/40K/50K/57K	6
LFX-MD-30-50W-MCTP-KN-WH-P	30W/40W/50W 130LM/W 30K/40K/50K/57K	6
LFX-MD-30-50W-MCTP-KN-BK-P	30W/40W/50W 130LM/W 30K/40K/50K/57K	6
LFX-MD-30-50W-MCTP-KN-SV-P	30W/40W/50W 130LM/W 30K/40K/50K/57K	6



LFE-15W
Dark Bronze



LFE-30W
Dark Bronze



LFE-50W
Dark Bronze

Now
available
With A Built-in
Photocell
Switch

BUILDER SERIES COMPACT FLOOD LIGHTS, INCL. 3CCT VERSIONS WITH 1/2" KNUCKLE, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
LFE-15W-30K-KN	15W 1600LM 3000K	48
LFE-15W-40K-KN	15W 1600LM 4000K	48
LFE-15W-50K-KN	15W 1600LM 5000K	48
3CCT VERSION COMPACT FLOOD LIGHTS MCT₃		
LFE-30W-MCT-KN	30W 3250LM 30K/40K/50K	24
3CCT VERSION COMPACT FLOOD LIGHTS WITH MCT₃		
LFE-15W-MCT-KN-P	15W 1600LM 30K/40K/50K	48
LFE-30W-MCT-KN-P	30W 3250LM 30K/40K/50K	24
LFE-50W-MCT-KN-P	50W 5250LM 30K/40K/50K	16



LF4-15W-50K-KN
LF4-15W-30K-KN
Dark Bronze



LF4-30W-50K-D-KN
LF4-30W-30K-D-KN
Dark Bronze



LF4-50W-50K-D-KN
LF4-50W-30K-D-KN
Dark Bronze

SPEC SERIES LED ARCHITECTURAL ROUND-BACK FLOOD LIGHTS, 0-10V DIMMING 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
LF4-15W-50K-KN	15W 1900LM 5000K	12
LF4-15W-30K-KN	15W 1900LM 3000K	12
LF4-30W-50K-D-KN	30W 4050LM 5000K	6
LF4-30W-30K-D-KN	30W 4050LM 3000K	6
LF4-50W-50K-D-KN	50W 6750LM 5000K	6
LF4-50W-30K-D-KN	50W 6750LM 3000K	6



LED ARCHITECTURAL ROUND-BACK FLOOD LIGHTS, 120V-277V



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
LF4-12CW-KN	12W 1300LM 5000K	50-70 MH	12



LF4 with
Half Shroud



LF3-HL with
Half Shroud



LF4 with
Full-Glare Shroud



LF3-HL with
Full-Glare Shroud

SHROUD FOR LFX, LF3 & LF4 SMALL SERIES

CATALOG NO.	DESCRIPTION
LF4-SH1	Fits LF4-12W & 15W, LF4-12V-6W & 12W (Polycarbonate)
LF4-SH2	Fits LF4-30W, LF4-12V-24W & 30W (Polycarbonate)
LF4-SH3	Fits LF4-50W, LF4-12V-50W (Polycarbonate)
LF4-SH4	Fits LF4-80W & 100W, (Aluminum)
LF4-SH5	Fits LF4-150W (Aluminum)
LF3-SH1	Shroud for LFX-SM* & LF3-30W & LF3-HL-30W, Reversible, Aluminum
LF3-SH2	Shroud for LFX-SM-MCTP & LFX-MD & LF3-50W & LF3-HL-50W, Reversible, Aluminum
LF3-SH1FG	Full-Glare Shroud for LF3-30W & LF3-HL-30W & LF4-12W & LF4-30W, Aluminum
LF3-SH2FG	Full-Glare Shroud for LF3-50W & LF3-HL-50W & LF4-50W, Aluminum



LED FLOOD LIGHTS LF3 SERIES WITH U BRACKET, 120-277V (NOT DIMMABLE)



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST
LF3-WH-30WW-TR	30W 3600LM 3000K TRUNNION	
LF3-30WW-TR	30W 3600LM 3000K TRUNNION	
LF3-30NW-TR	30W 3600LM 4000K TRUNNION	
LF3-50NW-TR	50W 6100LM 4000K TRUNNION	
LF3-50CW-TR	50W 6100LM 5000K TRUNNION	
LF3-100WW-TR	100W 10000LM 3000K TRUNNION	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LFX-MD-KN & LFX-MD-TR	N/A	N/A	OPT-PC-BUM	BUTTON	N/A	N/A	N/A



LFE-15W-30K-TR
LFE-15W-40K-TR
LFE-15W-50K-TR
Dark Bronze



LFE-15W-MCT-TR
LFE-30W-MCT-TR
Dark Bronze



LFE-50W-MCT-TR
Dark Bronze

BUILDER SERIES COMPACT FLOOD LIGHTS, INCL. 3CCT VERSIONS WITH U BRACKET, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
LFE-15W-30K-TR	15W 1600LM 3000K	48
LFE-15W-40K-TR	15W 1600LM 4000K	48
LFE-15W-50K-TR	15W 1600LM 5000K	48
3CCT VERSION COMPACT FLOOD LIGHTS		
LFE-15W-MCT-TR	15W 1600LM 3000K/4000K/5000K	48
LFE-30W-MCT-TR	30W 3250LM 3000K/4000K/5000K	24
LFE-50W-MCT-TR	50W 5250LM 3000K/4000K/5000K	16
3CCT VERSION COMPACT FLOOD LIGHTS WITH		
LFE-15W-MCT-TR-P	15W 1600LM 3000K/4000K/5000K	48
LFE-30W-MCT-TR-P	30W 3250LM 3000K/4000K/5000K	24
LFE-50W-MCT-TR-P	50W 5250LM 3000K/4000K/5000K	16



LFX-XS
Dark Bronze



LFX-SM
Dark Bronze



LFX-MD
Dark Bronze



SPEC SERIES X-GEN. SMALL FLOOD LIGHTS

0-10V DIM., INCL. MULTI POWER & MULTI POWER + 3CCT (WITH U BRACKET) 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
EXTRA SMALL FLOOD LIGHT		
LFX-XS-15W-30K-TR	15W 1950LM 3000K	18
LFX-XS-15W-40K-TR	15W 1950LM 4000K	18
LFX-XS-15W-50K-TR	15W 1950LM 5000K	18
POWER-ADJUSTABLE SMALL FLOOD LIGHT		
LFX-SM-10-30W-30K-TR	10W/15W/20W/30W 130LM/W 3000K	10
LFX-SM-10-30W-50K-TR	10W/15W/20W/30W 130LM/W 5000K	10
LFX-MD-15-50W-30K-TR	15W/20W/30W/50W 130LM/W 3000K	10
LFX-MD-15-50W-50K-TR	15W/20W/30W/50W 130LM/W 5000K	10
POWER & CCT-ADJUSTABLE SMALL FLOOD LIGHT		
LFX-SM-10-30W-MCTP-TR	10W/15W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-MD-15-50W-MCTP-TR	15W/20W/30W/50W 130LM/W 30K/40K/50K/57K	6
POWER & CCT-ADJUSTABLE SMALL FLOOD LIGHT WITH PHOTOCELL		
LFX-SM-10-30W-MCTP-TR-P	10W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-MD-30-50W-MCTP-TR-P	30W/40W/50W 130LM/W 30K/40K/50K/57K	6



LFE-80W-MCT-D
LFE-100W-MCT-D
Dark Bronze



Shown with
1/2in knuckle mounting option,
fits 80w and larger



Shown with
bottom bracket mounting
option, fits 80w and larger



Shown with
Slip fitter mounting option,
fits 80w and larger

COMPACT FLOOD LIGHTS

3CCT VERSIONS, 120~277V, MOUNTING OPT. SOLD SEPARATELY



CATALOG NO.	DESCRIPTION	PKG. QTY.
LFE-80W-MCT-D	80W 10500LM 3000K/4000K/5000K	1
LFE-100W-MCT-D	100W 13000LM 3000K/4000K/5000K	1
LFE-KN	LFE 1/2in knuckle mounting option, fits 80w and larger	
LFE-SF	LFE slip fitter mounting option, fits 80w and larger	
LFE-YK	LFE bottom bracket mounting option, fits 80w and larger	



LF4PRO
Dark Bronze



Shown with
LFX-SF Slip Fitter

SPEC SERIES POWER & CCT ADJUSTABLE

ARCHITECTURAL ROUND-BACK FLOOD LIGHT, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
LF4PRO-50-150W-MCTP	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K	1
FOR MOUNTING OPTIONS SEE PAGE 28. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX)		



LFCO-50W-50K
Dark Bronze



LFCO-SA
Straight Arm



LFCO-SF
Slip Fitter



LFCO-TRI
(For 50W, 80W, 100W, 150W)
"U" Bracket

ECONOMY FLOOD/AREA LIGHT SERIES TYPE 3 LENSES

Dark
Bronze



CATALOG NO.	DESCRIPTION	PKG. QTY.
LFCO-50W-40K	50W 6900LM 4000K	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER


WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
UP TO 230W 300W	OPT-EM-0D2HEXT	EXTERNAL BOX	OPT-3MPC	ELECTRONIC	OPT-CLR-95(BK/GR/SR/ WH) (300W Only)	OPT-SEN-3MR-3	PROGRAMMABLE MICROWAVE BI-LEVEL
	OPT-EM-0D2EXT	EXTERNAL	WIRES PULLED OUT DESCRIPTION			OPT-SEN-NLS-LFCO	WG NETWORK SENSOR
			OPT-010WPO	0-10V Dim. Wires Pulled Out		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
						WEC-8RC	REMOTE CONTROL



PSS3SVTZ
PSS4SVTZ
PSS5SVTZ
 Dark Bronze



PRPT3
PRPT4
PRPT5
PRPT6
 Dark Bronze



PSR4
 Dark Bronze



LF-AD-SF
 Dark Bronze



LF-AD-KNU
 Dark Bronze



PSS4C
 Dark Bronze



PSS3R
 Dark Bronze

POLE/ADAPTER ACCESSORIES, BRONZE FINISH

CATALOG NO.	DESCRIPTION
PSS3SVTZ	3" square pole vertical tenon, 3", bronze. Goes inside 3" pole to accept 2" slip fitter.
PSS4SVTZ	4" square pole vertical tenon, 4", bronze. Goes inside 4" pole to accept 2" slip fitter.
PSS5SVTZ	5" square pole vertical tenon, 5", bronze. Goes inside 5" pole to accept 2" slip fitter.
PRPT3	Tenon adaptor, 3" round pole, to standard tenon, bronze
PRPT4	Tenon adaptor, 4" round pole, to standard tenon, bronze
PRPT5	Tenon adaptor, 5" round pole, to standard tenon, bronze
PRPT6	Tenon adaptor, 6" round pole, to standard tenon, bronze
PSR4	Round to Square Adapter kit for 3", 4" and 5" round poles Separate gasket provided for each size pole.
LF-AD-SF	Slip onto pole top 2" Dim. fixture mounts directly on the side or top of the fixture
LF-AD-KNU	Fits over a standard tenon or bullhorn to adapt it to a 1/2" NPT threaded hub for knuckle fixtures
PSS4C	Pole cap polycarbonate
PSS3R	3" CenterBullhorn replacement cap



LF3-WMA
 Dark Bronze



LFX-PASF
 Dark Bronze



ACC-WM2
 Dark Bronze



ACC-WM3
 Dark Bronze



ACC-WM4
 Dark Bronze



ACC-ACM
 Dark Bronze



ACC-WMA



ACC-AWMA-GR
 Grey



ACC-AWMA-BK
 Black



ACC-AWMA-BR
 Dark Bronze




ACC-WPM20
 Dark Bronze

WALL MOUNT ACCESSORIES

CATALOG NO.	DESCRIPTION
LF3-WMA	Wall mount plate bronze
LFX-PASF	Pole Adapter for Slip Fitter for LFX & LFX-XXL & LFXMAX & LFXPRO & LF4PRO Series, bronze
LFX-PASF-WH	Pole Adapter for Slip Fitter for LFX & LFX-XXL & LFXMAX & LFXPRO & LF4PRO Series, white
LFX-PASF-BK	Pole Adapter for Slip Fitter for LFX & LFX-XXL & LFXMAX & LFXPRO & LF4PRO Series, black
ACC-WM2	Wall mount bracket 90° curve bronze with 2" tenon to be used with Westgate slip fitter fixtures(-SF)
ACC-WM3	Wall mount bracket 90° bronze with 2" tenon to be used with Westgate slip fitter fixtures(-SF)
ACC-WM4	Wall mount bracket bronze with 2" tenon to be used with Westgate slip fitter fixtures (-SF)
ACC-ACM	Angled Wall Mount Arm, 2-3/8In Dia., Bronze
ACC-WMA-30-WH	Flood Light Wall-Mount- ing Arm 30", White
ACC-WMA-24-WH	Flood Light Wall-Mount- ing Arm 24", White
ACC-WMA-18-WH	Flood Light Wall-Mount- ing Arm 18", White
ACC-WMA-30-BR	Flood Light Wall-Mount- ing Arm 30", Bronze
ACC-WMA-24-BR	Flood Light Wall-Mount- ing Arm 24", Bronze
ACC-WMA-18-BR	Flood Light Wall-Mount- ing Arm 18", Bronze
ACC-WMA-30-BK	Flood Light Wall-Mount- ing Arm 30", Black
ACC-WMA-24-BK	Flood Light Wall-Mount- ing Arm 24", Black
ACC-WMA-18-BK	Flood Light Wall-Mount- ing Arm 18", Black
ACC-AWMA-BR	Architectural Wall Mount Arm For Post Top Lights, 2-3/8In Dia., Bronze
ACC-AWMA-BK	Architectural Wall Mount Arm For Post Top Lights, 2-3/8In Dia., Black
ACC-AWMA-GR	Architectural Wall Mount Arm For Post Top Lights, 2-3/8In Dia., Grey
ACC-WPM20	20In Wall And Pole Mounting Arm For Flood Lights With A Slip Fitter



PT2-180-R
Dark Bronze




PT3-120
Dark Bronze




PT2-180-S
Dark Bronze



PT4-090
Dark Bronze



PT3-180
Dark Bronze



PT4-180
Dark Bronze

BULLHORNS ACCESSORIES, BRONZE FINISH

CATALOG NO. DESCRIPTION


- PT2-180-R** Double in-line at 180°, 1'(H), 3' between centers
PT2-180-S Square Pole Base Double in-line at 180°, 1'(H), 3' between centers, slips into 4" pole
PT3-120 Triple at 120°, 1'(H), 3'-5" between centers, slips on 2-3/8" tenon
PT3-180 Double in-line at 180°, 1'(H), 2'-7" between centers, slips on 2-3/8" pole
PT4-090 Quad at 90° 1'(H), 2'-10" between centers, slips on 2-3/8" tenon
PT4-180 Quad in-line at 180° 1'(H), 2'-7", between centers, slips on 2-3/8" pole



PTA-190
Dark Bronze



PTA-290
Dark Bronze



PTA-2180
Dark Bronze



PTA-390
Dark Bronze



PTA-3120
Dark Bronze



PTA-490
Dark Bronze

BULLHORNS ACCESSORIES, BRONZE FINISH

CATALOG NO. DESCRIPTION

- PTA-190** 90 degree round pole tenon adapter for 1 fixture, slips into 2-3/8" pole
PTA-290 90 degree round pole tenon adapter for 2 fixture, slips into 2-3/8" pole
PTA-2180 180 degree round pole tenon adapter for 2 fixture, slips into 2-3/8" pole
PTA-390 90 degree round pole tenon adapter for 3 fixture, slips into 2-3/8" pole
PTA-3120 120 degree round pole tenon adapter for 3 fixture, slips into 2-3/8" pole
PTA-490 90 degree round pole tenon adapter for 4 fixture, slips into 2-3/8" pole



PSS4L1HTZ
Dark Bronze



PSS4T180HTZ
Dark Bronze



PSS4T90HTZ
Dark Bronze




PSS4TR90HTZ
Dark Bronze




PSS4Q90HTZ
Dark Bronze



PSS4Q90VTZ
Dark Bronze



PSS4TVTZ
Dark Bronze



PSS4TRVTZ
Dark Bronze

TENONS ACCESSORIES, BRONZE FINISH

CATALOG NO. DESCRIPTION

- PSS4L1HTZ** Square (single) horizontal tenon, bronze. goes inside 4" pole. No adaptor needed
PSS4T180HTZ Square (twin) horizontal tenon, 180°, bronze. goes inside 4" pole. No adaptor needed
PSS4TR90HTZ Square (triple) horizontal tenon, 90°, bronze. goes inside 4" pole. No adaptor needed
PSS4T90HTZ Square (twin) horizontal tenon, 90°, bronze. goes inside 4" pole. No adaptor needed
PSS4Q90HTZ Square (quad) horizontal tenon, 90°, bronze. Slips on 4" pole. (fits inside pole top)
PSS4Q90VTZ 4" 90° quad square vertical tenon. (fits inside pole top)
PSS4TVTZ Twin square vertical tenon for 4" square pole. Two 2-3/8" vertical tenons. (fits inside pole top)
PSS4TRVTZ Triple square vertical tenon for 4" square pole. Three 2-3/8" vertical tenons. (fits inside pole top)




FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

TYPE	CATALOG NO.	PAINT
WALL MOUNT/POLE/ADAPTER	LF3-WMA, ACC-WM2, ACC-WM3, ACC-WM4, PSS3SVTZ, PSS4SVTZ, PSS5SVTZ, PRPT3, PRPT4, PRPT5, PSR4, LF-AD-KNU, PSS4C	OPT-CLR-35(BK/GR/SR/WH)
BULLHORNS	PTA-190, PTA-290, PTA-2180, PTA-390, PTA-3120, PTA-490	OPT-CLR-35(BK/GR/SR/WH)
BULLHORNS	PT2-180-R, PT2-180-S, PT2-180, PT3-120, PT4-090, PT4-180	OPT-CLR-60(BK/GR/SR/WH)
TENONS	PSS4T180HTZ, PSS4T90HTZ, PSS4TR90HTZ, PSS4Q90HTZ	OPT-CLR-40(BK/GR/SR/WH)
TENONS	PSS4Q90VTZ, PSS4TVTZ, PSS4TRVTZ	OPT-CLR-75(BK/GR/SR/WH)



WPB-HM-ST



WPB-HM-DT



WPB-DB




WPB-SB



WPB-WA-SB-710




WPB-WA-SB-1013




WPB-WA-DB-710



WPB-WA-DB-1013



WPB-WA-TB-710



WPB-WA-TB-1013



WPB-WA-QB-710



WPB-WA-QB-1013



WPB-FM-U



WPB-FM-H



WPB-FM-V



WPB-HM-DF



WPB-MA-2.5



WPB-MA-3



WPB-MA-4

WOOD POLES ACCESSORIES

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
WPB-HM-ST	Wood Pole Horizontal Single Tenon For Use With Slipfitter	
WPB-HM-DT	Wood Pole Horizontal Double Tenon For Use With Slipfitter	
WPB-DB	Wood Pole Single Bullhorn For Use With Slipfitter	
WPB-SB	Wood Pole Double Bullhorn For Use With Slipfitter	
WPB-WA-SB-710	7-10In Dia. Wood Pole Wraparound Bracket Single Bullhorn For Use With Slipfitter	
WPB-WA-SB-1013	10-13In Dia. Wood Pole Wraparound Bracket Single Bullhorn For Use With Slipfitter	
WPB-WA-DB-710	7-10In Dia. Wood Pole Wraparound Bracket Double Bullhorn For Use With Slipfitter	
WPB-WA-DB-1013	10-13In Dia. Wood Pole Wraparound Bracket Double Bullhorn For Use With Slipfitter	
WPB-WA-TB-710	7-10In Dia. Wood Pole Wraparound Bracket Triple Bullhorn For Use With Slipfitter	
WPB-WA-TB-1013	10-13In Dia. Wood Pole Wraparound Bracket Triple Bullhorn For Use With Slipfitter	
WPB-WA-QB-710	7-10In Dia. Wood Pole Wraparound Bracket Quad Bullhorn For Use With Slipfitter	
WPB-WA-QB-1013	10-13In Dia. Wood Pole Wraparound Bracket Quad Bullhorn For Use With Slipfitter	
WPB-FM-U	Wood Pole Universal Flood Mount	
WPB-FM-H	Wood Pole Horizontal Flood Mount	
WPB-FM-V	Wood Pole Vertical Flood Mount	
WPB-HM-DF	Wood Pole Horizontal Mount Double Flood	
WPB-MA-2.5	Wood Pole Mast Arm 2.5 Ft	
WPB-MA-3	Wood Pole Mast Arm 3 Ft	
WPB-MA-4	Wood Pole Mast Arm 4 Ft	



FLDX-SM
Bronze

FLDX-SM
Black

FLDX-MD
Bronze

FLDX-MD
Black

FLDX-LG
Bronze

FLDX-LG
Black

Can be used as **SIGN LIGHT**
Shown with ACC-WMA-30-BR
(See page 34)

Shown with optional
FLDVX-FS Flat Shroud



SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS

FLDX-SM-15W-30K-BR	15W 1800LM 3000K	60°, Bronze	12
FLDX-SM-15W-30K-BK	15W 1800LM 3000K	60°, Black	12
FLDX-SM-15W-40K-BR	15W 1800LM 4000K	60°, Bronze	12
FLDX-SM-15W-40K-BK	15W 1800LM 4000K	60°, Black	12
FLDX-SM-15W-50K-BR	15W 1800LM 5000K	60°, Bronze	12
FLDX-SM-15W-50K-BK	15W 1800LM 5000K	60°, Black	12

POWER ADJUSTABLE SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS **MP**

FLDX-MD-10-30W-30K-BR	10W/20W/30W 120LM/W 3000K	60°, Bronze	8
FLDX-MD-10-30W-30K-BK	10W/20W/30W 120LM/W 3000K	60°, Black	8
FLDX-MD-10-30W-40K-BR	10W/20W/30W 120LM/W 4000K	60°, Bronze	8
FLDX-MD-10-30W-40K-BK	10W/20W/30W 120LM/W 4000K	60°, Black	8
FLDX-MD-10-30W-50K-BR	10W/20W/30W 120LM/W 5000K	60°, Bronze	8
FLDX-MD-10-30W-50K-BK	10W/20W/30W 120LM/W 5000K	60°, Black	8

POWER & CCT ADJUSTABLE SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS **MCTP**

FLDX-LG-10-30W-MCTP-BR	10W/20W/30W 120LM/W 3000K/4000K/5000K	60°, Bronze	4
FLDX-LG-10-30W-MCTP-BK	10W/20W/30W 120LM/W 3000K/4000K/5000K	60°, Black	4
FLDX-LG-30-50W-MCTP-BR	30W/40W/50W 120LM/W 3000K/4000K/5000K	35°, Bronze	4
FLDX-LG-30-50W-MCTP-BK	30W/40W/50W 120LM/W 3000K/4000K/5000K	35°, Black	4
FLDVX-FS-SM-BR	Flat Shroud For Sm Size Housing, Bronze		
FLDVX-FS-SM-BK	Flat Shroud For Sm Size Housing, Black		
FLDVX-FS-MD-BR	Flat Shroud For Md Size Housing, Bronze		
FLDVX-FS-MD-BK	Flat Shroud For Md Size Housing, Black		
FLDVX-FS-LG-BR	Flat Shroud For Lg Size Housing, Bronze		
FLDVX-FS-LG-BK	Flat Shroud For Lg Size Housing, Black		
FLDVX-SM-RL35	35-Degree Repl. Lens For Sm Size Housing		
FLDVX-MD-RL35	35-Degree Repl. Lens For Md Size Housing		
FLDVX-LG-RL35	35-Degree Repl. Lens For Lg Size Housing		
FLDVX-LG-RL60	60-Degree Repl. Lens For Lg Size Housing		



FLDXPRO-SM-BR
Bronze



FLDXPRO-SM-BK
Black



FLDXPRO-SM-WH
White



FLDXPRO-MD-BR
Bronze



FLDXPRO-MD-BK
Black



FLDXPRO-MD-WH
White

SPEC SERIES POWER, CCT & BEAM ANGLE- ADJUSTABLE LED X-GEN BULLET FLOOD LIGHTS WITH INTEGRATED PHOTOCELL, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

FLDXPRO-SM-5-15W-MCTPB-BR	5W/10W/15W 95LM/W 30K/40K/50K	Bronze 4
FLDXPRO-SM-5-15W-MCTPB-BK	5W/10W/15W 95LM/W 30K/40K/50K	Black 4
FLDXPRO-SM-5-15W-MCTPB-WH-P	5W/10W/15W 95LM/W 30K/40K/50K	White 4
FLDXPRO-MD-10-30W-MCTPB-BR	10W/20W/30W 95LM/W 30K/40K/50K	Bronze 4
FLDXPRO-MD-10-30W-MCTPB-BK	10W/20W/30W 95LM/W 30K/40K/50K	Black 4
FLDXPRO-MD-10-30W-MCTPB-WH-P	10W/20W/30W 95LM/W 30K/40K/50K	White 4



FLAG-POLE 25° NARROW-BEAM FLOOD

CATALOG NO.	DESCRIPTION	PKG. QTY.
FLDF-84W-30K-BR	84W 9000LM 3000K Bronze	6
FLDF-84W-50K-BR	84W 9000LM 5000K Bronze	6
FLDF-84W-30K-BK	84W 9000LM 3000K Black	6
FLDF-84W-50K-BK	84W 9000LM 5000K Black	6



SPEC SERIES **RGBW** BLUETOOTH WESTGATE APP BULLET, 120-277V

CATALOG NO.	DESCRIPTION	PKG. QTY.
FLDX-MD-15W-RGBW-BT-BR FOR REMOTE CONTROL SEE PAGE 104	15W 720LM RGBW Bronze	4



BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 60D LENS, 120-277V

CATALOG NO.	DESCRIPTION	PKG. QTY.
TC-FL-36W-RGBW-BT-BR FOR REMOTE CONTROL SEE PAGE 104	36W 824LM RGBW	4

LED GARDEN FLOOD LIGHTS, 120-277V

CATALOG NO.	DESCRIPTION	PKG. QTY.
GL-12W-30K-BR	12W 960LM 3000K Bronze	6
GL-12W-40K-BR	12W 960LM 4000K Bronze	6
GL-12W-50K-BR	12W 960LM 5000K Bronze	6
GL-24W-30K-BR	24W 1920LM 3000K Bronze	6
GL-24W-40K-BR	24W 1920LM 4000K Bronze	6
GL-24W-50K-BR	24W 1920LM 5000K Bronze	6



GL-MCTP-BR
Bronze



GL-MCTP-BK
Black



GL-MCTP-WH
White



MCTP-RC1
Required & One per projects

LED WHITE TUNABLE GARDEN FLOOD REMOTE SOLD SEPARATELY, 120-277V

CATALOG NO.	DESCRIPTION	PKG. QTY.
GL-MCTP-BK	20W MAX. 1400LM MAX. 3000K-5700K Black	6
GL-MCTP-BR	20W MAX. 1400LM MAX. 3000K-5700K Bronze	6
GL-MCTP-WH	20W MAX. 1400LM MAX. 3000K-5700K White	6
MCTP-RC1	Remote Control for Multi-Color Temp. & Power Outdoor Fixture (Required & One per projects)	-



AD120-017-MCT-ORB
Oil-Rubbed Bronze



AD120-017-MCT-BK
Black



AD120-017-MCT-WH
White



AD120-018-MCT-ORB
Oil-Rubbed Bronze



AD120-018-MCT-BK
Black

120V GARDEN BULLET WITHOUT OR WITH SHROUD, INTEGRATED 3CCT

120V

CATALOG NO.	DESCRIPTION
AD120-017-MCT-ORB	8W 700LM 30K/40K/50K 17"
AD120-017-MCT-BK	8W 700LM 30K/40K/50K 17"
AD120-017-MCT-WH	8W 700LM 30K/40K/50K 17"
AD120-018-MCT-ORB	8W 700LM 30K/40K/50K 18"
AD120-018-MCT-BK	8W 700LM 30K/40K/50K 18"



3RD GENERATION 3CCT FLOOD HEAD, 120-277V



120-277V

CATALOG NO.	DESCRIPTION	PKG. QTY.
FLD3-13W-MCT-D-KN	13W 1820LM 3000K/4000K/5000K	12
FLD3-25W-MCT-D-KN	25W 3500LM 3000K/4000K/5000K	12



FLD2-15W
Bronze



FLD2-28W
Bronze



FLD2-42W
Bronze



SHOWN WITH
SHROUD

GARDEN AND FLAG BULLET LIGHT, 120-277V



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
FLD2-15W-30K-D-KN	15W 1900LM 3000K	50-70 MH	12
FLD2-15W-50K-D-KN	15W 1900LM 5000K	50-70 MH	12
FLD2-28W-30K-D-KN	28W 3500LM 3000K	70-100 MH	8
FLD2-28W-50K-D-KN	28W 3500LM 5000K	70-100 MH	8
FLD2-42W-30K-D-KN	42W 5200LM 3000K	100-175 MH	6
FLD2-42W-50K-D-KN	42W 5200LM 5000K	100-175 MH	6

FOR SHROUDS SEE PAGE 100.



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	WIRES PULLED OUT	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-010WP0	0-10V Dim. Wires Pulled Out	N/A	N/A	N/A	N/A	N/A



Shown with optional
FLDVX-FS Flat Shroud



12V SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS



CATALOG NO.	DESCRIPTION					PKG. QTY.
12V SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS						
FLVX-SM-6W-30K-BR	6W	700LM	3000K	60°, Bronze	12	
FLVX-SM-6W-30K-BK	6W	700LM	3000K	60°, Black	12	
FLVX-SM-6W-40K-BR	6W	700LM	4000K	60°, Bronze	12	
FLVX-SM-6W-40K-BK	6W	700LM	4000K	60°, Black	12	
FLVX-SM-12W-30K-BR	12W	1400LM	3000K	60°, Bronze	12	
FLVX-SM-12W-30K-BK	12W	1400LM	3000K	60°, Black	12	
FLVX-SM-12W-40K-BR	12W	1400LM	4000K	60°, Bronze	12	
FLVX-SM-12W-40K-BK	12W	1400LM	4000K	60°, Black	12	
FLVX-MD-24W-30K-BR	24W	2900LM	3000K	60°, Bronze	8	
FLVX-MD-24W-30K-BK	24W	2900LM	3000K	60°, Black	8	
FLVX-MD-24W-40K-BR	24W	2900LM	4000K	60°, Bronze	8	
FLVX-MD-24W-40K-BK	24W	2900LM	4000K	60°, Black	8	
12V SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS-POWER & CCT ADJUSTABLE						
FLVX-LG-30-50W-MCTP-BR	30W/40W/50W	95LM/W	30K/40K/50K	35°, Bronze	4	
FLVX-LG-30-50W-MCTP-BK	30W/40W/50W	95LM/W	30K/40K/50K	35°, Black	4	
FLDVX-FS-SM-BR	Flat Shroud For Sm Size Housing, Bronze					
FLDVX-FS-SM-BK	Flat Shroud For Sm Size Housing, Black					
FLDVX-FS-MD-BR	Flat Shroud For Md Size Housing, Bronze					
FLDVX-FS-MD-BK	Flat Shroud For Md Size Housing, Black					
FLDVX-SM-RL35	35-Degree Repl. Lens For Sm Size Housing					
FLDVX-MD-RL35	35-Degree Repl. Lens For Md Size Housing					
FLDVX-LG-RL60	60-Degree Repl. Lens For LG Size Housing					



FLVXPRO-SM
Bronze



FLVXPRO-SM
Black



FLVXPRO-MD
Bronze



FLVXPRO-MD
Black

12V SPEC SERIES POWER, CCT & BEAM ANGLE- ADJUSTABLE LED X-GEN BULLET FLOOD LIGHTS WITH INTEGRATED PHOTOCELL



CATALOG NO.	DESCRIPTION					PKG. QTY.
FLVXPRO-SM-6-12W-MCTPB-BR	3W/6W/12W	90LM/W	30K/40K/50K			4
FLVXPRO-SM-6-12W-MCTPB-BK	3W/6W/12W	90LM/W	30K/40K/50K			4
FLVXPRO-MD-10-30W-MCTPB-BR	10W/20W/30W	90LM/W	30K/40K/50K			4
FLVXPRO-MD-10-30W-MCTPB-BK	10W/20W/30W	90LM/W	30K/40K/50K			4



12-VOLT AC/DC LED GARDEN FLOOD LIGHTS



12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
GL-12V-12W-30K-BR	12W 960LM 3000K bronze Spike Incl.	6
GL-12V-12W-40K-BR	12W 960LM 4000K bronze Spike Incl.	6
GL-12V-12W-50K-BR	12W 960LM 5000K bronze Spike Incl.	6
GL-12V-24W-30K-BR	24W 1920LM 3000K bronze Spike Incl.	6
GL-12V-24W-40K-BR	24W 1920LM 4000K bronze Spike Incl.	6
GL-12V-24W-50K-BR	24W 1920LM 5000K bronze Spike Incl.	6



OUTDOOR
GARDEN
LIGHTS

SPEC SERIES **RGBW** BLUETOOTH WESTGATE APP BULLET, 12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
FLVX-MD-15W-RGBW-BT-BR	15W 720LM RGBW Bronze	4

FOR REMOTE CONTROL SEE PAGE 104

BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 40D LENS, 12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
TC-GL-12V-15W-RGBW-BT-BR	15W 405LM RGBW	6

FOR REMOTE CONTROL SEE PAGE 104

12V



BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 60D LENS, 12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
TC-FL-12V-36W-RGBW-BT-BR	36W 824LM RGBW	4

FOR REMOTE CONTROL SEE PAGE 104



SHOWN WITH
SHROUD

12-VOLT AC (AC/DC ON 6W&12W) LED BULLET LANDSCAPE FLOOD LIGHT



12V

CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
FLV12-6W-30K	6W 500LM 3000K SPIKE Incl. 35°	35-50 MR16	12
FLV12-6W-50K	6W 550LM 5000K SPIKE Incl. 35°	35-50 MR16	12
FLV12-12W-30K	12W 1200LM 3000K SPIKE Incl. 35°		12
FLV12-12W-50K	12W 1300LM 5000K SPIKE Incl. 35°		12
FLV12-24W-30K	24W 2200LM 3000K SPIKE Incl. 35°		12
FLV12-24W-50K	24W 2500LM 5000K SPIKE Incl. 35°		12
FLV12-32W-30K	32W 3200LM 3000K SPIKE Incl. 35°		12
FLV12-32W-50K	32W 3500LM 5000K SPIKE Incl. 35°		12

FOR SHROUDS SEE PAGE 100.

12-VOLT AC (AC/DC ON 6W&12W) INTEGRATED LED WALL WASH LIGHTS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	LF4-12V-6W-30K	6W 440LM 3000K BRONZE SPIKE Incl.	12
	LF4-12V-6W-50K	6W 500LM 5000K BRONZE SPIKE Incl.	12
	LF4-12V-12W-30K	12W 1080LM 3000K BRONZE SPIKE Incl.	12
	LF4-12V-12W-50K	12W 1260LM 5000K BRONZE SPIKE Incl.	12
	LF4-12V-24W-30K	24W 2155LM 3000K BRONZE SPIKE Incl.	6
	LF4-12V-24W-50K	24W 2500LM 5000K BRONZE SPIKE Incl.	6
	LF4-12V-30W-30K	30W 2700LM 3000K BRONZE SPIKE Incl.	6
	LF4-12V-30W-50K	30W 3150LM 5000K BRONZE SPIKE Incl.	6
	LF4-12V-50W-30K	50W 4500LM 3000K BRONZE SPIKE Incl.	6
	LF4-12V-50W-50K	50W 5250LM 5000K BRONZE SPIKE Incl.	6

SHOWN WITH SHROUD
FOR SHROUDS SEE PAGE 100.



LF12-KN
Bronze



LF12-G2-BK
Black



LF12-G2-ORB
Oil-rubbed bronze

12-VOLT AC/DC LED GARDEN LIGHT

CATALOG NO.	DESCRIPTION	PKG. QTY.
LF12-6W-27K-KN	6W 400LM 2700K GNUCKLE , SPIKE INCL. 45° COB WITH ALUM REFL.	40
LF12-6W-30K-KN	6W 400LM 3000K GNUCKLE , SPIKE INCL. 45° COB WITH ALUM REFL.	40
LF12-6W-40K-KN	6W 450LM 4000K GNUCKLE , SPIKE INCL. 45° COB WITH ALUM REFL.	40
LF12-6W-50K-KN	6W 450LM 5000K GNUCKLE , SPIKE INCL. 45° COB WITH ALUM REFL.	40
LF12-6W-RGBW-KN	6W 450LM RGB + 3000K GNUCKLE , SPIKE INCL. 45° COB WITH ALUM REFL.	40



2ND GEN. 12-VOLT AC/DC LED GARDEN LIGHT

LF12-G2-7W-MCT5-BK 7W **500-550LM** 27K/30K/35K/40K/50K

LF12-G2-7W-MCT5-ORB 7W **500-550LM** 27K/30K/35K/40K/50K

NEEDS RGBW CONTROLLER SEE PAGE 279.

WEATHERPROOF LED SQUARE FLOOD HEADS, 120V

Dark Bronze & White

CATALOG NO.	DESCRIPTION	PKG. QTY.
FLH-10W-30K-BR	10W 1000LM 3000K Bronze	12
FLH-10W-50K-BR	10W 1000LM 5000K Bronze	12
FLH-10W-30K-WH	10W 1000LM 3000K White	12
FLH-10W-50K-WH	10W 1000LM 5000K White	12

See page 307-310 for weather-proof boxes & covers

WEATHERPROOF LED ROUND FLOOD HEADS, 120V

Dark Bronze & White

CATALOG NO.	DESCRIPTION	PKG. QTY.
FLS-10W-30K-BR	10W 950LM 3000K BRONZE 100°	12
FLS-10W-50K-BR	10W 950LM 5000K BRONZE 100°	12
FLS-10W-30K-WH	10W 950LM 3000K WHITE 100°	12
FLS-10W-50K-WH	10W 950LM 5000K WHITE 100°	12
FLS-10W-30K-BK	10W 950LM 3000K BLACK 100°	12
FLS-10W-50K-BK	10W 950LM 5000K BLACK 100°	12

See page 307-310 for weather-proof boxes & covers

SMART CAMERA ACCESSORY WITH 1/2" KNUCKLE

CATALOG NO.	DESCRIPTION
SL-CAM-WH	Security Camera Wg App Enabled White
SL-CAM-BK	Security Camera Wg App Enabled Black
SL-CAM-BR	Security Camera Wg App Enabled Bronze




 SLX-2H-BR-P
 Bronze

 SLX-2H-WH-P
 White

 SLX-2H-BK-P
 Black

 SLX-2H-BR-D
 Bronze

 SLX-2H-WH-D
 White

 SLX-2H-BK-D
 Black

X-GEN ADVANCE SECURITY LIGHTS, WITH AND WITHOUT MOTION SENSOR

POWER AND CCT ADJUSTABLE, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
X-GEN ADVANCE SECURITY LIGHTS WITH PIR SENSOR		
SLX-2H-MCTP-BR-P	16W-25W 130LM/W 30K/40K/50K Bronze	6
SLX-2H-MCTP-WH-P	16W-25W 130LM/W 30K/40K/50K White	6
SLX-2H-MCTP-BK-P	16W-25W 130LM/W 30K/40K/50K Black	6
NO-SENSOR DIMMABLE X-GEN ADVANCE SECURITY LIGHTS		
SLX-2H-MCTP-BR-D	16W-25W 130LM/W 30K/40K/50K Bronze	6
SLX-2H-MCTP-WH-D	16W-25W 130LM/W 30K/40K/50K White	6
SLX-2H-MCTP-BK-D	16W-25W 130LM/W 30K/40K/50K Black	6


 SL-10W-BZ-P
 Dark Bronze

 SL-10W-WH-P
 White

 SL-20W-BZ-P
 Dark Bronze

 SL-20W-WH-P
 White

 SL-30W-BZ-P
 Dark Bronze

 SL-30W-WH-P
 White

LED SECURITY LIGHTS WITH PIR SENSOR, 120VAC, 180° SENSOR, 100° BEAM ANGLE (120° 28W)

80% DIM (OR OFF) WHEN NO MOTION DETECTED, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
SL-10W-MCT-BZ-P	10W 950LM 30K/40K/50K Bronze	8
SL-10W-MCT-WH-P	10W 950LM 30K/40K/50K White	8
SL-20W-50K-BZ-P	20W 1900LM 5000K Bronze	8
SL-20W-30K-BZ-P	20W 1900LM 3000K Bronze	8
SL-20W-MCT-BZ-P	20W 1900LM 3000K/4000K/5000K Bronze	8
SL-20W-30K-WH-P	20W 1900LM 3000K White	8
SL-20W-MCT-WH-P	20W 1900LM 3000K/4000K/5000K White	8
SL-30W-30K-BZ-P	30W 2800LM 3000K Bronze	8
SL-30W-MCT-BZ-P	30W 2800LM 3000K/4000K/5000K Bronze	8
SL-30W-50K-WH-P	30W 2800LM 5000K White	8
SL-30W-30K-WH-P	30W 2800LM 3000K White	8
SL-30W-MCT-WH-P	30W 2800LM 3000K/4000K/5000K White	8

WITH SENSOR

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST

WHILE SUPPLIES LAST


 SL-20W-WH-CAM
 White

 SL-20W-BK-CAM
 Black

 SL-20W-BR-CAM
 Bronze

 SL-30W-WH-CAM
 White

 SL-30W-BK-CAM
 Black

 SL-30W-BR-CAM
 Bronze

3CCT SECURITY LIGHT WITH CAMERA - WG APP



CATALOG NO.	DESCRIPTION	PKG. QTY.
SL-20W-MCT-WH-CAM	20W 1900LM 30K/40K/50K White	1
SL-20W-MCT-BK-CAM	20W 1900LM 30K/40K/50K Black	1
SL-20W-MCT-BR-CAM	20W 1900LM 30K/40K/50K Bronze	1
SL-30W-MCT-WH-CAM	30W 2800LM 30K/40K/50K White	1
SL-30W-MCT-BK-CAM	30W 2800LM 30K/40K/50K Black	1
SL-30W-MCT-BR-CAM	30W 2800LM 30K/40K/50K Bronze	1
SL-CAM-WH	Security Camera Wg App Enabled White	
SL-CAM-BK	Security Camera Wg App Enabled Black	
SL-CAM-BR	Security Camera Wg App Enabled Bronze	

SECURITY LIGHTS

SL-10W-BZ-D
Dark BronzeSL-10W-WH-D
WhiteSL-20W-BZ-D
Dark BronzeSL-20W-WH-D
WhiteSL-30W-BZ-D
Dark BronzeSL-30W-WH-D
White

NO-SENSOR DIMMABLE LED FLOOD LIGHTS, 120V

(SEE BELOW FOR OPTIONAL MOTION SENSOR OR PHOTOCELL)



CATALOG NO.	DESCRIPTION				PKG. QTY.
SL-10W-50K-BZ-D	10W	950LM	5000K	Bronze	8
SL-10W-30K-BZ-D	10W	950LM	3000K	Bronze	8
SL-10W-MCT-BZ-D	10W	950LM	30K/40K/50K	Bronze	8
SL-10W-50K-WH-D	10W	950LM	5000K	White	8
SL-10W-30K-WH-D	10W	950LM	3000K	White	8
SL-10W-MCT-WH-D	10W	950LM	30K/40K/50K	White	8
SL-20W-50K-BZ-D	20W	1900LM	5000K	Bronze	8
SL-20W-30K-BZ-D	20W	1900LM	3000K	Bronze	8
SL-20W-MCT-BZ-D	20W	1900LM	3000K/4000K/5000K	White	8
SL-20W-MCT-WH-D	20W	1900LM	3000K/4000K/5000K	White	8
SL-30W-30K-BZ-D	30W	2800LM	3000K	Bronze	8
SL-30W-MCT-BZ-D	30W	2800LM	3000K/4000K/5000K	Bronze	8
SL-30W-50K-WH-D	30W	2800LM	5000K	White	8
SL-30W-30K-WH-D	30W	2800LM	3000K	White	8
SL-30W-MCT-WH-D	30W	2800LM	3000K/4000K/5000K	White	8

SL-20W-BZ
SL-20W-WH
Bronze/WhiteSL-28W-BZ-P
SL-28W-WH-P
Bronze/WhiteSL-28W-BZ-D
SL-28W-WH-D
Bronze/WhiteSL-40W-BZ-D
SL-40W-WH-D
Bronze/White

LED SQUARE HEAD SECURITY LIGHTS



CATALOG NO.	DESCRIPTION				PKG. QTY.	
WITH SENSOR NO SENSOR	NON-DIMMABLE LED SECURITY LIGHTS WITHOUT SENSOR, BASE COMPATIBLE WITH 4" ROUND W/P BOXES, 120V					
	SL-20W-30K-BZ	20W	2000LM	3000K	Bronze	8
	SL-20W-50K-BZ	20W	2000LM	5000K	Bronze	8
	SL-20W-30K-WH	20W	2000LM	3000K	White	8
	SL-20W-50K-WH	20W	2000LM	5000K	White	8
WITH SENSOR NO SENSOR	LED SECURITY LIGHTS WITH PIR SENSOR, 180° SENSOR 80%, DIM (OR OFF) WHEN NO MOTION DETECTED, 120-277V					
	SL-28W-30K-BZ-P	28W	3400LM	3000K	Bronze	4
	SL-28W-50K-WH-P	28W	3400LM	5000K	White	4
NO SENSOR	SL-28W-30K-WH-P	28W	3400LM	3000K	White	4
	DIMMABLE LED FLOOD LIGHTS WITH OPTIONAL MOTION SENSOR OR PHOTOCELL, 120V					
	SL-28W-50K-BZ-D	28W	3400LM	5000K	Bronze	4
	SL-28W-30K-BZ-D	28W	3400LM	3000K	Bronze	4
	SL-28W-MCT-BZ-D	28W	3400LM	3000K/4000K/5000K	Bronze	4
	SL-28W-50K-WH-D	28W	3400LM	5000K	White	4
	SL-28W-MCT-WH-D	28W	3400LM	3000K/4000K/5000K	White	4
	SL-40W-50K-BZ-D	40W	4800LM	5000K	Bronze	4
	SL-40W-30K-BZ-D	40W	4800LM	3000K	Bronze	4
	SL-40W-MCT-BZ-D	40W	4800LM	3000K/4000K/5000K	Bronze	4
SL-40W-MCT-WH-D	40W	4800LM	3000K/4000K/5000K	White	4	

FOR PHOTOCELL & SENSOR SEE PAGES 101, 103 & 104.



Crest & Westgate

LED WALL SCONCES

ALL MODELS PROVIDE UP/DOWN LIGHT

OUTDOOR
DECORATIVE
WALL MOUNT

01 LUNETTE



SILVER BRONZE

02 APERTURE



SILVER BRONZE

03 GRASP



SILVER BRONZE

04 CURVE



SILVER BRONZE

05 PEN



SILVER BRONZE

06 STILL



SILVER BRONZE

10W

MP

07 PASSAGE



SILVER BRONZE

08 CRUSH



SILVER BRONZE

10 BURROW




SILVER BRONZE

10W

MP

51 TUNNEL



SILVER BRONZE

52 GRILLE



SILVER BRONZE

CRES

CATALOG NO.		TRIM		COLOR TEMPERATURE		FINISH	
		CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
CRE	10W (900LM)	01	Lunette	30K	3000K	BR	Bronze
CRE-MP	5W/10W/15W/20W	02	Aperture	40K	4000K	SIL	Silver
		03	Grasp	50K	5000K		
		04	Curve				
		05	Pen				
		06	Still				
		07	Passage				
		08	Crush				
		10	Burrow				
		51	Tunnel				
		52	Grille				
CRES	15W (1300LM)						



100-277V AC

Sample Ordering:

CRE-03-30K-BR
Cat. No. Trim Finish Color Temp.

Alternatively, you may purchase Light Engines and Trims separately for your stock to offer various combinations.



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR
ALL	OPT-EM-CRE (Not Compatible With CRES)	INTERNAL	OPT-PC-B	120-277V	OPT-CLR-85(BK/GR/SR/WH)	DEPENDS ON MODEL-CALL



WLF-24-40W-MCTP-BK-HA
15" Horizontal Arm
Black



WLF-24-40W-MCTP-BR-HA
15" Horizontal Arm
Bronze



WLF-24-40W-MCTP-WH-HA
15" Horizontal Arm
White



WLF-24-40W-MCTP-BK-WB
21" Wall-Mount Bell Arm
Black



WLF-24-40W-MCTP-BR-WB
21" Wall-Mount Bell Arm
Bronze



WLF-24-40W-MCTP-WH-WB
21" Wall-Mount Bell Arm
White



WLF-24-40W-MCTP-BK-BA
Top-Of-Pole Mount Bell Arm
Black



WLF-24-40W-MCTP-BR-BA
Top-Of-Pole Mount Bell Arm
Bronze



DAB-BA-CCK
Black



DAB-PA2-2
DAB-PA3-2
DAB-PA4-2
Black



DAB-PA2-1
DAB-PA3-1
DAB-PA4-1
Black

12" DOVE LIGHT WITH FLAT LENS - 120-277V - DUAL DIMMING



CATALOG NO.	DESCRIPTION
WLF-24-40W-MCTP-WH-HA	24W/32W/40W 100LM/W 30K/40K/50K 15" Horizontal Arm
WLF-24-40W-MCTP-BK-HA	24W/32W/40W 100LM/W 30K/40K/50K 15" Horizontal Arm
WLF-24-40W-MCTP-BR-HA	24W/32W/40W 100LM/W 30K/40K/50K 15" Horizontal Arm
WLF-24-40W-MCTP-WH-WB	24W/32W/40W 100LM/W 30K/40K/50K 21" Wall-Mount Bell Arm
WLF-24-40W-MCTP-BK-WB	24W/32W/40W 100LM/W 30K/40K/50K 21" Wall-Mount Bell Arm
WLF-24-40W-MCTP-BR-WB	24W/32W/40W 100LM/W 30K/40K/50K 21" Wall-Mount Bell Arm
WLF-24-40W-MCTP-BK-BA	24W/32W/40W 100LM/W 30K/40K/50K Top-Of-Pole Mount Bell Arm
WLF-24-40W-MCTP-BR-BA	24W/32W/40W 100LM/W 30K/40K/50K Top-Of-Pole Mount Bell Arm
WLF-24-40W-MCTP-WH-SCH	24W/32W/40W 100LM/W 30K/40K/50K 45" Suspended Chain, Canopy, Cord
WLF-24-40W-MCTP-BK-SCH	24W/32W/40W 100LM/W 30K/40K/50K 45" Suspended Chain, Canopy, Cord
WLF-24-40W-MCTP-BR-SCH	24W/32W/40W 100LM/W 30K/40K/50K 45" Suspended Chain, Canopy, Cord
WLF-24-40W-MCTP-WH-SRK-218	24W/32W/40W 100LM/W 30K/40K/50K 18" or 36" Swivel Rod Kit
WLF-24-40W-MCTP-BK-SRK-218	24W/32W/40W 100LM/W 30K/40K/50K 18" or 36" Swivel Rod Kit
WLF-24-40W-MCTP-BR-SRK-218	24W/32W/40W 100LM/W 30K/40K/50K 18" or 36" Swivel Rod Kit
WLF-24-40W-MCTP-WH-SRK-224	24W/32W/40W 100LM/W 30K/40K/50K 24" or 48" Swivel Rod Kit
WLF-24-40W-MCTP-BK-SRK-224	24W/32W/40W 100LM/W 30K/40K/50K 24" or 48" Swivel Rod Kit
WLF-24-40W-MCTP-BR-SRK-224	24W/32W/40W 100LM/W 30K/40K/50K 24" or 48" Swivel Rod Kit
DAB-BA-CCK	Decorative Clip Kit For Two Dab-Ba Bell Arms, Two Clips
DAB-PA2-1	2 Inches Pole Adapter For 1 Bell Arm, Black
DAB-PA2-2	2 Inches Pole Adapter For 2 Bell Arms, Black
DAB-PA3-1	3 Inches Pole Adapter For 1 Bell Arm, Black
DAB-PA3-2	3 Inches Pole Adapter For 2 Bell Arms, Black
DAB-PA4-1	4 Inches Pole Adapter For 1 Bell Arm, Black
DAB-PA4-2	4 Inches Pole Adapter For 2 Bell Arms, Black

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-WLF	INTERNAL	OPT-PC-BUM	BUTTON	N/A	OPT-SEN-WLF	Be-LEVEL
						OPT-SEN-NLS-WLF	WG NETWORK SENSOR
						OPT-SEN-KEILTON-WLF	KEILTON NETWORK SENSOR



WSX-20-40W-MCTP-HA
Horizontal Arm



WSX-20-40W-MCTP-HAD
Decorative Horizontal Arm



WSX-20-40W-MCTP-HAD
Decorative Horizontal Arm
Antique Brass



WSX-20-40W-MCTP-45DA
45-Degree Arm



WSX-20-40W-MCTP-SCH
45" Suspended Chain
Canopy, Cord



WSX-20-40W-MCTP-HLA
15" Long Horizontal Arm



Factory-Installed
Wire Guard Option
OPT-WSX-WG



WSX-20-40W-MCTP-HA
Shown with Optional White/
Alabaster Lenses - Standard is
Frosted - See Options Below



WSX-20-40W-MCTP-SRK-218
WSX-20-40W-MCTP-SRK-224

SPEC SERIES POWER & CCT- ADJUSTABLE

X-GEN SEASIDE LIGHT, 120-277V, (DIA: 10-3/4") MTO made to order



	DESCRIPTION	PKG. QTY.
WSX-20-40W-MCTP-HA	20W/30W/40W 100LM/W 30K/40K/50K Horizontal Arm	4
WSX-20-40W-MCTP-45DA	20W/30W/40W 100LM/W 30K/40K/50K 45-Degree Arm	1
WSX-20-40W-MCTP-HAD	20W/30W/40W 100LM/W 30K/40K/50K Decorative Horizontal Arm	1
WSX-20-40W-MCTP-HAD-AZ	20W/30W/40W 100LM/W 30K/40K/50K Decorative Horizontal Arm	1
WSX-20-40W-MCTP-HLA	20W/30W/40W 100LM/W 30K/40K/50K 15" Long Horizontal Arm	1
WSX-20-40W-MCTP-SCH	20W/30W/40W 100LM/W 30K/40K/50K 45" Suspended Chain, Canopy, Cord	1
WSX-20-40W-MCTP-SRK-218	20W/30W/40W 100LM/W 30K/40K/50K 18" or 36" Swivel Rod Kit	1
WSX-20-40W-MCTP-SRK-224	20W/30W/40W 100LM/W 30K/40K/50K 24" or 48" Swivel Rod Kit	1
WSX-RL-WH	WSX Original White Lens Replacement (Default Lens)	
WSX-RL-FR	WSX Optional Frosted Lens	
WSX-RL-AB	WSX Optional Alabaster Lens	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-WSX	BACK BOX	OPT-PC-B	BUTTON	N/A	OPT-SEN-WSX	back box
	WIREGUARD	DESCRIPTION				OPT-SEN-NLS-WSX	WG NETWORK SENSOR
	OPT-WSX-WG	WIREGUARD				OPT-SEN-KEILTON	KEILTON NETWORK SENSOR



WSO-20-40W-MCTP-HA
Horizontal Arm



WSO-20-40W-MCTP-HAD
Decorative Horizontal Arm



WSO-20-40W-MCTP-HAD-AZ
Decorative Horizontal Arm
Antique Brass

POWER & CCT- ADJUSTABLE OCEANSIDE LIGHT, 120-277V



CATALOG NO.	DESCRIPTION
WSO-20-40W-MCTP-HA	20W/30W/40W 100LM/W 30K/40K/50K Horizontal Arm
WSO-20-40W-MCTP-HAD	20W/30W/40W 100LM/W 30K/40K/50K Decorative Horizontal Arm
WSO-20-40W-MCTP-HAD-AZ	20W/30W/40W 100LM/W 30K/40K/50K Decorative Horizontal Arm



GNBA-18-35W-MCTP-BK-P
Black



GNBA-18-35W-MCTP-WH-P
White



GNBA-18-35W-MCTP-BR-P
Bronze



GNBA-18-35W-MCTP-SIL-P
Silver

11" 3CCT ANGLED GOOSENECK BARN LIGHT WITH INTEGRATED PHOTOCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
GNBA-18-35W-MCTP-BK-P	18W/26W/35W 150LM/W 30K/40K/50K Black	1
GNBA-18-35W-MCTP-WH-P	18W/26W/35W 150LM/W 30K/40K/50K White	1
GNBA-18-35W-MCTP-BR-P	18W/26W/35W 150LM/W 30K/40K/50K Bronze	1
GNBA-18-35W-MCTP-SIL-P	18W/26W/35W 150LM/W 30K/40K/50K Silver	1



GNB-25W-MCT-BR-P
Bronze



GNB-40W-MCT-BR-P
Bronze



GNB-25W-MCT-WH-P
White



GNB-40W-MCT-WH-P
White



GNB-ARMKIT-ST18-BR
Bronze



GNB-ARMKIT-ST18-BK
Black



GNB-ARMKIT-ST18-WH
White



GNB-ARMKIT-HGN-BR
Bronze



GNB-ARMKIT-HGN-BK
Black



GNB-ARMKIT-HGN-WH
White

3CCT GOOSENECK BARN LIGHT WITH INTEGRATED PHOTOCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
GNB-25W-MCT-BR-P	25W 3000LM 3000K/4000K/5000K Bronze	2
GNB-25W-MCT-WH-P	25W 3000LM 3000K/4000K/5000K White	2
GNB-25W-MCT-BK-P	25W 3000LM 3000K/4000K/5000K Black	2
GNB-40W-MCT-BR-P	40W 4800LM 3000K/4000K/5000K Bronze	2
GNB-40W-MCT-WH-P	40W 4800LM 3000K/4000K/5000K White	2
GNB-40W-MCT-BK-P	40W 4800LM 3000K/4000K/5000K Black	2
GNB-ARMKIT-ST18-BR	GNB Field-Installed 18" Straight Arm - Bronze	
GNB-ARMKIT-ST18-BK	GNB Field-Installed 18" Straight Arm - Black	
GNB-ARMKIT-ST18-WH	GNB Field-Installed 18" Straight Arm - White	
GNB-ARMKIT-HGN-BR	GNB Field-Installed Horizontal Gooseneck Arm - Bronze	
GNB-ARMKIT-HGN-BK	GNB Field-Installed Horizontal Gooseneck Arm - Black	
GNB-ARMKIT-HGN-WH	GNB Field-Installed Horizontal Gooseneck Arm - White	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-GNB	BACK BOX	N/A	N/A	OPT-CLR-75(BK/GR/SR/WH)	N/A	N/A


WMA-UDL-MCTP-BK-D
 Black

WMA-UDL-MCTP-BR-D
 Bronze

WMA-UDL-MCTP-WH-D
 White

WMA-UDL-MCTP-SIL-D
 Silver

7" ARCHITECTURAL COMMERCIAL DESIGNER OUTDOOR CYLINDER, UP/DOWN CONTROLS, 14" H



CATALOG NO.	DESCRIPTION	PKG. QTY.
WMA-UDL-MCTP-BK-D	18W/30W/45W/60W 110LM/W 27K/30K/35K/40K/50K Black	1
WMA-UDL-MCTP-BR-D	18W/30W/45W/60W 110LM/W 27K/30K/35K/40K/50K Bronze	1
WMA-UDL-MCTP-WH-D	18W/30W/45W/60W 110LM/W 27K/30K/35K/40K/50K White	1
WMA-UDL-MCTP-SIL-D	18W/30W/45W/60W 110LM/W 27K/30K/35K/40K/50K Silver	1


WMC2-DL-BR
 Bronze

WMC2-DL-BN
 Brushed Nickel

WMC2-DL-WH
 White

WMC2-DL-BK
 Black

WMC2-UDL-BR
 Bronze

WMC2-UDL-BN
 Brushed Nickel

WMC2-UDL-WH
 White

WMC2-UDL-BK
 Black

WMC3-DL-BR
 Bronze

WMC3-DL-BN
 Brushed Nickel

WMC3-DL-WH
 White

WMC3-DL-BK
 Black

WMC3-UDL-BR
 Bronze

WMC3-UDL-BN
 Brushed Nickel

WMC3-UDL-WH
 White

WMC3-UDL-BK
 Black

2" & 3" CCT-ADJUSTABLE LED OUTDOOR CYLINDER LIGHTS, IP65



CATALOG NO.	DESCRIPTION	PKG. QTY.
2" LED CYLINDER LIGHTS, 120V (DOWN LIGHT) H: 8"		
WMC2-DL-MCT-BR-DT	6W 400LM 3000K/4000K/5000K 25° Bronze	12
WMC2-DL-MCT-BN-DT	6W 400LM 3000K/4000K/5000K 25° Brushed Nickel	12
WMC2-DL-MCT-WH-DT	6W 400LM 3000K/4000K/5000K 25° White	12
WMC2-DL-MCT-BK-DT	6W 400LM 3000K/4000K/5000K 25° Black	12
WMC2-DL-MCT-AZ-DT	6W 400LM 3000K/4000K/5000K 25° Antique Bronze	12
2" LED CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10"		
WMC2-UDL-MCT-BR-DT	12W 800LM 3000K/4000K/5000K 25° Bronze	12
WMC2-UDL-MCT-BN-DT	12W 800LM 3000K/4000K/5000K 25° Brushed Nickel	12
WMC2-UDL-MCT-WH-DT	12W 800LM 3000K/4000K/5000K 25° White	12
WMC2-UDL-MCT-BK-DT	12W 800LM 3000K/4000K/5000K 25° Black	12
WMC2-UDL-MCT-AZ-DT	12W 800LM 3000K/4000K/5000K 25° Antique Bronze	12
3" LED CYLINDER LIGHTS, 120V (DOWN LIGHT) H: 6"		
WMC3-DL-MCT-BR-DT	9W 650LM 3000K/4000K/5000K 30° Bronze	12
WMC3-DL-MCT-BN-DT	9W 650LM 3000K/4000K/5000K 30° Brushed Nickel	12
WMC3-DL-MCT-WH-DT	9W 650LM 3000K/4000K/5000K 30° White	12
WMC3-DL-MCT-BK-DT	9W 650LM 3000K/4000K/5000K 30° Black	12
WMC3-DL-MCT-AZ-DT	9W 650LM 3000K/4000K/5000K 30° Antique Bronze	12
3" LED CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10"		
WMC3-UDL-MCT-BR-DT	18W 1300LM 3000K/4000K/5000K 30° Bronze	12
WMC3-UDL-MCT-BN-DT	18W 1300LM 3000K/4000K/5000K 30° Brushed Nickel	12
WMC3-UDL-MCT-WH-DT	18W 1300LM 3000K/4000K/5000K 30° White	12
WMC3-UDL-MCT-BK-DT	18W 1300LM 3000K/4000K/5000K 30° Black	12
WMC3-UDL-MCT-AZ-DT	18W 1300LM 3000K/4000K/5000K 30° Antique Bronze	12

ACRYLIC DROP LENS FOR WMC

CWMC2-DL32 CMC2 And WMC2 32mm Acrylic Drop Lens

CWMC3-DL32 CMC3 And WMC3 32mm Acrylic Drop Lens

FOR OPT OPTION SEE PAGE NEXT



WMC-DL-BR
Bronze



WMC-DL-BN
Brushed Nickel



WMC-DL-WH
White



WMC-DL-BK
Black



WMC-DL-AZ
Antique Bronze



WMC-UDL-BR
Bronze



WMC-UDL-BN
Brushed Nickel



WMC-UDL-WH
White



WMC-UDL-BK
Black



WMC-UDL-AZ
Antique Bronze

4" CCT-ADJUSTABLE LED OUTDOOR CYLINDER LIGHTS, IP65



CATALOG NO.	DESCRIPTION	PKG. QTY.
4" LED CYLINDER LIGHTS, 120V (DOWN LIGHT) H: 8"		
WMC-DL-MCT-BR-DT	15W 1200LM 3000K/4000K/5000K 40° Bronze	6
WMC-DL-MCT-BN-DT	15W 1200LM 3000K/4000K/5000K 40° Brushed Nickel	6
WMC-DL-MCT-WH-DT	15W 1200LM 3000K/4000K/5000K 40° White	6
WMC-DL-MCT-BK-DT	15W 1200LM 3000K/4000K/5000K 40° Black	6
WMC-DL-MCT-AZ-DT	15W 1200LM 3000K/4000K/5000K 40° Antique Bronze	6
4" LED CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 12"		
WMC-UDL-MCT-BR-DT	30W 2400LM 3000K/4000K/5000K 40° Bronze	6
WMC-UDL-MCT-BN-DT	30W 2400LM 3000K/4000K/5000K 40° Brushed Nickel	6
WMC-UDL-MCT-WH-DT	30W 2400LM 3000K/4000K/5000K 40° White	6
WMC-UDL-MCT-BK-DT	30W 2400LM 3000K/4000K/5000K 40° Black	6
4" LED CYLINDER LIGHTS, 120-277V WITH PHOTOCELL (UP/DOWN LIGHT) H: 12"		
WMC4-UDL-MCTP-BR-DD-P	2x9W/2x12W /2x15W 80LM/W 30K/40K/50K 45° Bronze	6
WMC4-UDL-MCTP-BN-DD-P	2x9W/2x12W /2x15W 80LM/W 30K/40K/50K 45° Brushed Nickel	6
WMC4-UDL-MCTP-WH-DD-P	2x9W/2x12W /2x15W 80LM/W 30K/40K/50K 45° White	6
WMC4-UDL-MCTP-BK-DD-P	2x9W/2x12W /2x15W 80LM/W 30K/40K/50K 45° Black	6
WMC4-UDL-MCTP-AZ-DD-P	2x9W/2x12W /2x15W 2400LM 3000K/4000K/5000K 45° Antique Bronze	6
ACRYLIC DROP LENS FOR WMC WMC4-DL32		
	WMC4 32mm Acrylic Drop Lens	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2" & 3"	OPT-EM-WMC-EXT-BR	EXTERNAL BACK BOX	OPT-PC-BUM	BUTTON	N/A	OPT-SEN-WMC	ONLY FOR 4" & UP
2" & 3"	OPT-EM-WMC-EXT-BN	EXTERNAL BACK BOX	277V OPTION	DESCRIPTION		OPT-SEN-NLS-WMC	WG NETWORK SENSOR
2" & 3"	OPT-EM-WMC-EXT-WH	EXTERNAL BACK BOX	OPT-277V	INTERNAL (ONLY FOR WMC DL UDL)		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
2" & 3"	OPT-EM-WMC-EXT-BK	EXTERNAL BACK BOX				WEC-8RC	REMOTE CONTROL
4" & UP	OPT-EM-WMC	INTERNAL					



OUTDOOR

DECORATIVE
WALL MOUNT

WALL CYLINDER LIGHTS



WMC4-UDL-CD-MCT-BK-DD-P
Black



WMCS4-UDL-CD-MCT-BK-DD-P
Black

4in UP/DOWN CYL. COMBINED DISTRIBUTION - 120-277V DUAL DIM



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
WMC4-UDL-CD-MCT-BK-DD-P	12W 840LM 30K/40K/50K Round Black		6
WMCS4-UDL-CD-MCT-BK-DD-P	12W 840LM 30K/40K/50K Square Black		6



WMC4-UDL-CD-RGBW-BK
Black



WMC4S-UDL-CD-RGBW-BK
Black

4in ROUND UP/DOWN CYL. COMBINED DISTRIBUTION - 120-277V DUAL DIM

WG SMART APP OR REMOTE COMPATIBLE RGBW



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
WMC4-UDL-CD-RGBW-BK	12W 840LM RGBW Round Black		6
WMC4S-UDL-CD-RGBW-BK	12W 840LM RGBW Square Black		6



6" & 8" CCT-ADJUSTABLE LED OUTDOOR CYLINDER LIGHTS, IP65



CATALOG NO.	DESCRIPTION	PKG. QTY.
6" LED CYLINDER LIGHTS, 120-277V (DOWN LIGHT) H: 8" MCT₃		
WMCL-DL-MCT-BR	20W 1600LM 3000K/4000K/5000K 45° Bronze	4
WMCL-DL-MCT-BN	20W 1600LM 3000K/4000K/5000K 45° Brushed Nickel	4
WMCL-DL-MCT-WH	20W 1600LM 3000K/4000K/5000K 45° White	4
WMCL-DL-MCT-BK	20W 1600LM 3000K/4000K/5000K 45° Black	4
WMCL-DL-MCT-AZ	20W 1600LM 3000K/4000K/5000K 45° Antique Bronze	4
6" LED CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT) H: 18" MCT₃		
WMCL-UDL-MCT-BN	40W 3200LM 3000K/4000K/5000K 45° Brushed Nickel	4
WMCL-UDL-MCT-WH	40W 3200LM 3000K/4000K/5000K 45° White	4
WMCL-UDL-MCT-BK	40W 3200LM 3000K/4000K/5000K 45° Black	4
6" LED CYLINDER LIGHTS, 120-277V WITH PHOTOCELL (UP/DOWN LIGHT) H: 18" MCTP₃		
WMC6-UDL-MCTP-BK-DD-P	2x12W/2x16W/2x20W 80LM/W 30K/40K/50K 45° Black	4
WMC6-UDL-MCTP-BR-DD-P	2x12W/2x16W/2x20W 80LM/W 30K/40K/50K 45° Bronze	4
WMC6-UDL-MCTP-BN-DD-P	2x12W/2x16W/2x20W 80LM/W 30K/40K/50K 45° Brushed Nickel	4
WMC6-UDL-MCTP-WH-DD-P	2x12W/2x16W/2x20W 80LM/W 30K/40K/50K 45° White	4
WMC6-UDL-MCTP-AZ-DD-P	2x12W/2x16W/2x20W 80LM/W 30K/40K/50K 45° Antique Bronze	4
6" LED CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT SEPARATE CONTROLS) H: 24" MCTP₃		
WMC6-24-UDL-MCTP-DD-BK	2X18W/2X24W/2X30W 80LM/W 30K/40K/50K Black	2
WMC6-24-UDL-MCTP-DD-BR	2X18W/2X24W/2X30W 80LM/W 30K/40K/50K Bronze	2
WMC6-24-UDL-MCTP-DD-WH	2X18W/2X24W/2X30W 80LM/W 30K/40K/50K White	2
WMC6-24-UDL-MCTP-DD-SIL	2X18W/2X24W/2X30W 80LM/W 30K/40K/50K Silver	2
8" LED CYLINDER LIGHTS, 120-277V (DOWN LIGHT) H: 10.1" MCT₃		
WMC8-DL-MCT-BR-D	40W 3200LM 3000K/4000K/5000K 50° Bronze	4
WMC8-DL-MCT-BN-D	40W 3200LM 3000K/4000K/5000K 50° Brushed Nickel	4
WMC8-DL-MCT-WH-D	40W 3200LM 3000K/4000K/5000K 50° White	4
WMC8-DL-MCT-BK-D	40W 3200LM 3000K/4000K/5000K 50° Black	4
8" LED CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT) H: 10.1" MCT₃		
WMC8-UDL-MCT-BR-D	40W 3200LM 3000K/4000K/5000K 50° Bronze	4
WMC8-UDL-MCT-BN-D	40W 3200LM 3000K/4000K/5000K 50° Brushed Nickel	4
WMC8-UDL-MCT-WH-D	40W 3200LM 3000K/4000K/5000K 50° White	4
WMC8-UDL-MCT-BK-D	40W 3200LM 3000K/4000K/5000K 50° Black	4
CWMC6-DL32	CMC6 And WMC6 32mm Acrylic Drop Lens	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2" & 3"	OPT-EM-WMC-EXT-BR	EXTERNAL BACK BOX	OPT-PC-BUM	BUTTON	N/A	OPT-SEN-WMC	ONLY FOR 4" & UP
2" & 3"	OPT-EM-WMC-EXT-BN	EXTERNAL BACK BOX	277V OPTION	DESCRIPTION		OPT-SEN-NLS-WMC	WG NETWORK SENSOR
2" & 3"	OPT-EM-WMC-EXT-WH	EXTERNAL BACK BOX	OPT-277V	INTERNAL (ONLY FOR WMC DL UDL)		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
2" & 3"	OPT-EM-WMC-EXT-BK	EXTERNAL BACK BOX				WEC-8RC	REMOTE CONTROL
4" & UP	OPT-EM-WMC	INTERNAL					



RGBW LED OUTDOOR CYLINDER LIGHTS, IP65



CATALOG NO.	DESCRIPTION	PKG. QTY.
4" LED ROUND CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 12"		
WMC-UDL-RGBW-BK	24W 1920LM RGBW 25° Black	6
WMC-UDL-RGBW-WH	24W 1920LM RGBW 25° White	6
4" LED SQUARE CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10-1/4"		
WMCS-UDL-RGBW-BK	24W 1920LM RGBW 30° Black	6
WMCS-UDL-RGBW-WH	24W 1920LM RGBW 30° White	6

FOR REMOTE CONTROL SEE PAGE 104



WMCSR-DL-BK
8.5" Black



WMCSR-DL-BR
8.5" Bronze



WMCSR-DL-SIL
8.5" Silver



WMCSR-DL-WH
8.5" White



WMCSR-UD-BK
11.8" Black



WMCSR-UD-BR
11.8" Bronze



WMCSR-UD-SIL
11.8" Silver



WMCSR-UD-WH
11.8" White

4" LED ROUND-CORNER SQUARE OUTDOOR CYLINDER LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
WMCSR-UD-MCTP-D-BK	2 X 10W/15W/20W 100LM/W 30K/40K/50K 11.8"H, Black	6
WMCSR-UD-MCTP-D-BR	2 X 10W/15W/20W 100LM/W 30K/40K/50K 11.8"H, Bronze	6
WMCSR-UD-MCTP-D-SIL	2 X 10W/15W/20W 100LM/W 30K/40K/50K 11.8"H, Silver	6
WMCSR-UD-MCTP-D-WH	2 X 10W/15W/20W 100LM/W 30K/40K/50K 11.8"H, White	6
WMCSR-DL-MCTP-D-BK	10W/15W/20W 100LM/W 30K/40K/50K 8.5"H, Black	6
WMCSR-DL-MCTP-D-BR	10W/15W/20W 100LM/W 30K/40K/50K 8.5"H, Bronze	6
WMCSR-DL-MCTP-D-SIL	10W/15W/20W 100LM/W 30K/40K/50K 8.5"H, Silver	6
WMCSR-DL-MCTP-D-WH	10W/15W/20W 100LM/W 30K/40K/50K 8.5"H, White	6



ALL MODELS ARE AVAILABLE IN BRONZE, BRUSHED NICKEL, BLACK, & WHITE

4" & 5" & 8" CCT-ADJUSTABLE LED SQUARE OUTDOOR CYLINDER LIGHTS, IP65




CATALOG NO.	DESCRIPTION					PKG. QTY.
4" LED SQUARE CYLINDER LIGHTS, 120V (DOWN LIGHT) H: 8"						
WMCS-DL-MCT-BR-DT	12W	960LM	3000K/4000K/5000K	30°	Bronze	6
WMCS-DL-MCT-BN-DT	12W	960LM	3000K/4000K/5000K	30°	Brushed Nickel	6
WMCS-DL-MCT-WH-DT	12W	960LM	3000K/4000K/5000K	30°	White	6
WMCS-DL-MCT-BK-DT	12W	960LM	3000K/4000K/5000K	30°	Black	6
4" LED SQUARE CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10-1/4"						
WMCS-UDL-MCT-BR-DT	24W	1920LM	3000K/4000K/5000K	30°	Bronze	6
WMCS-UDL-MCT-BN-DT	24W	1920LM	3000K/4000K/5000K	30°	Brushed Nickel	6
WMCS-UDL-MCT-WH-DT	24W	1920LM	3000K/4000K/5000K	30°	White	6
WMCS-UDL-MCT-BK-DT	24W	1920LM	3000K/4000K/5000K	30°	Black	6
5" LED SQUARE CYLINDER LIGHTS, 120-277V (DOWN LIGHT) H: 8"						
WMCS5-DL-MCT-BR-DD	20W	1600LM	30K/40K/50K	30°	Bronze	6
WMCS5-DL-MCT-BN-DD	20W	1600LM	30K/40K/50K	30°	Brushed Nickel	6
WMCS5-DL-MCT-WH-DD	20W	1600LM	30K/40K/50K	30°	White	6
WMCS5-DL-MCT-BK-DD	20W	1600LM	30K/40K/50K	30°	Black	6
5" LED SQUARE CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT) H: 12"						
WMCS5-UDL-MCT-BR-DD	40W	3200LM	30K/40K/50K	30°	Bronze	6
WMCS5-UDL-MCT-BN-DD	40W	3200LM	30K/40K/50K	30°	Brushed Nickel	6
WMCS5-UDL-MCT-WH-DD	40W	3200LM	30K/40K/50K	30°	White	6
WMCS5-UDL-MCT-BK-DD	40W	3200LM	30K/40K/50K	30°	Black	6
8" LED SQUARE CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT) H: 10.5"						
WMCS8-UDL-MCTD-BK-D	40W	80LM/W	30K/40K/50K		Black	1
WMCS8-UDL-MCTD-BR-D	40W	80LM/W	30K/40K/50K		Bronze	1
WMCS8-UDL-MCTD-WH-D	40W	80LM/W	30K/40K/50K		White	1
WMCS8-UDL-MCTD-SIL-D	40W	80LM/W	30K/40K/50K		Silver	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
4" & UP	OPT-EM-WMCS	INTERNAL	OPT-PC-B	BUTTON	N/A	OPT-SEN-WMC	ONLY FOR 4" & UP
						OPT-SEN-NLS-WMCS	WG NETWORK SENSOR
						OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
						WEC-8RC	REMOTE CONTROL



Up light - Bronze



Down light - White



Up-Down lights - Brushed Nickel



WMQ5-UDL-MCTP-BK-P
Black



WMQ5-UDL-MCTP-BR-P
Bronze



WMQ5-UDL-MCTP-WH-P
White



WMQ5-UDL-MCTP-BN-P
Brushed Nickel

UP-DOWN SELECTABLE CUBE WALL LIGHT, POWER AND CCT ADJUSTABLE, 4.87"(L) X 4.87"(H) X 4.87"(W)



CATALOG NO.	DESCRIPTION	PKG. QTY.
WMQ5-UDL-MCTP-BK-P	6W/12W/15W/18W 104LM/W 30K/40K/50K Black	6
WMQ5-UDL-MCTP-BR-P	6W/12W/15W/18W 104LM/W 30K/40K/50K Bronze	6
WMQ5-UDL-MCTP-WH-P	6W/12W/15W/18W 104LM/W 30K/40K/50K White	6
WMQ5-UDL-MCTP-BN-P	6W/12W/15W/18W 104LM/W 30K/40K/50K Brushed Nickel	6

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-WMQ5-BK	BACK BOX	N/A	N/A	N/A	N/A	N/A
	OPT-EM-WMQ5-BR	BACK BOX					
	OPT-EM-WMQ5-WH	BACK BOX					
	OPT-EM-WMQ5-BN	BACK BOX					



Up-Down lights - Brushed Nickel



LRS-TU-MCT5-DD-BK
Black



LRS-TU-MCT5-DD-BN
Brushed Nickel



LRS-TU-MCT5-DD-BR
Bronze



LRS-TU-MCT5-DD-WH
White

UP/DOWN TUNNEL WALL SCNCE RESIDENTIAL/COMMERCIAL DUAL DIMMING, 12"H X 5.5"W X 2-1/8" D



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRS-TU-MCT5-DD-BK	2X12W 1920LM 27K/30K/35K/40K/50K Black	6
LRS-TU-MCT5-DD-BN	2X12W 1920LM 27K/30K/35K/40K/50K Brushed Nickel	6
LRS-TU-MCT5-DD-BR	2X12W 1920LM 27K/30K/35K/40K/50K Bronze	6
LRS-TU-MCT5-DD-WH	2X12W 1920LM 27K/30K/35K/40K/50K White	6



LRS-R1-MCT5-DD-ORB
Oil-rubbed bronze



LRS-R2-MCT5-DD-ORB
Oil-rubbed bronze



LRS-T1-MCT5-DD-ORB
Oil-rubbed bronze



LRS-T2-MCT5-DD-ORB
Oil-rubbed bronze



LRS-S1-MCT5-DD-ORB
Oil-rubbed bronze



LRS-S2-MCT5-DD-ORB
Oil-rubbed bronze

DUAL-DIMMING MODERN RESIDENTIAL/COMMERCIAL WALL SCONCES



CATALOG NO.	DESCRIPTION
-------------	-------------

LRS R MODERN RESIDENTIAL/COMMERCIAL WALL SCONCES

LRS-R1-MCT5-DD-ORB 20W 1500LM 27K/30K/35K/40K/50K 16"

LRS-R2-MCT5-DD-ORB 25W 1875LM 27K/30K/35K/40K/50K 24"

LRS T MODERN RESIDENTIAL/COMMERCIAL WALL SCONCES

LRS-T1-MCT5-DD-ORB 20W 1500LM 27K/30K/35K/40K/50K 16"

LRS-T2-MCT5-DD-ORB 25W 1875LM 27K/30K/35K/40K/50K 24"

LRS S MODERN RESIDENTIAL/COMMERCIAL WALL SCONCES

LRS-S1-MCT5-DD-ORB 20W 1500LM 27K/30K/35K/40K/50K 16"

LRS-S2-MCT5-DD-ORB 25W 1875LM 27K/30K/35K/40K/50K 24"



LRS-P1-MCT-BR
Bronze



LRS-P2-MCTP-BR
Bronze

DIE-CAST HIGH PERFORMANCE SELECTABLE 3CCT WALL PACK, PC LENS



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

LRS-P1-MCT-BR 15W 975LM 30K/40K/50K Bronze, 10"H 8

LRS-P2-MCTP-BR 20W/25W/30W 70LM/W 30K/40K/50K Bronze, 15"H 4

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-LRS-EM	BOX	N/A	N/A	N/A	OPT-SEN-LDS	INTERNAL MICROWAVE BI-LEVEL
						OPT-SEN-NLS-LRS	WG NETWORK SENSOR
						OPT-SEN-KEILTON	KEILTON NETWORK SENSOR



LDSX-S-12-16W-MCTP-ORB
Oil-Rubbed Bronze



LDSX-L-18-22W-MCTP-ORB
Oil-Rubbed Bronze



LDSX-L-18-22W-MCTP-ORB
Show with EM Option

OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120-277V



CATALOG NO.	DESCRIPTION
-------------	-------------

FULL-LENS WALL SCONCE, POWER & CCT-ADJUSTABLE

LDSX-S-12-16W-MCTP-ORB 12W/14W/16W 100LM/W 30K/40K/50K 8" Oil-Rubbed Bronze

LDSX-L-18-22W-MCTP-ORB 18W/20W/22W 100LM/W 30K/40K/50K 14" Oil-Rubbed Bronze

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LDS	OPT-EM-LDS		OPT-PC-B1	BUTTON	N/A	OPT-SEN-LDS	INTERNAL MICROWAVE BI-LEVEL
LDSX-S	OPT-EM-LDSX-S		277V OPTION	DESCRIPTION		OPT-SEN-NLS-LDS	WG NETWORK SENSOR
LDSX-L	OPT-EM-LDSX-L		OPT-277V-LDS	EXTERNAL BOX		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR



LDSW-MCT5-ORB
Oil-Rubbed Bronze



LDSW-MCT5-SIL
Silver



LDSS-MCT5-ORB
Oil-Rubbed Bronze

OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE



CATALOG NO.	DESCRIPTION				PKG. QTY.
10" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120V (10" WIDE)					
LDSW-MCT5-ORB	12W	1200LM	27K/30K/35K/40K/50K Oil-Rubbed Bronze		6
LDSW-MCT5-SIL	12W	1200LM	27K/30K/35K/40K/50K Silver		6
10" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120V (8.7" WIDE)					
LDSS-MCT5-ORB	12W	1200LM	27K/30K/35K/40K/50K Oil-Rubbed Bronze		6

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	277V OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LDSW, LDSS	N/A	N/A	OPT-PC-BI	BUTTON	N/A	OPT-SEN-LDS OPT-SEN-NLS-LDSW OPT-SEN-KEILTON	INTERNAL MICROWAVE BI-LEVEL WG NETWORK SENSOR KEILTON NETWORK SENSOR



LDSB-40-MCTP-DD-BK
Black



LDSB-40-MCTP-DD-ORB
Oil-Rubbed Bronze




LDSB-40-MCTP-DD-SIL
Silver

40" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120-277V (14" WIDE)



CATALOG NO.	DESCRIPTION				PKG. QTY.
LDSB-40-MCTP-DD-BK	40W/60W/80W	80LM/W	30K/40K/50K	Black	1
LDSB-40-MCTP-DD-ORB	40W/60W/80W	80LM/W	30K/40K/50K	Oil-Rubbed Bronze	1
LDSB-40-MCTP-DD-SIL	40W/60W/80W	80LM/W	30K/40K/50K	Silver	1



OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE



CATALOG NO.	DESCRIPTION				PKG. QTY.
10" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120V (7" WIDE)					
LDS-MCT5-DT-ORB	15W	980LM	27K/30K/35K/40K/50K	Oil-Rubbed Bronze	4
LDS-MCT5-DT-SIL	15W	980LM	27K/30K/35K/40K/50K	Silver	4
LDS-MCT5-DT-BK	15W	980LM	27K/30K/35K/40K/50K	Black	4
RGB WG APP OR REMOTE CONTROL 7" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120V (7" WIDE)					
LDS-RGBW-BK	15W	980LM	5CCT AND RGB	Black	4
10" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE WITH PIR SENSOR, 120V (7" WIDE)					
LDS-MCT5-DT-PIR-ORB	15W	980LM	27K/30K/35K/40K/50K	Oil-Rubbed Bronze	4
LDS-MCT5-DT-PIR-SIL	15W	980LM	27K/30K/35K/40K/50K	Silver	4
LDS-MCT5-DT-PIR-BK	15W	980LM	27K/30K/35K/40K/50K	Black	4
18" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120-277V (6" WIDE)					
LDSL-MCT-D-BZ	20W	1500LM	3000K/4000K/5000K	Bronze	6
LDSL-MCT-D-SIL	20W	1500LM	3000K/4000K/5000K	Silver	6
LDSL-MCT-D-BK	20W	1500LM	3000K/4000K/5000K	Black	6
24" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120-277V (6" WIDE)					
LDSXL-MCT-DD-ORB	25W	1800LM	30K/40K/50K	Oil-Rubbed Bronze	4
LDSXL-MCT-DD-SIL	25W	1800LM	30K/40K/50K	Silver	4
LDSXL-MCT-DD-BK	25W	1800LM	30K/40K/50K	Black	4
46" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120-277V (6" WIDE)					
LDSXL-46-MCT-DD-ORB	50W	3600LM	30K/40K/50K	Oil-Rubbed Bronze	2
LDSXL-46-MCT-DD-SIL	50W	3600LM	30K/40K/50K	Silver	2
LDSXL-46-MCT-DD-BK	50W	3600LM	30K/40K/50K	Black	2
18" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120-277V (9" WIDE)					
LDSC-18-MCTP-DD-ORB	15W/20W/25W	80LM/W	30K/40K/50K	Oil-Rubbed Bronze	4
LDSC-18-MCTP-DD-SIL	15W/20W/25W	80LM/W	30K/40K/50K	Silver	4
LDSC-18-MCTP-DD-BK	15W/20W/25W	80LM/W	30K/40K/50K	Black	4
24" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120-277V (9" WIDE)					
LDSC-24-MCTP-DD-ORB	20W/25W/30W	80LM/W	30K/40K/50K	Oil-Rubbed Bronze	4
LDSC-24-MCTP-DD-SIL	20W/25W/30W	80LM/W	30K/40K/50K	Silver	4
LDSC-24-MCTP-DD-BK	20W/25W/30W	80LM/W	30K/40K/50K	Black	4

LDSXL DIMMING: (DUAL FUNCTION) TRIAC DIMMABLE AT 120V & 0-10V DIMMING AT 120-277V
 FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LDS	OPT-EM-LDS		OPT-PC-BI	BUTTON	N/A	OPT-SEN-LDS	INTERNAL MICROWAVE BI-LEVEL
LDSX-S	OPT-EM-LDSX-S		277V OPTION	DESCRIPTION		OPT-SEN-NLS-LDS	WG NETWORK SENSOR
LDSX-L	OPT-EM-LDSX-L		OPT-277V-LDS	EXTERNAL BOX		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LDSL	OPT-EM-LDSL	INTERNAL	OPT-PC-B	BUTTON	N/A	N/A	N/A
LDSXL	OPT-EM-LDSXL	INTERNAL					
LDSXL	OPT-EM-LDSXL-277V	INTERNAL					



LRS-J1S-MCT-C90-BK
Black



LRS-J1S-MCT-C90-BN
Brushed-Nickel



LRS-J1S-MCT-C90-BR
Bronze



LRS-J-MCT-C90-BK
Black



LRS-J-MCT-C90-BN
Brushed-Nickel



LRS-J-MCT-C90-BR
Bronze

MODEL J ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS 120V, SOLID ACRYLIC LENS



CATALOG NO.	DESCRIPTION	PKG. QTY.
1-SIDE DECORATIVE OUTDOOR WALL LIGHT		
LRS-J1S-MCT-C90-BK	10W 700LM 3000K/4000K/5000K Black	10
LRS-J1S-MCT-C90-BR	10W 700LM 3000K/4000K/5000K Bronze	10
LRS-J1S-MCT-C90-BN	10W 700LM 3000K/4000K/5000K Brushed-Nickel	10
2-SIDES DECORATIVE OUTDOOR WALL LIGHT		
LRS-J-MCT-C90-BK	20W 1400LM 3000K/4000K/5000K Black	10
LRS-J-MCT-C90-BR	20W 1400LM 3000K/4000K/5000K Bronze	10
LRS-J-MCT-C90-BN	20W 1400LM 3000K/4000K/5000K Brushed-Nickel	10



LRS-E-MCT-C90-BK
Black



LRS-E-MCT-C90-MGBR
Marine Grade Bronze



LRS-E-MCT-C90-WH
White



LRS-F-MCT-C90-BK
Black



LRS-F-MCT-C90-MGBR
Marine Grade Bronze



LRS-F-MCT-C90-WH
White



LRS-F-RGBW-BK
Black



LRS-G-MCT-C90-BK
Black



LRS-G-MCT-C90-MGBR
Marine Grade Bronze



LRS-G-MCT-C90-WH
White




LRS-H-MCT-C90-BK
Black



LRS-H-MCT-C90-MGBR
Marine Grade Bronze



LRS-H-MCT-C90-WH
White



LRS-H-RGBW-BK
Black

ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
ROUND MODEL E ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V		
LRS-E-MCT-C90-BK	12W 650LM 3000K/4000K/5000K Black	12
LRS-E-MCT-C90-WH	12W 650LM 3000K/4000K/5000K White	12
LRS-E-MCT-C90-MGBR	12W 650LM 3000K/4000K/5000K Marine Grade Bronze	12
ROUND MODEL F ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V		
LRS-F-MCT-C90-BK	12W 650LM 3000K/4000K/5000K Black	12
LRS-F-MCT-C90-WH	12W 650LM 3000K/4000K/5000K White	12
LRS-F-MCT-C90-MGBR	12W 650LM 3000K/4000K/5000K Marine Grade Bronze	12
RGB WG APP OR REMOTE CONTROL 7" ROUND MODEL F ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V		
LRS-F-RGBW-BK	12W 650LM 5CCT AND RGB Black	12
SQUARE MODEL G ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V		
LRS-G-MCT-C90-BK	12W 650LM 3000K/4000K/5000K Black	12
LRS-G-MCT-C90-WH	12W 650LM 3000K/4000K/5000K White	12
LRS-G-MCT-C90-MGBR	12W 650LM 3000K/4000K/5000K Marine Grade Bronze	12
SQUARE MODEL H ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V		
LRS-H-MCT-C90-BK	12W 650LM 3000K/4000K/5000K Black	12
LRS-H-MCT-C90-WH	12W 650LM 3000K/4000K/5000K White	12
LRS-H-MCT-C90-MGBR	12W 650LM 3000K/4000K/5000K Marine Grade Bronze	12
RGB WG APP OR REMOTE CONTROL 6" SQUARE MODEL H ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V		
LRS-H-RGBW-BK	12W 650LM 5CCT AND RGB Black	12

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	277V OPTION	DESCRIPTION
LRS-E, LRS-F	OPT-EM-LRS-R-BK	BACK BOX	OPT-PC-LRS-RBK	EXTERNAL BOX	N/A	OPT-277V-LRS-R	EXTERNAL BOX
LRS-G, LRS-H, LRS-J, LRS-JIS	OPT-EM-LRS-S-BK	BACK BOX	OPT-PC-LRS-RMGBR	EXTERNAL BOX	N/A	OPT-277V-LRS-S	EXTERNAL BOX
LRS-E, LRS-F	OPT-EM-LRS-R-WH	BACK BOX	OPT-PC-LRS-RWH	EXTERNAL BOX			
LRS-G, LRS-H	OPT-EM-LRS-S-WH	BACK BOX	OPT-PC-LRS-SBK	EXTERNAL BOX			
LRS-E, LRS-F	OPT-EM-LRS-R-MGBR	BACK BOX	OPT-PC-LRS-SMGBR	EXTERNAL BOX			
LRS-G, LRS-H	OPT-EM-LRS-S-MGBR	BACK BOX	OPT-PC-LRS-SWH	EXTERNAL BOX			
LRS-J, LRS-JIS	OPT-EM-LRS-S-BR	BACK BOX					
LRS-J, LRS-JIS	OPT-EM-LRS-S-BN	BACK BOX					


LVW-100-MCT-ORB
 5.25"(D) x 2.66"(H)

LVW-110-MCT-ORB
 3.12"(W) x 3.40"(H) x 3.71"(D)

LVW-110-UD-MCT-ORB
 3.71"(W) x 4.12"(H) x 5.20"(D)

LVW-115-MCT-ORB
 5.25"(D) x 3.75"(H)

LVW-200-MCT-ORB
 5.20"(SQ) x 2.66"(H)

LVW-210-MCT-ORB
 3.75"(W) x 4.12"(H) x 3.4"(D)

LVW-210-UD-MCT-ORB
 3.75"(W) x 4.12"(H) x 5.20"(D)

LVW-215-MCT-ORB
 5.25"(SQ) x 4.33"(H)

LVW-250-MCT-ORB
 5.75"(W) x 5.75"(H) x 2.25"(D)

LVW-300-MCT-ORB
LVW-300-MCT-WH
 7"(W) x 5"(H) x 2.25"(D)

LVW-310-MCT-ORB
LVW-310-MCT-WH
 7.50"(W) x 4.20"(H) x 2"(D)

12V SELECTABLE CCT LED MINI WALL SCONCES




CATALOG NO.	DESCRIPTION
LVW-100-MCT-ORB	3W 200LM 30K/40K/50K Oil-Rubbed Bronze
LVW-110-MCT-ORB	3W 200LM 30K/40K/50K Oil-Rubbed Bronze
LVW-110-UD-MCT-ORB	6W 400LM 30K/40K/50K Oil-Rubbed Bronze
LVW-115-MCT-ORB	3W 200LM 30K/40K/50K Oil-Rubbed Bronze
LVW-200-MCT-ORB	3W 200LM 30K/40K/50K Oil-Rubbed Bronze
LVW-210-MCT-ORB	3W 200LM 30K/40K/50K Oil-Rubbed Bronze
LVW-210-UD-MCT-ORB	6W 400LM 30K/40K/50K Oil-Rubbed Bronze
LVW-215-MCT-ORB	3W 200LM 30K/40K/50K Oil-Rubbed Bronze
LVW-250-MCT-ORB	6W 400LM 30K/40K/50K Oil-Rubbed Bronze
LVW-300-MCT-ORB	6W 400LM 30K/40K/50K Oil-Rubbed Bronze
LVW-300-MCT-WH	6W 400LM 30K/40K/50K White
LVW-310-MCT-ORB	6W 400LM 30K/40K/50K Oil-Rubbed Bronze
LVW-310-MCT-WH	6W 400LM 30K/40K/50K White


LRS-A-MCT-PC
 Dark Bronze

LRS-B-40K-PC
LRS-B-MCT-PC
 Dark Bronze

LRS-C-MCT-D
 Dark Bronze

LRS-PV-MCT-DD
 Oil-Rubbed Bronze

LRS-PV-RGBW
 Oil-Rubbed Bronze

LRS-D-30K-D
LRS-D-40K-D
 Dark Bronze

LRS-L-MCT5-BK
 Black

LRS-S-MCT5-ORB
 Oil-Rubbed Bronze

LRS-SWG-MCT5-ORB
 Oil-Rubbed Bronze

LED RESIDENTIAL LANTERNS, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
12" OUTDOOR/INDOOR CEILING LIGHT, 120-277V		
LRS-PV-MCT-DD	25W 1920LM 30K/40K/50K 12", Oil-Rubbed Bronze	4
RGB WG APP OR REMOTE CONTROL 13" OUTDOOR/INDOOR CEILING LIGHT, 120-277V		
LRS-PV-RGBW	25W 1920LM 5CCT AND RGB 13", Oil-Rubbed Bronze	4
LED RESIDENTIAL LANTERNS WITH PHOTOCELL, 120V		
LRS-A-MCT-PC	12W 1150LM 3000K/4000K/5000K	6
LRS-B-40K-PC	6W 550LM 4000K	12
LRS-B-MCT-PC	6W 550LM 3000K/4000K/5000K	12
LED DIMMABLE RESIDENTIAL LIGHTS, 120V		
LRS-C-MCT-D	12W 1100LM 3000K/4000K/5000K	6
LRS-D-30K-D	12W 1100LM 3000K	6
LRS-D-40K-D	12W 1100LM 4000K	6
LED OUTDOOR LARGE WALL LANTERN, 120V 5CCT (12.40 X 8.80 X 8.80)		
LRS-L-MCT5-BK	12W 1200LM 27K/30K/35K/40K/50K Black 12.4"x8.8"x8.8"	6
LED SEASIDE OUTDOOR WALL LANTERN, 120V 5CCT (10.50 X 8.70 X 8.70)		
LRS-S-MCT5-ORB	12W 1200LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze	4
LED SEASIDE OUTDOOR WALL LANTERN WITH WIREGUARD., 120V 5CCT (11.00 X 8.75 X 10.35)		
LRS-SWG-MCT5-ORB	12W 1200LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze	4

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LRS-L, LRS-S, LRS-SWG	N/A	N/A	OPT-PC-B	BUTTON	N/A	OPT-SEN-LDS	INTERNAL MICROWAVE BI-LEVEL FOR LRS-PV, LRS-C, LRS-D
LRS-PV	OPT-EM-LRS-PV	N/A				OPT-SEN-NLS-LRS	WG NETWORK SENSOR
						OPT-SEN-KEILTON	KEILTON NETWORK SENSOR



LRS-N1-MCT-P-ORB
13" Oil-Rubbed Bronze



LRS-M1-MCT-P-ORB
10" Oil-Rubbed Bronze



LRS-M2-MCT-P-ORB
10" Oil-Rubbed Bronze



Shown with
Optional
Bubble Glass



Shown with
Optional
Crackled Glass



LRS-V
Oil-rubbed bronze

RESIDENTIAL LANTERNS WITH PHOTOCELL, CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
10" MODEL M RESIDENTIAL LANTERNS WITH PHOTOCELL, CCT SELECTABLE		
LRS-M1-MCT-P-ORB	12W 500LM 30K/40K/50K With Frosted Lens & Ornament guard	6
LRS-M2-MCT-P-ORB	12W 500LM 30K/40K/50K With Frosted Lens & Outer Clear Glass	6
LRS-M-RL-FG	Replacement Default Frosted Lens For LRS-M Series	
LRS-M-RL-BG	Replacement Bubble Glass Lens For LRS-M Series	
LRS-M-RL-CG	Replacement Crackled Glass Lens For LRS-M Series	
13" MODEL N RESIDENTIAL LANTERNS WITH PHOTOCELL, CCT SELECTABLE		
LRS-N1-MCT-P-ORB	20W 850LM 30K/40K/50K With Frosted Lens & Outer Clear Glass	4
LRS-N-RL-FG	Replacement Default Frosted Lens For LRS-N Series	
LRS-N-RL-BG	Replacement Bubble Glass Lens For LRS-N Series	
LRS-N-RL-CG	Replacement Crackled Glass Lens For LRS-N Series	
8" ROUND MODEL V DIE-CAST MODERN WALL SCONCES WITH PHOTOCELL, CCT SELECTABLE		
LRS-V-MCT-P-ORB	12W 500LM 30K/40K/50K	



ERSH-1325-BK
13.25" Black



ERSH-185-BK
18.5" Black





ERSH-25-BK
25" Black



ERSH-PT185-BK
18.5" Black

E26 GLASS WALL SCONCE INCLUDES LED T LAMP




CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
ERSH-1325-BK	6W 520LM 3000K 13.25" Black		1
ERSH-185-BK	6W 520LM 3000K 18.5" Black		1
ERSH-25-BK	6W 780LM 3000K 25" Black		1
ERSH-PT185-BK	6W 520LM 3000K 18.5" Black		1


HNS-58DL-CUSTOM-BK
 Black

HNS-58DL-CUSTOM-ORB
 Oil-Rubbed Bronze

HNS-59NL-DT-CUSTOM
 Bronze

HOUSE NUMBER SIGNAGE **MTO made to order**

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
HNS-58DL-CUSTOM-BK	ADA House Number Signage 5in W x 8in H Downlight 120V 10W CR80 Custom CCT Digits Finish, Black	
HNS-58DL-CUSTOM-ORB	ADA House Number Signage 5in W x 8in H Downlight 120V 10W CR80 Custom CCT Digits Finish, Oil-rubbed bronze	
HNS-56UDL-CUSTOM	House Number Signage 10in W x 6in H Up/Downlight 120V 16W CR80 Custom CCT Digits Finish, Bronze	
HNS-59NL-DT-CUSTOM	ADA House Number Signage Num-Lit 4in W x 24in H 120V 16W TRIAC CR90 Custom CCT Digits Finish, Bronze	
HNS-BRAILLE	HNS Braille Numbers Option Added	


LRS-O
 Bronze

 Can be Installed
 as Uplight

LRS-CR2-MCT-BR
 Bronze

LRS-WS-12
 Bronze

LRS-WS-18
 Bronze

LRS-K-24-MCT5-BR
 Bronze

DIE-CAST MODERN WALL SCONCES, SELECTABLE 3CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
IP65 MODEL O DIE-CAST MODERN WALL SCONCES - UP LIGHT OR DOWN LIGHT INSTALLATION		
LRS-O1-MCT-BR	6W 420LM 30K/40K/50K Bronze, 5" H	10
LRS-O2-MCT-BR	9W 630LM 30K/40K/50K Bronze, 6" H	10
LRS-O3-MCT-BR	12W 840LM 30K/40K/50K Bronze, 8" H	10
8" MODEL CR UP/DOWN WALL SCONCES		
LRS-CR2-MCT-BR	2x6W 840LM 30K/40K/50K Bronze, 8" H	8
MODEL WS OUTDOOR INDIRECT WALL SCONCES		
LRS-WS-12-MCT5-BR	20W 1000LM 27K/30K/35K/40K/50K Bronze, 12" H	10
LRS-WS-18-MCT5-BR	30W 1500LM 27K/30K/35K/40K/50K Bronze, 18" H	10
24" MODEL K DIE-CAST MODERN WALL SCONCES		
LRS-K-24-MCT5-BR	24W 700LM 27K/30K/35K/40K/50K Bronze, 24" H	8



LRS-SH12
12" Oil-Rubbed Bronze



LRS-SH24
24" Oil-Rubbed Bronze



LRS-SH40
40" Oil-Rubbed Bronze



Shown with Honey lens

SHOJI WINDOW WALL SCONCE

POWER AND CCT ADJUSTABLE - **DUAL DIMMING, 120-277V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRS-SH-12-MCTP-DT-ORB	9W/13W/17W 70LM/W 30K/40K/50K Oil-rubbed bronze, 7"X12"	6
LRS-SH-12-MCTP-DD-ORB	9W/13W/17W 70LM/W 30K/40K/50K Oil-rubbed bronze, 7"X12"	6
LRS-SH-24-MCTP-DD-ORB	18W/24W/30W 70LM/W 30K/40K/50K Oil-rubbed bronze, 7"X24"	4
LRS-SH-40-MCTP-DD-ORB	40W/60W/80W 70LM/W 30K/40K/50K Oil-rubbed bronze, 13"X40"	1
LRS-SH-12-HLK	Honey-Color Replacement Lens for LRS-SH-12	
LRS-SH-24-HLK	Honey-Color Replacement Lens for LRS-SH-24	



LRS-SG2
Oil-Rubbed Bronze

LRS-SG3
Oil-Rubbed Bronze

LRS-SG1
Oil-Rubbed Bronze

LRS-SG4-MCT-BK
Black

SEEDED GLASS WALL SCONCES, 120V - 3CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRS-SG1-MCT-ORB	12W 1200LM 30K/40K/50K Oil-Rubbed Bronze, 6"X14", 120V	4
LRS-SG2-MCT-ORB	12W 1200LM 30K/40K/50K Oil-Rubbed Bronze, 7"X18", 120V	4
LRS-SG3-MCT-ORB	12W 1200LM 30K/40K/50K Oil-Rubbed Bronze, 6"X14", 120V	4
LRS-SG4-MCT-BK	12W 1200LM 30K/40K/50K 1lin Black	5
SEEDED GLASS WALL SCONCES, 120V - 3CCT DUAL DIMMING ARRIVES THIS SEASON CHECK & PRE-ORDER		
LRS-SG1-MCT-DD-ORB	15W 1500LM 30K/40K/50K Oil-Rubbed Bronze, 6"X14", 120V	4
LRS-SG2-MCT-DD-ORB	15W 1500LM 30K/40K/50K Oil-Rubbed Bronze, 7"X18", 120V	4
LRS-SG3-MCT-DD-ORB	15W 1500LM 30K/40K/50K Oil-Rubbed Bronze, 6"X14", 120V	4



LRS-ML-MCT-P-BK



LRS-ML-SG-MCT-P-BK

8" MINI SQUARE LANTERN W/ PHOTOCELL - 3CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRS-ML-MCT-P-BK	12W 650LM 30K/40K/50K 8" Black	6
LRS-ML-SG-MCT-P-BK	12W 650LM 30K/40K/50K 8" Black, Seeded Glass	6



CREA-56-MCTP-BR
Bronze



CREA-56-MCTP-WH
White



CREA-57-MCTP-BR
Bronze




CREA-57-MCTP-WH
White



Beam
Adjustable

ADJUSTABLE BEAM ANGLE OUTDOOR/INDOOR DESIGNER WALL SCONCE, 120-277V

CATALOG NO.	DESCRIPTION	
CREA-56-MCTP-BR	14W/18W/24W 80LM/W 30K/40K/50K Square	Bronze
CREA-57-MCTP-BR	14W/18W/24W 80LM/W 30K/40K/50K Round	Bronze
CREA-56-MCTP-WH	14W/18W/24W 80LM/W 30K/40K/50K Square	White
CREA-57-MCTP-WH	14W/18W/24W 80LM/W 30K/40K/50K Round	White



WALL CUBE WITH ADJ. BEAM ANGLE UP/DOWN LIGHTS, OUTDOOR, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRS-Q-MCT5-BR	15W 800LM 27K/30K/35K/40K/50K Bronze	10
LRS-Q-MCT5-BK	15W 800LM 27K/30K/35K/40K/50K Black	10
LRS-Q-MCT5-WH	15W 800LM 27K/30K/35K/40K/50K White	10



LRS-MC-MCT5-P-BK
Black



LRS-MC-MCT5-P-WH
Bronze



LRS-MC-MCT5-P-BN
Brushed Nickel



LRS-MC-MCT5-P-BR
Bronze

MINI-CONE OUTDOOR WALL SCONCE WITH PHOTOCELL, 5" HEIGHT, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRS-MC-MCT5-P-BK	10W 700LM 27K/30K/35K/40K/50K Black	10
LRS-MC-MCT5-P-WH	10W 700LM 27K/30K/35K/40K/50K White	10
LRS-MC-MCT5-P-BN	10W 700LM 27K/30K/35K/40K/50K Brushed nickel	10
LRS-MC-MCT5-P-BR	10W 700LM 27K/30K/35K/40K/50K Bronze	10

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-LRS-MC	EXTERNAL BACK BOX	N/A	N/A	N/A	N/A	N/A



TC-FL-36W-RGBW-BT-BR
Round Flood Light



TC-FL-72W-RGBW-BT-BK
Round Flood Light



TC-FLS-96W-RGBW-BT-BK
Square Flood Light



TC-WW-36W-RGBW-BT-BK
TC-WW-72W-RGBW-BT-BK
4' Wall Wash



DMX-FL-SH1
Shield only



DMX-FLS-SH1
Shield only



DMX-FLS-SHFG1
Shield only



DMX-WW-SH2
Shield only



WEC-2UGW-WIFI

WESTGATE SMART APP COMPATIBLE RGBW SERIES



CATALOG NO.	DESCRIPTION	PKG. QTY.
TC-FL-36W-RGBW-BT-BR	36W RGBW Bronze Round Flood Light	1
TC-FL-72W-RGBW-BT-BK	72W RGBW Black Round Flood Light	1
TC-WW-36W-RGBW-BT-BK	36W RGBW Black Linear Light	1
TC-WW-72W-RGBW-BT-BK	72W RGBW Black Linear Light	1
TC-FLS-96W-RGBW-BT-BK	96W RGBW Black Square Flood Light	1
DMX-FL-SH1	Half Glare Shield for TC-FL-72W & DMX-FL-72W	
DMX-WW-SH2	Half Glare Shield for TC-WW-36W/72W & DMX-WW-36W	
DMX-FLS-SH1	Half Glare Shield for TC-FLS-96W & DMX-FLS-36W/72W/96W	
DMX-FLS-SHFG1	Full Glare Shield for TC-FL-96W & DMX-FL-36W/72W/96W	
WEC-2UGW-WIFI	Bluetooth to WiFi Gateway for full remote access and programming, also needed for scheduling	



FOR REMOTE CONTROL SEE PAGE 104



WMC-UDL-RGBW-BK
Black



WMC-UDL-RGBW-WH
White



WMCS-UDL-RGBW-BK
Black



WMCS-UDL-RGBW-WH
White

RGBW LED OUTDOOR CYLINDER LIGHTS, IP65



CATALOG NO.	DESCRIPTION	PKG. QTY.
4" LED ROUND CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 12"		
WMC-UDL-RGBW-BK	24W 1920LM RGBW 25° Black	6
WMC-UDL-RGBW-WH	24W 1920LM RGBW 25° White	6
4" LED SQUARE CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10-1/4"		
WMCS-UDL-RGBW-BK	24W 1920LM RGBW 30° Black	6
WMCS-UDL-RGBW-WH	24W 1920LM RGBW 30° White	6



FOR REMOTE CONTROL SEE PAGE 104



DMX 512 COMPATIBLE RGBW SERIES

SPECIAL ORDER FOR PROJECTS - MINIMUM 3 MONTHS LEAD TIME

DMX Controller & Cables Needed.

In a DMX lighting setup, Lights need to be connected with cables. The cables can be "daisy chained" so that each light can plug into the one before it instead of all lights plugging into the DMX board itself.



DMX-FL-36W-RGBW-BT-BK
Round Flood Light



DMX-FL-72W-RGBW-BT-BK
Round Flood Light



DMX-FLS-96W-RGBW-BT-BK
DMX-FLS-192W-RGBW-BT-BK
Square Flood Light



DMX-WW-36W-RGBW-BT-BK
DMX-WW-72W-RGBW-BT-BK
Wall Wash



DMX-FL-SH1
Shield only



DMX-FLS-SHFG1
Shield only



DMX-WW-SH2
Shield only



DMX-FLS-SH2
Shield only



DMX-3PIN-EXT

DMX 512 COMPATIBLE RGBW SERIES



CATALOG NO.	DESCRIPTION	PKG. QTY.
DMX-FL-36W-RGBW-BT-BK	36W RGBW Black Round Flood Light	1
DMX-FL-72W-RGBW-BT-BK	72W RGBW Black Round Flood Light	1
DMX-FLS-96W-RGBW-BT-BK	96W RGBW Black Square Flood Light	1
DMX-FLS-192W-RGBW-BT-BK	192W RGBW Black Square Flood Light	1
DMX-WW-36W-RGBW-BT-BK	36W RGBW Black Linear Light	1
DMX-WW-72W-RGBW-BT-BK	72W RGBW Black Linear Light	1
DMX-FL-SH1	Half Glare Shield for TC-FL-72W & DMX-FL-72W	
DMX-WW-SH2	Half Glare Shield for TC-WW-36W/72W & DMX-WW-36W	
DMX-FLS-SH1	Half Glare Shield for TC-FLS-96W & DMX-FLS-36W/72W/96W	
DMX-FLS-SHFG1	Full Glare Shield for TC-FL-96W & DMX-FL-36W/72W/96W	
DMX-3PIN-5FT-EXT	Dmx512 3-Pin Outdoor Extension Cord 5 Feet	
DMX-3PIN-10FT-EXT	Dmx512 3-Pin Outdoor Extension Cord 10 Feet	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	GROUP OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-DMX-GROUP	Change fixture address to create light groups	N/A	N/A	N/A	N/A	N/A




SPEC SERIES X GEN. RGB STADIUM LIGHTS, DMX512 CONTROLLED - SPECIAL ORDER



CATALOG NO.	DESCRIPTION	PKG. QTY.
SFX-G9-500W-45D-RGB	500W RGB	1
SFX-G9-800W-45D-RGB	800W RGB	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	GROUP OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-DMX-GROUP	Change fixture address to create light groups	N/A	N/A	N/A	N/A	N/A



DMX 512 COMPATIBLE RGBW LINEAR ARCHITECTURAL INGROUND LIGHTS

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
DMX-CIGL-9-RGBW	11W 935LM RGB+40K	
DMX-CIGL-20-RGBW	22W 1870LM RGB+40K	
DMX-CIGL-40-RGBW	44W 3740LM RGB+40K	



IGLC-D5-10W-MCT-24D
5" Dia Bronze



IGLC-D6-15W-MCT-24D-D
6" Dia Bronze



IGLC-D8-30W-MCTP-30D-D
8" Dia Bronze



IGLC-D9-30W-MCTP-120D-D
9" Dia Bronze






IGLC-D11-50W-MCTP-60D-D
11" Dia Bronze



DMX 512 COMPATIBLE RGBW STAINLESS STEEL COMMERCIAL INGROUND LIGHTS

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
DMX-IGLC-D5-RGBW	12W 1020LM RGB+40K	
DMX-IGLC-D6-RGBW	18W 1530LM RGB+40K	
DMX-IGLC-D8-RGBW	24W 2040LM RGB+40K	
DMX-IGLC-D9-RGBW	42W 3570LM RGB+40K	
DMX-IGLC-D11-RGBW	54W 4590LM RGB+40K	



TUBULAR ROTATABLE IP66 SIGN LIGHTS WITH MOUNT CANOPY



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
TSR-IP66-80D-2FT-MCT5-D-WH	15W 1395LM 27K/30K/35K/40K/50K 2FT, 80° Beam Angle, White		6
TSR-IP66-80D-3FT-MCT5-D-WH	20W 1860LM 27K/30K/35K/40K/50K 3FT, 80° Beam Angle, White		6
TSR-IP66-80D-4FT-MCT5-D-WH	30W 2790LM 27K/30K/35K/40K/50K 4FT, 80° Beam Angle, White		6
TSR-IP66-80D-6FT-MCT5-D-WH	40W 3720LM 27K/30K/35K/40K/50K 6FT, 80° Beam Angle, White		6
TSR-IP66-80D-2FT-MCT5-D-BK	15W 1395LM 27K/30K/35K/40K/50K 2FT, 80° Beam Angle, Black		6
TSR-IP66-80D-3FT-MCT5-D-BK	20W 1860LM 27K/30K/35K/40K/50K 3FT, 80° Beam Angle, Black		6
TSR-IP66-80D-4FT-MCT5-D-BK	30W 2790LM 27K/30K/35K/40K/50K 4FT, 80° Beam Angle, Black		6
TSR-IP66-80D-6FT-MCT5-D-BK	40W 3720LM 27K/30K/35K/40K/50K 6FT, 80° Beam Angle, Black		6
TSR-IP66-133D-2FT-MCT5-D-WH	15W 1395LM 27K/30K/35K/40K/50K 2FT, 133° Beam Angle, White		6
TSR-IP66-133D-3FT-MCT5-D-WH	20W 1860LM 27K/30K/35K/40K/50K 3FT, 133° Beam Angle, White		6
TSR-IP66-133D-4FT-MCT5-D-WH	30W 2790LM 27K/30K/35K/40K/50K 4FT, 133° Beam Angle, White		6
TSR-IP66-133D-6FT-MCT5-D-WH	40W 3720LM 27K/30K/35K/40K/50K 6FT, 133° Beam Angle, White		6
TSR-IP66-133D-2FT-MCT5-D-BK	15W 1395LM 27K/30K/35K/40K/50K 2FT, 133° Beam Angle, Black		6
TSR-IP66-133D-3FT-MCT5-D-BK	20W 1860LM 27K/30K/35K/40K/50K 3FT, 133° Beam Angle, Black		6
TSR-IP66-133D-4FT-MCT5-D-BK	30W 2790LM 27K/30K/35K/40K/50K 4FT, 133° Beam Angle, Black		6
TSR-IP66-133D-6FT-MCT5-D-BK	40W 3720LM 27K/30K/35K/40K/50K 6FT, 133° Beam Angle, Black		6
TSR-IP66-ERK-WH	TSR Sign Light 12in Extension Rod Kit Wht		
TSR-IP66-ERK-BK	TSR Sign Light 12in Extension Rod Kit Blk		
TSR-IP66-COUP-WH	TSR Sign Light Inline Coupling With Incl. Rod Kit Wht		
TSR-IP66-COUP-BK	TSR Sign Light Inline Coupling With Incl. Rod Kit Blk		



Flood Light Wall-Mounting Arm
30In/24in/18in, Black/White
See page 34



LOHB-C

Surface/Ceiling Mounting conversion
Bracket w/screw holes in base, (Set
of 2)



LOHB-H-2FT

2Ft. Surface Mounting
conversion yoke, Steel
(Also need LOHB-G)



LOHB-G

Side by side fixture coupling
Also used with LOHB-G
Surf. Mt. Bracket (set of 2)



LED OUTDOOR SIGN LIGHTS WITH 1/2" ADJUSTABLE KNUCKLES, 120-277V



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
LOHB-2FT-50W-30K	50W 6500LM 3000K	150-250MH	4
LOHB-2FT-50W-40K	50W 6600LM 4000K	150-250MH	4
LOHB-2FT-50W-50K	50W 6700LM 5000K	150-250MH	4
LOHB-4FT-120W-30K	120W 15300LM 3000K	200-400MH	1
LOHB-4FT-120W-40K	120W 15500LM 4000K	200-400MH	1
LOHB-4FT-120W-50K	120W 15600LM 5000K	200-400MH	1
LOHB-4FT-120W-30K-WH	120W 15300LM 3000K	200-400MH	1
LOHB-4FT-120W-40K-WH	120W 15500LM 4000K	200-400MH	1
LOHB-4FT-120W-50K-WH	120W 15600LM 5000K	200-400MH	1



PRO SOLAR SIGN LIGHT WITH UNIV MOUNTING AND RC



CATALOG NO.	DESCRIPTION	PKG. QTY.
SOLS-PRO-2FT-50K	5W 850LM 5000K 2FT	1
SOLS-PRO-4FT-50K	10W 1700LM 5000K 4FT	1



SPEC SERIES SOLAR SIGN AND BILLBOARD LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
SOLS-1FT-MCT	5W 500LM 3000K/6000K 1FT	18



WallRay SOLAR LUMINAIRE PROG. REMOTE INCL. MOTION SENSOR



CATALOG NO.	DESCRIPTION
SOLW-TSP-MS-40K	3W 380LM 4000K

PKG.
QTY.
8



LedgeRay SOLAR LUMINAIRE PROG. REMOTE INCL. MOTION SENSOR



CATALOG NO.	DESCRIPTION
SOLW-FSP-MS-40K	3W 345LM 4000K

PKG.
QTY.
10



EdgeRay SOLAR LUMINAIRE PROG. REMOTE INCL. MOTION SENSOR



CATALOG NO.	DESCRIPTION
SOLW-BSP-MS-40K	2W 385LM 4000K

PKG.
QTY.
5

LED WORK LIGHT S-HOOK, USB CABLE & ADAPTOR INCL.



CATALOG NO.	DESCRIPTION
WL-EZCG-10W-50K WL-EZCG-SOLP	10W 300-600LM 5000K Solar panel 10 ft. cord & magnetic base



3IN1 LED WORK LIGHT(WORK LIGHT/SOS LIGHT/POWER BANK) USB CABLE INCL.

CATALOG NO.	DESCRIPTION
WL-3IN1-10W	10W 400LM 6000K



Retail Packaging - MOQ 1 Master Carton of 10



LRX-36-60W-MCTP-P



LRX-72-120W-MCTP-TL



Shown with Arm
Included

BUILDER SERIES POWER & COLOR-TEMP. SELECTABLE DUSK-TO-DAWN BARN/AREA LIGHT, 120-277V (Photocell & Arm Incl.)



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRX-36-60W-MCTP-P	36W/42W/60W 130LM/W 3000K/4000K/5000K	4
LRX-72-120W-MCTP-TL	72W/96W/120W 130LM/W 3000K/4000K/5000K	4

SPEC SERIES POWER & CCT DUSK-TO-DAWN BARN/AREA LIGHT 120-277V (NEMA Photocell & Arm Incl.)



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRX-20-50W-MCTP	20W/30W/40W/50W 130LM/W 30K/40K/50K/57K	2
LRX-50-120W-MCTP	50W/80W/100W/120W 130LM/W 30K/40K/50K/57K	1



HIGH-OUTPUT DUAL-SELECTABLE VAPOR-TIGHT WITH ADJ. ANGLE




CATALOG NO.	DESCRIPTION	PKG. QTY.
VTA-15-30W-MCTP	15W/20W/30W 110LM/W 30K/40K/50K	6

RGBW SWITCH SELECT VAPOR-TIGHT WITH ADJ. ANGLE W/ PHOTOCELL




CATALOG NO.	DESCRIPTION
VTA-12-20W-RGBWW-P	12W/16W/20W 100LM/W RGBW



LED UNIVERSAL VAPOR LIGHTS, (ALL MOUNTING OPTIONS IN ONE BOX) 120-277V, IP65 NEMA 3R



CATALOG NO.	DESCRIPTION	PKG. QTY.
VTU-12W-30K	12W 840LM 3000K	2
VTU-12W-50K	12W 900LM 5000K	2
VTU-20W-30K	20W 1685LM 3000K	2
VTU-20W-50K	20W 1785LM 5000K	2



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-VTU	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-85(BK/GR/SR/WH)	OPT-SEN-3MRLV-5 OPT-SEN-NLS-VTU OPT-SEN-KEILTON WEC-8RC	PROGRAMMABLE MICROWAVE BI-LEVEL WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL



TOL-YOSEMITE
Tree of Lite - Yosemite
Black/Bronze
(Shown with pole-POL series)
see next page



TOL SEQUOIA
Tree of Lite - Sequoia
Black/Bronze
(Shown with pole-POL series)
see next page



TOL-KINGS
Tree of Lite - Kings
Black/Bronze
(Shown with pole-POL series)
see next page



TOL-JOSHUA
Tree of Lite - Joshua
Black/Bronze
(Shown with pole-POL series)
see next page



TOL-REDWOOD
Tree of Lite - Redwood
Black/Bronze
(Shown with pole-POL series)
see next page

TREE OF LIGHT, A NATURAL DESIGNER LIGHT STRUCTURE FOR OPEN AREAS



CATALOG NO.	DESCRIPTION	PKG. QTY.
TOL-YOSEMITE-BR	75W 125LM/W 30K/40K/50K Bronze	1
TOL-SEQUOIA-BR	100W 125LM/W 30K/40K/50K Bronze	1
TOL-KINGS-BR	150W 125LM/W 30K/40K/50K Bronze	1
TOL-JOSHUA-BR	225W 125LM/W 30K/40K/50K Bronze	1
TOL-REDWOOD-BR	275W 125LM/W 30K/40K/50K Bronze	1
TOL-YOSEMITE-BK	75W 125LM/W 30K/40K/50K Black	1
TOL-SEQUOIA-BK	100W 125LM/W 30K/40K/50K Black	1
TOL-KINGS-BK	150W 125LM/W 30K/40K/50K Black	1
TOL-JOSHUA-BK	225W 125LM/W 30K/40K/50K Black	1
TOL-REDWOOD-BK	275W 125LM/W 30K/40K/50K Black	1



TOL-A1-1L
Black/Bronze



TOL-A2-1L
Black/Bronze



TOL-A2-3L
Black/Bronze



TOL-A3-3L
Black/Bronze



TOL-A4-4L
Black/Bronze


TREE OF LIGHT POST TOP LIGHT BAR



CATALOG NO.	DESCRIPTION	PKG. QTY.
TOL-A1-1L-BR	25W 125LM/W 30K/40K/50K Bronze	1
TOL-A2-1L-BR	25W 125LM/W 30K/40K/50K Bronze	1
TOL-A2-3L-BR	75W 125LM/W 30K/40K/50K Bronze	1
TOL-A3-3L-BR	75W 125LM/W 30K/40K/50K Bronze	1
TOL-A4-4L-BR	100W 125LM/W 30K/40K/50K Bronze	1
TOL-A1-1L-BK	25W 125LM/W 30K/40K/50K Black	1
TOL-A2-1L-BK	25W 125LM/W 30K/40K/50K Black	1
TOL-A2-3L-BK	75W 125LM/W 30K/40K/50K Black	1
TOL-A3-3L-BK	75W 125LM/W 30K/40K/50K Black	1
TOL-A4-4L-BK	100W 125LM/W 30K/40K/50K Black	1



POL-D1-ABK



POL-D1-BASECVR

DECORATIVE 3-PIECE LIGHT POLE

CATALOG NO.	DESCRIPTION
POL-D1-120-3PC-BK	120In Decorative Pole D1 Series, 3Pc, 2.36In Tenon, Black
POL-D1-120-3PC-BR	120In Decorative Pole D1 Series, 3Pc, 2.36In Tenon, Bronze
POL-D1-144-3PC-BK	144In Decorative Pole D1 Series, 3Pc, 2.36In Tenon, Black
POL-D1-144-3PC-BR	144In Decorative Pole D1 Series, 3Pc, 2.36In Tenon, Bronze
POL-D1-ABK	D1 Series Pole Anchor Bolt Kit 9/16 (M14)
POL-D1-BASECVR-BR	D1 Series Pole 2-Pc Cube Base Cover, Bronze
POL-D1-BASECVR-BK	D1 Series Pole 2-Pc Cube Base Cover, Black



GPE-60-100W-MCTP-BK
Black



GPE-40-60W-MCTP
GPE-60-100W-MCTP
Bronze



GPE
Folds For Shipment



GPET-40-60W-MCTP
GPET-60-100W-MCTP
Pole is not Incl.



GPE-30-25-REDUCER

POWER & CCT- ADJUSTABLE GARDEN POST-TOP LIGHTS, 120-277V

Bronze Finish



CATALOG NO.	DESCRIPTION
POWER & CCT- ADJUSTABLE GARDEN POST-TOP LIGHTS, 120-277V (FITS ON 3" OD PIPES/POLES)	
GPE-40-60W-MCTP	40W/50W/60W 130LM/W 30K/40K/50K Bronze
GPE-60-100W-MCTP	60W/80W/100W 130LM/W 30K/40K/50K Bronze
GPE-60-100W-MCTP-BK	60W/80W/100W 130LM/W 30K/40K/50K Black
GPE-30-25-REDUCER	GPE Neck Reducer from 3" Inner Diameter to 2.5"
POWER & CCT- ADJUSTABLE GARDEN POST-TOP LIGHTS, 120-277V, (FITS ON 2-3/8" OD PIPES/POLES) MTO made to order	
GPET-40-60W-MCTP	40W/50W/60W 130LM/W 30K/40K/50K Bronze
GPET-60-100W-MCTP	60W/80W/100W 130LM/W 30K/40K/50K Bronze



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
GPE	OPT-EM-GPE	INTERNAL	OPT-3MPC	ELECTRONIC	OPT-CLR-95(BK/GR/SR/WH)	OPT-SEN-3MR-3	BI-LEVEL MICROWAVE
GPET	OPT-EM-GPET	INTERNAL				OPT-SEN-NLS-GPE	WG NETWORK SENSOR
						OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
						WEC-8RC	REMOTE CONTROL



OUTDOOR
PEDESTRIAN
LIGHTS

SPEC SERIES POWER & CCT- ADJUSTABLE AREA/FLOOD LIGHT Bronze Finish

120-277V, **TYPE 5 LENS** (TYPE 2 & TYPE 3 LENS ALSO AVAILABLE) **MTO made to order**



	DESCRIPTION	MOUNTING	PKG. QTY.
GPX-18-60W-MCTP-A1	18W/30W/45W/60W 150LM/W 30K/40K/50K Single Arm for 2-3/8\"Poles		1
GPX-18-60W-MCTP-A2	18W/30W/45W/60W 150LM/W 30K/40K/50K Twin Arm for 2-3/8\"Poles		1
GPX-18-60W-MCTP-PWM	18W/30W/45W/60W 150LM/W 30K/40K/50K Pole/Wall Mount		1
GPX-18-60W-MCTP-SF	18W/30W/45W/60W 150LM/W 30K/40K/50K Slip fitter for 2-3/8\"Poles		1
GPX-18-60W-MCTP-BM	18W/30W/45W/60W 150LM/W 30K/40K/50K Bell Mount for 2-3/8\"Poles		1
GPX-18-60W-MCTP-CM	18W/30W/45W/60W 150LM/W 30K/40K/50K Ceiling Mount		1
GPX-18-60W-MCTP-PM75	18W/30W/45W/60W 150LM/W 30K/40K/50K Pipe Mount with 3/4\" Hub		1
GPX-22-75W-MCTP-A1	22W/37W/56W/75W 150LM/W 40K/50K Single Arm for 2-3/8\"Poles		1
GPX-22-75W-MCTP-A2	22W/37W/56W/75W 150LM/W 40K/50K Twin Arm for 2-3/8\"Poles		1
GPX-22-75W-MCTP-PWM	22W/37W/56W/75W 150LM/W 40K/50K Pole/Wall Mount		1
GPX-22-75W-MCTP-SF	22W/37W/56W/75W 150LM/W 40K/50K Slip fitter for 2-3/8\"Poles		1
GPX-22-75W-MCTP-BM	22W/37W/56W/75W 150LM/W 40K/50K Bell Mount for 2-3/8\"Poles		1
GPX-22-75W-MCTP-CM	22W/37W/56W/75W 150LM/W 40K/50K Ceiling Mount		1
GPX-22-75W-MCTP-PM75	22W/37W/56W/75W 150LM/W 40K/50K Pipe Mount with 3/4\" Hub		1
GPX-90-150W-MCTP-A1	90W/120W/150W 150LM/W 30K/40K/50K Single Arm for 2-3/8\"Poles		1
GPX-90-150W-MCTP-A2	90W/120W/150W 150LM/W 30K/40K/50K Twin Arm for 2-3/8\"Poles		1
GPX-90-150W-MCTP-PWM	90W/120W/150W 150LM/W 30K/40K/50K Pole/Wall Mount		1
GPX-90-150W-MCTP-SF	90W/120W/150W 150LM/W 30K/40K/50K Slip fitter for 2-3/8\"Poles		1
GPX-90-150W-MCTP-BM	90W/120W/150W 150LM/W 30K/40K/50K Bell Mount for 2-3/8\"Poles		1
GPX-90-150W-MCTP-CM	90W/120W/150W 150LM/W 30K/40K/50K Ceiling Mount		1
GPX-90-150W-MCTP-PM75	90W/120W/150W 150LM/W 30K/40K/50K Pipe Mount with 3/4\" Hub		1
SPEC SERIES POWER & CCT- ADJUSTABLE SOLAR AREA/FLOOD LIGHT			
GPX-10W-SOLAR-A1	10W 1700LM 30K/40K/50K Single Arm for 2-3/8\"Poles		1
GPX-10W-SOLAR-PWM	10W 1700LM 30K/40K/50K Pole/Wall Mount		1
GPX-10W-SOLAR-SF	10W 1700LM 30K/40K/50K Slip fitter for 2-3/8\"Poles		1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-GPX	INTERNAL	OPT-3MPC	ELECTRONIC	OPT-CLR-95(BK/GR/SR/WH)	OPT-SEN-3MR-3	BI-LEVEL MICROWAVE
	LENS OPTION	DESCRIPTION	480V OPTION	DESCRIPTION		OPT-SEN-NLS-GPX	WG NETWORK SENSOR
	OPT-GPX-LENS-TYPE2S	TYPE 2S	OPT-WP-480V	CHANGE VOLTAGE		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-GPX-LENS-TYPE3S	TYPE3S				WEC-8RC	REMOTE CONTROL
	OPT-GPX-150W-LENS-TYPE3S	TYPE3S					
	OPT-GPX-LENS-FL	FROSTED GLASS LENS					
	OPT-GPX-LENS-TYPE4	TYPE4					



OUTDOOR

PEDESTRIAN
LIGHTS



GPX-CAT
Catenary
Suspension Mount
"SUSP. CABLE IS NOT INCL."



SCL-WRCL-14



SCL-TBJJ-14-4



SCL-WRCL-DUPLEX



SCL-PEP-M8



SCL-ASC-4MM-250FT



SCL-WRTH-14

SPEC SERIES POWER & CCT- ADJUSTABLE AREA/FLOOD LIGHT

120-277V, TYPE 3 LENS (TYPE 2 & TYPE 5 LENS ALSO AVAILABLE)



CATALOG NO.	DESCRIPTION	MOUNTING	PKG. QTY.
GPX-18-60W-MCTP-CAT	18W/30W/45W/60W 150LM/W 30K/40K/50K	Catenary Suspension Mount	1
GPX-22-75W-MCTP-CAT	22W/37W/56W/75W 150LM/W 40K/50K	Catenary Suspension Mount	1
GPX-90-150W-MCTP-CAT	90W/120W/150W 150LM/W 30K/40K/50K	Catenary Suspension Mount	1
SCL-WRCL-14	1/4In Galvanized Malleable Iron Wire Rope Clip		
SCL-TBJJ-14-4	1/4 X 4 Inch Jaw To Jaw Turnbuckle Galvanized Steel		
SCL-WRCL-DUPLEX	5/32In 4Mm Duplex 2-Post Wire Rope Clip Cable Clamp		
SCL-PEP-M8	Pad Eye Plate Staple Hook, Size M8, 2In X 1.5In Stainless		
SCL-ASC-4MM-250FT	5/32In 4Mm Dia. Extra Duty Galvanized Aircraft Cable / Wire Rope 250Ft Roll		
SCL-WRTH-14	1/4In Galvanized Wire Rope Thimble		



GPA-A37-80-150W-MCTP-BK
Black



GPA-B32-80-150W-MCTP-BK
Black



GPA-A37 Shown With
DAB-WB-D & GPAB-WM-REDUCER-BK



"POLE IS NOT INCL."
Fixture Shown
With Pole



"POLE IS NOT INCL."
Fixture Shown
With Pole



GPA-A37 Shown With
GPA-A37-DC-BK



GPA-A37 Shown With
GPA-A37-DC-GD



GPA-B32 Shown With
GPA-B32-DC-BK



GPA-B32 Shown With
GPA-B32-DC-BK

LED ACORN AREA LIGHT - WATTAGE & CCT SELECTABLE (FITS ON 3" OD PIPES/POLES)



CATALOG NO.	DESCRIPTION	PKG. QTY.
GPA-A37-80-150W-MCTP-BK	80W/100W/150W 135LM/W 30K/40K/50K 37" H X 17" D	1
GPA-B32-80-150W-MCTP-BK	80W/100W/150W 135LM/W 30K/40K/50K 32.5" H X 16" D	1
GPA-A37-DC-BK	GPA-A37 Decorative Cage Accessory Kit - Black	
GPA-A37-DC-GD	GPA-A37 Decorative Cage Accessory Kit - Black And Gold	
GPA-B32-DC-BK	GPA-B32 Decorative Cage Accessory Kit - Black	
GPA-B32-DC-GD	GPA-B32 Decorative Cage Accessory Kit - Black And Gold	
GPA-B32-RTC-GD	GPA-A37 And GPA-B32 Replacement Top Cap - Gold	
GPAB-WM-REDUCER-BK	GPA-A37 And GPA-B32 Reducer Sleeve From 3In To 2.5In For Installatoin On 2In Poles	



Shown with
ACC-AWMA-BK

SPEC SERIES 17" MODERN LUCITE POST TOP, POWER & CCT- ADJUSTABLE FITS ON 2-3/8" POLES



CATALOG NO.	DESCRIPTION	PKG. QTY.
GPL-18-60W-MCTP	18W/30W/45W/60W 140LM/W 30K/40K/50K	1

FACTORY-INSTALLED OPTIONS. ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-GPL	INTERNAL	OPT-LF3-PCK	BUTTON	N/A	OPT-SEN-3MRLV-5 OPT-SEN-NLS-GPL OPT-SEN-KEILTON WEC-8RC	PROGRAMMABLE MICROWAVE BI-LEVEL WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL



Shown With
OPT-GPC-AWM



Shown With
OPT-GPC-APM



GPE-30-25-REDUCER



Shown With
Frosted Lens



GPC-SH

SPEC SERIES 24" X 14" SQ COACH POST TOP, POWER & CCT- ADJUSTABLE

(FITS ON 3" OD PIPES/POLES) Black Finish



CATALOG NO.	DESCRIPTION	PKG. QTY.
GPC-60-100W-MCTP	60W/80W/100W 90LM/W 3000K/4000K/5000K (Open Design)	1
GPC-SH	GPC House-Side Glare Shield	
GPE-30-25-REDUCER	Neck Reducer from 3" Inner Diameter to 2.5"	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	FROSTED GLASS	DESCRIPTION	PHOTOCELL	DESCRIPTION	WALL MOUNT	SENSOR	DESCRIPTION
ALL	OPT-GPC-6SF OPT-GPC-6BF	4 SIDE BOTTOM ONLY	OPT-LF3-PCK PC LENS OPT-GPC-PCLF OPT-GPC-PCLC	BUTTON DESCRIPTION FROSTED CLEAR	OPT-GPC-AWM PENDANT MOUNT OPT-GPC-APM	OPT-SEN-3MRLV-5 OPT-SEN-NLS-GPC OPT-SEN-KEILTON WEC-8RC	PROGRAMMABLE MICROWAVE BI-LEVEL WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL



GPH-12-40W-MCTP-BK
Black



GPH-12-40W-MCTP-BR
Bronze



GPH-12-40W-MCTP-GY
Gray



Shown with
ACC-AWMA-BK

MODERN TOP-HAT POST-TOP AREA LIGHT WITH INDIRECT LIGHT SOURCE, CCT & WATTAGE SELECT

FITS ON 2-3/8" POLES, SEE OPTION FOR 3" POLES BELOW




CATALOG NO.	DESCRIPTION	PKG. QTY.
GPH-12-40W-MCTP-BK	12W/20W/30W/40W 100LM/W 30K/40K/50K 22" Dia X 20" H	1
GPH-12-40W-MCTP-BR	12W/20W/30W/40W 100LM/W 30K/40K/50K 22" Dia X 20" H	1
GPH-12-40W-MCTP-GY	12W/20W/30W/40W 100LM/W 30K/40K/50K 22" Dia X 20" H	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	3IN POLE ENTRY OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-GPH-3IN-BK OPT-GPH-3IN-BR OPT-GPH-3IN-GY	3IN POLE ENTRY Black 3IN POLE ENTRY Bronze 3IN POLE ENTRY Gray	N/A	N/A	N/A	N/A	N/A


DESIGNER AREA BELL LIGHT SYSTEM (PHOTOCELL DISCONNECT SWITCH), SENSOR READY MCTP

CATALOG NO.	DESCRIPTION	PKG. QTY.
DAB-A16-50-100W-MCTP-SR	50W/80W/100W 130LM/W 30K/40K/50K 16" TYPE III, Black	1
DAB-B20-50-100W-MCTP-SR	50W/80W/100W 130LM/W 30K/40K/50K 20" TYPE III, Black	1
DAB-B23-80-150W-MCTP-SR	80W/100W/150W 130LM/W 30K/40K/50K 23" TYPE III, Black	1
DAB-C25-50-100W-MCTP-BK	50W/80W/100W 140LM/W 30K/40K/50K 25" TYPE V, Black	1
DAB-C25-100-200W-MCTP-BK	100W/150W/200W 140LM/W 30K/40K/50K 25" TYPE V, Black	1
DAB-BA	DAB Bell Arm For Mounting On Single Or Double Pole Adapters, Black	
DAB-BA-CCK	DAB Decorative Clip Kit For Two Dab-Ba Bell Arms, Two Clips	
DAB-PB-B	DAB Decorative Straight Pole Bracket Model B, For Flat Or Round Poles, Black	
DAB-PB-C	Dab Bent Decorative Pole-Mounting Bracket Model C, Black	
DAB-PB-D	DAB Decorative Pole-Mounting Bracket Model D, Black	
DAB-WB-A	DAB Straight Wall Bracket Model A, Black	
DAB-PA2-1	DAB 2 Inches Pole Adapter For 1 Bell Arm, Black	
DAB-PA2-2	DAB 2 Inches Pole Adapter For 2 Bell Arms, Black	
DAB-PA3-1	DAB 3 Inches Pole Adapter For 1 Bell Arm, Black	
DAB-PA3-2	DAB 3 Inches Pole Adapter For 2 Bell Arms, Black	
DAB-PA4-1	DAB 4 Inches Pole Adapter For 1 Bell Arm, Black	
DAB-PA4-2	DAB 4 Inches Pole Adapter For 2 Bell Arms, Black	
DAB-WB-C	DAB Bent Decorative Wall Bracket Model C, Black	
DAB-WB-D	DAB Decorative Wall Bracket Model D, Black	
DAB-PGB	Bell Fixture 24" Pole-Grabber Arm For 3" & 4" Round Poles	
DAB-A16-SH	8" House Side Shield For DAB-A16	
DAB-B20-SH	8" House Side Shield For DAB-B20	
DAB-B23-SH	8" House Side Shield For DAB-B23	
WEC-3MR-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3MBT-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3PR-72-TLB-WH	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)	



DAB-SOL-A16 16"



DAB-SOL-B20 20"



DAB-SOL-B23 23"



DAB-BA



DAB-SOL-PA3-1



DAB-SOL-PA3-2



DAB-SOL-PA4-1



DAB-SOL-PA4-2



DAB-SOL-PA5-1



DAB-SOL-PA5-2



DAB-SOL-MOD-50W



DAB-SOL-A16 + DAB-SOL-MOD-50W +
DAB-SOL-PA3-1 + DAB-BA



DAB-SOL-B20 + DAB-SOL-MOD-50W +
DAB-SOL-PA5-2 + DAB-BA (2)

SOLAR DESIGNER AREA BELL LIGHT SYSTEM

CATALOG NO.	DESCRIPTION	PKG. QTY.
DAB-SOL-A16-50W-MCT	50W 160LM/W 30K/40K/50K 16" Black	1
DAB-SOL-B20-50W-MCT	50W 160LM/W 30K/40K/50K 20" Black	1
DAB-SOL-B23-50W-MCT	50W 160LM/W 30K/40K/50K 23" Black	1
DAB-SOL-MOD-50W	Solar Power Engine And Panel, 50W Maximum Fixture Power, With 32In Mast	
DAB-BA	DAB Bell Arm For Mounting On Single Or Double Pole Adapters, Black	
DAB-SOL-PA3-1	3 Inches Pole-Top Adapter For 1 Solar Bell-Light Arm + Solar Engine Mast	
DAB-SOL-PA4-1	4 Inches Pole-Top Adapter For 1 Solar Bell-Light Arm + Solar Engine Mast	
DAB-SOL-PA5-1	5 Inches Pole-Top Adapter For 1 Solar Bell-Light Arm + Solar Engine Mast	
DAB-SOL-PA3-2	3 Inches Pole-Top Adapter For 2 Solar Bell-Light Arms + Solar Engine Mast	
DAB-SOL-PA4-2	4 Inches Pole-Top Adapter For 2 Solar Bell-Light Arms + Solar Engine Mast	
DAB-SOL-PA5-2	5 Inches Pole-Top Adapter For 2 Solar Bell-Light Arms + Solar Engine Mast	

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL ARM	OPT-EM-DAB	INTERNAL	OPT-LF3-PCK	BUTTON	OPT-CLR-95(BK/GR/SR/WH) OPT-CLR-35(BK/GR/SR/WH)		FIELD-INSTALLED SENSOR OPTION SEE ABOVE



PML-S-MCT-ORB
Oil-Rubbed Bronze



PML-M-MCT-ORB
Oil-Rubbed Bronze



PML-L-MCT-ORB
Oil-Rubbed Bronze



Shown with optional Honey Color
Glass Lens (Field-installed)



PML-R-MCT-BR
Bronze



PML-BASE-R-BK
Black



PML-BASE-R-ORB
Black



PML-V-MCT-ORB
Oil-Rubbed Bronze



PML-MCT-BK
Black



PML-BASE-BK
Black

SELECTABLE CCT PIER-MOUNT LIGHTS, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
SELECTABLE CCT PIER-MOUNT LIGHTS, 120-277V		
PML-S-MCT-ORB	12W 345LM 30K/40K/50K Oil-Rubbed Bronze, 8"W	6
PML-M-MCT-ORB	15W 430LM 30K/40K/50K Oil-Rubbed Bronze, 12"W	4
PML-L-MCT-ORB	18W 460LM 30K/40K/50K Oil-Rubbed Bronze, 16"W	4
PML-S-HGLK	PML-S Honey Color Glass Replacement Lens Kit	
PML-M-HGLK	PML-M Honey Color Glass Replacement Lens Kit	
PML-L-HGLK	PML-L Honey Color Glass Replacement Lens Kit	
9" DIA. SELECTABLE CCT PIER-MOUNT LIGHTS, 120-277V		
PML-R-MCT-BR	12W 840LM 30K/40K/50K Bronze, 9"Dia	4
PML-BASE-R-BK	Decorative Round Post And Pier Mounting Base, Black	
PML-BASE-R-ORB	Decorative Round Post And Pier Mounting Base, Oil-Rubbed Bronze	
8" ROUND SELECTABLE CCT PIER-MOUNT LIGHTS, 120V		
PML-V-MCT-ORB	12W 1500LM 30K/40K/50K Oil-Rubbed Bronze	
SELECTABLE CCT PIER-MOUNT LIGHTS, 120V		
PML-MCT-BK	12W 1200LM 3000K/4000K/5000K Black	
PML-BASE-BK	Decorative Pier Mount Base For Post Top Lights - Black	



EXP-30W-50K
EXP-60W-50K
EXP-100W-50K
EXP-240W-50K

Standard(s) for Safety:
ANSI/UL 844, "Luminaires
For Use in Hazardous
(Classified) Locations."



EXP-180W-60K
Shown with
Pole (Not Included)



EXPR



EXPL



LF-AD-SF-GY



Shown with
Flat Wire Guard



Shown with
DomeGlass &
Dome Wire Guard



Shown with
U Shape Lens & Wireguard

HAZARDOUS LOCATION FLOOD/HIGHBAY LIGHTS, CLASS 1, DIV. 2



	CATALOG NO.	DESCRIPTION	PKG. QTY.
120-277V	HAZARDOUS LOCATION FLOOD/HIGHBAY LIGHTS, 120-277V CLASS 1, DIV. 2		
	EXP-30W-50K	30W 4200LM 5000K	1
	EXP-60W-50K	60W 8400LM 5000K	1
	EXP-100W-50K	100W 14000LM 5000K	1
	EXP-180W-60K	180W 20700LM 6000K	1
	EXP-240W-50K	240W 21000LM 5000K	1
	LF-AD-SF-GY	Slips Onto Pole Top 2" Dim. Fixture Mounts Directly On The Side Or Top Of This Device	-
120-277V	ROUND HAZARDOUS LOCATION FLOOD/HIGHBAY LIGHTS, 120-277V CLASS 1, DIV. 2		
	EXPR-30W-50K	30W 146 LM/W 5000K	2
	EXPR-60W-50K	60W 143 LM/W 5000K	2
	EXPR-100W-50K	100W 153 LM/W 5000K	1
	EXPR-150W-50K	150W 155 LM/W 5000K	1
	EXPR-30-60W-WGF	Flat Wire Guard For EXPR 30W To 60W	
	EXPR-100-150W-WGF	Flat Wire Guard For EXPR 100W To 150W	
	EXPR-30-60W-LD	Dome Lens For EXPR 30W To 60W	
	EXPR-100-150W-LD	Dome Lens For EXPR 100W To 150W	
	EXPR-30-60W-WGD	Dome Wire Guard For EXPR 30W To 60W	
	EXPR-100-150W-WGD	Dome Wire Guard For EXPR 100W To 150W	
	EXPR-30-60W-LU	U- shape Jelly-Jar Lens For EXPR 30W To 60W	
	EXPR-30-60W-WGU	U- shape Jelly-Jar Wire Guard For EXPR 30W To 60W	
480V	HAZARDOUS LOCATION LINEAR LIGHTS, 120-277V CLASS 1, DIV. 2		
	EXPL-40W-50K	40W 135 LM/W 5000K	1
	EXPL-80W-50K	80W 135 LM/W 5000K	1
	EXPL-120W-50K	120W 130 LM/W 5000K	1
	HAZARDOUS LOCATION ROUND FLOOD/HIGHBAY LIGHTS, 480V CLASS 1, DIV. 2		
	EXPR-150W-50K-480V	150W 150 LM/W 5000K	1
	HAZARDOUS LOCATION LINEAR FLOOD/HIGHBAY LIGHTS, 480V CLASS 1, DIV. 2		
	EXPL-80W-50K-480V	80W 135 LM/W 5000K	1



SHOWN WITH
OPTIONAL
SLIP FITTER



GENERATION 7 STADIUM LIGHTS, 120-277V OR 277-480V



CATALOG NO.	DESCRIPTION	PKG. QTY.
GENERATION 7 STADIUM LIGHTS, 120-277V		
SFX-G7-200-500W-45D-50K	200W/300W/400W/500W 150LM/W 5000K	1
SFX-G7-700-1000W-45D-50K	700W/800W/900W/1000W 150LM/W 5000K	1
GENERATION 7 STADIUM LIGHTS, 277-480V		
SFX-G7-200-500W-45D-50K-480V	200W/300W/400W/500W 150LM/W 5000K	1
SFX-G7-700-1000W-45D-50K-480V	700W/800W/900W/1000W 150LM/W 5000K	1
SFX-G7-1400-1700W-45D-50K-480V	1400W/1500W/1600W/1700W 150LM/W 5000K	1
SFX-G7-2100-2400W-45D-50K-480V	2100/2200/2300/2400W 140LM/W 5000K	1
SFX-G7-SF	Slip Fitter/Pole Adapter For SFX-G7	

SHOWN WITH
OPTIONAL
SHROUD



SPEC SERIES X GEN. RGB STADIUM LIGHTS, DMX512 CONTROLLED - SPECIAL ORDER



CATALOG NO.	DESCRIPTION	PKG. QTY.
SFX-G9-500W-45D-RGB	500W RGB	1
SFX-G9-800W-45D-RGB	800W RGB	1

SHOWN WITH
OPTIONAL
SHROUD



SFX-G10-SF



SFX-G10-QC



SFX-G10-VISOR

SPEC SERIES X GEN. RGB STADIUM LIGHTS, DMX512 CONTROLLED



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
SFX-G10-600W-45D-RGB	600W 170LM/W RGB 45° Beam Angle		1
SFX-G10-800W-45D-RGB	800W 170LM/W RGB 45° Beam Angle		1
SFX-G10-1200W-45D-RGB	1200W 170LM/W RGB 45° Beam Angle		1
SFX-G10-SF	SFX-G10 Series Slip-Fitter Adapter		
SFX-G10-QC	SFX-G10 Series Quick Clamp Adapter For Horizontal Bars		
SFX-G10-VISOR-600W	SFX-G10 Visor Accessory For 600W		
SFX-G10-VISOR-800W	SFX-G10 Visor Accessory For 800W		
SFX-G10-VISOR-1200W	SFX-G10 Visor Accessory For 1200W		



HIGH-LUMEN HIGH-MAST ROADWAY LIGHT 90DAYS LEAD TIME



CATALOG NO.	DESCRIPTION
HML-60-200W-XXK-CLR	High-Mast 60W To 200W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-90-300W-XXK-CLR	High-Mast 90W To 300W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-135-450W-XXK-CLR	High-Mast 135W To 450W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-150-500W-XXK-CLR	High-Mast 150W To 500W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-180-600W-XXK-CLR	High-Mast 180W To 600W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-225-750W-XXK-CLR	High-Mast 225W To 750W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-60-200W-XXK-CLR-480V	High-Mast 60W To 200W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-90-300W-XXK-CLR-480V	High-Mast 90W To 300W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-135-450W-XXK-CLR-480V	High-Mast 135W To 450W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-150-500W-XXK-CLR-480V	High-Mast 150W To 500W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-180-600W-XXK-CLR-480V	High-Mast 180W To 600W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-225-750W-XXK-CLR-480V	High-Mast 225W To 750W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
HML-SH1-CLR	HML High-Mast Glare Shield For Up To 750W Version, Specify Bk Or Gy
HML-SCK	HML High-Mast NEMA Socket And Shorting Cap Pre-Installed

STREET/AREA LIGHTING



LED SOLAR ROADWAY/FLOOD LIGHTS **PROGRAMMABLE- Default Settings**
 NO WIRING, INCL. INTELLIGENT CONTROLS, 1 DAY CHARGE 3 DAY OPR., LiFePo4 5YR. BATTERY



CATALOG NO.	DESCRIPTION	PKG. QTY.
SOLF-17W-50K	8W LED 200LM/W LED 17W 1600LM 5000K	1
SOLF-36W-50K	20W LED 200LM/W LED 36W 4000LM 5000K	1
SOLF-SFA	Adjustable Slip Filter for Poles up to 2-3/4" O.D.	-
SOLF-WM-17W	Wall Mount for SOLF-17W	-
SOLF-WM-36W/54W	Wall Mount for SOLF-36W & 54W	-
SOLF-PMR-17W	Round Pole Mount for SOLF-17W	-
SOLF-PMR-36W/54W	Round Pole Mount for SOLF-36W & 54W	-
SOLF-PMS-17W	Square Pole Mount for SOLF-17W	-
SOLF-RC	Remote Control for SOLF Series	-



Shown with Pole/Wall Mount
Arm, Sold Separately



Shown with Pole-Top Mount (2" Poles),
Sold Separately



SOLA-RC

ROADWAY AND AREA SPLIT SOLAR LIGHTS, WITH ADVANCED CONTROLLER
 REMOTE SOLAR PANEL INCL. WITH FIXTURE (WALL & POLE MOUNTING OPTIONS AVAILABLE, SOLD SEPARATELY)



CATALOG NO.	DESCRIPTION	PKG. QTY.
SOLA-SPLT-15W-50K	15W 2250LM 5000K	1
SOLA-SPLT-30W-50K	30W 4500LM 5000K	1
SOLA-SPLT-PM	Pole Mounting Arm For Split Solar Lights	-
SOLA-SPLT-WM	Wall Mounting Arm For Split Solar Lights	-
SOLA-RC	Sola Solar Light Remote Control Unit - One Per Project	-



SOLA-5W-50K-WA
20" Pole/Wall Mount Arm Included

Shown Back Side



SOLA-RC

ROADWAY AND AREA SOLAR LIGHTS, WITH ADVANCED CONTROLLER INTEGRATED SOLAR PANEL, 20" WALL/POLE MOUNT ARM INCL.



CATALOG NO.	DESCRIPTION	PKG. QTY.
SOLA-5W-50K-WA SOLA-RC	5W 750LM 5000K Sola Solar Light Remote Control Unit - One Per Project	1



SOLN-10W-WA
Wall & Pole Mounting Included



SOLN Shown with **SOLN-PMRS** Round & Square Pole Mounting Accessory



SOLN-25W



SOLF-RC



SOLN Shown with **SOLN-WM** Wall Mounting Arm



SOLN Shown with **SOLN-SFA** Slip Fitter Mounting Arm

POWERFUL HIGH-LUMEN SMART INTEGRATED **SOLAR** STREET AND FLOOD LIGHT




CATALOG NO.	DESCRIPTION	PKG. QTY.
SOLN-10W-50K-WA	10W 1500LM 5000K	1
SOLN-10W-30K-WA	10W 1500LM 3000K	1
SOLN-25W-50K	25W 3750LM 5000K	1
SOLN-25W-30K	25W 3750LM 3000K	1
SOLN-50W-50K	50W 10000LM 5000K	1
SOLN-50W-30K	50W 10000LM 3000K	1
SOLN-70W-50K	70W 14000LM 5000K	1
SOLN-70W-30K	70W 14000LM 3000K	1
SOLN-WM	SOLN Wall Mounting Accessory	
SOLN-SFA	SOLN Slip Fitter Mounting Accessory	
SOLN-PMRS	SOLN Round And Square Pole Mounting Accessory	
SOLF-RC	Remote Control for SOLN Series (One Per Project)	


 Shown with
Slip Fitter

 Shown with
Wall Mounting Arm - 12-3/4"
Length for 50W & above

 Shown with
Half Shroud (Reversible), See
Factory-Installed
option below

 Shown with
Full Shroud, See
Factory-Installed
option below


ACC-AWM-GR

LED STREET/ROADWAY LIGHTS

w/NEMA TWIST-LOCK PHOTOCELL SOCKET, (SHORTING CAP INCL.) FOR PHOTOCELL SEE PAGE 101



CATALOG NO.	DESCRIPTION	PKG. QTY.
STL4-15-50W-30K	15W/20W/30W/50W 145LM/W 3000K	1
STL4-15-50W-40K	15W/20W/30W/50W 145LM/W 4000K	1
STL4-15-50W-50K	15W/20W/30W/50W 145LM/W 5000K	1
STL4-30-100W-30K	30W/50W/80W/100W 145LM/W 3000K	1
STL4-30-100W-40K	30W/50W/80W/100W 145LM/W 4000K	1
STL4-30-100W-50K	30W/50W/80W/100W 145LM/W 5000K	1
STL4-50-150W-30K	50W/80W/100W/150W 140LM/W 3000K	1
STL4-50-150W-40K	50W/80W/100W/150W 145LM/W 4000K	1
STL4-50-150W-50K	50W/80W/100W/150W 140LM/W 5000K	1
STL4-80-200W-30K	80W/100W/150W/200W 140LM/W 3000K	1
STL4-80-200W-40K	80W/100W/150W/200W 145LM/W 4000K	1
STL4-80-200W-50K	80W/100W/150W/200W 140LM/W 5000K	1
STL4-30-100W-30K-480V	30W/50W/80W/100W 140LM/W 3000K	1
STL4-30-100W-40K-480V	30W/50W/80W/100W 145LM/W 4000K	1
STL4-30-100W-50K-480V	30W/50W/80W/100W 140LM/W 5000K	1
STL4-50-150W-30K-480V	50W/80W/100W/150W 140LM/W 3000K	1
STL4-50-150W-40K-480V	50W/80W/100W/150W 145LM/W 4000K	1
STL4-50-150W-50K-480V	50W/80W/100W/150W 140LM/W 5000K	1
STL4-80-200W-30K-480V	80W/100W/150W/200W 140LM/W 3000K	1
STL4-80-200W-40K-480V	80W/100W/150W/200W 145LM/W 4000K	1
STL4-80-200W-50K-480V	80W/100W/150W/200W 140LM/W 5000K	1
STL4-SF	STL4 Series Street Light Slip Fitter	
STL2-WMA	Wall Mounting Arm - 12-3/4" Length for 50W & above	
ACC-AWM-GR	Angled Corner Wall Mount Arm, 2-3/8In Dia, Grey	


 Shown with
Wall Mounting Arm - 12-3/4"
Length for 50W & above

 Shown with
Half Shroud (Reversible), See
Factory-Installed
option below

 Shown with
Full Shroud, See
Factory-Installed
option below

LED STREET/ROADWAY LIGHTS

w/NEMA TWIST-LOCK PHOTOCELL SOCKET, (SHORTING CAP INCL.) FOR PHOTOCELL SEE PAGE 101



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	REPLACEMENT RANGE	PKG. QTY.
STL3-50W-50K	50W 6750LM 5000K		100-277V	1
STL2-80W-30K	80W 10800LM 3000K		100-277V	1
STL2-WMA	Wall Mounting Arm - 12-3/4" Length for 50W & above			-

WHILE SUPPLIES LAST



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	SHROUD	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODEL	OPT-STL-SH-CW OPT-STL-SH-FG	HALF SHROUD FULL SHROUD	N/A	N/A	OPT-CLR-95(BK/GR/SR/WH)	N/A	N/A



CXES-10-30W
Bronze



CXES-30-60W
Bronze



CXES-40-80W
Bronze



CXES--WH
White



CXER-40-80W
Bronze



CXER-30-50W
Bronze



CXER-40-80W-WH
White



CXER-30-50W-WH
White



Sensor-Ready
Plug & Play For CXER Only

BUILDER SERIES NEW CONCEPT GARAGE AND CEILING LIGHTS



CATALOG NO.

DESCRIPTION

PKG.
QTY.

SQUARE NEW CONCEPT GARAGE AND CEILING LIGHTS, POWER & CCT ADJUSTABLE, DAMP LOCATION

CXES-10-30W-MCTP	10W/20W/30W 130LM/W 30K/40K/50K	4
CXES-30-60W-MCTP	30W/45W/60W 130LM/W 30K/40K/50K	2
CXES-40-80W-MCTP	40W/60W/80W 130LM/W 30K/40K/50K	2
CXES-10-30W-MCTP-WH	10W/20W/30W 130LM/W 30K/40K/50K	4
CXES-30-60W-MCTP-WH	30W/45W/60W 130LM/W 30K/40K/50K	2
CXES-40-80W-MCTP-WH	40W/60W/80W 130LM/W 30K/40K/50K	2
withEM CXES-10-30W-MCTP-EM	10W/20W/30W 130LM/W 30K/40K/50K	4
withEM CXES-30-60W-MCTP-EM	30W/45W/60W 130LM/W 30K/40K/50K	2
withEM CXES-40-80W-MCTP-EM	40W/60W/80W 130LM/W 30K/40K/50K	2

ROUND NEW CONCEPT GARAGE AND CEILING LIGHTS, POWER & CCT ADJUSTABLE, DAMP LOCATION

CXER-30-50W-MCTP-SR	30W/40W/50W 135LM/W 30K/40K/50K (SENSOR-READY)	4
CXER-40-80W-MCTP-SR	40W/60W/80W 135LM/W 30K/40K/50K (SENSOR-READY)	2
CXER-30-50W-MCTP-SR-WH	30W/40W/50W 135LM/W 30K/40K/50K (SENSOR-READY)	4
CXER-40-80W-MCTP-SR-WH	40W/60W/80W 135LM/W 30K/40K/50K (SENSOR-READY)	2
withEM CXER-30-50W-MCTP-SR-EM	30W/40W/50W 135LM/W 30K/40K/50K (SENSOR-READY)	4
withEM CXER-40-80W-MCTP-SR-EM	40W/60W/80W 135LM/W 30K/40K/50K (SENSOR-READY)	2
withEM CXER-30-50W-MCTP-SR-EM-WH	30W/40W/50W 135LM/W 30K/40K/50K (SENSOR-READY)	4
withEM CXER-40-80W-MCTP-SR-EM-WH	40W/60W/80W 135LM/W 30K/40K/50K (SENSOR-READY)	2

WEC-3MR-72-TLB-BK 600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)

WEC-3MBT-72-TLB-BK 600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)

WEC-3PR-72-TLB-WH 600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)



POWER-ADJUSTABLE CANOPY LIGHT, 120-277V (WET LOCATION)



CATALOG NO.	DESCRIPTION		PKG. QTY.
CDLX-SM-5-25W-30K	5W/10W/15W/25W	120LM/W 3000K 8"X8"X3"	6
CDLX-SM-5-25W-40K	5W/10W/15W/25W	120LM/W 4000K 8"X8"X3"	6
CDLX-SM-5-25W-50K	5W/10W/15W/25W	120LM/W 5000K 8"X8"X3"	6
CDLX-MD-15-45W-30K	15W/25W/35W/45W	120LM/W 3000K 10"X10"X3.63"	4
CDLX-MD-15-45W-40K	15W/25W/35W/45W	120LM/W 4000K 10"X10"X3.63"	4
CDLX-MD-15-45W-50K	15W/25W/35W/45W	120LM/W 5000K 10"X10"X3.63"	4
CDLX-LG-30-80W-30K	30W/40W/60W/80W	120LM/W 3000K 14"X14"X4"	2
CDLX-LG-30-80W-40K	30W/40W/60W/80W	120LM/W 4000K 14"X14"X4"	2
CDLX-LG-30-80W-50K	30W/40W/60W/80W	120LM/W 5000K 14"X14"X4"	2

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
SM	OPT-EM-CDLX-SM	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-95(BK/GR/SR/WH)	OPT-SEN-2MD-35	PROGRAMMABLE MICROWAVE BI-LEVEL
MD	OPT-EM-CDLX-MD	INTERNAL				OPT-SEN-NLS-CDXL	WG NETWORK SENSOR
LG	OPT-EM-CDLX-LG	INTERNAL				OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	VANDAL RES.	DESCRIPTION	480V OPTIONS	DESCRIPTION		WEC-3RC	OPTIONAL REMOTE CONTROL
	OPT-TRS-T20	Tamper Resistant Screw	OPT-480V-CDLX-80	480V			



OPTIONAL FROSTED LENS, FIELD REPLACE

LED GARAGE/CANOPY LIGHTS, 120-277V (WET LOCATION)



CATALOG NO.	DESCRIPTION		REPLACEMENT RANGE	PKG. QTY.
CGL-40W-50K-D	40W	5200LM 5000K 9" (L) x 9" (W) x 4-1/2" (H)	100-150 MH	4
CGL-40W-40K-D	40W	5200LM 4000K 9" (L) x 9" (W) x 4-1/2" (H)	100-150 MH	4
CGL-55W-50K-D	55W	7100LM 5000K 9" (L) x 9" (W) x 4-1/2" (H)	150-200 MH	4
CGL-55W-40K-D	55W	7100LM 4000K 9" (L) x 9" (W) x 4-1/2" (H)	150-200 MH	4
CGL-75W-50K-D	75W	9700LM 5000K 10" (L) x 10" (W) x 5" (H)	250-320 MH	2
CGL-75W-40K-D	75W	9700LM 4000K 10" (L) x 10" (W) x 5" (H)	250-320 MH	2
CGL-100W-50K-D	100W	13000LM 5000K 10" (L) x 10" (W) x 5" (H)	350-400 MH	2
CGL-100W-40K-D	100W	13000LM 4000K 10" (L) x 10" (W) x 5" (H)	350-400 MH	2
CGL-FL1	Frosted Replacement Lens for CGL-40W & 55W			
CGL-FL2	Frosted Replacement Lens for CGL-75W & 100W			

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
40W & 55W	OPT-EM-CGL-40-55	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-95(BK/GR/SR/WH)	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
75W & 100W	OPT-EM-CGL-75-100	INTERNAL				OPT-SEN-NLS-CGL	WG NETWORK SENSOR
	VANDAL RES.	DESCRIPTION				OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-TRS-T20	Tamper Resistant Screw				WEC-3RC	OPTIONAL REMOTE CONTROL


 Sensor-Ready
 Plug & Play For CAX

ANGLED-BEAM GARAGE CANOPY, CCT AND WATTAGE SELECTABLE, **SENSOR READY**



CATALOG NO.	DESCRIPTION	PKG. QTY.
CAX-20-45W-MCTP-SR	20W/30W/45W 140LM/W 30K/40K/50K	8
CAX-30-60W-MCTP-SR	30W/45W/60W 140LM/W 30K/40K/50K	8
CAX-40-75W-MCTP-SR	40W/60W/75W 140LM/W 30K/40K/50K	8
CAX-60-90W-MCTP-SR	60W/75W/90W 140LM/W 30K/40K/50K	8
WEC-3MR-72-TLB-BK-3PIN	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3MBT-72-TLB-BK-3PIN	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3PR-72-TLB-WH-3PIN	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
45W & 60W	OPT-EM-CAX-40-60	INTERNAL					
75W & 90W	OPT-EM-CAX-75-90	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-95(BK/GR/SR/WH)		FIELD-INSTALLED SENSOR OPTION SEE ABOVE
	VANDAL RES.	DESCRIPTION					
	OPT-TRS-T20	Tamper Resistant Screw					


GPX-18-60W-MCTP-GCP-BR
 Bronze

GPX-18-60W-MCTP-GCP-SIL
 Silver

GPX-18-60W-MCTP-GCP-WH
 White

Shown with Stem-Mount

SPEC SERIES POWER & CCT- ADJUSTABLE GARAGE LIGHT, CEILING OR STEM MOUNT

 120-277V, **TYPE 3 LENS** (TYPE 2 & TYPE 5 LENS ALSO AVAILABLE)


CATALOG NO.	DESCRIPTION	MOUNTING	PKG. QTY.
GPX-18-60W-MCTP-GCP-BR	18W/30W/45W/60W 150LM/W 30K/40K/50K	Ceiling Or Stem Mount	1
GPX-18-60W-MCTP-GCP-SIL	18W/30W/45W/60W 150LM/W 30K/40K/50K	Ceiling Or Stem Mount	1
GPX-18-60W-MCTP-GCP-WH	18W/30W/45W/60W 150LM/W 30K/40K/50K	Ceiling Or Stem Mount	1



White



Up Light View



Silver



Sensor-Ready Plug & Play

X-GEN GARAGE LIGHT WITH **UPLIGHT**, POWER AND CCT ADJUSTABLE, **SENSOR READY**



CATALOG NO.	DESCRIPTION	PKG. QTY.
CXU-18-60W-MCTP-SR	18W/30W/45W/60W 9900LM 30K/40K/50K White	1
CXU-30-100W-MCTP-SR	30W/50W/75W/100W 16500LM 30K/40K/50K White	1
CXU-18-60W-MCTP-SR-SIL	18W/30W/45W/60W 9900LM 30K/40K/50K Silver	1
CXU-30-100W-MCTP-SR-SIL	30W/50W/75W/100W 16500LM 30K/40K/50K Silver	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-CXU-60	External Box	N/A	N/A	N/A	N/A	N/A
	OPT-EM-CXU-100	External Box					



SPEC SERIES LED ADJUSTABLE CANOPY/PARKING LIGHTS, 120-277V

 Bronze
& White


NO.	DESCRIPTION	PKG. QTY.
SPEC SERIES LED ADJUSTABLE CANOPY/PARKING LIGHTS, 120-277V		
CDX-35W-35K-BR	35W 4600LM 3500K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-35W-35K-WH	35W 4600LM 3500K White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-35W-40K-BR	35W 4600LM 4000K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-35W-40K-WH	35W 4600LM 4000K White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-35W-50K-BR	35W 4600LM 5000K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-35W-50K-WH	35W 4600LM 5000K White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-55W-35K-BR	55W 7250LM 3500K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-55W-35K-WH	55W 7250LM 3500K White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-55W-50K-BR	55W 7250LM 5000K Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2
CDX-55W-50K-WH	55W 7250LM 5000K White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	2

WHILE SUPPLIES LAST

SPEC SERIES POWER & CCT- ADJUSTABLE LED ADJUSTABLE CANOPY/PARKING LIGHTS, 120-277V



CDX-35-55W-MCTP-BR 35W/45W/55W 120LM/W 30K/40K/50K

CDX-35-55W-MCTP-WH 35W/45W/55W 120LM/W 30K/40K/50K



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
35W	OPT-EM-CDX-35	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-95(BK/GR/SR/WH)	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
55W	OPT-EM-CDX-55	INTERNAL				OPT-SEN-NLS-CDX	WG NETWORK SENSOR
	VANDAL RES.	DESCRIPTION				OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-TRS-T20	Tamper Resistant Screw				WEC-3RC	OPTIONAL REMOTE CONTROL



POWER-ADJUSTABLE SURFACE-MOUNT CANOPY LIGHT, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
GSX-SRFC-80-150W-50K	80W/100W/120W/150W 140LM/W 5000K	1



POWER-ADJUSTABLE RECESSED GAS STATION CANOPY LIGHT, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
GSX-RECS-80-150W-50K	80W/100W/120W/150W 140LM/W 5000K	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER


WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-6SX	MUST MOUNT ABOVE	N/A	N/A	N/A	OPT-3PDR-52	BI-LEVEL MICROWAVE
						WEC-3RC	REMOTE CONTROL



ARCHITECTURAL MODULAR LIGHT COLUMN



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
LCG4-6FT-24-MCTP-BK	21W/28W/35W 110LM/W 30K/40K/50K Black, 4.73in X 6FT		1
LCG4-8FT-48-MCTP-BK	45W/60W/75W 110LM/W 30K/40K/50K Black, 4.73in X 8FT		1
LCG6-4FT-24-MCTP-BK	21W/28W/35W 110LM/W 30K/40K/50K Black, 6.3in X 4FT		1
LCG6-10FT-48-MCTP-BK	45W/60W/75W 110LM/W 30K/40K/50K Black, 6.3in X 10FT		1
LCG4-ABK	LCG4 Anchor Bolt Kit		
LCG6-ABK	LCG6 Anchor Bolt Kit For 4Ft And 5Ft		
LCG6H-ABK	LCG6 6Ft And Taller Anchor Bolt Kit		



LIGHTED COLUMN SYSTEM - 10FT MAX.

CATALOG NO.	DESCRIPTION	PKG. QTY.
BPS-BASE-2FT	Bollard Pole System 2Ft Base	2
BPS-BASE-3FT	Bollard Pole System 3Ft Base	2
BPS-BASE-5FT	Bollard Pole System 5Ft Base	2
BPS-LH1	Bollard Pole System Single Lamp Holder Section 1Ft With 1/2" Hub	4
BPS-LH2	Bollard Pole System Double Lamp Holder Section 1Ft With 1/2" Hubs	4
BPS-EP-1FT	Bollard Pole System 1Ft Extension Pole	4
BPS-EP-2FT	Bollard Pole System 2Ft Extension Pole	4
BPS-LHT	Bollard Pole System Top Cap Lamp Holder With 1/2" Hub	50



SOLB-BSP-MS-40K

SOLB-BSPD-MS-40K

SOLAR BOLLARD - REMOTE INCL. - MOTION SENSOR - GRAPHITE FINISH



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
SOLB-BSP-MS-40K	2W 380LM 4000K		4
SOLB-BSPD-MS-40K	4W 730LM 4000K		4

HEAD
SOLD SEPARATELY

SHAFT
Avail.in:
14" / 30"
SOLD SEPARATELY



BOL-G4-301-SOLAR + BOL-G4-SHAFT



BOL-G4-ABK-R
Anchor Bolts
& Mounting Plate

**HEAD, SHAFT, &
ANCHOR BOLTS SET**
SOLD SEPARATELY



BOL-G4-SOLAR-RC
Remote Control

SOLAR G4 MODULAR BOLLARD SYSTEM



CATALOG NO.	DESCRIPTION	PKG. QTY.
BOL-G4-301-SOLAR-30K-BK	3W 130LM/W 3000K Black Head	1
BOL-G4-301-SOLAR-40K-BK	3W 130LM/W 4000K Black Head	1
BOL-G4-301-SOLAR-30K-BR	3W 130LM/W 3000K Bronze Head	1
BOL-G4-301-SOLAR-40K-BR	3W 130LM/W 4000K Bronze Head	1
BOL-G4-SHAFT-14-BK	G4 Bollard Shaft 14 Inch, Black	
BOL-G4-SHAFT-14-BR	G4 Bollard Shaft 14 Inch, Bronze	
BOL-G4-SHAFT-30-BK	G4 Bollard Shaft 30 Inch, Black	
BOL-G4-SHAFT-30-BR	G4 Bollard Shaft 30 Inch, Bronze	
BOL-G4-ABK-R	G4 Bollard Round Anchor Bolts & Mounting Plate	
BOL-G4-GSH-01-BK	G4 Bollard Round Anchor Bolts & Mounting Plate, Black	
BOL-G4-GSH-01-BR	G4 Bollard Round Anchor Bolts & Mounting Plate, Bronze	
BOL-G4-SOLAR-RC	Remote Control, Required 1 Per Projects	

FOR OPT OPTION SEE PAGE 99.



BOL-G4-201 + BOL-G4-SHAFT



Shown
with GFCI Shaft



BOL-G4-ABK-R
Anchor Bolts
& Mounting Plate



G4 ROUND MODULAR BOLLARD SYSTEM

CATALOG NO.	DESCRIPTION	PKG. QTY.
BOL-G4-201-MCTP-BK	7W/14W/22W 110LM/W 30K/40K/50K Black Head	1
BOL-G4-201-MCTP-BR	7W/14W/22W 110LM/W 30K/40K/50K Bronze Head	1
BOL-G4-SHAFT-14-BK	G5 Bollard Shaft 14 Inch, Black	
BOL-G4-SHAFT-14-BR	G5 Bollard Shaft 14 Inch, Bronze	
BOL-G4-SHAFT-30-BK	G5 Bollard Shaft 30 Inch, Black	
BOL-G4-SHAFT-30-BR	G5 Bollard Shaft 30 Inch, Bronze	
BOL-G4-SHAFT-23-GFCI-BK	G4 Bollard Shaft 23 Inch With GFCI Outlet Compartment, Black	
BOL-G4-SHAFT-23-GFCI-BR	G4 Bollard Shaft 23 Inch With GFCI Outlet Compartment, Bronze	
BOL-G4-SHAFT-30-GFCI-BK	G4 Bollard Shaft 30 Inch With GFCI Outlet Compartment, Black	
BOL-G4-SHAFT-30-GFCI-BR	G4 Bollard Shaft 30 Inch With GFCI Outlet Compartment, Bronze	
BOL-G4-ABK-R	G4 Bollard Round Anchor Bolts & Mounting Plate	
BOL-G4-GSH-01-BK	Glare Shield Accessory - Black	
BOL-G4-GSH-01-BR	Glare Shield Accessory - Bronze	

FOR OPT OPTION SEE PAGE 99.



BOL-G5-101 + BOL-G5-SHAFT

BOL-G5-401 + BOL-G5-SHAFT



BOL-G5-ABK-R
Anchor Bolts
& Mounting Plate



ROUND WESTGATE MODERN MODULAR BOLLARD SYSTEM G5

CATALOG NO.	DESCRIPTION	PKG. QTY.
BOL-G5-101-MCTP-BK	8W/13W/18W/25W 130LM/W 30K/40K/50K Head	1
BOL-G5-101-MCTP-BR	8W/13W/18W/25W 130LM/W 30K/40K/50K Head	1
BOL-G5-401-MCTP-BK	5W/8W/12W/15W 130LM/W 30K/40K/50K Head	1
BOL-G5-401-MCTP-BR	5W/8W/12W/15W 130LM/W 30K/40K/50K Head	1
BOL-G5-SHAFT-14-BK	G5 Bollard Shaft 14 Inch, Black	
BOL-G5-SHAFT-14-BR	G5 Bollard Shaft 14 Inch, Bronze	
BOL-G5-SHAFT-33-BK	G5 Bollard Shaft 33 Inch, Black	
BOL-G5-SHAFT-33-BR	G5 Bollard Shaft 33 Inch, Bronze	
BOL-G5-ABK-R	G5 Bollard Round Anchor Bolts & Mounting Plate	
BOL-G5-GSH-01	G5 Bollard 180-Degree Glare Shield	

FOR OPT OPTION SEE PAGE 99.

HEAD

SOLD SEPARATELY

SHAFT

Avail.in:
14" / 33"

SOLD SEPARATELY



BOL-G5-ABK-R
Anchor Bolts
& Mounting Plate



**HEAD, SHAFT, &
ANCHOR BOLTS SET**
SOLD SEPARATELY



SOLAR WESTGATE MODERN MODULAR BOLLARD SYSTEM G5

CATALOG NO.	DESCRIPTION	PKG. QTY.
BOL-G5-SOLAR-MCT-BK	4W 600LM 30K/40K/50K Head	1
BOL-G5-SOLAR-MCT-BR	4W 600LM 30K/40K/50K Head	1
BOL-G5-SHAFT-14-BK	G5 Bollard Shaft 14 Inch, Black	
BOL-G5-SHAFT-14-BR	G5 Bollard Shaft 14 Inch, Bronze	
BOL-G5-SHAFT-33-BK	G5 Bollard Shaft 33 Inch, Black	
BOL-G5-SHAFT-33-BR	G5 Bollard Shaft 33 Inch, Bronze	
BOL-G5-ABK-R	G5 Bollard Round Anchor Bolts & Mounting Plate	
BOL-G5-GSH-01	G5 Bollard 180-Degree Glare Shield	

FOR OPT OPTION SEE PAGE 99.

HEAD
SOLD SEPARATELY

SHAFT
Avail.in:
9" / 14"
19" / 31"
SOLD SEPARATELY



**ANCHOR
BOLTS
& MOUNTING
PLATE**
SOLD SEPARATELY



G7 EXTERNAL-LOUVER MODULAR BOLLARD SYSTEM




CATALOG NO.	DESCRIPTION	PKG. QTY.
BOL-G7-100D-MCTP-BK	10W/18W/25W 100LM/W 30K/40K/50K	1
BOL-G7-100D-MCTP-BR	10W/18W/25W 100LM/W 30K/40K/50K	1
BOL-G7-100D-MCTP-SIL	10W/18W/25W 100LM/W 30K/40K/50K	1
BOL-G7-SHAFT-31-BK	BOL-G7 Shaft 31in, Black	
BOL-G7-SHAFT-31-BR	BOL-G7 Shaft 31in, Bronze Ral8019	
BOL-G7-SHAFT-31-SIL	BOL-G7 Shaft 31in, Silver Ral9006	
BOL-G7-SHAFT-19-BK	BOL-G7 Shaft 19in, Black	
BOL-G7-SHAFT-19-BR	BOL-G7 Shaft 19in, Bronze Ral8019	
BOL-G7-SHAFT-19-SIL	BOL-G7 Shaft 19in, Silver Ral9006	
BOL-G7-SHAFT-14-BK	BOL-G7 Shaft 14in, Black	
BOL-G7-SHAFT-14-BR	BOL-G7 Shaft 14in, Bronze Ral8014	
BOL-G7-SHAFT-14-SIL	BOL-G7 Shaft 14in, Silver Ral9006	
BOL-G7-SHAFT-9-BK	BOL-G7 Shaft 9in, Black	
BOL-G7-SHAFT-9-BR	BOL-G7 Shaft 9in, Bronze Ral8019	
BOL-G7-SHAFT-9-SIL	BOL-G7 Shaft 9in, Silver Ral9006	
BOL-G7-ABK	BOL-G7 Anchor Bolt Kit	

FOR OPT OPTION SEE PAGE 99.

HEAD
SOLD SEPARATELY

SHAFT
Avail.in:
9" / 14"
19" / 31"
SOLD SEPARATELY

**ANCHOR
BOLTS
& MOUNTING
PLATE**
SOLD SEPARATELY



ROUND WESTGATE MODULAR BOLLARD SYSTEM G2



CATALOG NO.	DESCRIPTION	PKG. QTY.
BOL-G2-102F-MCTP-BK	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-102F-MCTP-BR	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-103F-MCTP-BK	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-103F-MCTP-BR	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-107F-MCTP-BK	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-107F-MCTP-BR	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-103D-MCTP-BK	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-103D-MCTP-BR	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-107D-MCTP-BK	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-107D-MCTP-BR	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-118-MCTP-BK	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-118-MCTP-BR	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-135-MCTP-BK	12W/18W/20W 125LM/W 30K/40K/50K Head	4
BOL-G2-135-MCTP-BR	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-140-MCTP-BK	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-140-MCTP-BR	14W/19W/24W 125LM/W 30K/40K/50K Head	4
BOL-G2-SHAFT-31-BK	G2 Bollard Shaft 31 Inch, Black	
BOL-G2-SHAFT-31-BR	G2 Bollard Shaft 31 Inch, Bronze	
BOL-G2-SHAFT-19-BK	G2 Bollard Shaft 19 Inch, Black	
BOL-G2-SHAFT-19-BR	G2 Bollard Shaft 19 Inch, Bronze	
BOL-G2-SHAFT-14-BK	G2 Bollard Shaft 14 Inch, Black	
BOL-G2-SHAFT-14-BR	G2 Bollard Shaft 14 Inch, Bronze	
BOL-G2-SHAFT-9-BK	G2 Bollard Shaft 9 Inch, Black	
BOL-G2-SHAFT-9-BR	G2 Bollard Shaft 9 Inch, Bronze	
BOL-G2-ABK-R	G2 Bollard Round Replacement Anchor Bolts & Mounting Plate	
BOL-G2-102F-CR-WH	G2 Bollard Head 102F Replacement Cone Reflector, White	
BOL-G2-103-LAK-BK	G2 Bollard Louver Kit For Model 103, Black	
BOL-G2-103-LAK-BR	G2 Bollard Louver Kit For Model 103, Bronze	
BOL-R-ACC-FL	Field-installed replacement frosted lens	

BOL-100Q-BK

BOL-100Q-BK-WH

BOL-100Q-BR

BOL-100Q-BR-WH

BOL-200-BK-CH

BOL-200-BK-WH

BOL-200-BR-WH



HEAD
SOLD SEPARATELY

SHAFT
Avail.in:
10" / 20"
26" / 34"
SOLD SEPARATELY

**ANCHOR
BOLTS
& MOUNTING
PLATE**
SOLD SEPARATELY



OUTDOOR
BOLLARD



G8 ROUND 4-ZONE QUADRANT MODULAR BOLLARD SYSTEM POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
BOL-G8-100Q-MCTP-BK-WH	10W/18W/25W 80LM/W 30K/40K/50K Head 4-Zone Quadrant, White Reflector, Black		1
BOL-G8-100Q-MCTP-BR-WH	10W/18W/25W 80LM/W 30K/40K/50K Head 4-Zone Quadrant, White Reflector, Bronze		1
BOL-G8-100Q-MCTP-BK	10W/18W/25W 80LM/W 30K/40K/50K Head 4-Zone Quadrant, Chrome Reflector, Black		1
BOL-G8-100Q-MCTP-BR	10W/18W/25W 80LM/W 30K/40K/50K Head 4-Zone Quadrant, Chrome Reflector, Bronze		1
BOL-G8-200-MCTP-BK-WH	10W/18W/25W 80LM/W 30K/40K/50K Head Square, White Reflector, Black		1
BOL-G8-200-MCTP-BR-WH	10W/18W/25W 80LM/W 30K/40K/50K Head Square, White Reflector, Bronze		1
BOL-G8-200-MCTP-BK-CH	10W/18W/25W 80LM/W 30K/40K/50K Head Square, Chrome Reflector, Black		1
BOL-G8-200-MCTP-BR-CH	10W/18W/25W 80LM/W 30K/40K/50K Head Square, Chrome Reflector, Bronze		1
BOL-G8-SHAFT-10-BK	G8 Bollard 10in Shaft Black		
BOL-G8-SHAFT-10-BR	G8 Bollard 10in Shaft Bronze		
BOL-G8-SHAFT-20-BK	G8 Bollard 20in Shaft Black		
BOL-G8-SHAFT-20-BR	G8 Bollard 20in Shaft Bronze		
BOL-G8-SHAFT-26-BK	G8 Bollard 26in Shaft Black		
BOL-G8-SHAFT-26-BR	G8 Bollard 26in Shaft Bronze		
BOL-G8-SHAFT-34-BK	G8 Bollard 34in Shaft Black		
BOL-G8-SHAFT-34-BR	G8 Bollard 34in Shaft Bronze		
BOL-G8-ABK	G8 Bollard Anchor Bolt Kit		
BOL-G8-200-REFL-CH	Bol-G8-200 Chrome Reflector Accessory		



BOLL-502-9-MCT
9" Black/Bronze



BOLL-502-32-MCT
32" Black/Bronze



BOLL-502-ABK
Anchor Bolts
& Mounting Plate

RECTANGULAR PATH-LIGHT BOLLARD, 4-3/4"X3-3/8"



CATALOG NO.	DESCRIPTION	PKG. QTY.
BOLL-502-9-MCT-BK	10W 100LM/W 30K/40K/50K 9in Black	1
BOLL-502-9-MCT-BR	10W 100LM/W 30K/40K/50K 9in Bronze	1
BOLL-502-32-MCT-BK	10W 100LM/W 30K/40K/50K 32in Black	1
BOLL-502-32-MCT-BR	10W 100LM/W 30K/40K/50K 32in Bronze	1
BOLL-502-ABK	BOLL-502 Series Anchor Bolt Kit	
FOR OPT OPTION SEE BELOW.		



BOLL-505-26-MCT
26" Black/Bronze



BOLL-505-40-MCT
40" Black/Bronze



BOLL-505-ABK
Anchor Bolts
& Mounting Plate

ROUND PATH-LIGHT BOLLARD, 4-3/4" DIA.



CATALOG NO.	DESCRIPTION	PKG. QTY.
BOLL-505-26-MCT-BK	15W 100LM/W 30K/40K/50K 26in Black	1
BOLL-505-26-MCT-BR	15W 100LM/W 30K/40K/50K 26in Bronze	1
BOLL-505-40-MCT-BK	15W 100LM/W 30K/40K/50K 40in Black	1
BOLL-505-40-MCT-BR	15W 100LM/W 30K/40K/50K 40in Bronze	1
BOLL-505-ABK	BOLL-505 Series Anchor Bolt Kit	

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	GFCI OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	LOCK OPTION	DESCRIPTION
ALL MODELS	OPT-BOL-GFCI	GFCI	OPT-TRS-T20	Tamper Resistant Screw	OPT-CLR-95(BK/GR/SR/WH)	OPT-BOL-LOCK	LOCK



BOL-700-BK
Black



BOL-700-BR
Bronze



BOL-700-SIL
Silver



BOL-700-ABK
Anchor Bolts
& Mounting Plate

GLARE-FREE PATH BOLLARD - POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
BOL-700-20-MCTP-BK	6W/12W 100LM/W 30K/40K/50K 20" Black	1
BOL-700-20-MCTP-BR	6W/12W 100LM/W 30K/40K/50K 20" Bronze	1
BOL-700-20-MCTP-SIL	6W/12W 100LM/W 30K/40K/50K 20" Silver	1
BOL-700-37-MCTP-BK	10W/15W/20W 100LM/W 30K/40K/50K 37" Black	1
BOL-700-37-MCTP-BR	10W/15W/20W 100LM/W 30K/40K/50K 37" Bronze	1
BOL-700-37-MCTP-SIL	10W/15W/20W 100LM/W 30K/40K/50K 37" Silver	1
BOL-700-ABK	BOL-700 Series Anchor Bolt Kit	1



BOL-602-40-S-MCTP
40" Black/Bronze



BOL-602-26-S-MCTP
26" Black/Bronze



BOL-602-40-S-RGBW
40" Black/Bronze



BOL-602-ABK
Anchor Bolts
& Mounting Plate

SQUARE BOLLARD LONG LENS, POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
SQUARE BOLLARD LONG LENS, POWER AND CCT ADJUSTABLE		
BOL-602-40-S-MCTP-BK	10W/18W/25W 100LM/W 35K/40K/50K 40in Black	1
BOL-602-40-S-MCTP-BR	10W/18W/25W 100LM/W 35K/40K/50K 40in Bronze	1
BOL-602-26-S-MCTP-BK	10W/18W/25W 100LM/W 35K/40K/50K 26in Black	1
BOL-602-26-S-MCTP-BR	10W/18W/25W 100LM/W 35K/40K/50K 26in Bronze	1
WG SMART APP COMPATIBLE RGBW SQUARE BOLLARD LONG LENS, POWER AND CCT ADJUSTABLE		
BOL-602-40-S-RGBW-BK	34W RGBW 40in Black	1
BOL-602-40-S-RGBW-BR	34W RGBW 40in Bronze	1
BOL-602-ABK	BOL-602 Anchor Bolts And Mounting Plate	1

FOR REMOTE CONTROL SEE PAGE 104 FOR OPT OPTION SEE PAGE 99.



BOLL-605-33-S-RP-MCT-BK
33" Black



BOLL-605-33-S-RP-MCT-BR
33" Bronze



BOLL-605-ABK
Anchor Bolts
& Mounting Plate

DECORATIVE SQUARE BOLLARDS WITH RAIN PATTERN - 3CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
BOLL-605-33-S-RP-MCT-BK	25W 100LM/W 30K/40K/50K 33" Black	1
BOLL-605-33-S-RP-MCT-BR	25W 100LM/W 30K/40K/50K 33" Bronze	1
BOLL-605-ABK	BOLL-605 Series Anchor Bolt Kit	



BOLL-608-32-S-MCTP
32" Black/Bronze



BOLL-608-26-S-MCTP
26" Black/Bronze



BOLL-608-ABK
Anchor Bolts
& Mounting Plate



BOLL-608RD-41-MCTP
41" Black/Bronze



BOLL-608RD-16-MCTP
16" Black/Bronze



BOLL-608R-ABK
Anchor Bolts
& Mounting Plate

SQUARE OR ROUND BOLLARD OPEN DESIGN, POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
SQUARE BOLLARD OPEN DESIGN, POWER AND CCT ADJUSTABLE, 6-3/4" X 6-3/4"		
BOLL-608-32-S-MCTP-BK	10W/18W/25W 100LM/W 30K/40K/50K 32in Black	1
BOLL-608-32-S-MCTP-BR	10W/18W/25W 100LM/W 30K/40K/50K 32in Bronze	1
BOLL-608-26-S-MCTP-BK	10W/18W/25W 100LM/W 30K/40K/50K 26in Black	1
BOLL-608-26-S-MCTP-BR	10W/18W/25W 100LM/W 30K/40K/50K 26in Bronze	1
BOLL-608-ABK	BOLL-608-S Anchor Bolts And Mounting Plate	
ROUND BOLLARD OPEN DESIGN, POWER AND CCT ADJUSTABLE, 4-1/3"		
BOLL-608RD-41-MCTP-BK	10W/18W/25W 100LM/W 30K/40K/50K 41in Black	1
BOLL-608RD-41-MCTP-BR	10W/18W/25W 100LM/W 30K/40K/50K 41in Bronze	1
BOLL-608RD-16-MCTP-BK	10W/18W/25W 100LM/W 30K/40K/50K 16in Black	1
BOLL-608RD-16-MCTP-BR	10W/18W/25W 100LM/W 30K/40K/50K 16in Bronze	1
BOLL-608R-ABK	BOLL-608R Anchor Bolts And Mounting Plate	

FOR OPT OPTION SEE PAGE 99.



Anchor Bolts
& Mounting Plate
Included

SYMMETRICAL PATH BOLLARD, 3CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
BOL-800-24-MCTP-BK	10W/15W/20W 80LM/W 30K/40K/50K 24" Black	1
BOL-800-24-MCTP-BR	10W/15W/20W 80LM/W 30K/40K/50K 24" Bronze	1
BOL-800-24-MCTP-SIL	10W/15W/20W 80LM/W 30K/40K/50K 24" Silver	1
BOL-800-42-MCTP-BK	10W/15W/20W 80LM/W 30K/40K/50K 42" Black	1
BOL-800-42-MCTP-BR	10W/15W/20W 80LM/W 30K/40K/50K 42" Bronze	1
BOL-800-42-MCTP-SIL	10W/15W/20W 80LM/W 30K/40K/50K 42" Silver	1
BOL-800-ABK	BOL-800 Series Anchor Bolt Kit	1



BOL-42-R-L-C-MCTP-BK
Black



BOL-42-S-C-C-MCTP-BK
Black



Anchor Bolts
& Mounting Plate
Included

MTO made to order

ROUND AND SQUARE BOLLARD, 120-277VAC, (ADJUSTABLE POWER 14-24W & CCT 30K/40K/50K)



CATALOG NO.	DESCRIPTION	PKG. QTY.
BOL-42-S-C-C-MCTP-BK	Bollard 42In Square Flat Top Cone Clear Lens, Black., 6" SQ	1
BOL-42-S-C-C-MCTP-BR	Bollard 42In Square Flat Top Cone Clear Lens, Bronz., 6" SQ	1

11.5IN UNIVERSAL BOLLARD RETROFIT PLATE KIT

CATALOG NO.	DESCRIPTION
BOL-RP-BR	11.5In Universal Bollard Retrofit Plate Kit Bronze
BOL-RP-BK	11.5In Universal Bollard Retrofit Plate Kit Black



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-BOL	INTERNAL	OPT-PC-B	BUTTON	OPT-CLR-95(BK/GR/SR/WH)	OPT-SEN-WMC	MICROWAVE BI-LEVEL
	SHIELD OPTION	DESCRIPTION				OPT-SEN-NLS-BOL	WG NETWORK SENSOR
	OPT-BOL-SHI	Shield				OPT-SEN-KEILTON	KEILTON NETWORK SENSOR

POST FOR WMS, LMW, LWA-12W, LWAX-12W SERIES

CATALOG NO.

DESCRIPTION

WMS-POST1-18	18" One side optional Post, Bronze Finish
WMS-POST2-18	18" Two side optional Post, Bronze Finish
WMS-POST1-36	36" One side optional Post, Bronze Finish
WMS-POST2-36	36" Two side optional Post, Bronze Finish

BOLLARD CUSTOMIZATION

CATALOG NO.	POST SIZE		FIXTURES PER POLE		COLOR TEMPERATURE		FINISH	
	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
WMS-S	18	18 Inch	1	1 Sided	30K	3000K	BR	Bronze
WMS-R	36	36 Inch	2	2 Sided	40K	4000K	WH	White
LMW					50K	5000K		
LWA-12								

For more information on each fixture model, refer to: LWA-12 page 12-13, LMW page 20, WMS page 20.



LINEAR ARCHITECTURAL INGROUND LIGHTS, 3CCT



CATALOG NO.

DESCRIPTION

CIGL-9-MCT	5W	420LM	30K/40K/50K
CIGL-20-MCT	10W	860LM	30K/40K/50K
CIGL-40-MCT	24W	2256LM	30K/40K/50K



IGLC-D5-10W-MCT-24D
5" Dia Bronze



IGLC-D6-15W-MCT-24D-D
6" Dia Bronze



IGLC-D8-30W-MCTP-30D-D
8" Dia Bronze



IGLC-D9-30W-MCTP-120D-D
9" Dia Bronze



IGLC-D11-50W-MCTP-60D-D
11" Dia Bronze



IGLC-D11-50W-MCTP-15D-D
11" Dia Bronze

STAINLESS STEEL COMMERCIAL INGROUND LIGHTS



CATALOG NO.

DESCRIPTION

IGLC-D5-10W-MCT-24D	10W	85LM/W	30K/40K/50K	5 Dia., 24° Beam Angle	
IGLC-D6-15W-MCT-24D-D	15W	85LM/W	30K/40K/50K	6 Dia., 24° Beam Angle	
IGLC-D8-30W-MCTP-30D-D	12W/20W/30W	85LM/W	30K/40K/50K	8 Dia., 30° Beam Angle	4
IGLC-D9-30W-MCTP-120D-D	12W/20W/30W	85LM/W	30K/40K/50K	9 Dia., 120° Beam Angle	4
IGLC-D11-50W-MCTP-60D-D	22W/34W/50W	85LM/W	30K/40K/50K	11 Dia., 60° Beam Angle	2
IGLC-D11-50W-MCTP-15D-D	22W/34W/50W	85LM/W	30K/40K/50K	11 Dia., 15° Beam Angle	2

OUTDOOR SHROUDS

CATALOG NO.

DESCRIPTION



LF4-SH1	Fits LF4-12W & 15W, LF4-12V-6W & 12W (Polycarbonate)
LF4-SH2	Fits LF4-30W, LF4-12V-24W & 30W (Polycarbonate)
LF4-SH3	Fits LF4-50W, LF4-12V-50W (Polycarbonate)
LF4-SH4	Fits LF4-80W & 100W, (Aluminum)
LF4-SH5	Fits LF4-150W (Aluminum)
LF3-SH1FG	Full-Glare Shrouds for LF4 12W, 30W
LF3-SH2FG	Full-Glare Shrouds for LF4 50W
FL-SH1	Fits FLD2-15W, FLV12-6W
FL-SH2	Fits FLD2-28W, FLV12-12W & 24W
FL-SH3	Fits FLD2-42W, FLV12-32W
FL-SH4	Fits FLD2-50W


LF-THREAD

WRC-3-BRZ

SPS-75

HB-HOOK

OUTDOOR ACCESSORIES

CATALOG NO.	DESCRIPTION
LF-THREAD	1/2" hub adaptor for fixtures with trunnion bracket (on fixtures up to 50W)
WRC-3-BRZ	Weatherproof cover with three (3) 1/2" hubs
SPS-75	4" SQ. Swivel-type cover & 3/4" hub with 1/2" reducer
HB-HOOK	High Bay 2-1/2" heavy-duty Zinc Alloy hook with 1/2" steel locknut, set screw, cable bushing

PHOTOCONTROLS


**PC-1
PC-1H**

PC-1S

PC-2S

**PC-B
PC-BU**

PC-BP

PC-BUM

PC-TLSC

PC-TLSOC-3PIN

PC-TLSOC-7PIN

**PC-TWIST
PC-TWIST-480V**

**LF3-PCK
LF3-PCK-480V**

SL-PC

WEC-3MPC-GY

WEC-3MPCN

PHOTOCONTROLS FOR OUTDOOR

CATALOG NO.	DESCRIPTION
PC-1	120V Stem Mount 1800W Photocell
PC-1H	277V Stem Mount 1800W Photocell
PC-1S	Photocell Swivel Arm 120V , 1000W
PC-2S	Swivel Photocell , 120Vac , 1800W
PC-B	Button Photocell , 120Vac , 500W
PC-BU	Button Photocell, 120-277Vac , 500W
PC-BP	Photocell With 1-Gange Stainless Steel Plate And Gasket , 120Vac , 500W
PC-BUM	Mini Button Photocell, 120-277Vac , 500W
PC-TLSC	Twist Lock Shorting Cap For Photocell Socket
PC-TLSOC-3PIN	3-Pin Socket Twist Lock For Smart Control Systems
PC-TLSOC-7PIN	7-Pin Socket Twist Lock For Smart Control Systems
PC-TWIST	Twist Lock Photocell 1800W Tungston 120-277V Ac /1800W
PC-TWIST-480V	Twist Lock Photocell 1800W Tungston 480V
LF3-PCK	Twist-Lock Photocell Kit, 120-277V
LF3-PCK-480V	Twist-Lock Photocell Kit, 480V
SL-PC	Micro Button Photocell, 120/277V, 40W
WEC-3MPC-GY	Microwave IP67 Photocell With 1/2" Thread, Gray
WEC-3MPCN	Ultra-Violet Photocell, 120-277V 1/2in NPT Size

SURGE PROTECTOR



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

TYPE	CATALOG NO.	DESCRIPTION
OUTDOOR FIXTURES	OPT-SP-10KV	Factory Installed, 10KV surge protector

Keilton + autani

OUTDOOR

MOTION
SENSORS



KEA-IFS108.B1



KEA-EFS106-AUX-W.D1



KEA-EFS106-AUX.C1



KEA-IFS108-AUX.B1



KEA-IFS105SE.B1



KEA-FA102.C2



KEA-MWS105E.B1



KEA-WP1018A.A0



KEA-PPA102S.C2



KEA-CS107D.B1

KEILTON+AUTANI SMART MOTION SENSOR LIGHTING CONTROL SYSTEM

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
KEA-EFS106-AUX.C1	High Bay Sensor, 0-10V Bi-level PIR M, 12V, IP40, 40ft, 3.5mm AUX, Smart Bluetooth	
KEA-IFS108-AUX.B1	Low Bay Fixture Sensor, PIR, 12V DC up to 20ft, 2.5mm AUX, Smart Bluetooth	
KEA-IFS108.B1	Low Bay Fixture Sensor, PIR, 12V DC up to 20ft, PH2.0-4pin, Smart Bluetooth	
KEA-EFS106-AUX-W.D1	High Bay Sensor, 0-10V Bi-level PIR M, 12V, IP66, 40ft, 3.5mm AUX, Smart Bluetooth	
KEA-IFS105SE.B1	Low Bay Fixture Sensor, PIR, 12V DC up to 20ft, Integrated Wiring, Smart Bluetooth	
KEA-DC30	PH2.0-4A cable sensor cable for KEA-IFS108, the other end fly leads, 12"	
KEA-FA102.C2	Integrated 12V BT Fixture Adapter, 0-10V, 12V DC, 200ft Transmission, Smart Bluetooth	
KEA-MWS105E.B1	Integrated 12V Eco Microwave Sensor, 12V DC up to 20ft, Smart Bluetooth	
KEA-FC30	Power cable for KEA-FA102, 12"	
KEA-CC30	Connecting cable for KEA-FA102, 12"	
KEA-WP1018A.A0	Wall Switch, 8-Key AAA Battery-Powered, 100ft Transmission, Smart Bluetooth	
KEA-PPA102S.C2	Line Voltage 6A BT Fixture Controller, 0-10V, 120-277VAC, 200mA, 200ft Transmission, Smart Bluetooth	
KEA-CS107D.B1	Ceiling Occupancy Sensor, 0-10V, 120-277VAC up to 20ft, 200mA, 200ft Transmission, Smart Bluetooth	

Keilton Basic³²



KEB-IFS06R-AUX



KEB-IFS06R



KEB-EFS07-AUX



KEB-EFS07-AUX-W



KEB-EFS07-Z10-W



KEB-EFS01RE



KEB-IFS05SE



KEB-RM51

KEILTON BASIC MOTION SENSOR LIGHTING CONTROL SYSTEM

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
KEB-IFS06R-AUX	Low Bay Fixture Sensor, PIR, 12V DC up to 20ft, 2.5mm AUX, Remote Control Option	
KEB-IFS06R	Low Bay Fixture Sensor, PIR, 12V DC up to 20ft, PH2.0-4pin, Remote Control Option	
KEB-EFS07-AUX	High Bay Sensor, 0-10V Bi-level PIR M, 12V, IP40, 40ft, 3.5mm AUX, Remote Control Option	
KEB-EFS07-AUX-W	Outdoor High Bay Sensor, 0-10V Bi-level PIR, 12V, IP66, 40ft, 3.5mm AUX, Remote Control Option	
KEB-EFS07-Z10-W	High Bay Sensor, 0-10V Bi-level PIR, 12V, IP40, 40ft, Z10 Zhaga, Remote Control Option	
KEB-EFS01RE	High Bay External Sensor, 0-10V Bi-level PIR, 120-277V AC, 40ft, 10A relay, IP40, Remote Control Option	
KEB-IFS05SE	Low Bay Internal Fixture Sensor, 0-10V Bi-level, 12V, IP66, 40ft,	
KEB-RM51	Optional IR Remote Controller for Basic Sensor Series	



MOTION SENSORS FOR OUTDOOR See Compatible Sensor list in Description



CATALOG NO.	DESCRIPTION
LLHB-SENB	Galvanized Steel Sensor Mounting Bracket
LLHB-SMB	Motion Sensor Mounting Box For Linear High Bay Fixtures
SL-HPIR-BZ	Bronze 240°, 350W Max Load
SL-HPIR-WH	White 240°, 350W Max Load
SL-PIR-BZ	Bronze 180°, 350W Max Load
SL-PIR-WH	White 180°, 350W Max Load
WEC-2ADP	Ac To Dc Adapter Module For Ant-4
WEC-2CPDR-3	600W Max, 0-10V PIR 120-277V Ceiling Sensor Dip & Rc (Optional Remote Control WEC-3RC)
WEC-2DLH-22	600W Max, 0-10V Daylight Harvesting Module, White
WEC-2MD-33	600W Max, 0-10V Mw 120-277V Low-Ceiling Sensor Dip
WEC-2MDRH-35	120-277 Vac Microwave Sensor, Bi-Level, Daylight Harvest, Dip And Rc
WEC-2MDR-27	12-24Vdc Internal Microwave Sensor For Strip Lights (Optional Remote Control WEC-3RC)
WEC-2MDR-33	600W Max, Microwave Sensor For Linear Strip Lights With Dip (Optional Remote Control WEC-2RC-33)
WEC-2MD-TRIAC	Triac Bi-Level Microwave Sensor 120V, Clear
WEC-2MRHB2	600W Max, 0-10V Microwave Highbays Sensor Kit (Optional Remote Control WEC-7RC)
WEC-2P-44	600W Max, 0-10V PIR 6-24Vdc Troffer Sensor Dip
WEC-2P-58	600W Max, On/Off PIR 120-277V Highbay Sensor
WEC-2PR-28-AJ-SOCKET	12-24Vdc 1-Pin 2.5Mm Socket For Audio-Jack Panel And Troffer Sensor
WEC-2PR-28-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & RC (Optional RC WEC-3RC)
WEC-3MDR-42	600W Max, 0-10V Mw 120-277V Sensor Dip & Rc (Optional Remote Control WEC-3RC)
WEC-3MR-3-BR	600W Max, Microwave IP67 Sensor, 1/2" Thread, Bronze (Optional Remote Control WEC-8RC)
WEC-3MR-3-WH	600W Max, Microwave IP67 Sensor, 1/2" Thread, White (Optional Remote Control WEC-8RC)
WEC-3MR-45	600W Max, 0-10V Mw 120-277V IP66 Highbay Sensor & Rc (Optional Remote Control WEC-3RC)
WEC-3MR-4-BR	600W Max, 90-Degree IP67 Microwave Sensor, Bronze (Optional Remote Control WEC-8RC)
WEC-3MR-4-WH	600W Max, 90-Degree IP67 Microwave Sensor, White (Optional Remote Control WEC-8RC)
WEC-3MR-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Rc Ready, Black, With Base (Optional Remote Control WEC-3RC)
WEC-3MRLV-5-BR	600W Max, 0-10V Microwave, 120-277V - Bronze (Optional Remote Control WEC-8RC)
WEC-3MRLV-5-CLR	600W Max, 0-10V Microwave, 120-277V - Clear (Optional Remote Control WEC-8RC)
WEC-3MRLV-5-GY	600W Max, 0-10V Microwave, 120-277V - Gray (Optional Remote Control WEC-8RC)
WEC-3MRLV-5-WH	600W Max, 0-10V Microwave, 120-277V - White (Optional Remote Control WEC-8RC)
WEC-3MRLV-6	IP65 120-277 Vac Split Microwave Sensor, Bi-Level, Dip And Rc (Optional RC WEC-3RC)
WEC-3MRLV-6-BR	IP65 120-277 Vac Split Microwave Sensor, Bi-Level, Dip And Rc, Bronze (Optional RC WEC-3RC)
WEC-3MRLV-6-GY	IP65 120-277 Vac Split Microwave Sensor, Bi-Level, Dip And Rc, Gray (Optional RC WEC-3RC)
WEC-3PDR-48-480V	120V-480V Pir Ip65 Bi-Level Motion Sensor, Remote Capable (Optional Remote Control WEC-3RC)
WEC-3PDR-52	600W Max, 0-10V PIR 120-277V Sensor Dip & Rc (Optional Remote Control WEC-3RC)
WEC-3PDR-58-BR	600W Max, 0-10V PIR IP65 120-277V Sensor Dip And Rc, Bronze (Optional Remote Control WEC-3RC)
WEC-3PDR-58-WH	600W Max, 0-10V PIR IP65 120-277V Sensor Dip And Rc, Bronze (Optional Remote Control WEC-3RC)
WEC-3PR-60	600W Max, 0-10V PIR 120-277V Ip66 Knuckle Sensor Dip & Rc (Optional Remote Control WEC-3RC)
WEC-3PR-72-TLB-WH	600W Max, Zhaga 12-24VDC PIR Sensor, Rc Ready, White, With Base (Optional Remote Control WEC-3RC)
WEC-3PR-78-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & RC (Optional RC WEC-3RC)
WEC-AJ-SA	12-24Vdc Swivel Arm For 3.5Mm Plug-In 1-Pin Audio-Jack Sensors
WEC-AJ-SOCKET	12-24Vdc 1-Pin Audio Jack Sensor Receptacle Socket 1/2In Npt
WEC-ON50-BR	Sensor Mounting Offset Nipple, 1/2 Inch Size, Bronze
WEC-ON50-WH	Sensor Mounting Offset Nipple, 1/2 Inch Size, White
YM183-W	Occupancy Pir Sensor, 180°, 30Ft (720Ft), 120V 800/1200W Max, Single Pole, Neutral Req.
YM2108-T-W	Vacancy & Occupancy Pir Sensor, 180°, 25Ft (600Ft), 120V 600/1000W Max, 3-Way, Neutral Req.
YM2108-W	Vacancy & Occupancy Pir Sensor, 180°, 30Ft (720Ft), 120V 800/1200W Max, Single Pole, Neutral Req.


WEC-2BT-28-AJ-WH

WEC-3PBT-78-AJ-WH

WEC-3MDBTH-36

WEC-2MDBTH-36

WEC-3MBT-72-TLB-BK
WEC-3MBT-72-WH

WEC-3PBT-72-WH

WEC-2UGW-WIFI


BLUETOOTH APP READY - MOTION SENSORS FOR OUTDOOR

CATALOG NO.	DESCRIPTION
WEC-2BT-28-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level Bluetooth App Ready
WEC-3PBT-78-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level Bluetooth App Ready
WEC-3MDBTH-36	Split Microwave Sensor For Outdoor Bluetooth Mesh, , Bluetooth App Ready
WEC-2MDBTH-36	Split Microwave Sensor For Indoor Bluetooth Mesh, , Bluetooth App Ready
WEC-3MBT-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready , Black, With Base
WEC-3MBT-72-WH	Microwave Sensor Zhaga Base Bluetooth Mesh, Bluetooth App Ready
WEC-3PBT-72-WH	Pir Sensor Zhaga Base Bluetooth Mesh, , Bluetooth App Ready
WEC-2UGW-WIFI	Industrial Gateway With Multi-Signal Input - Wifi Output


WEC-2RC

WEC-3RC


WEC-8RC

WEC-2RC-33

TC-RGBW-RC

REMOTE CONTROL FOR MOTION SENSORS (FOR COMPATIBILITY, SEE PREVIOUS PAGE)

CATALOG NO.	DESCRIPTION
WEC-8RC	Remote Control For WEC-3MR-4 & WEC-3MR-3
WEC-2RC	Remote Control For WEC-2MD-36, Silver
WEC-3RC	Remote Control For Motion Sensors
WEC-2RC-33	Remote Control For WEC-2MDR-33 Motion Sensor
TC-RGBW-RC	Westgate App Compatible Remote Control




WEC-MOD-010V-BT
WEC-MOD-010V-WIFI
WEC-MOD-TR-WIFI

The WEC-MOD installed on a 0~10V or Triac fixture to control the luminaries via WIFI, BT or a remote control.



WESTGATE SMART LIGHTING CONTROL MODULES - 1/2" KNUCKLE

CATALOG NO.	DESCRIPTION
WEC-MOD-010V-BT	WG Smart Lighting Control Module 1000W 0-10V Bluetooth IP65
WEC-MOD-010V-WIFI	WG Smart Lighting Control Module 1000W 0-10V Wifi IP65
WEC-MOD-TR-WIFI	WG Smart Lighting Control Module 300W Triac Wifi IP65
WEC-MOD-WIFI-RC	WG Smart Remote Control Compatible With Wifi Lighting Modules



WEC-SW-PB1-010V-BT
WEC-SW-PB1-TR-WIFI

This stand-alone "wall dimmer" functions similarly to traditional wall switches by directly wiring to the fixture.



WESTGATE SMART LIGHTING CONTROL SWITCHES SWITCHES WORK AS STAND ALONE OR WITH WESTGATE APP.

CATALOG NO.	DESCRIPTION
WEC-SW-PB1-010V-BT	WG Smart Push Button Wall Switch 1000W 0-10V Bluetooth + Wall Plate
WEC-SW-PB1-TR-WIFI	WG Smart Push Button Wall Switch 300W Triac Wifi + Wall Plate



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

CATALOG NO.	DESCRIPTION
OPT-EM-CW2EXT	COLD-WEATHER EXTERNAL EMERGENCY POWER SUPPLY 27W FACTORY OPTION
OPT-EM-CW2INT	COLD-WEATHER INTERNAL EMERGENCY POWER SUPPLY 27W FACTORY OPTION
OPT-EM-CW1INT	COLD-WEATHER INTERNAL EMERGENCY POWER SUPPLY 18W FACTORY OPTION

10KV SURGE PROTECTION MODULE UL1449

CATALOG NO.	DESCRIPTION
SP10KV	100-300V 10Kv 8A Surge Protection Module UL1449
SP10KV-480V	480V 10Kv Surge Protection Device UL1449





EVC-A-48A-MP-BT



EVC-C-40A-AC-9.6KW-J1772
EVC-C-48A-AC-11.5KW-J1772



EVC-PEDESTAL-4.5FT



SAE-J1772
Connector



EVC-FM-48A-AC-11.5KW2-J1772

EV CHARGER, AC POWER 120-240V, SAE J1772 CONNECTOR



CATALOG NO.	DESCRIPTION
EVC-A-48A-MP-BT	Level 2 48A, 11.5KW, Selectable Power, Westgate App Enabled
EVC-A-40A-AC-9.6KW-J1772	Level 2, 40A, 9.6KW, Wall Mount
EVC-A-48A-AC-11.5KW-J1772	Level 2, 48A, 11.5KW, Wall Mount
EVC-C-40A-AC-9.6KW-J1772	Level 2, 40A, 9.6KW, Wall Mount
EVC-C-48A-AC-11.5KW-J1772	Level 2, 48A, 11.5KW, Wall Mount
EVC-FM-48A-AC-11.5KW2-J1772	Level 2, 48AX2, 11.5KW2, WiFi+LAN+4G POS integ. (CC payments)
EVC-PEDESTAL-4.5FT	4.5FT Pedestal Accessory



FACTORY-INSTALLED OPTIONS. ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	APP OPTION	DESCRIPTION	4G OPTION	DESCRIPTION	PAINT	POS OPTION	DESCRIPTION
ALL	OPT-EVC-APP	Single-User Smart Bluetooth App-Enabled	OPT-EVC-FM-4G	Integrated 4G, Built-in cellular for remote access	N/A	OPT-EVC-FM-POS	Integrated POS, Built-in payment system for easy, secure transactions on-site

INDUSTRIAL LIGHTING

SEARCH FOR THE SERIES NAME @WESTGATEMFG.COM



UHxmax SERIES



UHx SERIES



UHxe SERIES



UHxf SERIES



UHL SERIES



RMS SERIES



SLRP SERIES



LLHC SERIES



LHCmax SERIES




LHCx SERIES



LLHB SERIES



LLHB4 SERIES



LLHBF SERIES




LTPV SERIES



LVTE SERIES



LVTF SERIES



LLVT SERIES



LDL SERIES



Live inventory. Real-time pricing. No waiting.
Access the MyWestgate Portal to check
availability and pricing instantly.
Scan the QR code to skip the line.



UHXMAX-WH
White



UHXMAX-BK
Black



UHXMAX-SMB




UHXMAX-PCR



UHXMAX-PCC



UHXMAX-ALR



UHXMAX-WG



Sensor-Ready
Plug & Play

MAX-FEATURE UFO - POWER & CCT & DIGITAL BEAM ADJUSTABLE SENSOR-READY



CATALOG NO.	DESCRIPTION	PKG. QTY.
UHXMAX-70-150W-MCTPB-SR	70W/110W/150W 140LM/W 30K/40K/50K Black	1
UHXMAX-70-150W-MCTPB-SR-WH	70W/110W/150W 140LM/W 30K/40K/50K White	1
UHXMAX-120-200W-MCTPB-SR	120W/160W/200W 140LM/W 30K/40K/50K Black	1
UHXMAX-120-200W-MCTPB-SR-WH	120W/160W/200W 140LM/W 30K/40K/50K White	1
UHXMAX-180-240W-MCTPB-SR	180W/200W/240W 140LM/W 30K/40K/50K Black	1
UHXMAX-180-240W-MCTPB-SR-WH	180W/200W/240W 140LM/W 30K/40K/50K White	1
UHXMAX-200-300W-MCTP-SR	200W/240W/300W 140LM/W 30K/40K/50K Black, 90° Fixed Beam	1
UHXMAX-SMB-A	UHXMAX 70-150W & 200-300W Surface-Mounting Bracket Black	
UHXMAX-SMB-A-WH	UHXMAX 70-150W & 200-300W Surface-Mounting Bracket White	
UHXMAX-SMB-B	UHXMAX 120-200W & 180-240W Surface-Mounting Bracket Black	
UHXMAX-SMB-B-WH	UHXMAX 120-200W & 180-240W Surface-Mounting Bracket White	
UHXMAX-PCR-A-90D	UHXMAX 70-150W 90D Pc Reflector	
UHXMAX-PCC-A	UHXMAX 70-150W Reflector Bottom Pc Cover	
UHXMAX-PCR-B-90D	UHXMAX 120-200W & 180-240W 90D Pc Reflector	
UHXMAX-PCC-B	UHXMAX 120-200W & 180-240W Reflector Bottom Pc Cover	
UHXMAX-ALR-A-90D	UHXMAX 70-150W 90D Aluminum Reflector	
UHXMAX-ALR-B-90D	UHXMAX 120-200W & 180-240W 90D Aluminum Reflector	
UHXMAX-WG-A	UHXMAX 70-150W Wireguard	
UHXMAX-WG-B	UHXMAX 120-200W & 180-240W Wireguard	
WEC-3PR-78-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & RC (Optional RC WEC-3RC)	
WEC-3PBT-78-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level Bluetooth App Ready	



UHX-SR
Black



UHX-SR
White



Sensor-Ready
Plug & Play



SPEC SERIES UFO HIGHBAY - SENSOR READY SERIES

	DESCRIPTION	PKG. QTY.
UHX-150W-MP-40K-SR	50W/80W/100W/150W 140LM/W 4000K Black	1
UHX-150W-MP-50K-SR	50W/80W/100W/150W 140LM/W 5000K Black	1
UHX-G2-150W-MP-40K-SR	80W/100W/150W 180LM/W 4000K Black	1
UHX-G2-150W-MP-50K-SR	80W/100W/150W 180LM/W 5000K Black	1
UHX-230W-MP-40K-SR	100W/150W/200W/230W 140LM/W 4000K Black	1
UHX-230W-MP-50K-SR	100W/150W/200W/230W 140LM/W 5000K Black	1
UHX-G2-240W-MP-40K-SR	150W/200W/240W 175LM/W 4000K Black	1
UHX-G2-240W-MP-50K-SR	150W/200W/240W 175LM/W 5000K Black	1
UHX-300W-MP-50K-SR	150W/200W/230W/300W 140LM/W 5000K Black	1
UHX-G2-320W-MP-50K-SR	200W/240W/320W 165LM/W 5000K Black	1
UHX-G2-400W-MP-50K-SR	300W/350W/400W 165LM/W 5000K Black	1
UHX-150W-MCTP-SR	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K Black	1
UHX-150W-MCTP-WH-SR	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K White	1
UHX-G2-150W-MCTPB-SR	80W/100W/150W 180LM/W 30K/40K/50K Black	1
UHX-G2-150W-MCTPB-WH-SR	80W/100W/150W 180LM/W 30K/40K/50K White	1
UHX-230W-MCTP-SR	100W/150W/200W/230W 130LM/W 30K/40K/50K/57K Black	1
UHX-230W-MCTP-WH-SR	100W/150W/200W/230W 130LM/W 30K/40K/50K/57K White	1
UHX-G2-240W-MCTPB-SR	150W/200W/240W 175LM/W 30K/40K/50K Black	1
UHX-G2-240W-MCTPB-WH-SR	150W/200W/240W 175LM/W 30K/40K/50K White	1
UHX-G2-320W-MCTPB-SR	200W/240W/320W 165LM/W 30K/40K/50K Black	1
UHX-G2-320W-MCTPB-WH-SR	200W/240W/320W 165LM/W 30K/40K/50K White	1
WEC-3MR-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3MBT-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3PR-72-TLB-WH	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)	

FOR FACTORY-INSTALLED OPTIONS AND ACCESSORIES SEE UHX BELOW PAGE 110



SPEC SERIES NEW GENERATION - UFO HIGHBAY, 480V MTO made to order

	CATALOG NO.	DESCRIPTION	PKG. QTY.
480V	UHX-150W-MP-50K-480V	50W/80W/100W/150W 160LM/W 5000K Black	1
	UHX-230W-MP-50K-480V	100W/150W/200W/230W 160LM/W 5000K Black	1
	UHX-300W-MP-50K-480V	150W/200W/240W/300W 160LM/W 5000K Black	1
	UHX-150W-MCTP-480V	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K Black	1
	UHX-150W-MCTP-WH-480V	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K White	1
	UHX-230W-MCTP-WH-480V	100W/150W/200W/230W 125LM/W 30K/40K/50K/57K White	1

FOR FACTORY-INSTALLED OPTIONS AND ACCESSORIES SEE UHX BELOW PAGE 110



UHX
Black



UHX
White




HB-RING



HB-EB-50/75



UHX-SMB



UHX-WG



UHX-SA-5075



UHX-SC



UHX-ALR
UHX-ALRW



UHX-PCR



UHX-PCDC



UHX-PCC



UHX-FL



UHX-G2-REFL-AR



SCL-GS210
SCL-GS220

SPEC SERIES NEW GENERATION - UFO HIGHBAY, 120-277V



	DESCRIPTION	PKG. QTY.
UHX-150W-MP-50K	50W/80W/100W/150W 140LM/W 5000K Black MP	1
UHX-150W-MP-40K	50W/80W/100W/150W 140LM/W 4000K Black MP	1
UHX-230W-MP-50K	100W/150W/200W/230W 140LM/W 5000K Black MP	1
UHX-150W-MCTP	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K Black MCTP	1
UHX-150W-MCTP-WH	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K White MCTP	1
UHX-230W-MCTP-WH	100W/150W/200W/230W 125LM/W 30K/40K/50K/57K White MCTP	1
HB-RING	Highbay top ring adapter, 1/2in	
HB-EB-50/75	UFO top threaded hub expansion bushing from 1/2" to 3/4"	
UHX-SMB	Surface Mounting Yoke Bracket For 100W To 300W	
UHX-WG-A	Wire Guard, Fits On Fixtures 150W (MP & MCTP) & 230W (MP Only) & All G2-150W	
UHX-WG-B	Wire Guard, Fits On Fixtures 230W (MCTP Only) & 300W MP & All G2-240W	
UHX-ALR-A	60° Alum. Reflector For 150W (MP & MCTP) & 230W (MP Only)	
UHX-ALR-B	60° Alum. Reflector For 230W (MCTP Only) & 300W MP	
UHX-G2-ALR-A	60° Alum. Reflector For G2-150W	
UHX-G2-ALR-B	60° Alum. Reflector For G2-240W	
UHX-ALRW-A	90° Alum. Reflector For 150W (MP & MCTP) & 230W (MP Only)	
UHX-ALRW-B	90° Alum. Reflector For 230W (MCTP Only) & 300W MP	
UHX-G2-ALRW-A	90° Alum. Reflector For G2-150W	
UHX-G2-ALRW-B	Prismatic PC Reflector For G2-240W	
UHX-PCR-A	Prismatic PC Reflector For 150W (MP & MCTP) & 230W (MP Only)	
UHX-PCR-B	Prismatic PC Reflector For 230W (MCTP Only) & 300W MP	
UHX-G2-PCR-A	Prismatic PC Reflector For G2-150W	
UHX-G2-PCR-B	Prismatic PC Reflector For G2-240W	
UHX-G2-PCR-C	Prismatic PC Reflector For G2-320W & 400W (NOT MCTPB)	
UHX-G2-150W-REFL-AR	UHX-G2 150W Reflector Adapter For UHX-PCR-B	
UHX-G2-240W-REFL-AR	UHX-G2 240W Reflector Adapter For UHX-PCR-B	
UHX-PCDC	PC Drop Lens Cover For PC Reflectors (Not for Alum. Reflectors), Fits All Sizes	
UHX-PCC	PC Bottom Cover For PC Reflectors (Not for Alum. Reflectors), Fits All Sizes	
UHX-SC	Safety Cable	
SCL-GS210	Heavy-Duty Adjustable 5/64" 10 Ft. Suspension Kit With Loop Gripper & Hook(1)	
SCL-GS220	Heavy-Duty Adjustable 5/64" 20 Ft. Suspension Kit With Loop Gripper & Hook(1)	
UHX-FL-A	Replacement Frosted PC Lens For UHX-150W-MP only	
UHX-FL-B	Replacement Frosted PC Lens For UHX-150W-MCTP & UHX-230W-MP only	
UHX-FL-C	Replacement Frosted PC Lens For 230W-MCTP & 300W	
UHX-CL-A	Replacement Clear Lens For Up To 150W	
UHX-CL-B	Replacement Clear Lens For 230W-MP (NOT FOR 230W-MCTP)	
UHX-CL-C	Replacement Clear Lens For 230W-MCTP & 300W	
UHX-SA-5075	1/2in Stem-mounting adapter with cable passage with 3/4in bushing	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-UHX	ON TOP	OPT-HBC-125TL-BK	8FT, 15A, 125V.16/3TL.BLK	N/A	OPT-SEN-UHX	MICROWAVE
	WIRE CABLE OPTION	DESCRIPTION	OPT-HBC-125TL-WH	8FT, 15A, 125V.16/3TL.WHT		OPT-SEN-NLS-UHX	WG NETWORK SENSOR
	OPT-HBC-5WR-20FT-BK	5-WIRE CABLE	OPT-HBC-277TL-BK	8FT, 15A, 277V.16/3TL.BLK		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
			OPT-HBC-277TL-WH	8FT, 15A, 277V.16/3TL.WHT			
			OPT-HBC-125SB-BK	10FT, 15A, 125V.18/3STR.BLK			
			OPT-HBC-125SB-WH	10FT, 15A, 125V.18/3STR.WHT			



UHXE-80-150W-MCTP4-SR
UHXE-165-220W-MCTP4-SR
Black



SHOWN WITH
UHXE-RPMB



UHXE-165-220W-MCTP4-SR-WH
Bronze



SHOWN WITH
UHXE-PCR-A-90D
UHXE-PCR-B-90D



HB-RING



HB-EB-50/75



UHX-SA-5075



UHX-SC



SHOWN WITH
UHXE-SMB



SHOWN WITH
UHXE-PCR-A-60D
UHXE-PCR-B-60D



Sensor-Ready
Plug & Play



UHXE-PCC-A
UHXE-PCC-B

BUILDER SERIES POWER AND CCT- ADJUSTABLE UFO HIGHBAY, 120-277V (SENSOR-READY)



CATALOG NO.	DESCRIPTION	PKG. QTY.
UHXE-80-150W-MCTP4-SR	80W/110W/150W 140LM/W 30K/35K/40K/50K Black	1
UHXE-165-220W-MCTP4-SR	165W/190W/220W 140LM/W 30K/35K/40K/50K Black	1
UHXE-165-220W-MCTP4-SR-WH	165W/190W/220W 140LM/W 30K/35K/40K/50K White	1
UHXE-SMB	UHXE Surface Mounting U Bracket, Black	
UHXE-RPMB	UHXE 1-FT Rigid Pipe Stand with Canopy for Hard Surface (not Swivel)	
UHXE-PCR-A-90D	UHXE-80-150W 90-Degree PC Reflector	
UHXE-PCR-A-60D	UHXE-80-150W 60-Degree PC Reflector	
UHXE-PCR-B-90D	UHXE-165-220W 90-Degree PC Reflector	
UHXE-PCR-B-60D	UHXE-165-220W 60-Degree PC Reflector	
UHXE-PCC-A	UHXE-80-150W Bottom Cover For Pc Reflector, Fits Both 60D 90D	
UHXE-PCC-B	UHXE-165-220W Bottom Cover For Pc Reflector, Fits Both 60D 90D	
HB-RING	Highbay top ring adapter, 1/2in	
HB-EB-50/75	UFO top threaded hub expansion bushing from 1/2" to 3/4"	
UHX-SC	Safety Cable	
UHX-SA-5075	1/2in Stem-mounting adapter with cable passage with 3/4in bushing	
WEC-3MR-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3MBT-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3PR-72-TLB-WH	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL 120-277V	OPT-EM-UHXE	ON TOP	OPT-HBC-125TL-BK	8FT, 15A, 125V/16/3TL,BLK	N/A		
			OPT-HBC-125TL-WH	8FT, 15A, 125V/16/3TL,WHT			
			OPT-HBC-277TL-BK	8FT, 15A, 277V/16/3TL,BLK			
			OPT-HBC-277TL-WH	8FT, 15A, 277V/16/3TL,WHT			
			OPT-HBC-125SB-BK	10FT, 15A, 125V/18/3STR,BLK			
			OPT-HBC-125SB-WH	10FT, 15A, 125V/18/3STR,WHT			





Sensor-Ready Plug & Play see page 103-104

IP69 UFO HIGH BAY FOR FOOD AND CHEMICAL FACILITIES - SENSOR-READY



CATALOG NO.	DESCRIPTION	PKG. QTY.
UHXF-100-150W-MCTP-SR	100W/120W/150W 145LM/W 30K/40K/50K	1
UHXF-150-240W-MCTP-SR	150W/200W/240W 145LM/W 30K/40K/50K	1



ECONOMY HIGH BAY LAMP & SOCKET, ADJUSTABLE ANGLE (UFO ALTERNATIVE)



CATALOG NO.	DESCRIPTION	PKG. QTY.
UHL-100W-50K	100W 12000LM 5000K Black	18
UHL-150W-50K	150W 18000LM 5000K Black	8
ELB-23120-HH-AC-FLEX	20W MAX, 175VDC, LI-ION 4000MAH BATTERY	



HIGH LUMEN LED MINI HIGH BAY, 120-277 VAC, PC REFLECTOR INCLUDED



CATALOG NO.	DESCRIPTION	PKG. QTY.
LHB2-50W-50K	50W 6750LM 5000K 8-1/4" Dia X 5-1/2"(H), Black	1
LHB2-50W-50K-WH	50W 6750LM 5000K 8-1/4" Dia X 5-1/2"(H), White	1
LHB2-50W-40K-WH	50W 6750LM 4000K 8-1/4" Dia X 5-1/2"(H), White	1
LHB2-50W-30K-WH	50W 6750LM 3000K 8-1/4" Dia X 5-1/2"(H), White	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL 120-277V	OPT-EM-LHB2	ULHB-HBMK	OPT-HBC-125TL-BK	8FT, 15A, 125V/16/3TL,BLK	N/A	OPT-SEN-ULHB	ULHB-SK
			OPT-HBC-125TL-WH	8FT, 15A, 125V/16/3TL,WHT		OPT-SEN-NLS-LHB2	WG NETWORK SENSOR
			OPT-HBC-277TL-BK	8FT, 15A, 277V/16/3TL,BLK		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
			OPT-HBC-277TL-WH	8FT, 15A, 277V/16/3TL,WHT			
			OPT-HBC-125SB-BK	10FT, 15A, 125V/18/3STR,BLK			
			OPT-HBC-125SB-WH	10FT, 15A, 125V/18/3STR,WHT			



MAGNETIC RETROFIT KIT WITH EXT. DRIVER- POWER & CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
RMS-2FT-25W-MCTP	15W/20W/25W 140LM/W 27K/30K/35K/40K/50K 2FT X 2	10
RMS-3FT-35W-MCTP	20W/28W/35W 140LM/W 27K/30K/35K/40K/50K 3FT X 2	10
RMS-4FT-35W-MCTP	20W/28W/35W 140LM/W 27K/30K/35K/40K/50K 4FT X 2	10
RMS-4FT3-40W-MCTP	20W/30W/40W 140LM/W 27K/30K/35K/40K/50K 4FT X 3	10
RMS-4FT-46W-MCTP	30W/38W/46W 140LM/W 27K/30K/35K/40K/50K 4FT X 2	10
RMS-4FT4-46W-MCTP	30W/38W/46W 140LM/W 27K/30K/35K/40K/50K 4FT X 4	10
RMS-2FT-LENS	2FT X 2 Frosted Lens Kit For 2FT RMS Magnetic Retrofit Kit	
RMS-3FT-LENS	3FT X 2 Frosted Lens Kit For 3FT RMS Magnetic Retrofit Kit	
RMS-4FT-LENS	4FT X 2 Frosted Lens Kit For 4FT RMS Magnetic Retrofit Kit	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-RMS	EXTERNAL BACK BOX	N/A	N/A	N/A	N/A	N/A



PREMIUM STRIP-LIGHT LED RETROFIT KIT WITH LENS



CATALOG NO.	DESCRIPTION	PKG. QTY.
SLRP-4FT-20-40W-MCTP	20W/30W/40W 127LM/W 35K/40K/50K	4
SLRP-8FT-40-80W-MCTP	40W/60W/80W 127LM/W 35K/40K/50K	4

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-SLRP-4	EXTERNAL BACK BOX	N/A	N/A	N/A	N/A	N/A
	OPT-EM-SLRP-8	EXTERNAL BACK BOX					



LED 4FT. 2-LAMP STRIP RETROFIT KIT



CATALOG NO.	DESCRIPTION	PKG. QTY.
SLR-4FT-40W-50K-D	40W 4400LM 5000K 4FT.	12

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-SLR	INTERNAL	N/A	N/A	N/A	OPT-SEN-2MDR-36 OPT-SEN-NLS-SLR OPT-SEN-KEILTON WEC-3RC	PROGRAMMABLE MICROWAVE BI-LEVEL WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL



LLHC-80-150W-MCTP
White

ADJUSTABLE LENSES

Wireguard



Sensor-Ready Plug & Play
(one Sensor per Fixture)

BUILDER SERIES POWER & CCT- ADJUSTABLE COMPACT LINEAR HIGHBAY



	DESCRIPTION	PKG. QTY.
LLHC-80-150W-MCTP	80W/110W/150W 150LM/W 30K/35K/40K/50K 10"(H) X 14 2/3"(W) X 1 8/9"(D)	1
LLHC-80-150W-MCTP-SR	80W/110W/150W 150LM/W 30K/35K/40K/50K SENSOR READY	1
LLHC-165-220W-MCTP-SR	165W/190W/220W 150LM/W 30K/35K/40K/50K SENSOR READY	1
LLHC-220-340W-MCTP-SR	220W/280W/340W 140LM/W 40K/50K SENSOR READY	1
LLHC-340-430W-MCTP-SR	340W/390W/430W 140LM/W 40K/50K SENSOR READY	1
LLHC-WG1	LLHC Wireguard for 150W	
LLHC-WG2	LLHC Wireguard for 220W	
WEC-3MR-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)	

WEC-3MBT-72-TLB-BK 600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)

WEC-3PR-72-TLB-WH 600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	480 OPTION	DESCRIPTION
ALL	OPT-EM-LLHC	EXTERNAL	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE	N/A	OPT-LLHC-480V	480V
			OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE			
			OPT-HBC-125SB-WH	10FT, 15A, 125V, 18/35TR, WHT			



Sensor-Ready
Plug & Play


X-GENERATION DIGITAL BEAM ANGLE LINEAR HIGHBAY, **SENSOR READY** POWER & CCT & BEAM ANGLE SELECTABLE



CATALOG NO.	DESCRIPTION
LHCMAX-60-105W-MCTPB-SR-BK	60W/85W/105W 140LM/W 35K/40K/50K
LHCMAX-105-160W-MCTPB-SR-BK	105W/130W/160W 140LM/W 35K/40K/50K
LHCMAX-165-240W-MCTPB-SR-BK	165W/215W/240W 140LM/W 35K/40K/50K
LHCMAX-255-320W-MCTPB-SR-BK	255W/295W/320W 140LM/W 35K/40K/50K
WEC-3MR-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)
WEC-3MBT-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)
WEC-3PR-72-TLB-WH	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)



LHCX lens change



Shown with Wireguard
& Surface-mounting kit



Sensor-Ready
Plug & Play

X-GENERATION COMPACT LINEAR HIGHBAY, SENSOR READY



CATALOG NO.	DESCRIPTION
X-GENERATION COMPACT LINEAR HIGHBAY, SENSOR READY, POWER & CCT & BEAM ANGLE SELECTABLE, 900X900 LENS	
LHCX-80-155W-MCTPB-D-SR	80W/105W/155W 140LM/W 35K/40K/50K
LHCX-200-300W-MCTPB-D-SR	200W/240W/300W 140LM/W 35K/40K/50K
LINEAR HIGHBAY, SENSOR READY, POWER & CCT SELECTABLE, 900X900 LENS (LENS ACCESSORIES ARE NOT COMPATIBLE)	
LHCX-110-150W-MCTP-SR	110W/130W/150W 140LM/W 35K/40K/50K 14.17" X 11.00" X 1.77"
LHCX-165-215W-MCTP-SR	165W/180W/215W 140LM/W 35K/40K/50K 18.11" X 11.81" X 1.77"
LHCX-255-320W-MCTP-SR	255W/290W/320W 140LM/W 35K/40K/50K 23.03" X 11.81" X 1.77"
LINEAR HIGHBAY, SENSOR READY, POWER SELECTABLE, 900X900 LENS (LENS ACCESSORIES ARE NOT COMPATIBLE)	
LHCX-350-480W-MP-50K-D-SR	350W/400W/480W 160LM/W 5000K
LHCX-350-480W-MP-40K-D-SR	350W/400W/480W 160LM/W 4000K
LHCX-400-640W-MP-50K-D-SR	400W/500W/640W 160LM/W 5000K
LHCX-400-640W-MP-40K-D-SR	400W/500W/640W 160LM/W 4000K
LHCX-SMK	Surface-mounting Kit
LHCX-WG1	Wireguard For 150W Max Model
LHCX-WG2	Wireguard For 215W Max Model
LHCX-WG3	Wireguard For 320W Max Model
LHCX-PM75	LHCX Pendant Mounting Accessory, 3/4in Hole On Top And Two 1/2in K0
LHCX-LENS-150W-45X90	LHCX 110-150W Size Special Narrow-Aisle Lens Kit 45Dx90D
LHCX-LENS-215W-45X90	LHCX 165-215W Size Special Narrow-Aisle Lens Kit 45Dx90D
LHCX-LENS-320W-45X90	LHCX 255-320W Size Special Narrow-Aisle Lens Kit 45Dx90D
LHCX-LENS-150W-110X110	LHCX 110-150W Size Special Wide-Angle Lens Kit 110Dx110D
LHCX-LENS-215W-110X110	LHCX 165-215W Size Special Wide-Angle Lens Kit 110Dx110D
LHCX-LENS-320W-110X110	LHCX 255-320W Size Special Wide-Angle Lens Kit 110Dx110D
LHCX-LENS-150W-65X65	LHCX 110-150W Size Special Medium-Angle Lens Kit 65Dx65D
LHCX-LENS-215W-65X65	LHCX 165-215W Size Special Medium-Angle Lens Kit 65Dx65D
LHCX-LENS-320W-65X65	LHCX 255-320W Size Special Medium-Angle Lens Kit 65Dx65D
WEC-3MR-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)
WEC-3MBT-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)
WEC-3PR-72-TLB-WH	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	480V OPTION	DESCRIPTION
ALL	OPT-EM-LHCX-150	EM	N/A	N/A	N/A	OPT-LHCX-480V	480V
	OPT-EM-LHCX-215	EM					
	OPT-EM-LHCX-320	EM					

4Ft

2Ft



LLHB4-MCTP
LLHB4-MP (200W TO 500W)
White



LLHB4-50W
LLHB4-MP (100W TO 150W)
White



Sensor-Ready
Plug & Play See page 103-104




LLHB4-MCTP-BK
Black



LLHB4-100W-WG
LLHB4-150W-WG



OPT-LLHB4-SMK



LLHB4-RODKIT

SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS - SENSOR READY



CATALOG NO.	DESCRIPTION	PKG. QTY.
4TH GENERATION OF LINEAR HIGH BAYS, 120-277V SENSOR READY		
LLHB4-50W-40K-D-SR	50W 125LM/W 4000K	1
LLHB4-50W-50K-D-SR	50W 125LM/W 5000K	1
POWER ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V SENSOR READY MP		
LLHB4-100W-MP-40K-D-SR	50W/80W/100W 125LM/W 4000K	1
LLHB4-100W-MP-50K-D-SR	50W/80W/100W 125LM/W 5000K	1
LLHB4-150W-MP-40K-D-SR	80W/110W/150W 125LM/W 4000K	1
LLHB4-150W-MP-50K-D-SR	80W/110W/150W 125LM/W 5000K	1
LLHB4-200W-MP-40K-D-SR	100W/150W/200W 125LM/W 4000K	1
LLHB4-200W-MP-50K-D-SR	100W/150W/200W 125LM/W 5000K	1
LLHB4-300W-MP-40K-D-SR	150W/225W/300W 125LM/W 4000K	1
LLHB4-300W-MP-50K-D-SR	150W/225W/300W 125LM/W 5000K	1
LLHB4-410W-MP-50K-D-SR	200W/300W/410W 125LM/W 5000K	1
LLHB4-500W-MP-50K-D-SR	250W/400W/500W 125LM/W 5000K	1
POWER & CCT ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V SENSOR READY MCTP		
LLHB4-80-150W-MCTP-SR	80W/110W/150W 125LM/W 35K/40K/50K	1
LLHB4-80-150W-MCTP-SR-BK	80W/110W/150W 125LM/W 35K/40K/50K	1
4TH GENERATION OF LINEAR HIGH BAYS, 480V SENSOR READY		
LLHB4-50W-40K-D-SR-480V	50W 125LM/W 4000K	1
LLHB4-50W-50K-D-SR-480V	50W 125LM/W 5000K	1
POWER ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 480V SENSOR READY MP		
LLHB4-100W-MP-40K-D-SR-480V	50W/80W/100W 125LM/W 4000K	1
LLHB4-100W-MP-50K-D-SR-480V	50W/80W/100W 125LM/W 5000K	1
LLHB4-150W-MP-40K-D-SR-480V	80W/110W/150W 125LM/W 4000K	1
LLHB4-150W-MP-50K-D-SR-480V	80W/110W/150W 125LM/W 5000K	1
LLHB4-200W-MP-40K-D-SR-480V	100W/150W/200W 125LM/W 4000K	1
LLHB4-200W-MP-50K-D-SR-480V	100W/150W/200W 125LM/W 5000K	1
LLHB4-300W-MP-40K-D-SR-480V	150W/225W/300W 125LM/W 4000K	1
LLHB4-300W-MP-50K-D-SR-480V	150W/225W/300W 125LM/W 5000K	1
LLHB4-410W-MP-50K-D-SR-480V	200W/300W/410W 125LM/W 5000K	1
LLHB4-500W-MP-50K-D-SR-480V	250W/400W/500W 125LM/W 5000K	1
POWER & CCT ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 480V SENSOR READY MCTP		
LLHB4-80-150W-MCTP-SR-480V	80W/110W/150W 125LM/W 35K/40K/50K	1
LLHB4-80-150W-MCTP-SR-BK-480V	80W/110W/150W 125LM/W 35K/40K/50K	1
LLHB4-100W-WG	Wire Guard for 100W	
LLHB4-150W-WG	Wire Guard for 150W	
LLHB4-RODKIT	Rod kit 3-1/4" Dia X 40" H and 1/2" Thread	

FOR FACTORY-INSTALLED OPTIONS SEE NEXT PAGE, FOR SUSPENSION ACCESSORIES SEE PAGES 170 TO 174



SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS



ATALOG NO.	DESCRIPTION				PKG. QTY.
120-277V	POWER & CCT ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V				
	LLHB4-80-150W-MCTP	80W/110W/150W	125LM/W	35K/40K/50K	1
	POWER ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V				
	LLHB4-100W-MP-40K-D	50W/80W/100W	125LM/W	4000K	1
	LLHB4-100W-MP-50K-D	50W/80W/100W	125LM/W	5000K	1
	LLHB4-150W-MP-40K-D	80W/110W/150W	125LM/W	4000K	1
	LLHB4-150W-MP-50K-D	80W/110W/150W	125LM/W	5000K	1
	LLHB4-300W-MP-40K-D	150W/225W/300W	125LM/W	4000K	1
	LLHB4-300W-MP-50K-D	150W/225W/300W	125LM/W	5000K	1
	LLHB4-410W-MP-50K-D	200W/300W/410W	125LM/W	5000K	1
	LLHB4-500W-MP-50K-D	250W/400W/500W	125LM/W	5000K	1
	POWER & CCT ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 480V (7DAYS LEAD TIME)				
	LLHB4-80-150W-MCTP-480V	80W/110W/150W	125LM/W	35K/40K/50K	1
	POWER ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 480V (7DAYS LEAD TIME)				
	LLHB4-100W-MP-40K-D-480V	50W/80W/100W	125LM/W	4000K	1
480V	LLHB4-100W-MP-50K-D-480V	50W/80W/100W	125LM/W	5000K	1
	LLHB4-150W-MP-40K-D-480V	80W/110W/150W	125LM/W	4000K	1
	LLHB4-150W-MP-50K-D-480V	80W/110W/150W	125LM/W	5000K	1
	LLHB4-300W-MP-40K-D-480V	150W/225W/300W	125LM/W	4000K	1
	LLHB4-300W-MP-50K-D-480V	150W/225W/300W	125LM/W	5000K	1
	LLHB4-410W-MP-50K-D-480V	200W/300W/410W	125LM/W	5000K	1
	LLHB4-500W-MP-50K-D-480V	250W/400W/500W	125LM/W	5000K	1
	LLHB4-100W-WG	Wire Guard for 100W			
	LLHB4-150W-WG	Wire Guard for 150W			
	LLHB4-RODKIT	Rod kit 3-1/4" Dia X 40" H and 1/2" Thread			

FOR SUSPENSION ACCESSORIES SEE PAGES 170 TO 174

Per industry standards, Lumens are reported without frosted lens (Removable).



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	UP LIGHT	DESCRIPTION	SURF. OPTION	SENSOR	DESCRIPTION
50W TO 150W 200W TO 500W	OPT-EM-LLHB4-50-150	EXTERNAL	OPT-LLHB-ULM-2FT-20W	150W & ABOVE	OPT-LLHB4-SMK	OPT-SEN-LLHB4	MICROWAVE BI-LEVEL SENSOR
	OPT-EM-LLHB4-200-500	INTERNAL	OPT-LLHB-ULM-2FT-40W	150W & ABOVE	FLEX WHIP	OPT-SEN-NLS-LLHB4	WG NETWORK SENSOR
	SURGE PROTECTOR	DESCRIPTION	OPT-LLHB-ULM-4FT-40W	500W & ABOVE	OPT-FWH-63	OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-SP-10KV	120-277V	OPT-LLHB-ULM-4FT-60W	500W & ABOVE	OPT-FWH-65	PLUG IN CORD	DESCRIPTION
	OPT-SP-10KV-480V	480V			OPT-FWH-66	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE
						OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE
						OPT-HBC-125SB-WH	10FT, 15A, 125V, 18/35TR, WHT

LED LINEAR HIGH BAY, FIXTURE HANGERS INCL., SUSPENSION CABLE NOT INCL. – SENSOR READY



CATALOG NO.

DESCRIPTION

PKG.
QTY.

LED LINEAR HIGH BAY, 120-277V SENSOR READY

LLHB-60-120W-MP-40K-D-SR	60W/90W/120W	135LM/W	4000K	1
LLHB-60-120W-MP-50K-D-SR	60W/90W/120W	135LM/W	5000K	1
LLHB-90-180W-MP-40K-D-SR	90W/135W/180W	135LM/W	4000K	1
LLHB-90-180W-MP-50K-D-SR	90W/135W/180W	135LM/W	5000K	1
LLHB-120-240W-MP-40K-D-SR	120W/180W/240W	135LM/W	4000K	1
LLHB-120-240W-MP-50K-D-SR	120W/180W/240W	135LM/W	5000K	1

LED LINEAR HIGH BAY, 480V SENSOR READY

LLHB-60-120W-MP-40K-D-SR-480V	60W/90W/120W	135LM/W	4000K	1
LLHB-60-120W-MP-50K-D-SR-480V	60W/90W/120W	135LM/W	5000K	1
LLHB-90-180W-MP-40K-D-SR-480V	90W/135W/180W	135LM/W	4000K	1
LLHB-90-180W-MP-50K-D-SR-480V	90W/135W/180W	135LM/W	5000K	1
LLHB-120-240W-MP-40K-D-SR-480V	120W/180W/240W	135LM/W	4000K	1
LLHB-120-240W-MP-50K-D-SR-480V	120W/180W/240W	135LM/W	5000K	1



LED LINEAR HIGH BAY, FIXTURE HANGERS INCL., SUSPENSION CABLE NOT INCL.



CATALOG NO.

DESCRIPTION

PKG.
QTY.

LED LINEAR HIGH BAY, 120-277V

LLHB-120W-40K-D	100W	15500LM	4000K Frosted lens, 4FTx11-1/4"	1
LLHB-180W-40K-D	150W	23250LM	4000K Frosted lens, 4FTx15-7/8"	1
LLHB-240W-MP-50K-D	240W Max.	150LM/W	5000K Frosted lens, 4FTx20-1/2"	1
LLHB-240W-MP-40K-D	240W Max.	150LM/W	4000K Frosted lens, 4FTx20-1/2"	1

LED LINEAR HIGH BAY, 480V (7DAYS LEAD TIME)

LLHB-120W-50K-D-480V	100W	15500LM	5000K Frosted lens, 4FTx11-1/4"	1
LLHB-120W-40K-D-480V	100W	15500LM	4000K Frosted lens, 4FTx11-1/4"	1
LLHB-180W-50K-D-480V	150W	23250LM	5000K Frosted lens, 4FTx15-7/8"	1
LLHB-180W-40K-D-480V	150W	23250LM	4000K Frosted lens, 4FTx15-7/8"	1

Updated higher lumens at lower wattages. Per industry standards, Lumens are reported without frosted lens (Removable).

FOR SUSPENSION ACCESSORIES SEE PAGES 170 TO 174

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	CLEAR LENS	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-LLHB	MOUNTED ON TOP	OPT-LLHB-CL-120/180	120W & 180W	OPT-CLR-95(BK/GR/SR/WH)	OPT-2P-58	PIR SENSOR (Not remote capable)
	FLEX WHIP	DESCRIPTION	OPT-LLHB-CL-240	240W		OPT-SEN-3MR-4-WH	SENSOR
	OPT-FWH-63	6FT 3-Wire Whip	UP LIGHT	DESCRIPTION		OPT-SEN-NLS-LLHB	WG NETWORK SENSOR
	OPT-FWH-65	6FT 5-Wire Whip	OPT-LLHB-ULM-4FT-40W	500W & ABOVE	SURF. OPTION	OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-FWH-66	6FT 6-Wire Whip	OPT-LLHB-ULM-4FT-60W	500W & ABOVE	OPT-LLHB-SMK	WEC-8RC	OPTIONAL REMOTE
			PLUG IN CORD	DESCRIPTION	SURGE PROTECTOR		
			OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE	OPT-SP-10KV		
			OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE			
			OPT-HBC-125SB-WH	10FT, 15A, 125V/18/3STR, WHT			

SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V



CATALOG NO.

DESCRIPTION

PKG.
QTY.

LLHB4-50W-40K-D 50W 7750LM 4000K 1FT. X 13.75

FOR SUSPENSION ACCESSORIES SEE PAGES 170 TO 174

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	UP LIGHT	DESCRIPTION	SURF. OPTION	SENSOR	DESCRIPTION
50W TO 150W	OPT-EM-LLHB4-50-150	EXTERNAL	OPT-LLHB-ULM-2FT-20W	150W & ABOVE	OPT-LLHB4-SMK	OPT-SEN-LLHB4	MICROWAVE BI-LEVEL SENSOR
200W TO 500W	OPT-EM-LLHB4-200-500	INTERNAL	OPT-LLHB-ULM-2FT-40W	150W & ABOVE	FLEX WHIP	OPT-SEN-NLS-LLHB4	WG NETWORK SENSOR
	SURGE PROTECTOR	DESCRIPTION	OPT-LLHB-ULM-4FT-40W	500W & ABOVE	OPT-FWH-63	OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-SP-10KV	120-277V	OPT-LLHB-ULM-4FT-60W	500W & ABOVE	OPT-FWH-65	PLUG IN CORD	DESCRIPTION
	OPT-SP-10KV-480V	480V			OPT-FWH-66	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE

LED LINEAR HIGH BAY ACCESSORIES

CATALOG NO.

DESCRIPTION



ELB-2048-EXTR	Field-installed emergency driver, Input voltage: 100-277AC, Output voltage: 12V-48VDC, Output power: 20W (Max), Emergency operation: ≥90 mins., Recharge: 24 Hrs.
CH-1212	Steel jack chain, 100ft., 12GA, (Meets weight requirements for Linear High Bays)
CH-1010	Steel jack chain, 100ft., 10GA
SCL-GSY10	Adjustable 10 Ft. 1/16", 1.5mm SusPension Kit With Y-Connector & Loop Grip & Hooks(2)
SCL-GSY20	Adjustable 20 Ft. 1/16", 1.5mm SusPension Kit With Y-Connector & Loop Grip & Hooks(2)
H-SCREW	Steel flat hanger screw with single hole, 1/4" x 3"



LLHBF-80-160W
LLHBF-120-200W



LLHBF-60-105W
LLHBF-105-150W
LLHBF-130-200W
LLHBF-255-300W

IP69 2-FOOT LINEAR HIGH BAY FOR FOOD AND CHEMICAL FACILITIES, **SENSOR READY**



Sensor-Ready Plug & Play
(one Sensor per Fixture)



CATALOG NO.	DESCRIPTION	PKG. QTY.
LLHBF-60-105W-MCTP-SR	60W/85W/105W 150LM/W 40K/45K/50K	1
LLHBF-80-160W-MCTP-SR	80W/120W/160W 150LM/W 40K/45K/50K	1
LLHBF-105-150W-MCTP-SR	105W/130W/150W 150LM/W 40K/45K/50K	1
LLHBF-120-200W-MCTP-SR	120W/160W/200W 150LM/W 40K/45K/50K	1
LLHBF-130-200W-MCTP-SR	130W/165W/200W 150LM/W 40K/45K/50K	1
LLHBF-255-300W-MCTP-SR	255W/280W/300W 150LM/W 40K/45K/50K	1
WEC-3MR-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3MBT-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3PR-72-TLB-WH	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)	



LTPV-SLC

LTPV-EC-SR

LTPV-SLC-SR



Sensor-Ready Plug & Play
(one Sensor per Fixture)

BUILDER SERIES MODULAR LINEAR VAPOR TIGHT, QUICK CONNECT, TRI-PROOF: WATER, DUST & IMPACT RESISTANCE



CATALOG NO.	DESCRIPTION	PKG. QTY.
LTPV-2FT-18W-MCTP-D	10W/15W/18W 130LM/W 30K/40K/50K SENSOR READY	9
LTPV-4FT-36W-MCTP-D	20W/28W/36W 130LM/W 30K/40K/50K SENSOR READY	9
LTPV-8FT-70W-MCTP-D	55W/60W/70W 140LM/W 30K/40K/50K SENSOR READY	9
LTPV-SLC	LTPV Seamless Coupling Channel With Connection Cable	10
LTPV-SLC-SR	LTPV Seamless Coupling Channel Sensor-Ready	10
LTPV-EC-SR	LTPV Sensor-Ready Endcap	10
WEC-3MR-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3MBT-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3PR-72-TLB-WH	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)	



NEMA 4X BUILDER SERIES LINEAR VAPOR-TIGHT FIXTURES

CCT & WATTAGE SELECTABLE



CATALOG NO.	DESCRIPTION					PKG. QTY.
LVTE-2FT-15-25W-MCTP	15W/17W/20W/25W	140LM/W	35K/40K/50K	4.25"		4
LVTE-4FT-20-35W-MCTP	20W/28W/35W	140LM/W	35K/40K/50K	4.25"		4
LVTE-4FT-30-46W-MCTP	30W/38W/46W	140LM/W	35K/40K/50K	4.25"		4
LVTE-4FT-30-60W-MCTP	30W/45W/60W	140LM/W	35K/40K/50K	4.25"		4
LVTE-8FT-45-65W-MCTP	45W/55W/65W	140LM/W	35K/40K/50K	4.25"		1
LVTE-8FT-65-110W-MCTP	65W/75W/90W/110W	140LM/W	35K/40K/50K	4.25"		1
LVTE-4FT-100-135W-MCTP	100W/120W/135W	150LM/W	35K/40K/50K	10.25		1
LVTE-4FT-150-200W-MCTP	150W/175W/200W	150LM/W	35K/40K/50K	10.25		1
LVTE-4FT-200-245W-MCTP	200W/230W/245W	150LM/W	35K/40K/50K	14.25		1
BUILDER SERIES LINEAR VAPOR-TIGHT FIXTURES WITH SENSOR & EMERGENCY BACKUP, CCT & WATTAGE SELECTABLE						
LVTE-2FT-15-25W-MCTP-EM-SEN	15W/17W/20W/25W	140LM/W	35K/40K/50K			4
LVTE-4FT-20-35W-MCTP-EM-SEN	20W/28W/35W	140LM/W	35K/40K/50K			4
LVTE-4FT-30-46W-MCTP-EM-SEN	30W/38W/46W	140LM/W	35K/40K/50K			4
LVTE-4FT-30-60W-MCTP-EM-SEN	30W/45W/60W	140LM/W	35K/40K/50K			4
LVTE-8FT-45-65W-MCTP-EM-SEN	45W/55W/65W	140LM/W	35K/40K/50K			1
LVTE-8FT-65-110W-MCTP-EM-SEN	65W/75W/90W/110W	140LM/W	35K/40K/50K			1
LVTE-4FT-100-135W-MCTP-EM-SEN	100W/120W/135W	150LM/W	35K/40K/50K			1
LVTE-4FT-150-200W-MCTP-EM-SEN	150W/175W/200W	150LM/W	35K/40K/50K			1
LVTE-4FT-200-245W-MCTP-EM-SEN	200W/230W/245W	150LM/W	35K/40K/50K			1
LVTE ACCESSORIES						
LVTE-4FT-45D-MBK	LVTE Corner Mounting Bracket Kit - Set Of Two - Use 2 Sets For 8Ft					
LVTE-4FT-JBOX-MB	LVTE Mounting Bracket For Junction Box Connection - Use 2 For 8Ft					
LVTE-4FT-JBOX-MB-IP65	LVTE Waterproof Mounting Bracket For Junction Box - Use 2 For 8Ft					
LVTE-4FT-TP-MBK	LVTE Tamper-Proof Mounting Bracket Kit - Set Of Two - Use 2 Sets For 8Ft					
LVTE-4FT-PVMBK	LVTE Adjustable Pivot Mounting Bracket Kit - Set Of Two - Use 2 Sets For 8Ft					

4.75" WIDE LED LINEAR VAPOR LIGHT

LLVT-8FT-65W-50K-D	65W	8450LM	5000K	1
LLVT-8FT-100W-40K-D	100W	13000LM	4000K	1

4.75" WIDE



4FT FIBERGLASS VAPOR TIGHT - IP67 NSF - DLC FOR STAIRWAY PASSAGEWAY



CATALOG NO.	DESCRIPTION
LVTF-4FT-30-60W-MCTP	30W/45W/60W 140LM/W 35K/40K/50K

2Ft



LLVT-2FT



6-1/4" WIDE
POLYCARBONATE IP65

4Ft



LLVT-4FT

LED TRADITIONAL LINEAR VAPOR LIGHT, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
6-1/4" WIDE POLYCARBONATE LED LINEAR VAPOR LIGHT		
LLVT-2FT-25W-MCTP-D	15W/20W/25W 130LM/W 35K/40K/50K	6
LLVT-2FT-RL	2FT REPLACEMENT LENS	-
6-3/4" WIDE POLYCARBONATE LED LINEAR VAPOR LIGHT		
LLVT-4FT-40W-MCTP-D	20W/30W/40W 130LM/W 3500K/4000K/5000K	6
LLVT-4FT-75W-MCTP-D	40W/60W/75W 130LM/W 3500K/4000K/5000K	6

FOR FACTORY-INSTALLED OPTIONS SEE LLVT OPTIONS, FOR SUSPENSION ACCESSORIES SEE PAGES 170 TO 174

4Ft



14-1/2" WIDE
POLYCARBONATE IP65



LLVT-4FT

*LED LINEAR VAPOR LIGHT (100-150W)

CLEAR PC LENS, SS CLAMPS

*SHOWN WITH CLEAR LENS (INCLUDED)



CATALOG NO.	DESCRIPTION	PKG. QTY.
LLVT-4FT-100W-MCTP-D	50W/80W/100W 130LM/W 35K/40K/50K 52" X 14.5"	1
LLVT-4FT-150W-MCTP-D	80/110/150W 130LM/W 35K/40K/50K 52" X 14.5"	1
LLVT-4FT-200W-MCTP-D	100W/150W/200W 130LM/W 35K/40K/50K 52" X 14.5"	1
LLVT-4FT-RL2T	OPTIONAL REPLACEMENT FROSTED LENS FOR LLVT	-

FOR SUSPENSION ACCESSORIES SEE PAGES 170 TO 174



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DES	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
25W to 46W	OPT-EM-LLVT-25-46	INTERNAL	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
65W to 155W	OPT-EM-LLVT-65-155	INTERNAL	OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE	N/A	OPT-SEN-NLS-LLVT	WG NETWORK SENSOR
	SURGE PROTECTOR	DES	OPT-HBC-125SB-WH	10FT, 15A, 125V/18/3STR, WHT		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-SP-10KV	120-277V	PHOTOCELL	DESCRIPTION		WEC-3RC	OPTIONAL RC
	OPT-SP-10KV-480V	480V	OPT-PC-B	BUTTON			

4Ft



LLVT-4FT-100W-MCT-D-480V
LLVT-4FT-150W-MCT-D-480V

4Ft



LLVT-4FT-40W-MCT-D-480V

8Ft



LLVT-8FT-65W-50K-D-480V
LLVT-8FT-100W-40K-D-480V

LED LINEAR VAPOR LIGHT, 480V MTO made to order



CATALOG NO.	DESCRIPTION	PKG. QTY.
4Ft	6-3/4" WIDE POLYCARBONATE LED LINEAR VAPOR LIGHT, 480V	
	LLVT-4FT-40W-MCT-D-480V 40W 5000LM 35K/40K/50K MCT	6
	14-1/2" WIDE POLYCARBONATE LED LINEAR VAPOR LIGHT, 480V	
	LLVT-4FT-100W-MCT-D-480V 100W 13500LM 35K/40K/50K MCT	1
	LLVT-4FT-150W-MCT-D-480V 150W 20250LM 35K/40K/50K MCT	1
4Ft	3" WIDE LED LINEAR VAPOR LIGHT, 480V	
	LLVT-8FT-65W-50K-D-480V 65W 8450LM 5000K	1
	LLVT-8FT-100W-40K-D-480V 100W 13000LM 4000K	1
8Ft	FOR SUSPENSION ACCESSORIES SEE PAGES 170 TO 174	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DES	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
25W to 46W	OPT-EM-LLVT-25-46	INTERNAL	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
65W to 155W	OPT-EM-LLVT-65-155	INTERNAL	OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE	N/A	OPT-SEN-NLS-LLVT	WG NETWORK SENSOR
	SURGE PROTECTOR	DES	OPT-HBC-125SB-WH	10FT, 15A, 125V, 18/3STR, WHT		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-SP-10KV	120-277V	PHOTOCELL	DESCRIPTION		WEC-3RC	OPTIONAL RC
	OPT-SP-10KV-480V	480V	OPT-PC-B	BUTTON			

LAMP-READY LINEAR VAPOR TIGHT



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
LRLVT-4FT-2L	Lamp-Ready 4Ft 2-Lamp Linear Vapor Tight 4In Wide	
LRLVT-4FT-4L	Lamp-Ready 4Ft 4-Lamp Linear Vapor Tight 10In Wide	
LRLVT-8FT-4L	Lamp-Ready 8Ft 4-Lamp Linear Vapor Tight 7In Wide	



LDL-R-36W-57K-A40
LDL-R-30W-60K-A40



LDL-R-63W-57K-A40
LDL-R-60W-60K-A40



LDL-S-63W-57K-B40R
LDL-S-50W-60K-B40R



LDL-R-E26-A40

LOADING DOCK LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
LDL-R-36W-57K-A40	36W 3960LM 5700K	2
LDL-R-30W-60K-A40	30W 3300LM 6000K	2
LDL-R-63W-57K-A40	63W 6930LM 5700K	2
LDL-R-60W-60K-A40	60W 6600LM 6000K	2
LDL-S-63W-57K-B40R	63W 6930LM 5700K	2
LDL-S-50W-60K-B40R	50W 7000LM 6000K	2
LDL-R-E26-A40	Loading Dock For Par Lamps With 1Ft Wp Connector And 40In Bracket	2

COMMERCIAL LIGHTING


SEARCH FOR THE SERIES NAME @WESTGATEMFG.COM




LPNG SERIES




SRL4 SERIES



TGLK SERIES



LTRE SERIES




LTRAR SERIES




LTRB SERIES



LTRB SERIES




LTRL SERIES



LTRI SERIES




LTRC SERIES




LTRW SERIES



LTRM SERIES



LTRR SERIES



LTRG SERIES




LTRA SERIES




LPCR SERIES



LRP-HL SERIES



LRT-HL SERIES



HEX SERIES



SCE SERIES



SCX4-IP66 SERIES




SCXA SERIES



SCX SERIES



SCX1.5 SERIES



SCX-RGB SERIES




SCXCF SERIES




SCSL SERIES



SCP SERIES




SPL SERIES



SDTL SERIES



ST360 SERIES



SFL SERIES



SCLP SERIES



SCLL SERIES



SCPP SERIES



SCPL SERIES



SCR SERIES



SCRH SERIES



POB SERIES



WCPL SERIES



LSS SERIES



LSN SERIES



LSL SERIES



LCL SERIES



LRSL SERIES



WAS SERIES



CCL SERIES



WA SERIES



WAE SERIES



WAEW SERIES



LPF SERIES



CMC SERIES



CMC-MILAN SERIES



CMC12 SERIES



CMCS SERIES



CMCS8 SERIES



CMCW SERIES



CRLC SERIES




CRLE SERIES




CR LX SERIES



CRLE-FR SERIES



CRLB SERIES



RSLC SERIES




FDLH SERIES



LSC SERIES




LVL SERIES



LVC SERIES



LVA SERIES



LVJ SERIES



LVS SERIES



CWS SERIES



LMIR SERIES



WFL SERIES



TRPK SERIES



TRE SERIES



TRP SERIES



TRD SERIES



TRS SERIES



BEST TICKET OFFICE - SCX SERIES



Live inventory. Real-time pricing. No waiting.
Access the MyWestgate Portal to check
availability and pricing instantly.
Scan the QR code to skip the line.

LED BACKLIT PANEL LIGHT, 100-277VAC

 MCTP: MULTI COLOR TEMPERATURE
 & MULTI POWER


	CATALOG NO.	DESCRIPTION	PKG. QTY.
2X2	 LPNG-2X2-MCTP4	20/30/40W 30K/35K/40K/50K 	4
	LPNG-2X2-MCTP4-BK	20W/30W/40W 30K/35K/40K/50K	4
	LPNG-2X4-4KLM-50K-D	40W 4200LM 5000K WHILE SUPPLIES LAST	4
	LPNG-2X4-5KLM-35K-D	50W 5140LM 3500K WHILE SUPPLIES LAST	4
2X4	 LPNG-2X4-MCTP4	30/40/50W 30K/35K/40K/50K 	4
	LPNG-2X4-MCTP4-BK	30W/40W/50W 30K/35K/40K/50K	4
	LPNG-2X4-6KLM-50K-D	60W 6600LM 5000K	4
	LPNG-2X4-6KLM-40K-D	60W 6600LM 4000K	4
2X4	 LPNG-2X4-6KLM-35K-D	60W 6300LM 3500K	4
	LPNG-2X4-7KLM-40K-D	60W 7920LM 4000K	4
	LPNG-2X4-7KLM-35K-D	60W 7560LM 3500K	4
	LPNG-2X4-8KLM-MCTP4	58W/68W/80W 30K/35K/40K/50K 	4
1X4	 LPNG-1X4-MCTP	20/30/40W 35K/40K/50K 	4
	LPNG-1X4-MCTP4	20/30/40W 30K/35K/40K/50K 	4
	LPNG-1X4-MCTP4-BK	20W/30W/40W 30K/35K/40K/50K 	4

RGBW LED PANEL LIGHTS, WESTGATE APP OR REMOTE CONTROL



	CATALOG NO.	DESCRIPTION	PKG. QTY.
	LPNG-2X2-RGBW	35W 4375LM RGBW	4
	LPNG-2X4-RGBW	40W 5000LM RGBW	2
	TC-RGBW-RC	Westgate App Compatible Remote Control For LPNG-RGBW	

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LPNG	EXTERNAL	OPT-FWH-63	6FT 3-Wire Whip	OPT-CLR-LPNG	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
	PLUG IN CORD	DESCRIPTION	OPT-FWH-65	6FT 5-Wire Whip		OPT-SEN-NLS-LPNG	WG NETWORK SENSOR
	OPT-HBC-12STL-BK	8FT, 15A, 125V, BLACK	OPT-FWH-66	6FT 6-Wire Whip		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-HBC-277TL-BK	8FT, 15A, 277V, BLACK				WEC-3RC	OPTIONAL RC
	OPT-HBC-125SB-BK	10FT, 15A, 125V, 18/35TR, BLACK					

ACCESSORIES FOR PANEL LIGHTS

	CATALOG NO.	DESCRIPTION
	LPNG-SRFC-2X2	Surface mounting kit for 2X2 panel EXCLUSIVE SCREWLESS DESIGN
	LPNG-SRFC-2X4	Surface mounting kit for 2X4 panel EXCLUSIVE SCREWLESS DESIGN
	LPNG-SRFC-1X4	Surface mounting kit for 1X4 panel EXCLUSIVE SCREWLESS DESIGN
	LTRE-2X2-SMK	Designer Surface mounting kit for 2X2 panel
	LTRE-2X4-SMK	Designer Surface mounting kit for 2X4 panel
	LTRE-1X4-SMK	Designer Surface mounting kit for 1X4 panel
	SCL-GSY10	Adj. 10FT 1/16" double suspension kit with Y end and heavy-duty locking hook, loop gripper on top
	SCL-GSY20	Adj. 20FT 1/16" double suspension kit with Y end and heavy-duty locking hook, loop gripper on top
	LPNG-RMK-1X4	1x4' Recessed Mounting Flange Kit for installation in hard ceilings and surfaces
	LPNG-RMK-2X2	2x2' Recessed Mounting Flange Kit for installation in hard ceilings and surfaces
	LPNG-RMK-2X4	2x4' Recessed Mounting Flange Kit for installation in hard ceilings and surfaces
	ELB-2048-EXTR	Field-installed emergency ballast; Input voltage: 100-277VAC, 50-60Hz; Input power: 4.8W (max); Output voltage: 12V-48VDC; Output power: 20W (max) Emergency operation: ≥90 mins.; Use w/ up to 60W LED fixtures; 20% lumens required by UL in power failure for FACTORY-INSTALLED OPTION see above.
	LPNG-EMMB	Emergency Battery Mounting Bracket for 2x2 & 2x4 Panels-Allows backup unit installation on top of panel (Recommended for EM Installations on 2X2 & 2X4)
	LPNG-EMMB-1X4	Emergency Battery Mounting Bracket for 1X4 Panels-Allows backup unit installation on top of panel




FLAT PANELS



SKY LIGHT RECESSED FRAME FOR PANEL LIGHTS 2-3/4" DEEP

CATALOG NO.	DESCRIPTION
LP-SLF-2X2	2X2 Sky Light Recessed Frame For Panel Lights 2-3/4 in Deep
LP-SLF-2X4	2X4 Sky Light Recessed Frame For Panel Lights 2-3/4 in Deep
LP-SLF-1X4	1X4 Sky Light Recessed Frame For Panel Lights 2-3/4 in Deep



Sensor-Ready Plug & Play
See page 103-104

PREMIUM FLAT PANELS, 125 LM/W, POWER AND WATTAGE SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
PREMIUM FLAT PANELS, 125 LM/W, POWER AND WATTAGE SELECTABLE		
LPNP-2X2-4KLM-MCTP	20W/30W/35W 125LM/W 35K/40K/50K WHILE SUPPLIES LAST	4
PREMIUM FLAT PANELS, 125 LM/W, POWER AND WATTAGE SELECTABLE		
LPNP-2X2-MCTP	19W/25W/32W 125LM/W 35K/40K/50K	4
LPNP-1X4-MCTP	19W/25W/32W 125LM/W 35K/40K/50K	4
LPNP-2X4-MCTP	24W/32W/40W 125LM/W 35K/40K/50K	4
PREMIUM FLAT PANELS, 125 LM/W, POWER AND WATTAGE SELECTABLE, SENSOR READY		
LPNP-2X2-MCTP-SR	19W/25W/32W 125LM/W 35K/40K/50K	4
LPNP-1X4-MCTP-SR	19W/25W/32W 125LM/W 35K/40K/50K	4
LPNP-2X4-MCTP-SR	24W/32W/40W 125LM/W 35K/40K/50K	4
PREMIUM FLAT PANELS, 125 LM/W, POWER AND WATTAGE SELECTABLE, EMERGENCY BACKUP		
LPNP-2X2-MCTP-EM	19W/25W/32W 125LM/W 35K/40K/50K	4
LPNP-1X4-MCTP-EM	19W/25W/32W 125LM/W 35K/40K/50K	4
LPNP-2X4-MCTP-EM	24W/32W/40W 125LM/W 35K/40K/50K	4
WEC-2PR-28-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & RC (Optional RC WEC-3RC)	
WEC-2BT-28-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level Bluetooth App Ready	





Ships disassembled
for easy on-site handling

GEN 2 FRAME LIGHT KIT 4-PIECE VER. FOR EASY HANDLING, WATTAGE & CCT WITH GRID-MOUNT DRIVER BOX



CATALOG NO.	DESCRIPTION	PKG. QTY.
TGLK-1X4-MCTP	17W/26W/36W 110LM/W 35K/40K/50K	8
TGLK-2X2-MCTP	17W/26W/36W 110LM/W 35K/40K/50K	8
TGLK-2X4-MCTP	25W/35W/45W 110LM/W 35K/40K/50K	8




WG SMART APP COMPATIBLE RGBW T-BAR GRID LIGHT (FRAME LIGHT) REMOTE DRIVER



CATALOG NO.	DESCRIPTION	PKG. QTY.
TGL-2X2-RGB-RC-BT	40W 100LM/W RGB	5
TGL-2X4-RGB-RC-BT	60W 100LM/W RGB	1

FOR REMOTE CONTROL SEE PAGE 104



T-BAR GRID LIGHT (FRAME LIGHT) REMOTE DRIVER

MCTP: MULTI COLOR TEMPERATURE
& MULTI POWER



CATALOG NO.	DESCRIPTION	PKG. QTY.
TGL-2X2-MCTP	27W/35W/40W 150LM/W 3500K/4000K/5000K	10
TGL-2X4-MCTP	35W/45W/54W 150LM/W 3500K/4000K/5000K	10
ELB-TBAR1	T-BAR BRACKET FOR MOUNTING THE REMOTE DRIVER	-



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-TGL EXTERNAL	OPT-FWH-63 6FT 3-Wire Whip OPT-FWH-65 6FT 5-Wire Whip OPT-FWH-66 6FT 6-Wire Whip	N/A	N/A	N/A

SINGLE CCT T-BAR GRID LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
TGL-2X4-30K	60W 6000LM 3000K	10



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-TGL EXTERNAL	OPT-FWH-63 6FT 3-Wire Whip OPT-FWH-65 6FT 5-Wire Whip OPT-FWH-66 6FT 6-Wire Whip	N/A	N/A	N/A

5CCT EDGE-LESS ARCHITECTURAL FLUSH MOUNT



CATALOG NO.	DESCRIPTION	PKG. QTY.
FEL-1X2-MCT5	30W 2100LM 27K/30K/35K/40K/50K	3
FEL-1X4-MCT5	60W 4200LM 27K/30K/35K/40K/50K	3



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-FEL-1X2	INTERNAL	N/A	N/A	N/A	N/A	N/A
	OPT-EM-FEL-1X4	INTERNAL					

POWER & CCT ADJUSTABLE LED SURFACE MOUNT PANELS



CATALOG NO.	DESCRIPTION	PKG. QTY.
LPSB-1X4-26-40W-MCTP5-D	26W/32W/40W 110LM/W 30K/35K/40K/50K/65K	1
LPSB-2X2-26-40W-MCTP5-D	26W/32W/40W 110LM/W 30K/35K/40K/50K/65K	1
LPSB-2X4-32-50W-MCTP5-D	32W/40W/50W 110LM/W 30K/35K/40K/50K/65K	1

POWER & CCT ADJUSTABLE INTERNAL-DRIVER LED SURFACE/RECESSED MOUNT PANELS



CATALOG NO.	DESCRIPTION	PKG. QTY.
LPS-2X2-20-40W-MCTP-D	20W/33W/40W 100LM/W 30K/40K/50K	1
LPS-2X4-30-50W-MCTP-D	30W/40W/50W 100LM/W 30K/40K/50K	1
LPS-1X4-20-40W-MCTP-D	20W/33W/40W 100LM/W 30K/40K/50K	1

INTERNAL-DRIVER LED SURFACE MOUNT PANELS, (1X4 & LARGER CAN BE RECESS MOUNTED)



CATALOG NO.	DESCRIPTION	PKG. QTY.
LPS-S4-50K-D	10W 700LM 5000K 4" Square 120VAC	20
LPS-S4-40K-D	10W 700LM 4000K 4" Square 120VAC	20
LPS-S4-30K-D	10W 700LM 3000K 4" Square 120VAC	20
LPS-S6-50K-D	12W 900LM 5000K 6" Square 120VAC	20
LPS-S6-40K-D	12W 900LM 4000K 6" Square 120VAC	20
LPS-S6-30K-D	12W 900LM 3000K 6" Square 120VAC	20
LPS-S8-50K-D	16W 1280LM 5000K 8" Square 120VAC	20
LPS-S8-40K-D	16W 1280LM 4000K 8" Square 120VAC	20
LPS-S8-30K-D	16W 1280LM 3000K 8" Square 120VAC	20
LPS-1X1-50K-D	18W 1700LM 5000K 1' X 1' 120-277VAC	16
LPS-1X1-40K-D	18W 1700LM 4000K 1' X 1' 120-277VAC	16
LPS-1X1-30K-D	18W 1700LM 3000K 1' X 1' 120-277VAC	16
LPS-1X2-50K-D	25W 2500LM 5000K 1' X 2' 120-277VAC	8
LPS-1X2-40K-D	25W 2500LM 4000K 1' X 2' 120-277VAC	8
LPS-1X2-30K-D	25W 2500LM 3000K 1' X 2' 120-277VAC	8
LPS-1X4-40K-D	40W 4000LM 4000K 1' X 4' 120-277VAC	1
LPS-2X2-50K-D	40W 4400LM 5000K 2' X 2' 120-277VAC	1
LPS-2X2-30K-D	40W 4400LM 3000K 2' X 2' 120-277VAC	1
LPS-2X4-50K-D	50W 5500LM 5000K 2' X 4' 120-277VAC	1
LPS-JBOX	Junction Box for 1 X 4, 2 X 2, 2 X 4 LPS T-Bar installation	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	FLEX WHIP	DESCRIPTION	EM OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-FWH-63	6FT 3-Wire Whip	OPT-EM-LPS	EXTERNAL	N/A	N/A	N/A
	OPT-FWH-65	6FT 5-Wire Whip					
	OPT-FWH-66	6FT 6-Wire Whip					



Sensor-ReadyPlug & Play
See page 103-104



G2 PREMIUM CENTER-LENS TROFFER POWER AND CCT ADJUSTABLE

CATALOG NO.	DESCRIPTION	PKG. QTY.
LTRE-G2-2X2-MCTP	15W/20W/25W/30W/40W 125LM/W 27K/30K/35K/40K/50K	4
LTRE-G2-2X4-MCTP	23W/30W/35W/40W/50W 125LM/W 27K/30K/35K/40K/50K	4
G2 PREMIUM CENTER-LENS TROFFER POWER AND CCT ADJUSTABLE SENSOR READY		
LTRE-G2-2X2-MCTP-SR	15W/20W/25W/30W/40W 125LM/W 27K/30K/35K/40K/50K	4
LTRE-G2-2X4-MCTP-SR	23W/30W/35W/40W/50W 125LM/W 27K/30K/35K/40K/50K	4
WEC-2PR-28-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & RC (Optional RC WEC-3RC)	
WEC-2BT-28-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level Bluetooth App Ready	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRE	MOUNTED ON TOP	OPT-FWH-63	6FT 3-Wire Whip	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
	Ribbed LENS OPTION	DESCRIPTION	OPT-FWH-65	6FT 5-Wire Whip		OPT-SEN-NLS-LTRE	WG NETWORK SENSOR
	OPT-2X2-RL	Ribbed LENS FOR 2X2	OPT-FWH-66	6FT 6-Wire Whip		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-2X4-RL	Ribbed LENS FOR 2X4				WEC-3RC	OPTIONAL RC



SHOWN WITH
SURFACE MOUNTING
KIT (SMK)

SPEC SERIES LED SELECTABLE COLOR TEMP. & WATTAGE TROFFERS, AC 100-277V

CATALOG NO.	DESCRIPTION	PKG. QTY.
LTRE-2X2-MCTP	26W, 32W, 40W 125LM/W 3500K, 4000K, 5000K	2
LTRE-2X4-MCTP	32W, 40W, 50W 125LM/W 3500K, 4000K, 5000K	2
LTRE-1X4-MCTP	26W, 32W, 40W 125LM/W 3500K, 4000K, 5000K	2

ACCESSORIES FOR LTRE & LTRE-G2 SERIES

CATALOG NO.	DESCRIPTION
LPNG-SRFC-2X2	Surface mounting kit for LTRE-G2 Series Only
LPNG-SRFC-2X4	Surface mounting kit for LTRE-G2 Series Only
LPNG-SRFC-1X4	Surface mounting kit for LTRE-G2 Series Only
LTRE-2X2-SMK	Designer Surface mounting kit for LTRE & LTRE-G2 Series
LTRE-2X4-SMK	Designer Surface mounting kit for LTRE & LTRE-G2 Series
LTRE-1X4-SMK	Designer Surface mounting kit for LTRE & LTRE-G2 Series

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRE	MOUNTED ON TOP	OPT-FWH-63	6FT 3-Wire Whip	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
	Ribbed LENS OPTION	DESCRIPTION	OPT-FWH-65	6FT 5-Wire Whip		OPT-SEN-NLS-LTRE	WG NETWORK SENSOR
	OPT-2X2-RL	Ribbed LENS FOR 2X2	OPT-FWH-66	6FT 6-Wire Whip		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-2X4-RL	Ribbed LENS FOR 2X4				WEC-3RC	OPTIONAL RC



Sensor-Ready Plug & Play
See page 103-104

PASSIVE AIR RETURN CENTER LENS TROFFER WATTAGE & CCT SELECTABLE **SENSOR-READY**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
LTRAR-2X2-MCTP-SR	20W/25W/30W/35W 135LM/W 30K/35K/40K/50K		1
LTRAR-2X4-MCTP-SR	35W/40W/45W/50W 135LM/W 30K/35K/40K/50K		1
WEC-2PR-28-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & RC (Optional RC WEC-3RC)		
WEC-2BT-28-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level Bluetooth App Ready		



BUILDER SERIES POWER & CCT- ADJUSTABLE **STACK TROFFER** REQUIRES 1 MINUTE ASSEMBLY

NO PARTIAL
MUST BUY IN PKG. QTY. **MCTP** **0-10V** **UL LISTED** **DLC LISTED**

CATALOG NO.	DESCRIPTION	PKG. QTY.
LTRS-1X4-MCTP	25W/35W/36W/40W 125LM/W 3500K/4000K/5000K	4
ELB-23120-HH-AC-FLEX	Field-Installed Battery Back Up: 20W MAX, 175VDC, Li-ion 4000mAh	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRS	EXTERNAL	OPT-FWH-63	6FT 3-Wire Whip	OPT-CLR-LPNG	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
	PLUG IN CORD	DESCRIPTION	OPT-FWH-65	6FT 5-Wire Whip		OPT-SEN-NLS-LTRS	WG NETWORK SENSOR
	OPT-HBC-125TL-BK	8FT, 15A, 125V, BLACK	OPT-FWH-66	6FT 6-Wire Whip		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-HBC-277TL-BK	8FT, 15A, 277V, BLACK				WEC-3RC	OPTIONAL RC
	OPT-HBC-125SB-BK	10FT, 15A, 125V, 18/3STR, BLACK					

SPEC SERIES ARCHITECTURAL TROFFER, BACK-LIT LED DESIGN POWER & CCT SELECTABLE

NO PARTIAL
MUST BUY IN QTY OF FOUR **MCTP** **0-10V** **UL LISTED** **DLC LISTED**

CATALOG NO.	DESCRIPTION	PKG. QTY.
LTRB-2X2-MCTP	25W/30W/35W 110LM/W 35K/40K/50K	4
LTRB-2X4-MCTP	30W/40W/50W 110LM/W 35K/40K/50K	4
LTRB-1X4-MCTP	25W/30W/35W 110LM/W 35K/40K/50K	4

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRB	EXTERNAL	OPT-FWH-63	6FT 3-Wire Whip	OPT-CLR-LPNG	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
	PLUG IN CORD	DESCRIPTION	OPT-FWH-65	6FT 5-Wire Whip		OPT-SEN-NLS-LTRB	WG NETWORK SENSOR
	OPT-HBC-125TL-BK	8FT, 15A, 125V, BLACK	OPT-FWH-66	6FT 6-Wire Whip		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-HBC-277TL-BK	8FT, 15A, 277V, BLACK				WEC-3RC	OPTIONAL RC
	OPT-HBC-125SB-BK	10FT, 15A, 125V, 18/3STR, BLACK					

SPEC SERIES LED SELECTABLE COLOR TEMP. & WATTAGE DUAL LENS TROFFER LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
LTRD-2X2-MCTP	25W/30W/35W 125LM/W 3500K/4000K/5000K	1
LTRD-2X4-MCTP	30W/40W/50W 125LM/W 3500K/4000K/5000K	1



TO SURFACE MOUNT, SELECT LTRC-SMK KITS FROM THE LTRC SERIES ABOVE



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRD	MOUNTED ON TOP	OPT-FWH-63	6FT 3-Wire Whip	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
			OPT-FWH-65	6FT 5-Wire Whip		OPT-SEN-NLS-LTRD	WG NETWORK SENSOR
			OPT-FWH-66	6FT 6-Wire Whip		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
						WEC-3RC	OPTIONAL RC

SPEC SERIES INDIRECT MESH-BASKET TROFFER WATTAGE AND CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
LTRI-2X2-MCTP	30W/40W/50W 110LM/W 30K/35K/40K/50K	1
LTRI-2X4-MCTP	50W/60W/72W 110LM/W 30K/35K/40K/50K	1



ARCHITECTURAL ADVANCED BLADE DESIGN TROFFER WATTAGE & CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
LTRL-2X2-MCTP4	30W/40W/50W 115LM/W 30K/35K/40K/50K	1
LTRL-2X4-MCTP4	50W/60W/72W 115LM/W 30K/35K/40K/50K	1
LTRL-2X2-SMK	4.5" Deep 2X2 Surface Mounting Kit For LTRL And Other Deep Troffers	
LTRL-2X4-SMK	4.5" Deep 2X4 Surface Mounting Kit For LTRL And Other Deep Troffers	



LTRC-2X2-MCTP	25W/30W/40W 125LM/W 35K/40K/50K	4
LTRC-2X4-MCTP	30W/40W/50W 125LM/W 35K/40K/50K	2



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRC	MOUNTED ON TOP	OPT-FWH-63	6FT 3-Wire Whip	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
			OPT-FWH-65	6FT 5-Wire Whip		OPT-SEN-NLS-LTRC	WG NETWORK SENSOR
			OPT-FWH-66	6FT 6-Wire Whip		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
						WEC-3RC	OPTIONAL RC

ARCHITECTURAL ADVANCED EDGE-LIT WING DESIGN TROFFER WATTAGE & CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
LTRW-2X2-MCTP4	24W/36W 115LM/W 30K/35K/40K/50K	1
LTRW-2X4-MCTP4	42W/50W 115LM/W 30K/35K/40K/50K	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRW	MOUNTED ON TOP	OPT-FWH-63	6FT 3-Wire Whip	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
			OPT-FWH-65	6FT 5-Wire Whip		OPT-SEN-NLS-LTRW	WG NETWORK SENSOR
			OPT-FWH-66	6FT 6-Wire Whip		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
						WEC-3RC	REMOTE CONTROL

ARCHITECTURAL SLOPED-LENS TROFFER, POWER & CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
LTRM-2X2-MCTP	25W/30W/36W 125LM/W 35K/40K/50K	1
LTRM-2X4-MCTP	40W/45W/50W 125LM/W 35K/40K/50K	1
LTRM-1X4-MCTP	25W/30W/36W 125LM/W 35K/40K/50K	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRM	MOUNTED ON TOP	OPT-FWH-63	6FT 3-Wire Whip	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
			OPT-FWH-65	6FT 5-Wire Whip		OPT-SEN-NLS-LTRM	WG NETWORK SENSOR
			OPT-FWH-66	6FT 6-Wire Whip		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
						WEC-3RC	REMOTE CONTROL



ARCHITECTURAL RECESSED PANEL LIGHT, WATTAGE & CCT SELECTABLE





CATALOG NO.	DESCRIPTION	PKG. QTY.
LTRR-2X2-MCTP4	24W/35W/40W 110LM/W 30K/35K/40K/50K	1
LTRR-2X4-MCTP4	30W/40W/50W 110LM/W 30K/35K/40K/50K	1
LTRR-2X2-SMK	Deep 2X2 Surface-Mounting Kit For LTRR And Other Deep Troffers	
LTRR-2X4-SMK	Deep 2X4 Surface-Mounting Kit For LTRR And Other Deep Troffers	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRR	MOUNTED ON TOP	OPT-FWH-63	6FT 3-Wire Whip	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
			OPT-FWH-65	6FT 5-Wire Whip		OPT-SEN-NLS-LTRR	WG NETWORK SENSOR
			OPT-FWH-66	6FT 6-Wire Whip		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
						WEC-3RC	REMOTE CONTROL



ARCHITECTURAL GRILLE TROFFER, WATTAGE & CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
LTRG-2X2-MCTP	24W/28W/36W 120LM/W 35K/40K/50K	1
LTRG-1X4-MCTP	24W/28W/36W 120LM/W 35K/40K/50K	1
LTRG-2X4-MCTP	30W/40W/50W 120LM/W 35K/40K/50K	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRG	MOUNTED ON TOP	OPT-FWH-63	6FT 3-Wire Whip	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
			OPT-FWH-65	6FT 5-Wire Whip		OPT-SEN-NLS-LTRG	WG NETWORK SENSOR
			OPT-FWH-66	6FT 6-Wire Whip		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
						WEC-3RC	REMOTE CONTROL



APERTURE GRILLE TROFFER, WATTAGE & CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
LTRA-1X4-MCTP	20W/25W/30W/40W 125LM/W 35K/40K/50K	1
LTRA-2X2-MCTP	20W/25W/30W/40W 125LM/W 35K/40K/50K	1
LTRA-2X4-MCTP	30W/40W/50W/60W 125LM/W 35K/40K/50K	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRA	MOUNTED ON TOP	OPT-FWH-63 OPT-FWH-65 OPT-FWH-66	6FT 3-Wire Whip 6FT 5-Wire Whip 6FT 6-Wire Whip	N/A	OPT-SEN-2MDR-36 OPT-SEN-NLS-LTRA OPT-SEN-KEILTON WEC-3RC	PROGRAMMABLE MICROWAVE BI-LEVEL WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL

PREMIUM IP65 CLEANROOM TROFFER, POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
LPCR-2X2-MCTP	25W/30W/40W 125LM/W 35K/40K/50K	2
LPCR-2X4-MCTP	30W/40W/50W 125LM/W 35K/40K/50K	1
LPCR-1X4-MCTP	25W/30W/40W 125LM/W 35K/40K/50K	2
LPCR-2X2-HL-MCTP	40W/48W/60W 125LM/W 30K/40K/50K	
LPCR-2X4-HL-MCTP	60W/80W/100W 125LM/W 30K/40K/50K	
LPCR-1X4-HL-MCTP	40W/48W/60W 125LM/W 30K/40K/50K	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LPCR	MOUNTED ON TOP	OPT-FWH-63 OPT-FWH-65 OPT-FWH-66	6FT 3-Wire Whip 6FT 5-Wire Whip 6FT 6-Wire Whip	N/A	OPT-SEN-2MDR-36 OPT-SEN-NLS-LPCR OPT-SEN-KEILTON WEC-3RC	PROGRAMMABLE MICROWAVE BI-LEVEL WG NETWORK SENSOR KEILTON NETWORK SENSOR OPTIONAL RC

PREMIUM HIGH-LUMEN RETROFIT FLAT PANEL

**NO PARTIAL
MUST BUY IN PKG. QTY.**

CATALOG NO.	DESCRIPTION	PKG. QTY.
LRP-HL-2X2-MCTP	16W/20W/24W 125LM/W 35K/40K/50K	2
LRP-HL-2X4-MCTP	24W/30W/40W 125LM/W 35K/40K/50K	2

PREMIUM HIGH-LUMEN RETROFIT TROFFER-POWER & CCT ADJUSTABLE

**NO PARTIAL
MUST BUY IN PKG. QTY.**

CATALOG NO.	DESCRIPTION	PKG. QTY.
LRT-HL-2X2-MCTP	15W/20W/25W 125LM/W 35K/40K/50K	2
LRT-HL-2X4-MCTP	30W/40W/50W 125LM/W 35K/40K/50K	2

HEX CAR SHOP DECORATIVE LIGHT KIT WITH FRAME 96in X 190in



CATALOG NO.	DESCRIPTION	PKG. QTY.
HEX-96X190-534W-65K-UNIV	534W 130LM/W 6500K	1
HEX-96X190-534W-30K-UNIV	534W 130LM/W 3000K	1





HEX CAR SHOP DECORATIVE LIGHT KIT WITH FRAME 96" X 190" WESTGATE APP OR REMOTE CONTROL



CATALOG NO.	DESCRIPTION	PKG. QTY.
HEX-96X190-RGB-RC-BT FOR REMOTE CONTROL SEE PAGE 104	534W 130LM/W RGB	1

COMMERCIAL

LINEAR LIGHTS



Shown with
Drywall (Sheet Rock) kit


SLOT RECESSED COMMERCIAL LINEAR LIGHTS, 4" OR 6" WIDE, CCT & WATTAGE SELECT **MCTP**

CATALOG NO.	DESCRIPTION	PKG. QTY.
SRL4-2FT-MCTP	10W/15W/20W 110LM/W 30K/40K/50K 2FT & 4" WIDE	
SRL4-4FT-MCTP	20W/30W/40W 110LM/W 30K/40K/50K 4FT & 4" WIDE	
SRL4-8FT-MCTP	40W/60W/80W 110LM/W 30K/40K/50K 8FT & 4" WIDE	
SRL6-2FT-MCTP	10W/15W/20W 110LM/W 35K/40K/50K 2FT & 6" WIDE	6
SRL6-4FT-MCTP	20W/30W/40W 110LM/W 35K/40K/50K 4FT & 6" WIDE	6
SRL6-8FT-MCTP	40W/60W/80W 110LM/W 35K/40K/50K 8FT & 6" WIDE	6
SRL4-2FT-DWK	2Ft 4in Slot Recessed Linear Light Drywall Mounting Kit For SRL4-2FT	
SRL4-4FT-DWK	4Ft 4in Slot Recessed Linear Light Drywall Mounting Kit For SRL4-4FT	
SRL4-8FT-DWK	8Ft 4in Slot Recessed Linear Light Drywall Mounting Kit For SRL4-8FT	
SRL6-2FT-DWK	2Ft 6in Slot Recessed Linear Light Drywall Mounting Kit For SRL6-2FT	
SRL6-4FT-DWK	4Ft 6in Slot Recessed Linear Light Drywall Mounting Kit For SRL6-4FT	
SRL6-8FT-DWK	8Ft 6in Slot Recessed Linear Light Drywall Mounting Kit For SRL6-8FT	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2FT, 4FT	OPT-EM-SRL6	EXTERNAL	N/A	N/A	N/A	N/A	N/A
8FT	OPT-EM-SRL6-8FT	EXTERNAL					



SCE-XB
X CONNECTOR




SCE-SB-SIL
SEAMLESS CONNECTOR
FOR ALL FINISHES



SCE-LB
L CONNECTOR



SCE-TB
T CONNECTOR



SCE-WM-KIT-SIL
WALL-MOUNT KIT FOR ALL
FINISHES

BUILDER SERIES POWER & CCT- ADJUSTABLE LINEAR LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCE-4FT-40W-MCTP-D	30W/35W/40W 110LM/W 3500K/4000K/5000K White	8
SCE-4FT-40W-MCTP-D-BK	30W/35W/40W 110LM/W 3500K/4000K/5000K Black	8
SCE-4FT-40W-MCTP-D-SIL	30W/35W/40W 110LM/W 3500K/4000K/5000K Silver	8
SCE-6FT-50W-MCTP-D	40W/45W/50W 110LM/W 3500K/4000K/5000K White	6
SCE-6FT-50W-MCTP-D-BK	40W/45W/50W 110LM/W 3500K/4000K/5000K Black	6
SCE-6FT-50W-MCTP-D-SIL	40W/45W/50W 110LM/W 3500K/4000K/5000K Silver	6
SCE-8FT-70W-MCTP-D	50W/60W/72W 110LM/W 35K/40K/50K White	
SCE-8FT-70W-MCTP-D-BK	50W/60W/72W 110LM/W 35K/40K/50K Black	
SCE-8FT-70W-MCTP-D-SIL	50W/60W/72W 110LM/W 35K/40K/50K Silver	
SCE-ULM-4FT-MCTP-D	4Ft SCE Series Uplight Module 35/40/50K Transfers 30% Power To Top	
SCE-ULM-6FT-MCTP-D	6Ft SCE Series Uplight Module 35/40/50K Transfers 30% Power To Top	
SCE-ULM-8FT-MCTP-D	8Ft SCE Series Uplight Module 35/40/50K Transfers 30% Power To Top	
SCE-TB	SCE Series T Linking Bracket	
SCE-LB	SCE Series L Linking Bracket	
SCE-XB	SCE Series X Linking Bracket	
SCE-TB-BK	SCE Series T Linking Bracket, Black	
SCE-LB-BK	SCE Series L Linking Bracket, Black	
SCE-XB-BK	SCE Series X Linking Bracket, Black	
SCE-SB-SIL	SCE Series Straight Linking Bracket -Seamless Connection For All Finishes	
SCE-TB-SIL	SCE Series T Linking Bracket, Silver	
SCE-LB-SIL	SCE Series L Linking Bracket, Silver	
SCE-XB-SIL	SCE Series X Linking Bracket, Silver	
SCE-WM-KIT-SIL	Wall-Mount Brkt, Field-Installed, Use 2 For 4Ft And 6Ft, 3 For 8Ft, Silver	
SCE-FLEXLENS-25FT	SCE Flexible Lens Roll Of 25Ft	
SCE-FLEXLENS-100FT	SCE Flexible Lens Roll Of 100Ft	


FOR SUSPENSION KIT SEE PAGES 170 TO 174



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-SCE OPT-EM-SCE-8FT	INTERNAL INTERNAL	N/A	N/A	N/A	N/A	N/A

Surface Mounted



SCX4-IP66-SUR-4FT-40-80W-MCTP
SCX4-IP66-SUR-8FT-80-160W-MCTP



Wall Mounted



SCX4-IP66-SUS-4FT-40-80W-MCTP
SCX4-IP66-SUS-8FT-80-160W-MCTP
Rod Kit Sold Separately

Suspended



SCX4-IP66-SUS-4FT-40-80W-MCTP
SCX4-IP66-SUS-8FT-80-160W-MCTP
Rod Kit Sold Separately



SCX4-IP66-SCBK



SCX4-IP66-ACPT-6FT
SCX4-IP66-ACPT-10FT




SCX4-IP66-JUMP

POWER & CCT- ADJUSTABLE LINEAR LIGHT, 120-277V, IP66 WET LOCATION




CATALOG NO.	DESCRIPTION	PKG. QTY.
SCX4-IP66-SUR-4FT-40-80W-MCTP	40W/60W/80W 105LM/W 35K/40K/50K Surface Mounted	4
SCX4-IP66-SUR-8FT-80-160W-MCTP	80W/120W/160W 105LM/W 35K/40K/50K Surface Mounted	2
SCX4-IP66-SUS-4FT-40-80W-MCTP	40W/60W/80W 105LM/W 35K/40K/50K Suspended	4
SCX4-IP66-SUS-8FT-80-160W-MCTP	80W/120W/160W 105LM/W 35K/40K/50K Suspended	2
SCX4-IP66-ACPT-6FT	SCX4-IP66 6Ft Ac Pigtail With Female Wet Loc. Connector	
SCX4-IP66-ACPT-10FT	SCX4-IP66 10Ft Ac Pigtail With Female Wet Loc. Connector	
SCX4-IP66-JUMP-6IN	SCX4-IP66 6In Ac Jump Cable With Male And Female Wet Loc. Connector	
SCX4-IP66-JUMP-12IN	SCX4-IP66 12In Ac Jump Cable With Male And Female Wet Loc. Connector	
SCX4-IP66-JUMP-2FT-WH	SCX4-IP66 2FT Ac Jump Cable With Male And Female Wet Loc. Connector	
SCX4-IP66-JUMP-4FT-WH	SCX4-IP66 4FT Ac Jump Cable With Male And Female Wet Loc. Connector	
SCX4-IP66-JUMP-6FT-WH	SCX4-IP66 6FT Ac Jump Cable With Male And Female Wet Loc. Connector	
SCX4-IP66-JUMP-8FT-WH	SCX4-IP66 8FT Ac Jump Cable With Male And Female Wet Loc. Connector	
SCX4-IP66-CB	SCX4-IP66 Coupling Bracket	
SCX4-IP66-RODKIT-18IN	SCX4-IP66 18In Suspension Rod Kit	
SCX4-IP66-RODKIT-24IN	SCX4-IP66 24In Suspension Rod Kit	
SCX4-IP66-SCBK	SCX4-IP66 Bracket Set For Suspension With Aircraft Cable	

FOR SUSPENSION KIT (SCL-GS210 & SCL-GS220) SEE PAGES 172




SCXA2-4FT-40W-MCTP-BB
UGR25 50D FULL OPTIC




SCXA2-4FT-40W-MCTP-CD-BB
UGR25 50D COMBINED DISTRIBUTION
OPTIC + PC LENS



SCXA2-4FT-40W-MCTP-WW
UGR25 50D FULL OPTIC



SCXA2-4FT-40W-MCTP-CD-WW
UGR25 50D COMBINED DISTRIBUTION
OPTIC + PC LENS



SCX2-TRACK-H

ARCHITECTURAL 2" OPTIC & COMBINED-DISTRIBUTION LINEAR WITH MULTIPLE APERTURE OPTIONS



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCXA2-2FT-20W-MCTP-CD-BB	10W/15W/20W 100LM/W 30K/35K/40K 7.5" Optic Ends	1
SCXA2-2FT-20W-MCTP-CD-WW	10W/15W/20W 100LM/W 30K/35K/40K 7.5" Optic Ends	1
SCXA2-4FT-40W-MCTP-CD-BB	20W/30W/40W 100LM/W 30K/35K/40K 7.5" Optic Ends	6
SCXA2-4FT-40W-MCTP-CD-WW	20W/30W/40W 100LM/W 30K/35K/40K 7.5" Optic Ends	6
SCXA2-6FT-60W-MCTP-CD-BB	40W/50W/60W 100LM/W 30K/35K/40K 15" Optic Ends	4
SCXA2-6FT-60W-MCTP-CD-WW	40W/50W/60W 100LM/W 30K/35K/40K 15" Optic Ends	4
SCXA2-8FT-80W-MCTP-CD-BB	60W/70W/80W 100LM/W 30K/35K/40K 23" Optic Ends	4
SCXA2-8FT-80W-MCTP-CD-WW	60W/70W/80W 100LM/W 30K/35K/40K 23" Optic Ends	4
SCXA2-2FT-20W-MCTP-BB	10W/15W/20W 100LM/W 30K/35K/40K	1
SCXA2-2FT-20W-MCTP-WW	10W/15W/20W 100LM/W 30K/35K/40K	1
SCXA2-4FT-40W-MCTP-BB	20W/30W/40W 100LM/W 30K/35K/40K	6
SCXA2-4FT-40W-MCTP-WW	20W/30W/40W 100LM/W 30K/35K/40K	6
SCXA2-6FT-60W-MCTP-BB	40W/50W/60W 100LM/W 30K/35K/40K	4
SCXA2-6FT-60W-MCTP-WW	40W/50W/60W 100LM/W 30K/35K/40K	4
SCXA2-8FT-80W-MCTP-BB	60W/70W/80W 100LM/W 30K/35K/40K	4
SCXA2-8FT-80W-MCTP-WW	60W/70W/80W 100LM/W 30K/35K/40K	4
SCX2-TRACK-H-BK	Track Light Socket End Extension H-Type Black	
SCX2-TRACK-H-WH	Track Light Socket End Extension H-Type White	
SCXA2-BCP-4FT-BK	Blank Cover For 4Ft to Replace PC Lens, Black	
SCXA2-BCP-6FT-BK	Blank Cover For 6Ft to Replace PC Lens, Black	
SCXA2-BCP-8FT-BK	Blank Cover For 8Ft to Replace PC Lens, Black	
SCXA2-BCP-4FT-WH	Blank Cover For 4Ft to Replace PC Lens, White	
SCXA2-BCP-6FT-WH	Blank Cover For 6Ft to Replace PC Lens, White	
SCXA2-BCP-8FT-WH	Blank Cover For 8Ft to Replace PC Lens, White	
SCXA2-OLS-50D-BK	Replacement Standard Optic Lens 50D 8in Long, Black	
SCXA2-OLS-50D-WH	Replacement Standard Optic Lens 50D 8in Long, White	

UGR OPTIC LENS



CATALOG NO.

OPT-SCXA2-4FT-WH-50D	UGR Less Than 10, 50D Optic, White
OPT-SCXA2-4FT-WH-70D	UGR Less Than 10, 70D Optic, White
OPT-SCXA2-4FT-BK-50D	UGR Less Than 10, 50D Optic, Black
OPT-SCXA2-4FT-BK-70D	UGR Less Than 10, 70D Optic, Black
OPT-SCXA2-6FT-WH-50D	UGR Less Than 10, 50D Optic, White
OPT-SCXA2-6FT-WH-70D	UGR Less Than 10, 70D Optic, White
OPT-SCXA2-6FT-BK-50D	UGR Less Than 10, 50D Optic, Black
OPT-SCXA2-6FT-BK-70D	UGR Less Than 10, 70D Optic, Black
OPT-SCXA2-8FT-WH-50D	UGR Less Than 10, 50D Optic, White
OPT-SCXA2-8FT-WH-70D	UGR Less Than 10, 70D Optic, White
OPT-SCXA2-8FT-BK-50D	UGR Less Than 10, 50D Optic, Black
OPT-SCXA2-8FT-BK-70D	UGR Less Than 10, 70D Optic, Black



SCXA-4FT-40W-MCTP-BB
UGR25 50D FULL OPTIC



SCXA-4FT-40W-MCTP-CD-BB
UGR25 50D COMBINED DISTRIBUTION
OPTIC + PC LENS



SCXA-4FT-40W-MCTP-WW
UGR25 50D FULL OPTIC



SCXA-4FT-40W-MCTP-CD-WW
UGR25 50D COMBINED DISTRIBUTION
OPTIC + PC LENS

ARCHITECTURAL 2-3/4" OPTIC & COMBINED-DISTRIBUTION LINEAR WITH MULTIPLE APERTURE OPTIONS



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCXA-2FT-20W-MCTP-CD-BB	10W/15W/20W 100LM/W 30K/35K/40K 7.5" Optic Ends	1
SCXA-2FT-20W-MCTP-CD-WW	10W/15W/20W 100LM/W 30K/35K/40K 7.5" Optic Ends	1
SCXA-4FT-40W-MCTP-CD-BB	20W/30W/40W 100LM/W 30K/35K/40K 7.5" Optic Ends	6
SCXA-4FT-40W-MCTP-CD-WW	20W/30W/40W 100LM/W 30K/35K/40K 7.5" Optic Ends	6
SCXA-6FT-60W-MCTP-CD-BB	40W/50W/60W 100LM/W 30K/35K/40K 15" Optic Ends	4
SCXA-6FT-60W-MCTP-CD-WW	40W/50W/60W 100LM/W 30K/35K/40K 15" Optic Ends	4
SCXA-8FT-80W-MCTP-CD-BB	60W/70W/80W 100LM/W 30K/35K/40K 23" Optic Ends	4
SCXA-8FT-80W-MCTP-CD-WW	60W/70W/80W 100LM/W 30K/35K/40K 23" Optic Ends	4
SCXA-2FT-20W-MCTP-BB	10W/15W/20W 100LM/W 30K/35K/40K	1
SCXA-2FT-20W-MCTP-WW	10W/15W/20W 100LM/W 30K/35K/40K	1
SCXA-4FT-40W-MCTP-BB	20W/30W/40W 100LM/W 30K/35K/40K	6
SCXA-4FT-40W-MCTP-WW	20W/30W/40W 100LM/W 30K/35K/40K	6
SCXA-6FT-60W-MCTP-BB	40W/50W/60W 100LM/W 30K/35K/40K	4
SCXA-6FT-60W-MCTP-WW	40W/50W/60W 100LM/W 30K/35K/40K	4
SCXA-8FT-80W-MCTP-BB	60W/70W/80W 100LM/W 30K/35K/40K	4
SCXA-8FT-80W-MCTP-WW	60W/70W/80W 100LM/W 30K/35K/40K	4
SCXA-BCP-2FT-BK	2Ft (Also 4Ft) Blank Cover-Plate Accessory To Replace Center Pc Lens, Black	
SCXA-BCP-2FT-WH	2Ft (Also 4Ft) Blank Cover-Plate Accessory To Replace Center Pc Lens, White	
SCXA-BCP-4FT-BK	4Ft (Also 6Ft 8Ft) Blank Cover-Plate Accessory To Replace Center Pc Lens, Black	
SCXA-BCP-4FT-WH	4Ft (Also 6Ft 8Ft) Blank Cover-Plate Accessory To Replace Center Pc Lens, White	
SCXA-OLS-40D-BK	Replacement Optic Lens 40D 6In Long, Black	
SCXA-OLS-40D-WH	Replacement Optic Lens 40D 6In Long, White	
SCX-TRACK-H-BK	Scx Track Light Socket End Extension H-Type, Black	
SCX-TRACK-H-WH	Scx Track Light Socket End Extension H-Type, White	
SCXA-OLS-60D-BK	Replacement Standard Optic Lens 60D 6In Long, Black	
SCXA-OLS-60D-WH	Replacement Standard Optic Lens 60D 6In Long, White	

SCX 2-3/4" (Linkable)	REGRESSED 2-3/4"	LOUVER 2-3/4" (Linkable)	WHITE LOUVER 2-3/4" (Linkable)	DIAM 2-3/4"
	MTO made to order 	MTO made to order 	MTO made to order 	MTO made to order 


SCX-1FT-10W-MCT4-D	SCX-1FT-10W-MCT4-D-REG	SCX-1FT-10W-MCT4-D-LUV	SCX-1FT-10W-MCT4-D-LUV-WH	SCX-1FT-10W-MCT4-D-DIAM
SCX-2FT-20W-MCT4-D	SCX-2FT-20W-MCT4-D-REG	SCX-2FT-20W-MCT4-D-LUV	SCX-2FT-20W-MCT4-D-LUV-WH	SCX-2FT-20W-MCT4-D-DIAM
SCX-3FT-30W-MCT4-D	SCX-3FT-30W-MCT4-D-REG	SCX-3FT-30W-MCT4-D-LUV	SCX-3FT-30W-MCT4-D-LUV-WH	SCX-3FT-30W-MCT4-D-DIAM
SCX-4FT-40W-MCT4-D	SCX-4FT-40W-MCT4-D-REG	SCX-4FT-40W-MCT4-D-LUV	SCX-4FT-40W-MCT4-D-LUV-WH	SCX-4FT-40W-MCT4-D-DIAM
SCX-6FT-60W-MCT4-D	SCX-6FT-60W-MCT4-D-REG	SCX-6FT-60W-MCT4-D-LUV	SCX-6FT-60W-MCT4-D-LUV-WH	SCX-6FT-60W-MCT4-D-DIAM
SCX-8FT-80W-MCT4-D	SCX-8FT-80W-MCT4-D-REG	SCX-8FT-80W-MCT4-D-LUV	SCX-8FT-80W-MCT4-D-LUV-WH	SCX-8FT-80W-MCT4-D-DIAM






UPLIGHT FOR SCX SERIES AND THEIR VARIANTS

2FT	3FT	4FT	6FT	8FT
OPT-SCX-ULM-2FT-8W-MCT4	OPT-SCX-ULM-3FT-12W-MCT4	OPT-SCX-ULM-4FT-16W-MCT4	OPT-SCX-ULM-6FT-24W-MCT4	OPT-SCX-ULM-8FT-32W-MCT4

MODULES FOR SCX SERIES


6in Module  SCX-6IN-MCT4	9in Module  SCX-9IN-MCT4	L Module  SCX-L-MCT4	T Module  SCX-T-MCT4	X Module  SCX-X-MCT4
Inside Corner Module  SCX-IC-MCT4	Outside Corner Module  SCX-OC-MCT4	Y Module  SCX-Y-MCT4	120° Corner  SCX-C120-MCT4	C60 Module  SCX-C60-MCT4
Round Corner Module  SCX-RC-MCT4				

DROP LENS 2-3/4"	SOLID PMMA LENS 2-3/4"	INDIRECT 2-3/4"	IDL 2-3/4"	SCXIF & 2F L FIXTURE
MTO made to order 		MTO made to order 	MTO made to order 	

SCX-1FT-10W-MCT4-D-DL	SCX-2FT-20W-MCT4-DLP	SCX-2FT-20W-MCT4-D-IND	SCX-2FT-20W-MCT4-D-IDL	SCX-1FT-20W-MCT4
SCX-2FT-20W-MCT4-D-DL	N/A	SCX-3FT-30W-MCT4-D-IND	SCX-3FT-30W-MCT4-D-IDL	SCX-L2FT-40W-MCT4
SCX-3FT-30W-MCT4-D-DL	SCX-4FT-40W-MCT4-DLP	SCX-4FT-40W-MCT4-D-IND	SCX-4FT-40W-MCT4-D-IDL	SCX 2F Y FIXTURE 
SCX-4FT-40W-MCT4-D-DL	N/A	SCX-6FT-60W-MCT4-D-IND	SCX-6FT-60W-MCT4-D-IDL	SCX-Y2FT-60W-MCT4-D
SCX-6FT-60W-MCT4-D-DL	N/A	SCX-8FT-80W-MCT4-D-IND	SCX-8FT-80W-MCT4-D-IDL	SCX-Y2FT-60W-MCT4-D
SCX-8FT-80W-MCT4-D-DL		 SHOWN WITH SUSPENSION KIT SCL-3CS10 ADJ. 10FT 1/16in TRIPLE-CABLE SUSPENSION CANOPY KIT WITH KEYHOLE END CONNECTORS (NO CORD INCL.)		UPLIGHT OPT-SCX-ULM-L2FT-16W-MCT4 OPT-SCX-ULM-Y2FT-24W-MCT4
UPLIGHT OPT-SCX-ULM-2FT-8W-MCT4	UPLIGHT OPT-SCX-ULM-2FT-8W-MCT4			
OPT-SCX-ULM-3FT-12W-MCT4	N/A			
OPT-SCX-ULM-4FT-16W-MCT4	OPT-SCX-ULM-4FT-16W-MCT4			
OPT-SCX-ULM-6FT-24W-MCT4	N/A			
OPT-SCX-ULM-8FT-32W-MCT4	N/A			



MADE USING
SCX + L CORNERS



SCX-L2FT-40W-MCT4
INSTALLED



MADE USING
SCX + C120 CORNERS



SCX-Y2FT-60W-MCT4
INSTALLED

*MCT4: MULTI COLOR TEMPERATURE
(3000K, 3500K, 4000K, 5000K)



SCX

SUPERIOR ARCHITECTURAL

SEAMLESS LINKABLE LINEAR LIGHTING SYSTEM



SCX 2-3/4" (Linkable)	LOUVER 2-3/4" (Linkable)	DROP LENS 2-3/4"	INDIRECT 2-3/4"
	MTO made to order 	MTO made to order 	MTO made to order

SCX MODELS

	SCX 2-3/4" (Linkable)	LOUVER 2-3/4" (Linkable)	DROP LENS 2-3/4"	INDIRECT 2-3/4"
1FT BLACK 10W & 110LM/W	SCX-1FT-10W-MCT4-D-BK	N/A	N/A	N/A
2FT BLACK 20W & 110LM/W	SCX-2FT-20W-MCT4-D-BK	SCX-2FT-20W-MCT4-D-LUV-BK	SCX-2FT-20W-MCT4-D-DL-BK	SCX-2FT-20W-MCT4-D-IND-BK
3FT BLACK 30W & 110LM/W	SCX-3FT-30W-MCT4-D-BK	SCX-3FT-30W-MCT4-D-LUV-BK	SCX-3FT-30W-MCT4-D-DL-BK	SCX-3FT-30W-MCT4-D-IND-BK
4FT BLACK 40W & 110LM/W	SCX-4FT-40W-MCT4-D-BK	SCX-4FT-40W-MCT4-D-LUV-BK	SCX-4FT-40W-MCT4-D-DL-BK	SCX-4FT-40W-MCT4-D-IND-BK
6FT BLACK 60W & 110LM/W	SCX-6FT-60W-MCT4-D-BK	SCX-6FT-60W-MCT4-D-LUV-BK	SCX-6FT-60W-MCT4-D-DL-BK	SCX-6FT-60W-MCT4-D-IND-BK
8FT BLACK 80W & 110LM/W	SCX-8FT-80W-MCT4-D-BK	SCX-8FT-80W-MCT4-D-LUV-BK	SCX-8FT-80W-MCT4-D-DL-BK	SCX-8FT-80W-MCT4-D-IND-BK





UPLIGHT FOR SCX BLACK SERIES AND THEIR VARIANTS

2FT	3FT	4FT	6FT	8FT
OPT-SCX-ULM-2FT-8W-MCT4	OPT-SCX-ULM-3FT-12W-MCT4	OPT-SCX-ULM-4FT-16W-MCT4	OPT-SCX-ULM-6FT-24W-MCT4	OPT-SCX-ULM-8FT-32W-MCT4

MODULES FOR SCX BLACK SERIES


6in Module SCX-6IN-MCT4-BK	9in Module SCX-9IN-MCT4-BK	L Module SCX-L-MCT4-BK	T Module SCX-T-MCT4-BK	X Module SCX-X-MCT4-BK
Inside Corner Module SCX-IC-MCT4-BK	Y Module SCX-Y-MCT4-BK	120° Corner SCX-C120-MCT4-BK	C60 Module SCX-C60-MCT4-BK	Round Corner Module SCX-RC-MCT4-BK

SCX 1.5 (Linkable)	SCX 1.5 Black (Linkable)	SCX1.5-L	SCX1.5-L Black
			

SCX MODELS

1FT UP/DOWN 10W & 110LM/W	SCX1.5-1FT-UD-MCT5	SCX1.5-1FT-UD-MCT5-BK	SCX1.5-L1FT-UD-MCTP5	SCX1.5-L1FT-UD-MCTP5-BK
2FT UP/DOWN 20W & 110LM/W	SCX1.5-2FT-UD-MCTP5-D	SCX1.5-2FT-UD-MCTP5-D-BK	SCX1.5-L2FT-UD-MCTP5	SCX1.5-L2FT-UD-MCTP5-BK
3FT UP/DOWN 30W & 110LM/W	SCX1.5-3FT-UD-MCTP5-D	SCX1.5-3FT-UD-MCTP5-D-BK	SCX1.5-CONKIT	N/A
4FT UP/DOWN 40W & 110LM/W	SCX1.5-4FT-UD-MCTP5-D	SCX1.5-4FT-UD-MCTP5-D-BK	N/A	N/A
6FT UP/DOWN 60W & 110LM/W	SCX1.5-6FT-UD-MCTP5-D	SCX1.5-6FT-UD-MCTP5-D-BK	N/A	N/A
8FT UP/DOWN 80W & 110LM/W	SCX1.5-8FT-UD-MCTP5-D	SCX1.5-8FT-UD-MCTP5-D-BK	N/A	N/A



MODULES FOR SCX SERIES

6in Module  SCX1.5-6IN-UD-MCT5	9in Module  SCX1.5-9IN-UD-MCT5	L Module  SCX1.5-L-UD-MCT5	T Module  SCX1.5-T-UD-MCT5	X Module  SCX1.5-X-UD-MCT5
Inside CornerModule  SCX1.5-IC-UD-MCT5	Outside Corner Module  SCX1.5-OC-UD-MCT5	Y Module  SCX1.5-Y-UD-MCT5	120° Corner  SCX1.5-C120-UD-MCT5	C60 Module  SCX1.5-C60-UD-MCT5
6in Module  SCX1.5-6IN-UD-MCT5-BK	9in Module  SCX1.5-9IN-UD-MCT5-BK	L Module  SCX1.5-L-UD-MCT5-BK	T Module  SCX1.5-T-UD-MCT5-BK	X Module  SCX1.5-X-UD-MCT5-BK
Inside CornerModule  SCX1.5-IC-UD-MCT5-BK	Outside Corner Module  SCX1.5-OC-UD-MCT5-BK	Y Module  SCX1.5-Y-UD-MCT5-BK	120° Corner  SCX1.5-C120-UD-MCT5-BK	C60 Module  SCX1.5-C60-UD-MCT5-BK

SCX4 4" (Linkable)	WHITE LOUVER 4" (Linkable)	IDL 4"	WALLWASH 4"
	MTO made to order 	MTO made to order 	MTO made to order 

1FT 10W & 110LM/W	SCX4-1FT-10W-MCT4-D	SCX4-1FT-10W-MCT4-D-LUV-WH	N/A	N/A
2FT 20W & 110LM/W	SCX4-2FT-20W-MCT4-D	SCX4-2FT-20W-MCT4-D-LUV-WH	SCX4-2FT-20W-MCT-D-IDL	SCX4-2FT-20W-MCT4-WSH
3FT 30W & 110LM/W	SCX4-3FT-30W-MCT4-D	SCX4-3FT-30W-MCT4-D-LUV-WH	SCX4-3FT-30W-MCT-D-IDL	SCX4-3FT-30W-MCT4-WSH
4FT 40W & 110LM/W	SCX4-4FT-40W-MCT4-D	SCX4-4FT-40W-MCT4-D-LUV-WH	SCX4-4FT-40W-MCT-D-IDL	SCX4-4FT-40W-MCT4-WSH
6FT 60W & 110LM/W	SCX4-6FT-60W-MCT4-D	SCX4-6FT-60W-MCT4-D-LUV-WH	SCX4-6FT-60W-MCT-D-IDL	N/A
8FT 80W & 110LM/W	SCX4-8FT-80W-MCT4-D	SCX4-8FT-80W-MCT4-D-LUV-WH	SCX4-8FT-80W-MCT-D-IDL	N/A

UPLIGHT FOR SCX4 SERIES AND THEIR VARIANTS				
2FT	3FT	4FT	6FT	8FT
OPT-SCX-ULM-2FT-8W-MCT4	OPT-SCX-ULM-3FT-12W-MCT4	OPT-SCX-ULM-4FT-16W-MCT4	OPT-SCX-ULM-6FT-24W-MCT4	OPT-SCX-ULM-8FT-32W-MCT4

MODULES FOR SCX4 SERIES				
L Module  SCX4-L-MCT4	T Module  SCX4-T-MCT4	X Module  SCX4-X-MCT4	Inside Corner  SCX4-IC-MCT4	

SCX

SUPERIOR ARCHITECTURAL
SEAMLESS LINKABLE LINEAR LIGHTING SYSTEM



SCX2 2" (Linkable)	SCX2 TRACK LIGHT (Linkable)	SCX6 6" (Linkable)	LOUVER 6" (Linkable)
	 TRACK NOT INCL.		 MTO made to order

1FT 10W & 110LM/W	SCX2-1FT-10W-MCT4-D	SCX2-1FT-10W-MCT4-D-TR	N/A	N/A
2FT 20W & 110LM/W	SCX2-2FT-20W-MCT4-D	SCX2-2FT-20W-MCT4-D-TR	SCX6-2FT-20-30W-MCTP	SCX6-2FT-20-30W-MCTP-LUV-WH
3FT 30W & 110LM/W	SCX2-3FT-30W-MCT4-D	SCX2-3FT-30W-MCT4-D-TR	SCX6-3FT-30-45W-MCTP	SCX6-3FT-30-45W-MCTP-LUV-WH
4FT 40W & 110LM/W	SCX2-4FT-40W-MCT4-D	SCX2-4FT-40W-MCT4-D-TR	SCX6-4FT-40-60W-MCTP	SCX6-4FT-40-60W-MCTP-LUV-WH
6FT 60W & 110LM/W	SCX2-6FT-60W-MCT4-D	SCX2-6FT-60W-MCT4-D-TR	SCX6-6FT-60-90W-MCTP	SCX6-6FT-60-90W-MCTP-LUV-WH
8FT 80W & 110LM/W	SCX2-8FT-80W-MCT4-D	SCX2-8FT-80W-MCT4-D-TR	SCX6-8FT-80-120W-MCTP	SCX6-8FT-80-120W-MCTP-LUV-WH



UPLIGHT FOR SCX2 SERIES AND THEIR VARIANTS



2FT	3FT	4FT	6FT	8FT
OPT-SCX-ULM-2FT-8W-MCT4	OPT-SCX-ULM-3FT-12W-MCT4	OPT-SCX-ULM-4FT-16W-MCT4	OPT-SCX-ULM-6FT-24W-MCT4	OPT-SCX-ULM-8FT-32W-MCT4



UPLIGHT FOR SCX6 SERIES AND THEIR VARIANTS

2FT	3FT	4FT	6FT	8FT
OPT-SCX6-ULM-2FT-8W-MCT4	OPT-SCX6-ULM-3FT-12W-MCT4	OPT-SCX6-ULM-4FT-16W-MCT4	OPT-SCX6-ULM-6FT-24W-MCT4	OPT-SCX6-ULM-8FT-32W-MCT4




MODULES FOR SCX2 & SCX6 SERIES


L Module	T Module	X Module	Inside Corner Module	Outside Corner Module
				
SCX2-L-MCT4	SCX2-T-MCT4	SCX2-X-MCT4	SCX2-IC-MCT4	SCX2-OC-MCT4
C60 Module	L Module	T Module	X Module	Inside Corner Module
				
SCX2-C60-MCT4	SCX6-L-MCTP	SCX6-T-MCTP	SCX6-X-MCTP	SCX6-IC-MCTP

SCX

SUPERIOR ARCHITECTURAL



SEAMLESS LINKABLE LINEAR LIGHTING SYSTEM

SCO SERIES	SCXT-DL 1" DROP LENS	SCXT-FL 1" FLAT LENS	SCXR (Linkable)	SCXR LOUVER (Linkable)
 4ft MCT MCT: MULTI COLOR TEMPERATURE (3500K, 4000K, 5000K)	 See Page 149 for More Info ORDER ONE DRIVER PER FITTURE (NOT INCLUDED)	 See Page 149 for More Info ORDER ONE DRIVER PER FITTURE (NOT INCLUDED)		


SCO-4FT-40W-MCT-BB	N/A	SCXT-1FT-5-10W-MCTP-D-FL	SCXR-2FT-20W-MCT4-D	SCXR-2FT-20W-MCT4-D-LUV
4Ft 	SCXT-2FT-10-20W-MCTP-D-DL	SCXT-2FT-10-20W-MCTP-D-FL	SCXR-2FT-20W-MCT4-D	SCXR-2FT-20W-MCT4-D-LUV
SCO-4FT-40W-MCT-WB	SCXT-4FT-20-40W-MCTP-D-DL	SCXT-4FT-20-40W-MCTP-D-FL	SCXR-4FT-40W-MCT4-D	SCXR-4FT-40W-MCT4-D-LUV
MTO made to order 4Ft 	SCXT-8FT-40-80W-MCTP-D-DL	SCXT-8FT-40-80W-MCTP-D-FL	SCXR-8FT-80W-MCT4-D	SCXR-8FT-80W-MCT4-D-LUV
SCO-4FT-40W-MCT-WW	 UPLIGHT FOR SCXT-DL OPT-SCXT-ULM-2FT-MCTP	 UPLIGHT FOR SCXT-FL OPT-SCXT-ULM-2FT-MCTP	SCXR -BK(Linkable) MCT4 	SCXR-BK LOUVER (Linkable)
MTO made to order 4Ft 	OPT-SCXT-ULM-4FT-MCTP	OPT-SCXT-ULM-4FT-MCTP	SCXR-2FT-20W-MCT4-D-BK	N/A
SCO-4FT-40W-MCT-BW	OPT-SCXT-ULM-8FT-MCTP	OPT-SCXT-ULM-8FT-MCTP	SCXR-4FT-40W-MCT4-D-BK	N/A
	SCXT-DL 2FT L FIXTURE	SCXT-FL 2FT L FIXTURE	SCXR-8FT-80W-MCT4-D-BK	N/A
	 MCT4  ORDER ONE DRIVER PER FIXTURE (NOT INCLUDED)	 MCT4  ORDER ONE DRIVER PER FIXTURE (NOT INCLUDED)		
N/A	SCXT-L1FT-10-20W-MCTP-D-FL	 UPLIGHT FOR SCXR OPT-SCX-ULM-4FT-16W-MCT4	 UPLIGHT FOR SCXR OPT-SCX-ULM-4FT-16W-MCT4	
SCXT-L2FT-20-40W-MCTP-D-DL	SCXT-L2FT-20-40W-MCTP-D-FL	OPT-SCX-ULM-8FT-32W-MCT4	OPT-SCX-ULM-8FT-32W-MCT4	
N/A	SCXT-IC1FT-10-20W-MCTP-D-FL	CORNER OPTION	CORNER OPTION	
				
		SCXR-LNL	SCXR-LNL	

SCXR ACCESSORIES


CATALOG NO.	DESCRIPTION
SCXR-LK-1FT-GRILL	SCXR 1ft Section PC Louver Kit Without Lens
SCXR-LK-1FT-LENSONROLL	SCXR 1ft Film On Roll Of 853Ft, Must Use With SCXR-LK




SCX-L
White




SCX-T
White




SCX-X
White




SCX-IC
White




SCX-C120
White




SCX-Y
White



SCX-C60
White



SCX-OC
White



SCX-6IN
White



SCX-9IN
White

WG SMART APP & REMOTE CONTROLLED COMPATIBLE SCX LINEAR LIGHTS, RGB OR 4CCT UPLIGHT OPTION



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCX-1FT-RGBWW-BT	10W 110LM/W RGB	6
SCX-2FT-RGBWW-BT	20W 110LM/W RGB	6
SCX-3FT-RGBWW-BT	30W 110LM/W RGB	6
SCX-4FT-RGBWW-BT	40W 110LM/W RGB	6
SCX-6FT-RGBWW-BT	60W 110LM/W RGB	4
SCX-8FT-RGBWW-BT	80W 110LM/W RGB	4
SCX-L-RGBWW	SCX 2.75 in Linear L Section 30K/35K/40K/50K	
SCX-T-RGBWW	SCX 2.75 in Linear T Section 30K/35K/40K/50K	
SCX-X-RGBWW	SCX 2.75 in Linear X Section 30K/35K/40K/50K	
SCX-IC-RGBWW	SCX 2.75 in Linear Inside Corner 30K/35K/40K/50K	
SCX-C120-RGBWW	SCX 2.75 in Linear 120D Section 30K/35K/40K/50K	
SCX-Y-RGBWW	SCX 2.75 in Linear Y Section 30K/35K/40K/50K	
SCX-C60-RGBWW	SCX Mct4 60-Degree Corner 30/35/40/50K	
SCX-OC-RGBWW	SCX 2.75 in Linear Outside Corner 30K/35K/40K/50K	
SCX-6IN-RGBWW	SCX 2.75 in Linear 6In Section 30K/35K/40K/50K	
SCX-9IN-RGBWW	SCX 2.75 in Linear 9In Section 30K/35K/40K/50K	
OPT-SCX-ULM-2FT-RGB	SCX 2Ft Rgb Uplight Option	
OPT-SCX-ULM-3FT-RGB	SCX 3Ft Rgb Uplight Option	
OPT-SCX-ULM-4FT-RGB	SCX 4Ft Rgb Uplight Option	
OPT-SCX-ULM-6FT-RGB	SCX 6Ft Rgb Uplight Option	
OPT-SCX-ULM-8FT-RGB	SCX 8Ft Rgb Uplight Option	

To Install our 4CCT uplight option, see page 153 , With this option, Uplight will be disabled when switched to RGB mode
FOR REMOTE CONTROL SEE PAGE 104



SCX1.5 FIELD-INSTALLED FLANGED RECESSED MOUNT DRYWALL KIT


CATALOG NO.	DESCRIPTION
SCX1.5-FMRK-1FT	SCX-1Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX1.5-FMRK-2FT	SCX-2Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX1.5-FMRK-3FT	SCX-3Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX1.5-FMRK-4FT	SCX-4Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX1.5-FMRK-6FT	SCX-6Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX1.5-FMRK-8FT	SCX-8Ft Field-Installed Flanged Recessed Mount Drywall Kit

NOT FOR T-BAR CEILINGS, ORDER THE FACTORY INSTALLED OPTION OPT-SCX-TBAR, SEE PAGE 155



SCX1.5 FIELD-INSTALLED MUD-IN FLANGE-LESS RECESSED MOUNT KIT

CATALOG NO.	DESCRIPTION
SCX1.5-MIFK-1FT	2-4In SCX-1Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit
SCX1.5-MIFK-2FT	2-4In SCX-2Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit
SCX1.5-MIFK-3FT	2-4In SCX-3Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit
SCX1.5-MIFK-4FT	2-4In SCX-4Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit
SCX1.5-MIFK-6FT	2-4In SCX-6Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit
SCX1.5-MIFK-8FT	2-4In SCX-8Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit




SCX & SCX2 & SCX4 FIELD-INSTALLED FLANGED RECESSED MOUNT DRYWALL KIT

CATALOG NO.	DESCRIPTION
SCX-FMRK-1FT	SCX-1Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX-FMRK-2FT	SCX-2Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX-FMRK-3FT	SCX-3Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX-FMRK-4FT	SCX-4Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX-FMRK-6FT	SCX-6Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX-FMRK-8FT	SCX-8Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX2-FMRK-1FT	SCX2-1Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX2-FMRK-2FT	SCX2-2Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX2-FMRK-3FT	SCX2-3Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX2-FMRK-4FT	SCX2-4Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX2-FMRK-6FT	SCX2-6Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX2-FMRK-8FT	SCX2-8Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX4-FMRK-1FT	SCX4-1Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX4-FMRK-2FT	SCX4-2Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX4-FMRK-3FT	SCX4-3Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX4-FMRK-4FT	SCX4-4Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX4-FMRK-6FT	SCX4-6Ft Field-Installed Flanged Recessed Mount Drywall Kit
SCX4-FMRK-8FT	SCX4-8Ft Field-Installed Flanged Recessed Mount Drywall Kit



2-4in SCX FIELD-INSTALLED MUD-IN FLANGE-LESS RECESSED MOUNT KIT

CATALOG NO.	DESCRIPTION
SCX-MIFK-1FT	2-4In SCX-1Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit
SCX-MIFK-2FT	2-4In SCX-2Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit
SCX-MIFK-3FT	2-4In SCX-3Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit
SCX-MIFK-4FT	2-4In SCX-4Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit
SCX-MIFK-6FT	2-4In SCX-6Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit
SCX-MIFK-8FT	2-4In SCX-8Ft Field-Installed Mud-In Flange-Less Recessed Mount Kit



SCXT INSTALLED ON T-BAR CEILING
DRIVER MOUNTED ON TOP



SCXT SUSPENDED



2 SCXT-L2FT INSTALLED
ON T-BAR CEILING

With T-BAR clips, ready to install on the grid
Can also be suspended or surface mounted
Can be linked (with endcaps on, not seamless) coupling bracket incl.
With remote driver box, avail. 40W & 80W (sold separately) do not exceed max wattage of driver
Each fixture supplied with 6FT RJ11 cable, which plugs into the driver box
Driver box has 4 RJ11 Female sockets

EXTERNAL DRIVER (ORDER SEPARATELY)



SCXT-DRVK-RJ11
ORDER ONE DRIVER PER FIXTURE
(NOT INCLUDED)



SCXT-TGRID-DSP1



SCXT-CMP-RJ11



SCXT-RJ11-COUPPL



SCXT-TB916CK4



SCXT-PK



SCXT-TB-DEEP



SCXT-TB-SLOTTED



SCXT-SLC



SCXT-SLT



SCXT-SLX

1" WIDE LINEAR SERIES FOR DIRECT T-GRID MOUNTING OR SUSPENSION, POWER & CCT ADJ.



CATALOG NO.	DESCRIPTION
SCXT-2FT-10-20W-MCTP-D-DL	10W/15W/20W 110LM/W 30K/35K/40K White, 2FT, Drop Lens, Can Adj. to 75% or 50%
SCXT-4FT-20-40W-MCTP-D-DL	20W/30W/40W 110LM/W 30K/35K/40K White, 4FT, Drop Lens, Can Adj. to 75% or 50%
SCXT-8FT-40-80W-MCTP-D-DL	40W/60W/80W 110LM/W 30K/35K/40K White, 8FT, Drop Lens, Can Adj. to 75% or 50%
SCXT-L2FT-20-40W-MCTP-D-DL	20W/30W/40W 110LM/W 30K/35K/40K White, 2FT, L-Shape, Drop Lens, Can Adj. to 75% or 50%
SCXT-1FT-5-10W-MCTP-D-FL	5W/7.5W/10W 110LM/W 30K/35K/40K White, 1FT, Flat Lens, Can Adj. to 75% or 50%
SCXT-2FT-10-20W-MCTP-D-FL	10W/15W/20W 110LM/W 30K/35K/40K White, 2FT, Flat Lens, Can Adj. to 75% or 50%
SCXT-4FT-20-40W-MCTP-D-FL	20W/30W/40W 110LM/W 30K/35K/40K White, 4FT, Flat Lens, Can Adj. to 75% or 50%
SCXT-8FT-40-80W-MCTP-D-FL	40W/60W/80W 110LM/W 30K/35K/40K White, 8FT, Flat Lens, Can Adj. to 75% or 50%
SCXT-L1FT-10-20W-MCTP-D-FL	10W/15W/20W 110LM/W 30K/35K/40K White, 1FT, L-Shape, Flat Lens, Can Adj. to 75% or 50%
SCXT-L2FT-20-40W-MCTP-D-FL	20W/30W/40W 110LM/W 30K/35K/40K White, 2FT, L-Shape, Flat Lens, Can Adj. to 75% or 50%
SCXT-IC1FT-10-20W-MCTP-D-FL	10W/15W/20W 110LM/W 30K/35K/40K White, Flat Lens, Can Adj. to 75% or 50%
SCXT-2FT-10-20W-MCTP-D-DL-BK	10W/15W/20W 110LM/W 30K/35K/40K Black, 2FT, Drop Lens, Can Adj. to 75% or 50%
SCXT-4FT-20-40W-MCTP-D-DL-BK	20W/30W/40W 110LM/W 30K/35K/40K Black, 4FT, Drop Lens, Can Adj. to 75% or 50%
SCXT-8FT-40-80W-MCTP-D-DL-BK	40W/60W/80W 110LM/W 30K/35K/40K Black, 8FT, Drop Lens, Can Adj. to 75% or 50%
SCXT-L2FT-20-40W-MCTP-D-DL-BK	20W/30W/40W 110LM/W 30K/35K/40K Black, 2FT, L-Shape, Drop Lens, Can Adj. to 75% or 50%
SCXT-2FT-10-20W-MCTP-D-FL-BK	10W/15W/20W 110LM/W 30K/35K/40K Black, 2FT, Flat Lens, Can Adj. to 75% or 50%
SCXT-4FT-20-40W-MCTP-D-FL-BK	20W/30W/40W 110LM/W 30K/35K/40K Black, 4FT, Flat Lens, Can Adj. to 75% or 50%
SCXT-8FT-40-80W-MCTP-D-FL-BK	40W/60W/80W 110LM/W 30K/35K/40K Black, 8FT, Flat Lens, Can Adj. to 75% or 50%
SCXT-L2FT-20-40W-MCTP-D-FL-BK	20W/30W/40W 110LM/W 30K/35K/40K Black, 2FT, L-Shape, Flat Lens, Can Adj. to 75% or 50%
OPT-SCXT-ULM-2FT-MCTP	2Ft Uplighting Factory-Installed Adder Option - Directs 30% Of Power To Up
OPT-SCXT-ULM-4FT-MCTP	4Ft Uplighting Factory-Installed Adder Option - Directs 30% Of Power To Up
OPT-SCXT-ULM-8FT-MCTP	8Ft Uplighting Factory-Installed Adder Option - Directs 30% Of Power To Up
SCXT-DRVK-RJ11-20W	SCXT Series 20W Driver Kit With Power & CCT Selection Switches
SCXT-DRVK-RJ11-40W	SCXT Series 40W Driver Kit With Power & CCT Selection Switches
SCXT-DRVK-RJ11-80W	SCXT Series 80W Driver Kit With Power & CCT Selection Switches
SCXT-TGRID-DSP1	SCXT Series T-Grid Driver Support Platform For Up To 80W Driver Kit
SCXT-TB916CK4	Set of 2 mounting clips for 9/16" T-bar ceilings, up to SCXT-4FT
SCXT-TB916CK8	Set of 3 mounting clips for 9/16" T-bar ceilings, SCXT-6FT & above
SCXT-CMP-RJ11-6FT	Comm. Multi-Purp. Extension Cable With RJ11 Ends - 6Ft
SCXT-CMP-RJ11-8FT	Comm. Multi-Purp. Extension Cable With RJ11 Ends - 8Ft
SCXT-CMP-RJ11-12FT	Comm. Multi-Purp. Extension Cable With RJ11 Ends - 12Ft
SCXT-CMP-RJ11-24FT	Comm. Multi-Purp. Extension Cable With RJ11 Ends - 24Ft
SCXT-RJ11-COUPPL	RJ11 Coupling Female To Female
SCXT-SLC	SCXT Swivel L Connector
SCXT-SLC-BK	SCXT Swivel L Connector Black
SCXT-SLT	SCXT Swivel T Connector
SCXT-SLT-BK	SCXT Swivel T Connector Black
SCXT-SLX	SCXT Swivel X Connector
SCXT-SLX-BK	SCXT Swivel X Connector Black
SCXT-PK	Pendant Kit For The Center Of Two SCXT Fixtures 7in Or 14in Drop Field-Installed
SCXT-PK-BK	Pendant Kit For The Center Of Two SCXT Fixtures 7in Or 14in Drop Field-Installed Bk
SCXT-TB-DEEP-CK4	SCXT Repl. Clip Kit For Deep Grids, For Up To 4Ft - Contains 2 Clips
SCXT-TB-DEEP-CK8	SCXT Repl. Clip Kit For Deep Grids, For Up To 8Ft - Contains 3 Clips
SCXT-TB-SLOTTED/BULLNOSE-CK4	SCXT Repl. Clip Kit For Slotted Or Bull-Nose Grids, For Up To 4Ft - Contains 2 Clips
SCXT-TB-SLOTTED/BULLNOSE-CK8	SCXT Repl. Clip Kit For Slotted Or Bull-Nose Grids, For Up To 8Ft - Contains 3 Clips

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
SCXT	OPT-EM-SCXT	EXTERNAL	N/A	N/A	OPT-CLR-SCXT-2FT(BK/GR/SR/WH) OPT-CLR-SCXT-4FT(BK/GR/SR/WH) OPT-CLR-SCXT-8FT(BK/GR/SR/WH) OPT-CLR-SCXT-L2FT(BK/GR/SR/WH)	N/A	N/A



**SHOWN WITH
RECESSED MOUNTING FLANGES
SEE OPTION ON PAGE 154**



**SHOWN WITH
SUSPENSION KIT**




SCL-4CS10

ADJ. 10FT 1/16in QUAD CABLE SUSP.
CANOPY KIT, KEYHOLE CONNECTORS
(NO CORD INCL.)



2.75IN SCX 2X2 & 2X4 LINEAR LIGHT

CATALOG NO.	DESCRIPTION	PKG. QTY.
SCX-2X2-40-80W-MCTP	40W/60W/80W 110LM/W 30K/35K/40K/50K	1
SCX-2X4-60-120W-MCTP	60W/90W/120W 110LM/W 30K/35K/40K/50K	1



FULL CIRCLE 10FT CHANDELIER, UP & DOWN RATIO ADJUSTABLE WITH CANOPY & CABLE

CATALOG NO.	DESCRIPTION	PKG. QTY.
SCXCF-D24UD-MCTP4	20W/30W/40W 100LM/W 30K/35K/40K/50K 24" White	1
SCXCF-D24UD-MCTP4-BK	20W/30W/40W 100LM/W 30K/35K/40K/50K 24" Black	1
SCXCF-D36UD-MCTP4	60W/70W/80W 100LM/W 30K/35K/40K/50K 36" White	1
SCXCF-D36UD-MCTP4-BK	60W/70W/80W 100LM/W 30K/35K/40K/50K 36" Black	1
SCXCF-D48UD-MCTP4	80W/90W/100W 100LM/W 30K/35K/40K/50K 48" White	1
SCXCF-D48UD-MCTP4-BK	80W/90W/100W 100LM/W 30K/35K/40K/50K 48" Black	1



**1 QUARTER CIRCLE
SHOWN WITH SUSPENSION KITS**



CREATED WITH 4 QUARTER CIRCLES



**CREATED WITH 4 QUARTER CIRCLES
SHOWN WITH SUSPENSION KIT**



SCL-3CS10

ADJ. 10FT 1/16in TRIPLE-CABLE
SUSPENSION CANOPY KIT WITH
KEYHOLE END CONNECTORS
(NO CORD INCL.)

SCX QUARTER OF CIRCLE 4CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCXC-Q24-10W-MCT4	10W 1100LM 30K/35K/40K/50K 24"	1
SCXC-Q36-20W-MCT4	20W 2200LM 30K/35K/40K/50K 36"	1
SCXC-Q48-25W-MCT4	25W 2750LM 30K/35K/40K/50K 48"	1





HIGH-OUTPUT **ROUND** LINEAR CHANDELIER, **UP/DOWN** LIGHT WITH **SEPARATE CONTROLS**, POWER AND CCT ADJUSTABLE, **1-7/8" W CHANNEL**



CATALOG NO.	DESCRIPTION						PKG. QTY.
SRC-D24UD-MCTP-BK	0W/40W/80W	65LM/W	30K/35K/40K	Black			1
SRC-D24UD-MCTP	0W/40W/80W	65LM/W	30K/35K/40K				1
SRC-D36UD-MCTP-BK	0W/80W/120W	65LM/W	30K/35K/40K	Black			1
SRC-D36UD-MCTP	0W/80W/120W	65LM/W	30K/35K/40K				1
SRC-D48UD-MCTP-BK	0W/120W/160W	65LM/W	30K/35K/40K	Black			1
SRC-D48UD-MCTP	0W/120W/160W	65LM/W	30K/35K/40K				1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-SRC	INTERNAL	N/A	N/A	N/A	N/A	N/A

SCX CUSTOM DESIGN QUOTES - CALL
we can do SCX custom design quotes. Please call for more info.





WALL MOUNTING WITH 5 INCH ARMS (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO.	DESCRIPTION
-------------	-------------

ADD THIS OPTION TO THE FIXTURE AND WALL MOUNTING ARMS WITH WALL CANOPY WILL BE INSTALLED ON BACK OF FIXTURE. THE LENGTH OF EACH ARM IS 5". CONNECTION CABLES WILL ENTER THE FIXTURE THROUGH ONE OF THE ARMS. ON YOUR PURCHASE ORDER SPECIFY THE POSITION OF YOUR WIRE ENTRY FROM THE WALL AND THE ARM WILL BE INSTALLED ON THE BACK ACCORDINGLY.

OPT-SCX-WMA-1FT	1FT
OPT-SCX-WMA-2FT	2FT
OPT-SCX-WMA-3FT	3FT
OPT-SCX-WMA-4FT	4FT
OPT-SCX-WMA-6FT	6FT
OPT-SCX-WMA-8FT	8FT




WALL MOUNTING (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO.	DESCRIPTION
-------------	-------------

ADD THIS OPTION TO THE FIXTURE AND WALL MOUNTING BRACKETS WILL BE INSTALLED ON BACK OF FIXTURE. CONNECTION CABLES WILL ENTER THE FIXTURE THROUGH ONE OF THESE WALL-MOUNTING BRACKETS. ON YOUR PURCHASE ORDER SPECIFY THE POSITION OF YOUR WIRE ENTRY FROM THE WALL AND THE BRACKETS WILL BE INSTALLED ON THE BACK ACCORDINGLY.

OPT-SCX-WM-1FT	1FT
OPT-SCX-WM-2FT	2FT
OPT-SCX-WM-3FT	3FT
OPT-SCX-WM-4FT	4FT
OPT-SCX-WM-6FT	6FT
OPT-SCX-WM-8FT	8FT
OPT-SCXR-WM-4FT	4FT
OPT-SCXR-WM-8FT	8FT



SURFACE MOUNTING

DESCRIPTION

YOU DO NOT NEED TO ORDER ANY ACCESSORIES. SCREW AND ANCHOR KIT PROVIDED WITH EACH FIXTURE CAN BE USED TO FASTEN THE FIXTURE DIRECTLY TO THE HARD SURFACE THROUGH THE HOLES ON TOP OF THE FIXTURE.

NOT APPLICABLE TO INDIRECT SERIES



SCX CONTINUOUS FLEXIBLE LENS 25FT OR 100FT

CATALOG NO.	DESCRIPTION
-------------	-------------

SCX-FLEXLENS-25FT	25FT
SCX-FLEXLENS-100FT	100FT
SCX2-FLEXLENS-25FT	25FT
SCX2-FLEXLENS-100FT	100FT
SCX4-FLEXLENS-25FT	25FT
SCX4-FLEXLENS-100FT	100FT


SUSPENSION ROD KITS

CATALOG NO.	DESCRIPTION
-------------	-------------



SCL-RS-12	12 INCH	Set of 2
SCL-RS-18	18 INCH	Set of 2
SCL-RS-24	24 INCH	Set of 2
SCL-RS-36	36 INCH	Set of 2
SCL-RS-48	48 INCH	Set of 2

NOT APPLICABLE TO INDIRECT, SCXR SERIES



SCX INSTALLED ACOUSTIC OPTIONS - 9mm THICKNESS

CATALOG NO.	DESCRIPTION
-------------	-------------

OPT-SCX-AK-2FT-9MM-HY2204	2FT Dark Gray
OPT-SCX-AK-4FT-9MM-HY2204	4FT Dark Gray
OPT-SCX-AK-6FT-9MM-HY2204	6FT Dark Gray
OPT-SCX-AK-8FT-9MM-HY2204	8FT Dark Gray
OPT-SCX-AK-2FT-9MM-HY2210	2FT Dark Blue
OPT-SCX-AK-4FT-9MM-HY2210	4FT Dark Blue
OPT-SCX-AK-6FT-9MM-HY2210	6FT Dark Blue
OPT-SCX-AK-8FT-9MM-HY2210	8FT Dark Blue
OPT-SCX4-AK-2FT-9MM-HY2204	2FT Dark Gray
OPT-SCX4-AK-4FT-9MM-HY2204	4FT Dark Gray
OPT-SCX4-AK-6FT-9MM-HY2204	6FT Dark Gray
OPT-SCX4-AK-8FT-9MM-HY2204	8FT Dark Gray
OPT-SCX4-AK-2FT-9MM-HY2210	2FT Dark Blue
OPT-SCX4-AK-4FT-9MM-HY2210	4FT Dark Blue
OPT-SCX4-AK-6FT-9MM-HY2210	6FT Dark Blue
OPT-SCX4-AK-8FT-9MM-HY2210	8FT Dark Blue




SCX-WK01



SCX2-WK02




MAPLE



WALNUT




FRENCH
OAK



EBONY

WOOD TRIMS

CATALOG NO.	DESCRIPTION
OPT-SCX2-WK02-2FT-MAPLE	2FT -MAPLE FINISH
OPT-SCX2-WK02-4FT-MAPLE	4FT -MAPLE FINISH
OPT-SCX2-WK02-6FT-MAPLE	6FT -MAPLE FINISH
OPT-SCX2-WK02-8FT-MAPLE	8FT -MAPLE FINISH
OPT-SCX2-WK02-2FT-WALNUT	2FT -WALNUT FINISH
OPT-SCX2-WK02-4FT-WALNUT	4FT -WALNUT FINISH
OPT-SCX2-WK02-6FT-WALNUT	6FT -WALNUT FINISH
OPT-SCX2-WK02-8FT-WALNUT	8FT -WALNUT FINISH
OPT-SCX2-WK02-2FT-FREOAK	2FT -FRENCH OAK FINISH
OPT-SCX2-WK02-4FT-FREOAK	4FT -FRENCH OAK FINISH
OPT-SCX2-WK02-6FT-FREOAK	6FT -FRENCH OAK FINISH
OPT-SCX2-WK02-8FT-FREOAK	8FT -FRENCH OAK FINISH
OPT-SCX2-WK02-2FT-EBONY	2FT -EBONY FINISH
OPT-SCX2-WK02-4FT-EBONY	4FT -EBONY FINISH
OPT-SCX2-WK02-6FT-EBONY	6FT -EBONY FINISH
OPT-SCX2-WK02-8FT-EBONY	8FT -EBONY FINISH
OPT-SCX-WK01-2FT-MAPLE	2FT -MAPLE FINISH
OPT-SCX-WK01-4FT-MAPLE	4FT -MAPLE FINISH
OPT-SCX-WK01-6FT-MAPLE	6FT -MAPLE FINISH
OPT-SCX-WK01-8FT-MAPLE	8FT -MAPLE FINISH
OPT-SCX-WK01-2FT-WALNUT	2FT -WALNUT FINISH
OPT-SCX-WK01-4FT-WALNUT	4FT -WALNUT FINISH
OPT-SCX-WK01-6FT-WALNUT	6FT -WALNUT FINISH
OPT-SCX-WK01-8FT-WALNUT	8FT -WALNUT FINISH
OPT-SCX-WK01-2FT-FREOAK	2FT -FRENCH OAK FINISH
OPT-SCX-WK01-4FT-FREOAK	4FT -FRENCH OAK FINISH
OPT-SCX-WK01-6FT-FREOAK	6FT -FRENCH OAK FINISH
OPT-SCX-WK01-8FT-FREOAK	8FT -FRENCH OAK FINISH
OPT-SCX-WK01-2FT-EBONY	2FT -EBONY FINISH
OPT-SCX-WK01-4FT-EBONY	4FT -EBONY FINISH
OPT-SCX-WK01-6FT-EBONY	6FT -EBONY FINISH
OPT-SCX-WK01-8FT-EBONY	8FT -EBONY FINISH



COLOR OF YOUR CHOICE

CATALOG NO.

ADD THIS OPTION TO THE FIXTURE AND SPECIFY YOUR DESIRED COLOR ON YOUR PURCHASE ORDER OR PROVIDE A SWITCH TO MATCH. FOR PAINTED FLANGED FIXTURES OR OPTIONAL ROD MOUNTING SET PLEASE ALSO ADD THE RELEVANT OPTION BELOW FOR EACH FIXTURE.

OPT-CLR-SCX-1FT(BK/GR/SR/WH)
OPT-CLR-SCX-2FT(BK/GR/SR/WH)
OPT-CLR-SCX-3FT(BK/GR/SR/WH)
OPT-CLR-SCX-4FT(BK/GR/SR/WH)
OPT-CLR-SCX-6FT(BK/GR/SR/WH)
OPT-CLR-SCX-8FT(BK/GR/SR/WH)
OPT-CLR-SCX-FMR(BK/GR/SR/WH)
OPT-CLR-SCX-RODSET(BK/GR/SR/WH)
OPT-CLR-SCX-CORNERS(BK/GR/SR/WH)
OPT-CLR-SCL-RS(BK/GR/SR/WH)

BLUE OR GREEN OR PURPLE ACCENT UPLIGHT

CATALOG NO.

ADD THIS OPTION TO THE UPLIGHT OPTION TO GET BLUE OR GREEN ACCENT UPLIGHT.
(UPLIGHT OPTION MUST BE INCLUDED)

OPT-SCX-ULM-BU Blue
OPT-SCX-ULM-GR Green
OPT-SCX-ULM-PU Purple

REDUCED WATTAGE/LUMENS (SPECIFY)

CATALOG NO.

OPT-SCX-WTD-2FT Wattage-Tunable Driver 2FT 10/15/20W
OPT-SCX-WTD-3FT Wattage-Tunable Driver 3FT 15/22.5/30W
OPT-SCX-WTD-4FT Wattage-Tunable Driver 4FT 20/30/40W
OPT-SCX-WTD-6FT Wattage-Tunable Driver 6FT 30/45/60W
OPT-SCX-WTD-8FT Wattage-Tunable Driver 8FT 40/60/80W

COMPATIBLE WITH SCX, SCX2 & SCX4 SERIES

WALL MOUNTING WITH 5 INCH ARMS (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO. DESCRIPTION


ADD THIS OPTION TO THE FIXTURE AND WALL MOUNTING ARMS WITH WALL CANOPY WILL BE INSTALLED ON BACK OF FIXTURE. THE LENGTH OF EACH ARM IS 5". CONNECTION CABLES WILL ENTER THE FIXTURE THROUGH ONE OF THE ARMS. ON YOUR PURCHASE ORDER SPECIFY THE POSITION OF YOUR WIRE ENTRY FROM THE WALL AND THE ARM WILL BE INSTALLED ON THE BACK ACCORDINGLY.

OPT-SCX-WMA-1FT 1FT
OPT-SCX-WMA-2FT 2FT
OPT-SCX-WMA-3FT 3FT
OPT-SCX-WMA-4FT 4FT
OPT-SCX-WMA-6FT 6FT
OPT-SCX-WMA-8FT 8FT

DEDICATED WIRING FOR UPLIGHT CONTROL

CATALOG NO. DESCRIPTION

OPT-SCX-ULC-2FT-MCT4 2FT
OPT-SCX-ULC-3FT-MCT4 3FT
OPT-SCX-ULC-4FT-MCT4 4FT
OPT-SCX-ULC-6FT-MCT4 6FT
OPT-SCX-ULC-8FT-MCT4 8FT



RECESSED MOUNT WITH VISIBLE FLANGES & SLIP-THROUGH BRACKET (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO.

DESCRIPTION

ADD THIS OPTION TO THE FIXTURE AND THE FIXTURE WILL BE EQUIPPED WITH A 1/2" WIDE FLANGE ON FOUR SIDES. ADVANCED DESIGN TOGGLE STYLE BRACKETS WILL ALSO BE PROVIDED, TO ADJUST AND HOLD THE FIXTURE AGAINST DRYWALL OR OTHER HARD CEILING FROM THE TOP.
WHEN LINKING TO ANOTHER FIXTURE OR CORNER MODULE, CALL US OR SEND A COPY OF YOUR PLAN ALONG WITH YOUR PO AND FLANGES WILL BE REMOVED ON THOSE ENDS THAT NEED TO MAKE A SEAMLESS CONNECTIONS.

OPT-SCX-FMR-1FT	1FT
OPT-SCX-FMR-2FT	2FT
OPT-SCX-FMR-3FT	3FT
OPT-SCX-FMR-4FT	4FT
OPT-SCX-FMR-6FT	6FT
OPT-SCX-FMR-8FT	8FT
OPT-SCX-FMR-L	L
OPT-SCX-FMR-T	T
OPT-SCX-FMR-X	X
OPT-SCX-FMR-Y	Y
OPT-SCX-FMR-IC	INSIDE CORNER
OPT-SCX2-FMR-1FT	1FT
OPT-SCX2-FMR-2FT	2FT
OPT-SCX2-FMR-3FT	3FT
OPT-SCX2-FMR-4FT	4FT
OPT-SCX2-FMR-6FT	6FT
OPT-SCX2-FMR-8FT	8FT
OPT-SCX2-FMR-L	L
OPT-SCX2-FMR-T	T
OPT-SCX2-FMR-X	X
OPT-SCX2-FMR-Y	Y
OPT-SCX2-FMR-IC	INSIDE CORNER
OPT-SCX4-FMR-1FT	1FT
OPT-SCX4-FMR-2FT	2FT
OPT-SCX4-FMR-3FT	3FT
OPT-SCX4-FMR-4FT	4FT
OPT-SCX4-FMR-6FT	6FT
OPT-SCX4-FMR-8FT	8FT
OPT-SCX4-FMR-L	L
OPT-SCX4-FMR-T	T
OPT-SCX4-FMR-X	X
OPT-SCX4-FMR-Y	Y
OPT-SCX4-FMR-IC	INSIDE CORNER
OPT-SCX6-FMR-1FT	1FT
OPT-SCX6-FMR-2FT	2FT
OPT-SCX6-FMR-3FT	3FT
OPT-SCX6-FMR-4FT	4FT
OPT-SCX6-FMR-6FT	6FT
OPT-SCX6-FMR-8FT	8FT
OPT-SCX6-FMR-L	L
OPT-SCX6-FMR-T	T
OPT-SCX6-FMR-X	X
OPT-SCX6-FMR-Y	Y
OPT-SCX6-FMR-IC	INSIDE CORNER
OPT-SCX-FMR-2X2	2X2
OPT-SCX-FMR-2X4	2X4

NOT APPLICABLE TO INDIRECT, SCXR SERIES



FLANGELESS RECESS MOUNT IN DRYWALL (MUD-IN) FOR SPACKLING (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)


CATALOG NO.

DESCRIPTION

ORDER THIS OPTION AND THE FIXTURE WILL BE EQUIPPED WITH MUD-IN BRACKETS ON ALL FOUR SIDES, MOUNTED AT 1/16" FROM THE LENS SURFACE (SPECIFY IF OTHER SPACING IS NEEDED).
WHEN LINKING TO ANOTHER FIXTURE OR CORNER FIXTURE MODULE CALL US OR SEND A COPY OF YOUR PLAN ALONG WITH YOUR PO AND FLANGES WILL BE REMOVED ON THOSE ENDS THAT NEED TO MAKE A SEAMLESS CONNECTION.

OPT-SCX-MIF-1FT	1FT
OPT-SCX-MIF-2FT	2FT
OPT-SCX-MIF-3FT	3FT
OPT-SCX-MIF-4FT	4FT
OPT-SCX-MIF-6FT	6FT
OPT-SCX-MIF-8FT	8FT
OPT-SCX-MIF-2X2	2X2
OPT-SCX-MIF-2X4	2X4
OPT-SCX-MIF-L	L
OPT-SCX-MIF-T	T
OPT-SCX-MIF-X	X
OPT-SCX-MIF-Y	Y
OPT-SCX-MIF-IC	INSIDE CORNER

NOT APPLICABLE TO INDIRECT, SCXR SERIES



FLANGELESS RECESSED INSTALLATION IN WOOD CEILING

DESCRIPTION

YOU DO NOT NEED TO ORDER ANY ACCESSORIES.

MAKE RECESSED PREPARATIONS BY INSTALLING A HORIZONTAL PLANK OF WOOD ON TOP OF THE WOOD CEILING AT RECESSED HEIGHT OF 3-3/8".

SCREW AND ANCHOR KIT PROVIDED WITH EACH FIXTURE CAN BE USED TO FASTEN THE TOP OF THE FIXTURE TO THE WOOD PLANK THROUGH THE HOLES ON TOP OF THE FIXTURE.

YOU CAN ALSO INSTALL VERTICAL WOOD BOARDS ON TOP OF THE CEILING AT THE EDGE OF THE OPENING AND OPEN THE FIXTURE AND PUT SCREWS THROUGH THE SIDES OF THE FIXTURE HOUSING TO FASTEN IT TO THE WOOD BOARDS.

NOT APPLICABLE TO INDIRECT, SCXR SERIES

SCX TRIAC DIMMING

CATALOG NO.

OPT-SCX-1FT-TRIAC	SCX, SCX2, SCX4 1FT TRIAC DIMMING
OPT-SCX-2FT-TRIAC	SCX, SCX2, SCX4 2FT TRIAC DIMMING
OPT-SCX-3FT-TRIAC	SCX, SCX2, SCX4 3FT TRIAC DIMMING
OPT-SCX-4FT-TRIAC	SCX, SCX2, SCX4 4FT TRIAC DIMMING
OPT-SCX-6FT-TRIAC	SCX, SCX2, SCX4 6FT TRIAC DIMMING
OPT-SCX-8FT-TRIAC	SCX, SCX2, SCX4 8FT TRIAC DIMMING



NOT APPLICABLE TO INDIRECT, SCXR SERIES

T-BAR INSTALLATION (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO.	DESCRIPTION
-------------	-------------

ADD THIS OPTION TO THE FIXTURE AND 1/2" WIDE FLANGES WILL BE INSTALLED ON THE TWO LONG SIDES OF THE FIXTURE. THE TWO ENDS OF THE FIXTURE WILL FALL ONTO THE T-BAR GRIDS AND WILL BE SUPPORTED THIS WAY. THE T-BAR TILES ON THE TWO SIDES OF THE FIXTURE MUST BE CUT TO ALLOW FOR THE WIDTH OF THE FIXTURE. THE TILES WILL FALL ONTO AND BE SUPPORTED BY THE FLANGES ON BOTH SIDES OF THE FIXTURE. IF YOU PLAN TO SUPPORT THE FIXTURE BY THE GRIDS ON THREE SIDES AND TILE ON ONE SIDE, CALL US OR SPECIFY ON YOUR PO AND FLANGE WILL BE INSTALLED ONLY ON ONE SIDE OF THE FIXTURE. TO PROVIDE SAFETY AND SUPPORT FROM THE BEAMS ABOVE THE T-BAR CEILING ORDER 10FT OR 20FT AIRCRAFT SUSPENSION KITS BELOW.

OPT-SCX-TBAR-1FT	1FT
OPT-SCX-TBAR-2FT	2FT
OPT-SCX-TBAR-4FT	4FT
OPT-SCX-TBAR-6FT	6FT
OPT-SCX-TBAR-8FT	8FT
OPT-SCX4-TBAR-1FT	1FT
OPT-SCX4-TBAR-2FT	2FT
OPT-SCX4-TBAR-4FT	4FT
OPT-SCX4-TBAR-6FT	6FT
OPT-SCX4-TBAR-8FT	8FT
OPT-SCX-TBAR-2X2	2X2
OPT-SCX-TBAR-2X4	2X4
OPT-FWH-63	6FT 3-WIRE FLEX WHIP
OPT-FWH-65	6FT 5-WIRE FLEX WHIP
OPT-FWH-66	6FT 6-WIRE FLEX WHIP

SCL-GS10	ADJ. 10FT 1/16in DOUBLE SUSPENSION CABLE WITH SINGLE KEYHOLE CONN., LOOP GRIPPER ON TOP
SCL-GS20	ADJ. 20FT 1/16in DOUBLE SUSPENSION CABLE WITH SINGLE KEYHOLE CONN., LOOP GRIPPER ON TOP
SCL-GSY110	ADJ. 10FT 1/16IN SINGLE SUSPENSION CABLE WITH Y HOOK ENDS, LOOP GRIPPER ON TOP
SCL-GSY120	ADJ. 20FT 1/16IN SINGLE SUSPENSION CABLE WITH Y HOOK ENDS, LOOP GRIPPER ON TOP



WALL GRAZER ASSEMBLY KIT FOR SCX SCX2 SCX4

CATALOG NO.	DESCRIPTION
-------------	-------------

OPT-SCX-WGRZR-1FT	1FT Wall Grazer Kit
OPT-SCX-WGRZR-2FT	2FT Wall Grazer Kit
OPT-SCX-WGRZR-3FT	3FT Wall Grazer Kit
OPT-SCX-WGRZR-4FT	4FT Wall Grazer Kit
OPT-SCX-WGRZR-6FT	6FT Wall Grazer Kit
OPT-SCX-WGRZR-8FT	8FT Wall Grazer Kit



EMERGENCY BATTERY BACKUP

CATALOG NO.	DESCRIPTION
-------------	-------------

ADD THIS OPTION FOR 90-MINUTE BATTERY BACKUP INSTALLATION. IF ORDERING A SERIES OF THIS FIXTURE TO LINK, CALL US OR SPECIFY ON YOUR PURCHASE ORDER, ON WHICH FIXTURES TO INSTALL THE BACKUP AND WHERE YOU WOULD LIKE THE TEST BUTTONS.

OPT-EM-SCX	1FT, 2FT, 3FT, 4FT, 6FT
OPT-EM-SCX-8FT	8FT
OPT-EM-SCX2	1FT, 2FT, 3FT, 4FT, 6FT
OPT-EM-SCX2-8FT	8FT
OPT-EM-SCX4	1FT, 2FT, 3FT, 4FT, 6FT
OPT-EM-SCX4-8FT	8FT
OPT-EM-SCX6	2FT, 3FT, 4FT, 6FT
OPT-EM-SCX6-8FT	8FT
OPT-EM-SCX-2X2-2X4	2X2, 2X4



MICROWAVE BI-LEVEL MOTION SENSORS


CATALOG NO.	DESCRIPTION
-------------	-------------

THIS OPTION INSTALLS AN ADVANCED MOTION SENSOR THAT WILL TURN THE LIGHTS ON WHEN THE AREA IS OCCUPIED. WHEN THE AREA IS CLEARED, AFTER A PRESET HOLD TIME OF 5 SECONDS OR MORE, THE LIGHTS ARE DIMMED TO A STANDBY LEVEL OF 30% OR MORE. IF STILL NO MOTION IS DETECTED, AFTER THE STANDBY PERIOD, THE LIGHTS ARE TURNED OFF. ALL SETTINGS ARE PROGRAMMABLE WITH A REMOTE CONTROL.

OPT-SEN-SCX-3MRLV-5	PROGRAMMABLE MICROWAVE BI-LEVEL
OPT-SEN-SCXR	PROGRAMMABLE MICROWAVE BI-LEVEL FOR SCXR
WEC-8RC	OPTIONAL REMOTE CONTROL FOR SENSOR
OPT-SEN-2US-DAYLIGHT	MICROWAVE BI-LEVEL DIMMING (REMOTE NOT NEEDED) DAYLIGHT SENSOR
INTERNAL FOR ALL MODELS	
OPT-SEN-SCX2	PROGRAMMABLE MICROWAVE BI-LEVEL
OPT-SEN-SCX4	PROGRAMMABLE MICROWAVE BI-LEVEL
OPT-SEN-SCX6	PROGRAMMABLE MICROWAVE BI-LEVEL
SCX-UVC-12W	SCX ANTIVIRUS UVC SECTION 12W 280nm UV LIGHT WITH REVERSE-LOGIC SENSOR




SCSSL
PC Lens
shown with
Round Endcap




SCSSL-AP
Optic Lens
Version




SCSSL-AP
Optic Lens
Version



SCSSL
PC Lens
shown with
Round Endcap



SCSSL-BK
PC Lens
shown with
Round Endcap



SCSSL-AP-BK
Optic Lens
Version



SCSSL-CEC
White



SCSSL-CEC-BK
Black



SCSSL-REC
White



SCSSL-REC-BK
Black

ARCHITECTURAL 0.4" SLIM UP&DOWN /W SEPARATE CONTROLS LINEAR LIGHT POWER & CCT SELECTABLE - DUAL DIMMING



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
ARCHITECTURAL 0.4" SLIM UP&DOWN /W SEPARATE CONTROLS LINEAR LIGHT, PC LENS - POWER & CCT SELECTABLE			
SCSSL-UD-4FT-MCTP	10W/15W/20W 70LM/W 27K/30K/35K/40K/50K 4FT White		6
SCSSL-UD-4FT-MCTP-BK	10W/15W/20W 70LM/W 27K/30K/35K/40K/50K 4FT Black		6
SCSSL-UD-6FT-MCTP	15W/23W/30W 70LM/W 27K/30K/35K/40K/50K 6FT White		4
SCSSL-UD-6FT-MCTP-BK	15W/23W/30W 70LM/W 27K/30K/35K/40K/50K 6FT Black		4
SCSSL-UD-8FT-MCTP	20W/30W/40W 70LM/W 27K/30K/35K/40K/50K 8FT White		4
SCSSL-UD-8FT-MCTP-BK	20W/30W/40W 70LM/W 27K/30K/35K/40K/50K 8FT Black		4
ARCHITECTURAL 0.4" SLIM UP&DOWN /W SEPARATE CONTROLS LINEAR LIGHT, APERTURE OPTICS - POWER & CCT SELECTABLE			
SCSSL-UD-AP-4FT-MCTP	10W/15W/20W 80LM/W 27K/30K/35K/40K/50K 4FT White		6
SCSSL-UD-AP-4FT-MCTP-BK	10W/15W/20W 80LM/W 27K/30K/35K/40K/50K 4FT Black		6
SCSSL-UD-AP-6FT-MCTP	15W/23W/30W 80LM/W 27K/30K/35K/40K/50K 6FT White		4
SCSSL-UD-AP-6FT-MCTP-BK	15W/23W/30W 80LM/W 27K/30K/35K/40K/50K 6FT Black		4
SCSSL-UD-AP-8FT-MCTP	20W/30W/40W 80LM/W 27K/30K/35K/40K/50K 8FT White		4
SCSSL-UD-AP-8FT-MCTP-BK	20W/30W/40W 80LM/W 27K/30K/35K/40K/50K 8FT Black		4
SCSSL-REC	Scssl Rounded End Cap		
SCSSL-REC-BK	Scssl Rounded End Cap Black		
SCSSL-CEC	Scssl Coupling End Cap		
SCSSL-CEC-BK	Scssl Coupling End Cap Black		



SCSL-UD-BK
Black



SCSL-UD-AP-BK
Black



SCSL-AP
Optic Lens
Version



SCSL
PC Lens
shown with
Round Endcap



SCSL-UD
White



SCSL-UD-AP
White



SCSL-CEC



SCSL-WM
White



SCSL-WM
Black

ARCHITECTURAL 0.7" (18mm) SLIM UP&DOWN /W SEPARATE CONTROLS LINEAR LIGHT - POWER & CCT SELECTABLE




CATALOG NO.	DESCRIPTION			PKG. QTY.
ARCHITECTURAL 0.7" SLIM UP&DOWN /W SEPARATE CONTROLS LINEAR LIGHT, PC LENS - POWER & CCT SELECTABLE				
SCSL-UD-4FT-MCTP	20W/23W/26W/29W	90LM/W	27K/30K/35K/40K/50K 4FT White	6
SCSL-UD-4FT-MCTP-BK	20W/23W/26W/29W	90LM/W	27K/30K/35K/40K/50K 4FT Black	6
SCSL-UD-6FT-MCTP	30W/34W/37W/40W	90LM/W	27K/30K/35K/40K/50K 6FT White	4
SCSL-UD-6FT-MCTP-BK	30W/34W/37W/40W	90LM/W	27K/30K/35K/40K/50K 6FT Black	4
SCSL-UD-8FT-MCTP	40W/46W/52W/60W	90LM/W	27K/30K/35K/40K/50K 8FT White	4
SCSL-UD-8FT-MCTP-BK	40W/46W/52W/60W	90LM/W	27K/30K/35K/40K/50K 8FT Black	4
ARCHITECTURAL 0.7" SLIM UP&DOWN /W SEPARATE CONTROLS LINEAR LIGHT, 36° APERTURE OPTICS - POWER & CCT SELECTABLE				
SCSL-UD-AP-4FT-MCTP	20W/23W/26W/29W	90LM/W	27K/30K/35K/40K/50K 4FT White	6
SCSL-UD-AP-4FT-MCTP-BK	20W/23W/26W/29W	90LM/W	27K/30K/35K/40K/50K 4FT Black	6
SCSL-UD-AP-6FT-MCTP	30W/34W/37W/40W	90LM/W	27K/30K/35K/40K/50K 6FT White	4
SCSL-UD-AP-6FT-MCTP-BK	30W/34W/37W/40W	90LM/W	27K/30K/35K/40K/50K 6FT Black	4
SCSL-UD-AP-8FT-MCTP	40W/46W/52W/60W	90LM/W	27K/30K/35K/40K/50K 8FT White	4
SCSL-UD-AP-8FT-MCTP-BK	40W/46W/52W/60W	90LM/W	27K/30K/35K/40K/50K 8FT Black	4
ARCHITECTURAL 0.7" SLIM UP&DOWN /W SEPARATE CONTROLS WALL SCONCE, 36° APERTURE OPTICS - CCT SELECTABLE				
SCSL-WM-UD-AP-12-MCT	7W	630LM	27K/30K/35K/40K/50K 12" White	
SCSL-WM-UD-AP-12-MCT-BK	7W	630LM	27K/30K/35K/40K/50K 12" Black	
SCSL-WM-UD-AP-18-MCT	15W	1350LM	27K/30K/35K/40K/50K 18" White	
SCSL-WM-UD-AP-18-MCT-BK	15W	1350LM	27K/30K/35K/40K/50K 18" Black	
SCSL-WM-UD-AP-24-MCT	20W	1800LM	27K/30K/35K/40K/50K 24" White	
SCSL-WM-UD-AP-24-MCT-BK	20W	1800LM	27K/30K/35K/40K/50K 24" Black	
SCSL-REC	SCSL Rounded End Cap, White			
SCSL-REC-BK	SCSL Rounded End Cap, Black			
SCSL-CEC	SCSL Coupling End Cap, White			
SCSL-CEC-BK	SCSL Coupling End Cap, Black			


FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	480V OPTION	DESCRIPTION
ALL	OPT-EM-SCSL-WH	IN CANOPY	N/A	N/A	N/A	N/A	N/A
	OPT-EM-SCSL-BK	IN CANOPY					

Direct Light



Indirect Light



EURO-DESIGN DIE-CAST SUSPENDED LINEAR LIGHT, POWER & CCT SELECTABLE DIRECT OR INDIRECT - REVERSIBLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCP-4FT-20-30W-MCTP	20W/25W/30W 80LM/W 3000K/3500K/4000K	12
SCP-8FT-40-60W-MCTP	40W/50W/60W 80LM/W 3000K/3500K/4000K	12
SCP-4FT-20-30W-MCTP-BK	20W/25W/30W 80LM/W 3000K/3500K/4000K	12
SCP-8FT-40-60W-MCTP-BK	40W/50W/60W 80LM/W 3000K/3500K/4000K	12

FOR FACTORY-INSTALLED OPTIONS SEE BELOW SCPL PAGE 162



POWER & CCT- ADJUSTABLE LINEAR TUBE DECORATIVE SUSP. LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
SDTL-4FT-20-30W-MCTP	20W/25W/30W 105LM/W 30K/35K/40K White	4
SDTL-6FT-25-50W-MCTP	25W/40W/50W 105LM/W 30K/35K/40K White	4
SDTL-8FT-40-60W-MCTP	40W/50W/60W 105LM/W 30K/35K/40K White	4
SDTL-4FT-20-30W-MCTP-BK	20W/25W/30W 105LM/W 30K/35K/40K Black	4
SDTL-6FT-25-50W-MCTP-BK	25W/40W/50W 105LM/W 30K/35K/40K Black	4
SDTL-8FT-40-60W-MCTP-BK	40W/50W/60W 105LM/W 30K/35K/40K Black	4



Can be Installed
Vertically



SUSPENDED 360° COMMERCIAL TUBE LIGHTS, WATTAGE & CCT SELECTABLE

CATALOG NO.	DESCRIPTION	PKG. QTY.
ST360-2FT-MCTP-DD	17W/19W/21W/23W 80LM/W 30K/35K/40K	1
ST360-3FT-MCTP-DD	25W/27W/29W/31W 80LM/W 30K/35K/40K	1
ST360-4FT-MCTP-DD	33W/35W/37W/39W 80LM/W 30K/35K/40K	1
ST360-6FT-MCTP-DD	50W/54W/58W/62W 80LM/W 30K/35K/40K	1
ST360-8FT-MCTP-DD	66W/70W/74W/78W 80LM/W 30K/35K/40K	1



POWER & CCT-ADJUSTABLE LED SUSPENDED FRAME FIXTURES, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
SFL-4FT-60W-MCTP	40W/50W/60W 7000LM 30K/35K/40K White	4
SFL-4FT-60W-MCTP-BK	40W/50W/60W 7000LM 30K/35K/40K Black	4
SFL-4FT-60W-MCTP-GD	40W/50W/60W 7000LM 30K/35K/40K Gold	4



SCLP-4FT
White



SCLT-4FT
White



SCLP-4FT-BK
Black



SCLT-4FT-BK
Black



SCLP-CB
Aluminum Finish

LED PARABOLIC SUSPENDED DOWN LIGHT, 120-277V

Aluminum Finish



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCLP-4FT-40W-MCT-D	40W 4600LM 35K/40K/50K MCT	2
SCLP-4FT-50W-MCTP-D	35W/40W/50W 115LM/W 35K/40K/50K MCTP	2
SCLP-4FT-50W-MCTP-D-BK	35W/40W/50W 115LM/W 35K/40K/50K MCTP	2
SCLT-4FT-40W-50K-D	40W 4600LM 5000K WHILE SUPPLIES LAST	2
SCLT-4FT-40W-MCT-D	40W 4600LM 35K/40K/50K MCT	2
SCLT-4FT-50W-MCTP-D	30W/40W/50W 115LM/W 35K/40K/50K MCTP	2
SCLT-4FT-50W-MCTP-D-BK	30W/40W/50W 115LM/W 35K/40K/50K MCTP	2
SCLP-CB	COUPLING BRACKET	-

FACTORY-INSTALLED OPTIONS. ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	UP LIGHT	DESCRIPTION	PAINT	SURFACE MOUNT	DESCRIPTION
ALL MODELS	OPT-EM-AC2EXT	EXTERNAL	OPT-SCLP-ULK	UP LIGHT 20W, MCT	N/A	OPT-SCLP-SURF	SURFACE-MOUNT



SCLP-UD-CB


LED PARABOLIC SUSPENDED PERH. BASKET & LOUVER UP/DOWN LIGHT, 120-277V

White



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCLP-UD-4FT-60W-MCT-D MCT	40W/20W 4400LM/2100LM 3500K/4000K/5000K	1
SCLP-UD-CB	COUPLING BRACKET	-

SUSPENSION KIT & CABLE NOT INCLUDED SEE PAGES 170 TO 174, FOR FACTORY-INSTALLED OPTIONS SEE PAGE 162



SCLL-CB

LED LINEAR SUSPENDED PERFORATED BASKET LIGHT (UP/DOWN)

White



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCLL-UD-4FT-60W-50K-D	40W/20W OR 60W 4400LM/2100LM 5000K	1
SCLL-UD-4FT-60W-40K-D	40W/20W OR 60W 4400LM/2100LM 4000K	1
SCLL-UD-4FT-60W-35K-D	40W/20W OR 60W 4400LM/2100LM 3500K	1
SCLL-CB	COUPLING BRACKET	-

SUSPENSION KIT & CABLE NOT INCLUDED SEE PAGES 153 TO 156, FOR FACTORY-INSTALLED OPTIONS SEE PAGE 162

4Ft



SCPP-DEC

LED SUSPENDED 2/3 LOUVER & PERF. CENTER BASKET LIGHT (UP/DOWN)



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCPP-UD-4FT-60W-50K-D	40W/20W OR 60W 4400LM/2100LM 5000K	1
SCPP-UD-4FT-60W-40K-D	40W/20W OR 60W 4400LM/2100LM 4000K	1
SCPP-UD-4FT-60W-35K-D	40W/20W OR 60W 4400LM/2100LM 3500K	1
SCPP-DEC	DECORATIVE END CAP FOR SCPP	-

SUSPENSION KIT & CABLE NOT INCLUDED SEE PAGES 170 TO 174, FOR FACTORY-INSTALLED OPTIONS SEE SCPL-UD BELOW
COUPLING CLIPS INCLUDED

4Ft



SCLP-UD-CB

LED SUSPENDED 2/3 PERFORATED BASKETLIGHT (UP/DOWN)

White



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCPL-UD-4FT-60W-50K-D	40W/20W OR 60W 4400LM/2100LM 5000K	1
SCPL-UD-4FT-60W-40K-D	40W/20W OR 60W 4400LM/2100LM 4000K	1
SCPL-UD-4FT-60W-35K-D	40W/20W OR 60W 4400LM/2100LM 3500K	1
SCPL-UD-4FT-60W-MCT-D	60W 4400LM/2100LM 35K/40K/50K	1
SCLP-UD-CB	COUPLING BRACKET	-

SUSPENSION KIT & CABLE NOT INCLUDED SEE PAGES 170 TO 174

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	UP/DOWN LIGHT	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
All	OPT-EM-SLIINT	INTERNAL	OPT-SCL-LMT-35K OPT-SCL-LMT-40K OPT-SCL-LMT-50K	UP/DOWN LIGHT MODULE	OPT-CLR-100 (BK/GR/SR/WH)	OPT-SEN-2US OPT-SEN-NLS-SCP OPT-SEN-KEILTON WEC-3RC	MICROWAVE WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL

4Ft



LED SUSPENDED UP/DOWN CLEAR PANEL LIGHT, 120-277V (SUSPENSION & CORD NOT INCL.)



CATALOG NO.	DESCRIPTION	PKG. QTY.
SPL-4FT-40W-50K-D	40W 2100LM/2100LM 5000K WHILE SUPPLIES LAST	2
SPL-4FT-40W-40K-D	40W 2100LM/2100LM 4000K WHILE SUPPLIES LAST	2
SPL-4FT-40W-MCT-D	40W 2100LM/2100LM 3500K/4000K/5000K MCT	2

SEE PAGES 170 TO 174 FOR SUSPENSION & CORD

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-SPL	EXTERNAL	N/A	N/A	N/A	N/A	N/A



LED ARCHITECTURAL ROUND SUSPENDED DOWN LIGHT, (WITH UP LIGHT OPTION, SEE FACTORY-INSTALLED OPTIONS BELOW)



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCR-24D-40K-D	50W 5197LM 4000K WHILE SUPPLIES LAST 24" Dia	1
SCR-24D-MCTP-D	30W/40W/50W 60LM/W 3000K/3500K/4000K 24" Dia	1
SCR-32D-MCTP-D	40W/60W/80W 110LM/W 30K/35K/40K 32" Dia	1
SCR-48D-MCTP-D	60W/80W/100W 110LM/W 30K/35K/40K 48" Dia	1
SCR-24D-MCTP-SMB	Surface Mounting Bracket For SCR-24D-MCTP-D	
SCR-32D-MCTP-SMB	Surface Mounting Bracket For SCR-32D-MCTP-D	
SCR-48D-MCTP-SMB	Surface Mounting Bracket For SCR-48D-MCTP-D	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	UPLIGHT OPTION	DESCRIPTION	EM OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-SCR-ULK	120V Installation Only	OPT-EM-SCR	EXTERNAL	N/A	OPT-SEN-2MDR-36 OPT-SEN-NLS-SCR OPT-SEN-KEILTON WEC-3RC	PROGRAMMABLE MICROWAVE BI-LEVEL WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL
		SCRH-UD-WH White		SCRH-UD-BK Black		SCRH-WS-WH White	SCRH-WS-BK Black

HOLLOW CIRCLE PENDANT OR WALL SCONCE WITH UPLIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
18" HOLLOW CIRCLE PENDANT WITH UPLIGHT		
SCRH-UD-18-MCT5-DD-WH	30W 50LM/W 27K/30K/35K/40K/50K White	1
SCRH-UD-18-MCT5-DD-BK	30W 50LM/W 27K/30K/35K/40K/50K Black	1
SCRH-UD-24-MCT5-DD-WH	40W 50LM/W 27K/30K/35K/40K/50K White	1
SCRH-UD-24-MCT5-DD-BK	40W 50LM/W 27K/30K/35K/40K/50K Black	1
SCRH-UD-36-MCT5-DD-WH	80W 50LM/W 27K/30K/35K/40K/50K White	1
SCRH-UD-36-MCT5-DD-BK	80W 50LM/W 27K/30K/35K/40K/50K Black	1
8" HOLLOW CIRCLE WALL SCONCE WITH UPLIGHT - 120V		
SCRH-WS-WH	10W 500LM 27K/30K/35K/40K/50K White	
SCRH-WS-BK	10W 500LM 27K/30K/35K/40K/50K Black	

LED SUSPENDED UP/DOWN CLEAR ROUND PANEL LIGHT, 22" DIA., 6FT HEIGHT




CATALOG NO.	DESCRIPTION	PKG. QTY.
SRPL-40W-35K-D	40W 2100LM/2100LM 3500K WHILE SUPPLIES LAST	1
SRPL-40W-40K-D	40W 2100LM/2100LM 4000K WHILE SUPPLIES LAST	1
SRPL-40W-50K-D	40W 2100LM/2100LM 5000K WHILE SUPPLIES LAST	1
SRPL-40W-MCT-D	40W 2100LM/2100LM 3500K/4000K/5000K MCT5	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-SRPL	INTERNAL	N/A	N/A	N/A	OPT-SEN-2MDR-36 OPT-SEN-NLS-SRPL OPT-SEN-KEILTON WEC-3RC	PROGRAMMABLE MICROWAVE BI-LEVEL WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL



POB-UD-3FT-45W-40K-D
POB-UD-4FT-60W-40K-D



POB-F-3FT-40W



POB-HB-3FT-50W



POB-VB-3FT-56W

PATIENT OVERBED HEALTHCARE LIGHT WITH PULL CHAIN AND INDICATOR LIGHT



POB-UD ONLY

CATALOG NO.	DESCRIPTION	PKG. QTY.
POB-UD-3FT-45W-40K-D	15W UP 35W DOWN 5175LM 4000K 3FT	4
POB-UD-4FT-60W-40K-D	20W UP 40W DOWN 6900LM 4000K 4FT	4
POB-F-3FT-40W	20W UP 20W DOWN 2800LM 27K/30K/40K 3FT	4
POB-HB-3FT-56W	20W UP 36W DOWN 2800LM 27K/30K/40K 3FT	4
POB-VB-3FT-56W	20W UP 36W DOWN 2800LM 27K/30K/40K 3FT	4

FACTORY-INSTALLED OPTIONS. ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER


WATTS	EM OPTION	DESCRIPTION	UP/DOWN LIGHT	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
All	OPT-EM-SLIINT	INTERNAL	OPT-SCL-LMT-35K OPT-SCL-LMT-40K OPT-SCL-LMT-50K	UP/DOWN LIGHT MODULE	OPT-CLR-100 (BK/GR/SR/WH)	OPT-SEN-2US OPT-SEN-NLS-SCP OPT-SEN-KEILTON WEC-3RC	MICROWAVE WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL



3FT FLAT WALL LIGHT, SEPARATE UP AND DOWN CONTROLS - DUAL DIMMING




CATALOG NO.	DESCRIPTION	PKG. QTY.
WCF-UD-EFT-36W-MCTP-DD-BK	36W 2800LM 27K/30K/40K Black	1
WCF-UD-EFT-36W-MCTP-DD-WH	36W 2800LM 27K/30K/40K White	1



LED LOUVER WALL LIGHTS (UP/DOWN) FOR FACTORY-INSTALLED EM OPTIONS SEE PAGE 162




CATALOG NO.	DESCRIPTION	PKG. QTY.
WCLP-UD-2FT-25W-MCT-D	25W 2750LM 3000K/4000K/5000K 2FT	1
WCLP-UD-4FT-50W-MCT-D	50W 5500LM 3000K/4000K/5000K 4FT	1



LED PERFORATED WALL LIGHTS (UP/DOWN) FOR FACTORY-INSTALLED EM OPTIONS SEE PAGE 162



CATALOG NO.	DESCRIPTION	PKG. QTY.
WCPL-UD-2FT-25W-MCT-D	25W 2750LM 3000K/4000K/5000K 2FT	1
WCPL-UD-4FT-50W-MCT-D	50W 5500LM 3000K/4000K/5000K 4FT	1



2Ft

4Ft

8Ft



SCL-TBTC-WN



LSS-CB2
LSS-CB2-BK




SCL-CSY1-6FT



SCL-CSY1P-6FT



SCL-CSY1P-6FT-NC



SCL-GSY10



SCL-GSY20

SPEC SERIES HIGH-LUMEN CCT & POWER ADJUSTABLE LINEAR STRIP

CATALOG NO.	DESCRIPTION	PKG. QTY.
LSS-2FT-25W-MCTP	15W/17W/20W/25W 130LM/W 35K/40K/50K	6
LSS-4FT-34W-MCTP	24W/27W/30W/34W 130LM/W 35K/40K/50K	6
LSS-4FT-46W-MCTP	29W/34W/39W/46W 130LM/W 35K/40K/50K	6
LSS-8FT-90W-MCTP	85W/75W/65W/55W 130LM/W 35K/40K/50K	6
LSS-2FT-25W-MCTP-BK	15W/17W/20W/25W 130LM/W 35K/40K/50K Black	6
LSS-4FT-46W-MCTP-BK	29W/34W/39W/46W 130LM/W 35K/40K/50K Black	6
LSS-8FT-90W-MCTP-BK	85W/75W/65W/55W 130LM/W 35K/40K/50K Black	6
LSS-CB2	Alignment Bracket for long runs	
LSS-CB2-BK	Alignment Bracket for long runs, Black Finish	
SCL-CSY1-6FT	Adj. 6Ft 1/16In. 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Non Power Side	
SCL-CSY1P-6FT	Adj. 6Ft 1/16In. 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Power Side With 18/5 White Cord	
SCL-CSY1P-6FT-NC	Adj. 6Ft 1/16In. 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connector	
SCL-GSY10	Adjustable 10 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2)	
SCL-GSY20	Adjustable 20 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2)	
SCL-TBTC-WN	T-Bar Track Clip With Washer And Wing Nut	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2FT & 3FT	OPT-EM-LSS-23	INTERNAL	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE	N/A	OPT-SEN-2US	MICROWAVE
4FT	OPT-EM-LSS-4	INTERNAL	OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE		OPT-SEN-NLS-LSS	WG NETWORK SENSOR
8FT	OPT-EM-LSS-8	INTERNAL	OPT-HBC-125SB-WH	10FT, 15A, 125V, 18/35TR, WHT		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	FLEX WHIP	DESCRIPTION				WEC-3RC	(REMOTE NOT NEEDED)
	OPT-FWH-63	6FT 3-Wire Whip				OPT-2P-58	OPTIONAL RC
	OPT-FWH-65	6FT 5-Wire Whip					PIR SENSOR (Not remote capable)

2Ft



4Ft



8Ft



LSN-2FT-WG
LSN-4FT-WG




SCL-CSY1-6FT




SCL-CSY1P-6FT



SCL-CSY1P-6FT-NC



SCL-GSY10



SCL-GSY20



WEC-3RC



SCL-TBTC-WN



BUILDER SERIES NARROW STRIP, 120-277VAC




CATALOG NO.	DESCRIPTION				PKG. QTY.
NARROW STRIP, 120-277VAC					
LSN-2FT-20W-MCT-D	MCT	20W	2600LM	3500K/4000K/5000K	8
LSN-4FT-32W-35K-D		32W	4160LM	3500K	8
LSN-4FT-32W-40K-D		32W	4160LM	4000K	8
LSN-4FT-32W-50K-D		32W	4160LM	5000K	8
LSN-4FT-40W-35K-D		40W	5200LM	3500K	8
LSN-4FT-40W-40K-D		40W	5200LM	4000K	8
LSN-4FT-40W-50K-D		40W	5200LM	5000K	8
LSN-4FT-40W-MCTP-D	MCTP	25W/30W/40W	130LM/W	3500K/4000K/5000K	8
LSN-4FT-40W-MCTP5-D	MCTP	25W/30W/40W	130LM/W	30K/35K/40K/50K/60K	8
LSN-8FT-64W-40K-D		64W	8320LM	4000K	4
LSN-8FT-64W-50K-D		64W	8320LM	5000K	4
LSN-8FT-50W-MCTP-D	MCTP	30W/40W/50W	130LM/W	3500K/4000K/5000K	4
LSN-8FT-80W-MCTP-D	MCTP	50W/64W/80W	130LM/W	3500K/4000K/5000K	4
LSN-8FT-80W-MCTP5-D	MCTP	50W/64W/80W	130LM/W	30K/35K/40K/50K/60K	5
NARROW STRIP WITH SENSOR (SENSOR CAN BE DISCONNECTED), 120-277VAC					
LSN-2FT-20W-MCT-D-SEN		20W	2600LM	3500K/4000K/5000K	8
LSN-4FT-40W-MCTP-D-SEN		25W/30W/40W	130LM/W	3500K/4000K/5000K	8
LSN-8FT-80W-MCTP-D-SEN		50W/64W/80W	130LM/W	3500K/4000K/5000K	4
NARROW STRIP WITH SENSOR (SENSOR CAN BE DISCONNECTED) & EMERGENCY BACKUP , 120-277VAC					
LSN-2FT-20W-MCT-D-EM-SEN		20W	2600LM	3500K/4000K/5000K	8
LSN-4FT-40W-MCTP-D-EM-SEN		25W/30W/40W	130LM/W	3500K/4000K/5000K	8
LSN-8FT-80W-MCTP-D-EM-SEN		50W/64W/80W	130LM/W	3000K/4000K/5000K	4
LSN-CB	Alignment Bracket for long runs				
LSN-2FT-WG	Wire Guard Kit For 2ft LSN Strip Light				
LSN-4FT-WG	Wire Guard Kit For 4ft OR Set of 2 For 8 ft LSN Strip Light				
SCL-TBTC-WN	T-Bar Track Clip With Washer And Wing Nut				
WEC-3RC	Remote Control For Motion Sensors (For Sensor Fixtures)				
SCL-CSY1-6FT	Adj. 6Ft 1/16In, 1.5mm Single Suspen Sion 5In Canopy Set With Y Double Keyhole End Connec-tors, Non Power Side				
SCL-CSY1P-6FT	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connec-Tors, Power Side With SjtW18/5 White Cord				
SCL-CSY1P-6FT-NC	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End ConnecTor				
SCL-GSY10	Adjustable 10 Ft. 1/16", 1.5mm Sus Pension Kit With Y-Connector & Loop Grip & Hooks(2)				
SCL-GSY20	Adjustable 20 Ft. 1/16", 1.5mm Sus Pension Kit With Y-Connector & Loop Grip & Hooks(2)				



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2FT & 3FT	OPT-EM-LSN-23	INTERNAL	OPT-HBC-125TL-WH	8FT, 15A, 125V.WHITE	N/A	OPT-SEN-2US	MICROWAVE
4FT	OPT-EM-LSN-4	INTERNAL	OPT-HBC-277TL-WH	8FT, 15A, 277V.WHITE		OPT-SEN-NLS-LSN	WG NETWORK SENSOR
8FT	OPT-EM-LSN-8	INTERNAL	OPT-HBC-125SB-WH	10FT, 15A, 125V/18/3STR.WHT		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	FLEX WHIP	DESCRIPTION				WEC-3RC	(REMOTE NOT NEEDED)
	OPT-FWH-63	6FT 3-Wire Whip				OPT-2P-58	OPTIONAL RC
	OPT-FWH-65	6FT 5-Wire Whip					PIR SENSOR (Not remote capable)



SPEC SERIES LED STRIP LIGHT, 120-277V, (FOR SENSOR MODELS: SENSOR CAN BE DISCONNECTED)

	CATALOG NO.	DESCRIPTION	PKG. QTY.
2Ft	LSL-2FT-20W-35K-D	20W 2100LM 3500K 2FT	1
3Ft	LSL-2FT-20W-40K-D	20W 2100LM 4000K 2FT	1
	LSL-2FT-20W-50K-D	20W 2100LM 5000K 2FT	1
	LSL-2FT-20W-MCT-D	20W 2270LM 35K/40K/50K 2FT	1
4Ft	LSL-3FT-30W-MCT-D	30W 3150LM 35K/40K/50K 3FT	1
	LSL-4FT-40W-35K-D	40W 4200LM 3500K 4FT	1
	LSL-4FT-40W-40K-D	40W 4200LM 4000K 4FT	1
	LSL-4FT-40W-50K-D	40W 4200LM 5000K 4FT	1
6Ft	LSL-4FT-40W-MCT-D	40W 4200LM 35K/40K/50K 4FT	1
	LSL-6FT-60W-MCT-D	60W 7300LM 35K/40K/50K 6FT	1
8Ft	LSL-8FT-80W-40K-D-A	80W 8400LM 4000K 8FT	1
	LSL-8FT-80W-50K-D-A	80W 8400LM 5000K 8FT	1
	LSL-8FT-80W-40K-D	80W 8400LM 4000K 8FT	1
	LSL-8FT-80W-50K-D	80W 8400LM 5000K 8FT	1
8Ft	LSL-8FT-80W-MCT-D	80W 8400LM 35K/40K/50K 8FT	1
	LSL-8FT-84W-40K-D-HL	84W 11000LM 4000K 8FT	1
	LSL-8FT-84W-50K-D-HL	84W 11000LM 5000K 8FT	1
	LSL-8FT-84W-MCT-D-HL	84W 11000LM 35K/40K/50K 8FT	1
QUICK SHIP	LSL-2FT-20W-MCT-D-SEN	20W 2100LM 35K/40K/50K 2FT	1
	LSL-4FT-40W-MCT-D-SEN	40W 4200LM 35K/40K/50K 4FT	1
	LSL-8FT-80W-MCT-D-SEN	80W 8400LM 35K/40K/50K 8FT	1
QUICK SHIP	LSL-2FT-20W-MCT-D-EM-SEN	20W 2100LM 35K/40K/50K 2FT	1
	LSL-4FT-40W-MCT-D-EM-SEN	40W 4200LM 35K/40K/50K 4FT	1
	LSL-8FT-80W-MCT-D-EM-SEN	80W 8400LM 35K/40K/50K 8FT	1
	LSL-2FT-WG	Wire Guard Kit For 2Ft. Strip Light	
	LSL-4FT-WG	Wire Guard Kit For 4Ft. Strip Light	
	LSL-4FT-WK	Shop Wings For 4Ft. Strip Light, Use 2 Kits For Lsl-8Ft	
	SCL-TBTC-WN	T-Bar Track Clip With Washer And Wing Nut	
	SCL-TBC-WN	T-Bar Clip With Suspension Hole On Top, Wing Nut And Washer Incl	
	LSL-CB	Alignment Bracket for long runs	
	SCL-CSY1-6FT	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Non Power Side	
	SCL-CSY1P-6FT	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Power Side With SjtW18/5 White Cord	
	SCL-CSY1P-6FT-NC	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connector	
	SCL-GSY10	Adjustable 10 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2)	
	SCL-GSY20	Adjustable 20 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2)	
	WEC-3RC	Remote Control For Motion Sensors (For Sensor Fixtures)	

FOR FACTORY-INSTALLED OPTIONS SEE NEXT PAGE

(SAME FOOTPRINT AS STANDARD 4' 2L FLUOR. STRIPS)

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2FT & 3FT	OPT-EM-LSL-23	INTERNAL	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE	N/A	OPT-SEN-2US	MICROWAVE
4FT	OPT-EM-LSL-4	INTERNAL	OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE		OPT-SEN-NLS-LSL	WG NETWORK SENSOR
8FT	OPT-EM-LSL-8	INTERNAL	OPT-HBC-125SB-WH	10FT, 15A, 125V, 18/3STR, WHT		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	FLEX WHIP	DESCRIPTION				WEC-3RC	(REMOTE NOT NEEDED)
	OPT-FWH-63	6FT 3-Wire Whip				OPT-2P-58	OPTIONAL RC
	OPT-FWH-65	6FT 5-Wire Whip					PIR SENSOR (Not remote capable)

2Ft



4Ft



Add EM and/or Sensor Options to use as Stairwell Fixtures

2FT & 4FT POWER & CCT ADJUSTABLE LINEAR CORNER CORRIDOR



CATALOG NO.	DESCRIPTION	PKG. QTY.
LCL-2FT-20W-MCTP	10W/15W/20W 115LM/W 3500K/4000K/5000K	6
LCL-4FT-40W-MCTP	20W/30W/40W 115LM/W 3500K/4000K/5000K	6
POWER & CCT ADJUSTABLE LINEAR CORNER CORRIDOR WITH BI-LVL SENSOR & EMERGENCY BACKUP		
LCL-2FT-20W-MCTP-EM-SEN	10W/15W/20W 115LM/W 35K/40K/50K	6
LCL-4FT-40W-MCTP-EM-SEN	20W/30W/40W 115LM/W 35K/40K/50K	6

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LCL	INTERNAL	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE	N/A	OPT-SEN-2US	MICROWAVE
			OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE		OPT-SEN-NLS-LCL	WG NETWORK SENSOR
			OPT-HBC-125SB-WH	10FT, 15A, 125V, 18/3STR, WHT		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
						WEC-3RC	(REMOTE NOT NEEDED)
						OPT-2P-58	OPTIONAL RC

LED-READY 4FT 2-LAMP WRAP - LAMPS NOT ICL.

CATALOG NO.	DESCRIPTION	PKG. QTY.
WASLR-4FT-2L-NL	Led-Ready 4Ft 2-Lamp Wrap - No Lamps	1



4Ft



8Ft



LRSL SERIES WITH CLEAR OR FROSTED LED T8 LAMPS

NO PARTIAL/MUST SHIP CASE QTY.

CATALOG NO.	DESCRIPTION	PKG. QTY.
LRSL-4FT-2L-6PK-40K-C	18W 2200LM 4000K per lamp 4FT 2 LAMPS (Inc)	6
LRSL-8FT-T4L-6PK-40K-C	18W 2200LM 4000K per lamp 8FT 4 LAMPS (Inc)	6
LRSL-4FT-2L-6PK-50K-C	18W 2200LM 5000K per lamp 4FT 2 LAMPS (Inc)	6
LRSL-8FT-T4L-6PK-50K-C	18W 2200LM 5000K per lamp 8FT 4 LAMPS (Inc)	6
LRSL-4FT-2L-6PK-40K-F	18W 2200LM 4000K per lamp 4FT 2 LAMPS (Inc)	6
LRSL-8FT-T4L-6PK-40K-F	18W 2200LM 4000K per lamp 8FT 4 LAMPS (Inc)	6
LRSL-4FT-2L-6PK-50K-F	18W 2200LM 5000K per lamp 4FT 2 LAMPS (Inc)	6
LRSL-8FT-T4L-6PK-50K-F	18W 2200LM 5000K per lamp 8FT 4 LAMPS (Inc)	6



4FT. & 8FT. LED-READY STRIP LIGHTS - DIRECT AC INPUT 120-277V FOR TYPE B (AC) T8 (CAN ALSO BE USED AS 4FT 1L OR 8FT 2L) WITHOUT LAMP

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRSL-4FT-2L-6PK	4FT 2 LAMPS (Not Included)	6
LRSL-8FT-T4L-6PK	8FT 4 LAMPS (Not Included)	6

LED SHOP LIGHT, 120V WITH PLUG-IN CORD



CATALOG NO.	DESCRIPTION	PKG. QTY.
LSP-4FT-40W-40K	40W 4400LM 4000K WITH ADJUSTABLE SUSPENSION CABLE	4

LED STANDARD WRAP-AROUND FIXTURE, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
WAS-4FT-42W-35K-D	42W 4400LM 3500K 4FT	1
WAS-4FT-42W-50K-D	42W 4400LM 5000K 4FT	1
WAS-4FT-MCTP	22W/30W/38W 130LM/W 30K/40K/50K 4FT	1

FOR FACTORY-INSTALLED OPTIONS SEE WA BELOW



MODERN SURFACE CEILING LIGHT - DUAL DIM - 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
CCL-2FT-MCT5-DD	18W/24W/30W 100LM/W 27K/30K/35K/40K/50K 2FT	1
CCL-2FT-MCT5-DD-BK	18W/24W/30W 100LM/W 27K/30K/35K/40K/50K 2FT, Black	1
CCL-4FT-MCT5-DD	36W/48W/60W 100LM/W 27K/30K/35K/40K/50K 4FT	1
CCL-4FT-MCT5-DD-BK	36W/48W/60W 100LM/W 27K/30K/35K/40K/50K 4FT, Black	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-CCL	External Box	N/A	N/A	N/A	N/A	N/A

SPEC SERIES LED ARCHITECTURAL WRAP-AROUND LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
SPEC SERIES LED ARCHITECTURAL WRAP-AROUND LIGHT		
WA-2FT-25W-35K-D	25W 2750LM 3500K 2FTx8.2"	5
WA-2FT-25W-50K-D	25W 2750LM 5000K 2FTx8.2"	5
WA-2FT-25W-MCT-D	25W 2800LM 35K/40K/50K 2FTx8.2"	
SPEC SERIES POWER & CCT ADJUSTABLE LED ARCHITECTURAL WRAP-AROUND LIGHT		
WA-2FT-10-20W-MCTP	10W/15W/20W 110LM/W 35K/40K/50K 4FTx8.2"	
WA-4FT-20-40W-MCTP	20W/30W/40W 110LM/W 35K/40K/50K 4FTx8.2"	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-WA	INTERNAL	N/A	N/A	N/A	OPT-2P-58 OPT-SEN-2MDR-36 OPT-SEN-NLS-WA OPT-SEN-KEILTON WEC-3RC	PIR SENSOR (Not remote capable) PROGRAMMABLE MICROWAVE BI-LEVEL WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL



BUILDER SERIES LED ECONOMY WRAP-AROUND FIXTURES, 5.4" WIDE

MCTP*: MULTI COLOR TEMPERATURE & MULTI POWER



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

LED ECONOMY WRAP-AROUND FIXTURES, 0-10V DIMMING

4ft	WAE-4FT-30K-D	40W	3000K	6
	WAE-4FT-40K-D	40W	4000K	6
	WAE-4FT-50K-D	40W	5000K	6

CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES, 0-10V & TRIAC DIMMING

2ft	WAE-2FT-MCT-DD	20W	3000K/4000K/5000K	120-277V	6
4ft	WAE-4FT-MCT-DD	40W	3000K/4000K/5000K	120-277V	6

CCT5 ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES, 0-10V

4ft	WAE-4FT-40W-MCT5-D	40W	27K/30K/35K/40K/50K	6
-----	--------------------	-----	---------------------	---

POWER & CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURE

4ft	WAE-4FT-40-65W-MCTP-DD	40W/50W/65W	30K/40K/50K	
8ft	WAE-8FT-MCTP-DD	48W/64W/80W	27K/30K/35K/40K/50K	1

POWER & CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURE WITH REMOTE CONTROL

4ft	WAE-4FT-MCTP	40W Max.	2700K-5000K	Remote Control incl.	6
-----	--------------	----------	-------------	----------------------	---

CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES WITH SENSOR (SENSOR CAN BE DISCONNECTED), 0-10V & TRIAC DIMMING

	WAE-2FT-MCT-DD-SEN	20W	3000K/4000K/5000K	
	WAE-4FT-MCT-DD-SEN	40W	3000K/4000K/5000K	
	WAE-8FT-MCTP-DD-SEN	48W/64W/80W	27K/30K/35K/40K/50K	1
	WEC-3RC	Remote Control For Motion Sensors (For Sensor Fixtures)		

CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES WITH SENSOR (SENSOR CAN BE DISCONNECTED) & EMERGENCY BACKUP, 0-10V & TRIAC DIMMING

	WAE-2FT-MCT-DD-EM-SEN	20W	3000K/4000K/5000K	
	WAE-4FT-MCT-DD-EM-SEN	40W	3000K/4000K/5000K	
	WAE-8FT-MCTP-DD-EM-SEN	48W/64W/80W	27K/30K/35K/40K/50K	1
	WEC-3RC	Remote Control For Motion Sensors (For Sensor Fixtures)		

CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES, TRIAC DIMMING

2ft	WAE-2FT-MCT-DT	20W	3000K/4000K/5000K	6
-----	----------------	-----	-------------------	---



BUILDER SERIES LED ECONOMY WIDE (10") WRAP-AROUND FIXTURES



CATALOG NO.	DESCRIPTION	PKG. QTY.
WAEW-4FT-30-50W-MCTP-D	30W/40W/50W 120LM/W 30K/40K/50K	4
WAEW-4FT-30-50W-MCTP-D-SEN	30W/40W/50W 120LM/W 30K/40K/50K	4
WAEW-4FT-30-50W-MCTP-D-EM-SEN	30W/40W/50W 120LM/W 30K/40K/50K	4

LINEAR PUFF FIXTURE, SELECTABLE POWER & CCT, DUAL DIMMING TRIAC & 0-10V



CATALOG NO.	DESCRIPTION
LPF-2FT-MCT-DD	25W 2250LM 30K/40K/50K 2FT
LPF-4FT-MCT-DD	40W 3600LM 30K/40K/50K 4FT



GRIP & SUSPENSION ACCESSORIES

COMPATIBLE SERIES

SCX (SINGLE KEYHOLE)/LSL, LSS ("Y" END & HOOK OR "Y" END & TOGGLE)/SCLP, SCPL-UD, SCL, SCPP, SCX6 ("Y" END & KEYHOLE) & 2FT, 3FT, 4FT FIXTURES NEED 2 SUSPENSION & CABLES (2 ON ENDS)/ 6FT & 8FT FIXTURES NEED 3 SUSPENSION & CABLES (1 IN CENTER, 2 ON ENDS)



SCL-CSK-6FT

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES WITH KEYHOLE END CONNECTORS



SCL-CSK-12FT

ADJ. 12FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES WITH KEYHOLE END CONNECTORS



SCL-CSK-20FT

ADJ. 20ft 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES WITH KEYHOLE END CONNECTORS



SCL-CSK-6FT-BK

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES WITH KEYHOLE END CONNECTORS, BLACK



SCL-CSK-12FT-BK

ADJ. 12FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES WITH KEYHOLE END CONNECTORS, BLACK



SCL-CSK-20FT-BK

ADJ. 20ft 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES WITH KEYHOLE END CONNECTORS BLACK



SCL-CSMK-6FT

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE KIT WITH MINI NON-POWR CANOPY KEYHOLE END CONNECTORS



SCL-CSMK-12FT

ADJ. 12FT 1/16in SUSPENSION CANOPY COMPLETE KIT WITH MINI NON-POWR CANOPY KEYHOLE END CONNECTORS



SCL-CSMK-20FT

ADJ. 20ft 1/16in SUSPENSION CANOPY COMPLETE KIT WITH MINI NON-POWR CANOPY KEYHOLE END CONNECTORS



SCL-CSMK-6FT-BK

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE KIT WITH MINI NON-POWR CANOPY KEYHOLE END CONNECTORS BLACK



SCL-CSMK-12FT-BK

ADJ. 12FT 1/16in SUSPENSION CANOPY COMPLETE KIT WITH MINI NON-POWR CANOPY KEYHOLE END CONNECTORS BLACK



SCL-CSMK-20FT-BK

ADJ. 20ft 1/16in SUSPENSION CANOPY COMPLETE KIT WITH MINI NON-POWR CANOPY KEYHOLE END CONNECTORS BLACK



SCL-CSKC-6FT

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE KIT WITH DECOR NON-POWR CEILING ATTACHMENT - KEYHOLE ENDS



SCL-CSKC-12FT

ADJ. 12FT 1/16in SUSPENSION CANOPY COMPLETE KIT WITH DECOR NON-POWR CEILING ATTACHMENT - KEYHOLE ENDS



SCL-CSKC-20FT

ADJ. 20FT 1/16in SUSPENSION CANOPY COMPLETE KIT WITH DECOR NON-POWR CEILING ATTACHMENT - KEYHOLE ENDS



SCL-CSKC-6FT-BK

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE KIT WITH DECOR NON-POWR CEILING ATTACHMENT - KEYHOLE ENDS BLACK



SCL-CSKC-12FT-BK

ADJ. 12FT 1/16in SUSPENSION CANOPY COMPLETE KIT WITH DECOR NON-POWR CEILING ATTACHMENT - KEYHOLE ENDS BLACK



SCL-CSKC-20FT-BK

ADJ. 20FT 1/16in SUSPENSION CANOPY COMPLETE KIT WITH DECOR NON-POWR CEILING ATTACHMENT - KEYHOLE ENDS BLACK



SCL-CS1-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CS1-12FT

ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CS1-20FT

ADJ. 20FT 1/16in SINGLE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CS1-6FT-BK

BLACK ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CS1-12FT-BK

BLACK ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CS1-20FT-BK

ADJ. 20FT 1/16in SINGLE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE, BLACK



SCL-CS1P-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 WHITE CORD



SCL-CS1P-12FT

ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH CORD



SCL-CS1P-20FT

ADJ. 20FT 1/16in SINGLE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 WHITE CORD



SCL-CS1P-6FT-BK

BLACK ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 BLACK CORD



SCL-CS1P-12FT-BK

BLACK ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR WITH CORD



SCL-CS1P-20FT-BK

ADJ. 20FT 1/16in SINGLE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 WHITE CORD, BLACK



SCL-CS1P-6FT-NC

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITHOUT CORD



SCL-CS1P-12FT-NC

ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITHOUT CORD



SCL-CS1P-20FT-NC

ADJ. 20FT 1/16in SINGLE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD



SCL-CS1P-6FT-NC-BK

BLACK ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITHOUT CORD



SCL-CS1P-12FT-NC-BK

BLACK ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR WITHOUT CORD



SCL-CS1P-20FT-NC-BK

ADJ. 20FT 1/16in SINGLE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD, BLACK



OPT-SCL-XLENGTH

LABOR CHARGE FOR CUSTOM CABLE LENGTH, SPECIFY DESIRED LENGTH IN PO. MUST PURCHASE SUFFICIENT ROLLS OF AIRCRAFT CABLE & POWER CORD SEE PAGE 173

GRIP & SUSPENSION ACCESSORIES



SCL-CSQMK-6FT

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE SQ KIT WITH **MINI** NON-POWR CANOPY KEYHOLE END CONNECTORS



SCL-CSQMK-12FT

ADJ. 12FT 1/16in SUSPENSION CANOPY COMPLETE SQ KIT WITH **MINI** NON-POWR CANOPY KEYHOLE END CONNECTORS



SCL-CSQMK-20FT

ADJ. 20FT 1/16in SUSPENSION CANOPY COMPLETE SQ KIT WITH **MINI** NON-POWR CANOPY KEYHOLE END CONNECTORS



SCL-CSQMK-6FT-BK

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE SQ KIT WITH **MINI** NON-POWR CANOPY KEYHOLE END CONNECTORS, BLACK



SCL-CSQMK-12FT-BK

ADJ. 12FT 1/16in SUSPENSION CANOPY COMPLETE SQ KIT WITH **MINI** NON-POWR CANOPY KEYHOLE END CONNECTORS BLACK



SCL-CSQMK-20FT-BK

ADJ. 20FT 1/16in SUSPENSION CANOPY COMPLETE SQ KIT WITH **MINI** NON-POWR CANOPY KEYHOLE END CONNECTORS BLACK



SCL-CSQ1-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CSQ1-12FT

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CSQ1-20FT

ADJ. 20FT 1/16in SINGLE SQUARE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CSQ1-6FT-BK

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE, BLACK



SCL-CSQ1-12FT-BK

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE, BLACK



SCL-CSQ1-20FT-BK

ADJ. 20FT 1/16in SINGLE SQUARE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE, BLACK



SCL-CSQ1P-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITH CORD



SCL-CSQ1P-12FT

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITH CORD



SCL-CSQ1P-20FT

ADJ. 20FT 1/16in SINGLE SQUARE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, KIT



SCL-CSQ1P-6FT-BK

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITH CORD, BLACK



SCL-CSQ1P-12FT-BK

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITH CORD, BLACK



SCL-CSQ1P-20FT-BK

ADJ. 20FT 1/16in SINGLE SQUARE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, KIT, BLACK



SCL-CSQ1P-6FT-NC

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD



SCL-CSQ1P-12FT-NC

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD



SCL-CSQ1P-20FT-NC

ADJ. 20FT 1/16in SINGLE SQUARE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD



SCL-CSQ1P-6FT-NC-BK

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD, BLACK



SCL-CSQ1P-12FT-NC-BK

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD, BLACK



SCL-CSQ1P-20FT-NC-BK

ADJ. 20FT 1/16in SINGLE SQUARE SUSPENSION CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD, BLACK



SCL-CCK-6FT

ADJ. 6FT 1/16in SUSPENSION WIRE WITH DECOR CEILING ATTACHMENT - KEYHOLE END



SCL-CCK-12FT

ADJ. 12FT 1/16in SUSPENSION WIRE WITH DECOR CEILING ATTACHMENT - KEYHOLE END



SCL-CCK-20FT

ADJ. 20FT 1/16in SUSPENSION WIRE WITH DECOR CEILING ATTACHMENT - KEYHOLE END



SCL-CCK-6FT-BK

ADJ. 6FT 1/16in SUSPENSION WIRE WITH DECOR CEILING ATTACHMENT - KEYHOLE END BLACK



SCL-CCK-12FT-BK

ADJ. 12FT 1/16in SUSPENSION WIRE WITH DECOR CEILING ATTACHMENT - KEYHOLE END BLACK



SCL-CCK-20FT-BK

ADJ. 20FT 1/16in SUSPENSION WIRE WITH DECOR CEILING ATTACHMENT - KEYHOLE END BLACK



SCL-CS1M-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 2in **MINI** CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



SCL-CS1MP-6FT-BK

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 2in **MINI** CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 WHITE CORD, BLACK



SCL-CS1MP-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 2in **MINI** CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 WHITE CORD



SCL-CS1M-6FT-BK

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 2in **MINI** CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE, BLACK

GRIP & SUSPENSION ACCESSORIES



SCL-CSYK-6FT

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES - KEYHOLE Y END CONNECTORS



SCL-CSYK-12FT

ADJ. 12FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES - KEYHOLE Y END CONNECTORS



SCL-CSYK-20FT

ADJ. 20FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES - KEYHOLE Y END CONNECTORS




SCL-CSYK-12FT-BK

ADJ. 12FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES - KEYHOLE Y END CONNECTORS BLACK




SCL-CSYK-6FT-BK

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES - KEYHOLE Y END CONNECTORS BLACK



SCL-CSYK-20FT-BK

ADJ. 20FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES - KEYHOLE Y END CONNECTORS BLACK



SCL-CSY1-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH Y DOUBLE KEYHOLE END CONNECTORS, NON-POWER SIDE




SCL-CSY1P-6FT

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH Y DOUBLE KEYHOLE END CONNECTORS, POWER SIDE WITH SJTW18/5 WHITE CORD




SCL-CSY1P-6FT-NC

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH Y DOUBLE KEYHOLE END CONNECTORS



SCL-CSY1-12FT

ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH Y DOUBLE KEYHOLE END CONNECTORS, NON-POWER SIDE



SCL-CSY1P-12FT

ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH Y DOUBLE KEYHOLE END CONNECTORS, POWER SIDE WITH SJTW18/5 WHITE CORD



SCL-3CS10

ADJ. 10FT 1/16in, 1.5mm TRIPLE-CABLE SUSPENSION 5in CANOPY KIT WITH KEYHOLE END & CONNECTORS, CABLE BUSHING, 9" DIA., NO CORD INCL.




SCL-GTY10

ADJUSTABLE 1/16" 10 FT., 1.5mm SUSPENSION KIT WITH LOOP GRIPPER & TOGGLE ENDS(2)




SCL-GTY20

ADJUSTABLE 1/16" 20 FT., 1.5mm SUSPENSION KIT WITH LOOP GRIPPER & TOGGLE ENDS(2)



SCL-GTY210

HEAVY-DUTY ADJUSTABLE 5/64" 10 FT., 2mm SUSPENSION KIT WITH LOOP GRIPPER & TOGGLE ENDS(2)




SCL-GTY220

HEAVY-DUTY ADJUSTABLE 5/64" 20 FT., 2mm SUSPENSION KIT WITH LOOP GRIPPER & TOGGLE ENDS(2)



SCL-GSY10

ADJUSTABLE 10 FT. 1/16", 1.5mm SUSPENSION KIT WITH Y-CONNECTOR & LOOP GRIP & HOOKS(2)



SCL-GSY20

ADJUSTABLE 20 FT. 1/16", 1.5mm SUSPENSION KIT WITH Y-CONNECTOR & LOOP GRIP & HOOKS(2)



SCL-GSY110

ADJ. 10FT 1/16IN, 1.5mm SINGLE SUSPENSION CABLE WITH Y HOOK ENDS, LOOP GRIPPER ON TOP (ORDER 3 FOR 8FT.)(1)



SCL-GSY120

ADJ. 20FT 1/16IN, 1.5mm SINGLE SUSPENSION CABLE WITH Y HOOK ENDS, LOOP GRIPPER ON TOP (ORDER 3 FOR 8FT.)(1)



SCL-GS10

ADJ. 10FT 1/16IN, 1.5mm DOUBLE SUSPENSION CABLE WITH SINGLE KEYHOLE CONN., LOOP GRIPPER ON TOP(2)



SCL-GS20

ADJ. 20FT 1/16IN, 1.5mm DOUBLE SUSPENSION CABLE WITH SINGLE KEYHOLE CONN., LOOP GRIPPER ON TOP(2)



SCL-GS210

HEAVY-DUTY ADJUSTABLE 5/64" 10 FT., 2mm SUSPENSION KIT WITH LOOP GRIPPER & HOOK(1)



SCL-GS220

HEAVY-DUTY ADJUSTABLE 5/64" 20 FT., 2mm SUSPENSION KIT WITH LOOP GRIPPER & HOOK(1)



CMC-SRK-218-5C-WH

Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White



CMC-SRK-218-5C-BK

Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black



CMC-SRK-218-5C-BR

Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Bronze



CMC-SRK-224-5C-WH

Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White



CMC-SRK-224-5C-BK

Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black



CMC-SRK-224-5C-BR

Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Bronze



SCL-CSR-12FT

Adj. 12Ft Rectangular Canopy With Two Aircraft Cables For Linear Fixtures Up To 6Ft Long



SCL-CSR-12FT-BK

Adj. 12Ft Rectangular Canopy With Two Aircraft Cables For Linear Fixtures Up To 6Ft Long, Black



SCL-WRCL-14

1/4in GALVANIZED MALLEABLE IRON WIRE ROPE CLIP



SCL-TBJJ-14-4

1/4 X 4 INCH JAW TO JAW TURN-BUCKLE GALVANIZED STEEL



SCL-WRCL-DUPLEX

5/32in 4mm DUPLEX 2-POST WIRE ROPE CLIP CABLE CLAMP



SCL-PEP-M8

PAD EYE PLATE STAPLE HOOK, SIZE M8, 2in X 1.5in STAINLESS



SCL-ASC-4MM-250FT

5/32in 4mm DIA. EXTRA DUTY GALVANIZED AIRCRAFT CABLE / WIRE ROPE 250FT ROLL



SCL-WRTH-14

1/4in GALVANIZED WIRE ROPE THIMBLE

GRIP & SUSPENSION ACCESSORIES



SCL-6FT-SJTW18/5

WHITE 6 FT. CORD, SJTW 18 AWG
5-CONDUCT (WH/BK/GN/PU/GY)



SCL-6FT-SJTW18/6

WHITE 6 FT. CORD, SJTW 18 AWG
6-CONDUCT (WH/BK/GN/PU/GY + RED
FOR EMERGENCY))



SCL-6FT-SJTW18/5-BK

BLACK 12 FT. CORD, SJTW 18 AWG
5-CONDUCT (WH/BK/GN/PU/GY)



SCL-6FT-SJTW18/6-BK

BLACK 12 FT. CORD, SJTW 18 AWG
6-CONDUCT (WH/BK/GN/PU/GY +
RED FOR EMERGENCY)



SCL-12FT-SJTW18/5

WHITE 12 FT. CORD, SJTW 18 AWG
5-CONDUCT (WH/BK/GN/PU/GY)



SCL-12FT-SJTW18/6

WHITE 12 FT. CORD, SJTW 18 AWG
6-CONDUCT (WH/BK/GN/PU/GY +
RED FOR EMERGENCY)



SCL-12FT-SJTW18/5-BK

BLACK 12 FT. CORD, SJTW 18 AWG
5-CONDUCT (WH/BK/GN/PU/GY)



SCL-12FT-SJTW18/6-BK

BLACK 12 FT. CORD, SJTW 18 AWG
6-CONDUCT (WH/BK/GN/PU/GY +
RED FOR EMERGENCY)



SCL-100FT-SJTW18/5

WHITE 100 FT. CORD, SJTW 18 AWG
5-CONDUCT (WH/BK/GN/PU/GY)



SCL-100FT-SJTW18/6

WHITE 100 FT. CORD, SJTW 18 AWG
6-CONDUCT (WH/BK/GN/PU/GY +
RED FOR EMERGENCY)



SCL-100FT-SJTW18/5-BK

BLACK 100 FT. CORD, SJTW 18 AWG
5-CONDUCT (WH/BK/GN/PU/GY)



SCL-100FT-SJTW18/6-BK

BLACK 100 FT. CORD, SJTW 18 AWG
6-CONDUCT (WH/BK/GN/PU/GY +
RED FOR EMERGENCY)



SCL-6FT-AWM18/5-CLR

6FT CORD, SJTW 18 AWM
5-CONDUCTOR, CLEAR



SCL-12FT-AWM18/5-CLR

12FT CORD, SJTW 18 AWM
5-CONDUCTOR, CLEAR



SCL-100FT-AWM18/5-CLR

100FT CORD, SJTW 18 AWM
5-CONDUCTOR, CLEAR



SCL-100FT-AWM18/6-CLR

100FT CORD, AWM 18 AWG
6-CONDUCTOR, CLEAR



SCL-ASC-50FT

1/16" 50 FT. STEEL AIRCRAFT SUS-
PENSION CABLE



SCL-ASC-100FT

1/16IN 100FT ROLL STEEL AIRCRAFT
SUSPENSION CABLE



SCL-ASC-500FT

1/16" 500 FT. STEEL AIRCRAFT SUS-
PENSION CABLE



SCL-ASC-1000FT

1/16IN 1000FT ROLL STEEL AIRCRAFT
SUSPENSION CABLE



FWH-6FT-16/3

6FT 16AWG 3-WIRE FLEX FIXTURE
WHIP, STR. & 90D 1/2" CONN.



FWH-6FT-16/5

6FT 16AWG 5-WIRE FLEX FIXTURE
WHIP, STR. & 90D 1/2" CONN.



FWH-6FT-16/6

6FT 16AWG 6-WIRE FLEX FIXTURE
WHIP, STR. & 90D 1/2" CONN.



SCL-LCB-BK

LOCKING 3/8": DIA. CABLE BUSHING
FOR CANOPY SETS, BLACK



SCL-LCB

LOCKING 3/8": DIA. CABLE BUSHING
FOR CANOPY SETS



SCL-CMDCK-2PK

2-PACK REPLACEMENT DECOR CEILING
ATTACHMENT FOR 1/16IN CABLE WITH
CRIMP SLEEVES



SCL-CMSCK-2PK

2-PACK REPLACEMENT DECOR SLOPE
CEILING ATTACHMENT FOR 1/16in
CABLE WITH CRIMP SLEEVES

GRIP & SUSPENSION ACCESSORIES



FML-SK6

6FT ADJUSTABLE SUSPENSION KIT,
2-WIRE CLEAR CABLE INCL.



LFCF-SK10-BR

10FT 4-LINE CANOPY SUSPENSION
KIT FOR DECORATIVE LIGHTS, 2-WIRE
CLEAR CABLE INCL., BRONZE



LFCF-SK10-BN

10FT 4-LINE CANOPY SUSPENSION
KIT FOR DECORATIVE LIGHTS, 2-WIRE
CLEAR CABLE INCL., BRUSHED
NICKEL



SCL-4CS10

ADJ. 10FT 1/16in QUAD CABLE SUSP.
CANOPY KIT, KEYHOLE CONNECTORS
(NO CORD INCL.)



SCL-ABCQ2K

2in SQUARE NON-POWERFEED SIDE
MINI CANOPY CONVERSION KIT



SCL-ABCQ2K-BK

2in SQUARE NON-POWERFEED SIDE
MINI CANOPY CONVERSION KIT - BLACK



SCL-ABCH

5IN AUXILIARY BLANK CANOPY WITH
CORD GRIP



SCL-ABC

5IN AUXILIARY BLANK CANOPY FOR
SUSPENSION CABLES



SCL-ABCH-BK

5IN AUXILIARY BLANK CANOPY WITH
CORD GRIP - BLACK



SCL-ABC-BK

5IN AUXILIARY BLANK CANOPY FOR
SUSPENSION CABLES - BLACK



SCL-ABCQ

AUXILIARY SQUARE BLANK CANOPY
FOR SUSPENSION CABLES



SCL-ABCQH

AUXILIARY SQUARE BLANK CANOPY
FOR SUSPENSION CABLES WITH
CABLE HOLE AND CORD GRIP



SCL-ACSE

AIRCRAFT CABLE STOPPER END



SCL-AH

HEAVY-DUTY AUXILIARY HOOK FOR
UP TO 1/16" AIRCRAFT CABLES



SCL-TG1420

AUXILIARY TOP GRIPPER SIDE EXIT WITH
1/4-20 THREAD FOR 1/16in AIRCRAFT
CABLE



SCL-AYC

AUXILIARY Y CONNECTOR FOR
AIRCRAFT SUSPENSION CABLE,
1/16"



SCL-AKHC

AUXILIARY KEYHOLE CONNECTOR
FOR AIRCRAFT SUSPENSION CABLE,
1/16"



SCL-CTB

CANOPY SET TOP BRACKET FOR
MOUNTING ON JUNCTION BOX OR
CEILING- 1/4-20



SCL-TBC-WN

T-BAR CLIP WITH SUSPENSION HOLE
ON TOP, WING NUT AND WASHER
INCL.



SCL-TBTC-WN

T-BAR TRACK CLIP WITH WASHER
AND WING NUT



SCL-AUC

AUXILIARY UNIVERSAL SURFACE
CONNECTOR FOR 1/6 IN AIRCRAFT
SUSPENSION CABLE



SCL-CMC

AUXILIARY CEILING-MOUNT
CONNECTOR FOR 1/16in AIRCRAFT
SUSPENSION CABLES



SCL-YCK

ADJ. 1/16in Y CONVERSION
SUSPENSION CABLE WITH
TOGGLE ENDS



SCL-TGS1420

ADJ. SWIVEL TOP GRIP
REPLACEMENT CONNECTOR
TO ADAPT SCL-CS SERIES TO
SLOPE CEILINGS



SCL-ALG

AUXILIARY LOOP GRIP FOR AIRCRAFT
SUSPENSION CABLE, 1/16"



Shown with
Drop Lens

1.6" ARCHITECTURAL CEILING CYLINDERS WITH INTERNAL DRIVERS

INCL. CLEAR & FORSTED LENSES

CATALOG NO.	DESCRIPTION
CMC1L-MCT-WH	10W 700LM 30K/40K/50K 12" H
CMC1L-MCT-BK	10W 700LM 30K/40K/50K 12" H
CMC1XL-MCT-WH	10W 700LM 30K/40K/50K 18" H
CMC1XL-MCT-BK	10W 700LM 30K/40K/50K 18" H
CMCS1XL-MCT-DT-WH	9W 630LM 30K/40K/50K 18" H SQUARE
CMCS1XL-MCT-DT-BK	9W 630LM 30K/40K/50K 18" H SQUARE
CMC1-TRM-BN	1in Cylinder Trim, Brushed Nickel
CMC1-TRM-AG	1in Cylinder Trim, Anodized Gold
CMC1-DL15	CMC1 15mm Acrylic Drop Lens
SUSPENSION ACCESSORIES FOR CMC SERIES FOR 12FT & 20 FT SUSPENSION CABLE & CANOPY SET SEE PAGE 183	
CMC-CS-8FT-WH	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White
CMC-CS-8FT-BK	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black
CMC-SRK-218-5C-WH	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White
CMC-SRK-218-5C-BK	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black
CMC-SRK-224-5C-WH	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White
CMC-SRK-224-5C-BK	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black
CMC-SRK-340-5C-WH	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White
CMC-SRK-340-5C-BK	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black



CMC3

CMC3S

Shown with
Drop Lens

3" ARCHITECTURAL CEILING CYLINDERS

INCL. CLEAR & FORSTED LENSES

CATALOG NO.	DESCRIPTION
CMC3-MCTP-DD-WH	5W/7W/9W 75LM/W 30K/40K/50K 3"D X 9.7"H 120-277V, 25°
CMC3-MCTP-DD-BK	5W/7W/9W 75LM/W 30K/40K/50K 3"D X 9.7"H 120-277V, 25°
CMC3S-MCT-D-WH	9W 700LM 30K/40K/50K 3"D X 5.12"H 120-277V, 45°
CMC3S-MCT-D-BK	9W 700LM 30K/40K/50K 3"D X 5.12"H 120-277V, 45°
CMC3-TRM-AG	3in Cylinder Trim, Anodized Gold
CMC3-TRM-BN	3in Cylinder Trim, Brushed Nickel
CMC3-HCDK-BK	3in Cylinder Honeycomb Diffuser Kit, Black
CMC3-HCDK-AG	3in Cylinder Honeycomb Diffuser Kit, Anodized Gold
CWMC3-DL32	CMC3 And WMC3 32Mm Acrylic Drop Lens
SUSPENSION ACCESSORIES FOR CMC SERIES FOR 12FT & 20 FT SUSPENSION CABLE & CANOPY SET SEE PAGE 183	
CMC-CS-8FT-WH	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White
CMC-CS-8FT-BK	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black
CMC-SRK-218-5C-WH	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White
CMC-SRK-218-5C-BK	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black
CMC-SRK-224-5C-WH	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White
CMC-SRK-224-5C-BK	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black
CMC-SRK-340-5C-WH	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White
CMC-SRK-340-5C-BK	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black



2" ARCHITECTURAL CEILING CYLINDERS WITH INTERNAL DRIVERS

INCL. CLEAR &
FORSTED LENSES




CATALOG NO.	DESCRIPTION							REF.
CMC2-MCT-DT-WH	6W	450LM	30K/40K/50K	9"H	120V, 40°			1
CMC2-MCT-DT-BK	6W	450LM	30K/40K/50K	9"H	120V, 40°			2
CMC2L-MCT-DT-WH	6W	450LM	30K/40K/50K	12"H	120V, 40°			3
CMC2L-MCT-DT-BK	6W	450LM	30K/40K/50K	12"H	120V, 40°			4
CMC2XL-MCT-DD-BK	20W	1500LM	30K/40K/50K	18"H	120-277V	 		5
CMC2XL-MCT-DD-WH	20W	1500LM	30K/40K/50K	18"H	120-277V	 		6
CMCS2L-MCT-DT-WH	6W	450LM	30K/40K/50K	12"H	SQUARE			7
CMCS2L-MCT-DT-BK	6W	450LM	30K/40K/50K	12"H	SQUARE			8
CMCS2XL-MCT-DT-WH	20W	1500LM	30K/40K/50K	18"H	SQUARE			9
CMCS2XL-MCT-DT-BK	20W	1500LM	30K/40K/50K	18"H	SQUARE			10
CMCS2XXL-MCT-DT-WH	20W	1500LM	30K/40K/50K	24"H	SQUARE			11
CMCS2XXL-MCT-DT-BK	20W	1500LM	30K/40K/50K	24"H	SQUARE			12
CMC2-TRM-AG	2in Cylinder Trim, Anodized Gold							13
CMC2-TRM-BN	2in Cylinder Trim, Brushed Nickel							14
CMC2-TRMWM-AG	Decorative Wide-Mouth Replacement Lens Cap for CMC2, Anodized Gold							15
CMC2-TRMWM-BN	Decorative Wide-Mouth Replacement Lens Cap for CMC2, Brushed Nickel							16
CMC2-HCDK-BK	2in Cylinder Honeycomb Diffuser Kit, Black							17
CMC2-HCDK-AG	2in Cylinder Honeycomb Diffuser Kit, Anodized Gold							18
CMC2-DS-BG	Decorative Shield Reflector Replacement For Lens Cap Of CMC2, Black Gold							19
CMC2-DS-WG	Decorative Shield Reflector Replacement For Lens Cap Of CMC2, White Gold							20
CMC2-DCR-BG	Decorative Cone Reflector Kit for CMC2, Black Gold							21
CMC2-DCR-WG	Decorative Cone Reflector Kit for CMC2, White Gold							22
CMC2-PS12-WG-KIT	CMC2 12in Pan Shade, White/Gold							23
CMC2-PS12-BG-KIT	CMC2 12in Pan Shade, Black/Gold							24
CMC2-PS14-WG-KIT	CMC2 14in Pan Shade, White/Gold							25
CMC2-PS14-BG-KIT	CMC2 14in Pan Shade, Black/Gold							26
CMC2-MLA-BK	Decorative Middle Light Accessory Fits All CMC2, Black							27
CMC2-MLA-WH	Decorative Middle Light Accessory Fits All CMC2, White							28
CWMC2-DL32	CMC2 And WMC2 32Mm Acrylic Drop Lens							29
SUSPENSION ACCESSORIES FOR CMC SERIES FOR 12FT & 20 FT SUSPENSION CABLE & CANOPY SET SEE PAGE 183								
CMC-CS-8FT-WH	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White							30
CMC-CS-8FT-BK	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black							31
CMC-SRK-218-5C-WH	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White							32
CMC-SRK-218-5C-BK	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black							33
CMC-SRK-224-5C-WH	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White							34
CMC-SRK-224-5C-BK	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black							35
CMC-SRK-340-5C-WH	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White							36
CMC-SRK-340-5C-BK	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black							37

2" TILT HEAD INDOOR CYLINDER, CCT- ADJUSTABLE




CATALOG NO.	DESCRIPTION										
CMC2L-ADJ-MCT-DT-BK	6W	400LM	30K/40K/50K	Black							6
CMC2L-ADJ-MCT-DT-WH	6W	400LM	30K/40K/50K	White							6





4" ARCHITECTURAL CEILING CYLINDERS

CATALOG NO.	DESCRIPTION	REF.
4" ROUND ARCHITECTURAL CEILING CYLINDERS		
CMC4-MCTP-DD-WH	9W/12W/15W 75LM/W 30K/40K/50K 9.6"H 120-277V, 40°	1
CMC4-MCTP-DD-BK	9W/12W/15W 75LM/W 30K/40K/50K 9.6"H 120-277V, 40°	2
CMC4HL-MCTP-DD-WH	24W/32W/40W 80LM/W 30K/40K/50K 10"H HIGH-LUMEN	3
CMC4HL-MCTP-DD-BK	24W/32W/40W 80LM/W 30K/40K/50K 10"H HIGH-LUMEN	4
CMC4S-MCTP-DD-WH	9W/12W/15W 76LM/W 30K/40K/50K 5"H	5
CMC4S-MCTP-DD-BK	9W/12W/15W 76LM/W 30K/40K/50K 5"H	6
4" SQUARE ARCHITECTURAL CEILING CYLINDERS		
CMCS4-MCTP-DD-WH	21W/28W/35W 80LM/W 30K/40K/50K 10"H	7
CMCS4-MCTP-DD-BK	21W/28W/35W 80LM/W 30K/40K/50K 10"H	8
CMCS4S-MCTP-DD-WH	9W/12W/15W 76LM/W 30K/40K/50K 5"H	9
CMCS4S-MCTP-DD-BK	9W/12W/15W 76LM/W 30K/40K/50K 5"H	10
CMC46-ULK	5W 400LM 30K/40K/50K UP LIGHT KIT	11
CMC-JBCK-WH	Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Wh	12
CMC-JBCK-BK	Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Bk	13
CMC4-TRM-AG	4in Cylinder Trim, Anodized Gold	14
CMC4-TRM-BN	4in Cylinder Trim, Brushed Nickel	15
CMC4-HCDK-BK	4in Cylinder Honeycomb Diffuser Kit, Black	16
CMC4-HCDK-AG	4in Cylinder Honeycomb Diffuser Kit, Anodized Gold	17
CMC4-FS14-WG-KIT	CMC4 14in Flat Shade, White/Gold	18
CMC4-FS14-BG-KIT	CMC4 14in Flat Shade, Black/Gold	19
CMC4-FS14-WS-KIT	CMC4 14in Flat Shade, White/Silver	20
CMC4-FS14-BS-KIT	CMC4 14in Flat Shade, Black/Silver	21
CMC4-DS14-WG-KIT	CMC4 14in Dome Shade, White/Gold	22
CMC4-DS14-BG-KIT	CMC4 14in Dome Shade, Black/Gold	23
CMC4-DS14-WS-KIT	CMC4 14in Dome Shade, White/Silver	24
CMC4-DS14-BS-KIT	CMC4 14in Dome Shade, Black/Silver	25
CMC4-PCR-KIT	12in Dia. Prismatic Pc Highbay Reflector Kit For CMC4	26
CMC4-WPCK-WH	CMC4 Weatherproof Conversion Kit For Cord Or Down-Rod, White	27
CMC4-WPCK-BK	CMC4 Weatherproof Conversion Kit For Cord Or Down-Rod, Black	28
CMCS4-WPCK-WH	CMCS4 Weatherproof Conversion Kit For Cord Or Down-Rod, White	29
CMCS4-WPCK-BK	CMCS4 Weatherproof Conversion Kit For Cord Or Down-Rod, Black	30
CMC4-SNA-BK	Snoot Accessory For CMC4 Round Reduces Beam Angle To 25D, Black	31
CMC4-SNA-WH	Snoot Accessory For CMC4 Round Reduces Beam Angle To 25D, White	32
CMC4-SH9-BK	9in Wide Shade For CMC4 And CMC4S, Black	33
CMC4-SH9-WH	9in Wide Shade For CMC4 And CMC4S, White	34
CMC4-DL32	WMC 4in 32Mm Acrylic Drop Lens	35
SUSPENSION ACCESSORIES FOR CMC SERIES FOR 12FT & 20 FT SUSPENSION CABLE & CANOPY SET SEE PAGE 183		
CMC-CS-8FT-WH	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White	36
CMC-CS-8FT-BK	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black	37
CMC-SRK-218-5C-WH	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White	38
CMC-SRK-218-5C-BK	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black	39
CMC-SRK-224-5C-WH	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White	40
CMC-SRK-224-5C-BK	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black	41
CMC-SRK-340-5C-WH	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White	42
CMC-SRK-340-5C-BK	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black	43



CMCS4-ADJ-MCTP-DD-BK
BLACK



CMCS4-ADJ-MCTP-DD-WH
WHITE

4" SQUARE ADJUSTABLE-HEAD COMMERCIAL CYLINDERS - H:9.5"



CATALOG NO.	DESCRIPTION
CMCS4-ADJ-MCTP-DD-BK	12W/16W/20W 80LM/W 30K/40K/50K Black
CMCS4-ADJ-MCTP-DD-WH	12W/16W/20W 80LM/W 30K/40K/50K White



CMC4-ADJ



CMC4-GIM

POWER & CCT- ADJUSTABLE 4" INDOOR CYLINDER



CATALOG NO.	DESCRIPTION	
TILT HEAD 4" INDOOR CYLINDER, POWER & CCT- ADJUSTABLE		
CMC4-ADJ-MCTP-DD-BK	12W/16W/20W 80LM/W 30K/40K/50K Black	6
CMC4-ADJ-MCTP-DD-WH	12W/16W/20W 80LM/W 30K/40K/50K White	6
GIMBAL HEAD 4" INDOOR CYLINDER, POWER & CCT- ADJUSTABLE		
CMC4-GIM-MCTP-DD-BK	12W/16W/20W 80LM/W 30K/40K/50K Black	6
CMC4-GIM-MCTP-DD-WH	12W/16W/20W 80LM/W 30K/40K/50K White	6



CMC5-MILAN1-MCTP-DD-GD
Gold/Black



CMC5-MILAN1-MCTP-DD-BN
Brush Nickel/Black



CMC5-MILAN2-MCTP-DD-GD
Gold/Black



CMC5-MILAN2-MCTP-DD-BN
Brush Nickel/Black

MILAN SERIES 5" CEILING CYLINDERS



CATALOG NO.	DESCRIPTION	
CMC5-MILAN1-MCTP-DD-GD	12W/16W/20W 80LM/W 30K/40K/50K Gold/Black	
CMC5-MILAN1-MCTP-DD-BN	12W/16W/20W 80LM/W 30K/40K/50K Brush Nickel/Black	
CMC5-MILAN2-MCTP-DD-GD	12W/16W/20W 80LM/W 30K/40K/50K Gold/Black	
CMC5-MILAN2-MCTP-DD-BN	12W/16W/20W 80LM/W 30K/40K/50K Brush Nickel/Black	

**ARRIVES THIS SEASON
CHECK & PRE-ORDER**



CMC6
6" D X 8.74" H



Shown with
Drop Lens



Shown with
Up Light Kit



CMC6S
6" D X 6.75" H



CMC6HL
6" D X 12" H



CMC6XHL
6" D X 15.5" H



CMC-JBCK-BK
BLACK



CMC-JBCK-WH
WHITE

6" ARCHITECTURAL CEILING CYLINDERS

INCL. CLEAR &
FORSTED LENSES



CATALOG NO.

DESCRIPTION

6" ROUND ARCHITECTURAL CEILING CYLINDERS

CMC6-MCTP-DD-WH 21W/28W/35W **75LM/W** 30K/40K/50K 8.74"H 120-277V, 25°

CMC6-MCTP-DD-BK 21W/28W/35W **75LM/W** 30K/40K/50K 8.74"H 120-277V, 25°

CMC6S-MCTP-DD-WH 18W/24W/30W **80LM/W** 30K/40K/50K 6.75"H

CMC6S-MCTP-DD-BK 18W/24W/30W **80LM/W** 30K/40K/50K 6.75"H

CMC6HL-MCTP-DD-BK 27W/36W/45W **80LM/W** 30K/40K/50K 12"H

CMC6HL-MCTP-DD-WH 27W/36W/45W **80LM/W** 30K/40K/50K 12"H

CMC6XHL-MCTP-DD-BK 36W/48W/60W **80LM/W** 30K/40K/50K 15.5"H

CMC6XHL-MCTP-DD-WH 36W/48W/60W **80LM/W** 30K/40K/50K 15.5"H

CMC46-ULK 5W **400LM** 30K/40K/50K UP LIGHT KIT

CMC-JBCK-WH Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Wh

CMC-JBCK-BK Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Bk

CMC6-TRM-AG 6in Cylinder Trim, Anodized Gold

CMC6-TRM-BN 6in Cylinder Trim, Brushed Nickel

CMC6-WPCK-WH CMC6 Weatherproof Conversion Kit For Cord Or Down-Rod, White

CMC6-WPCK-BK CMC6 Weatherproof Conversion Kit For Cord Or Down-Rod, Black

CMC6-HCDK-AG 6in Cylinder Honeycomb Diffuser Kit, Anodized Gold

CMC6-HCDK-BK 6in Cylinder Honeycomb Diffuser Kit, Black

CWMC6-DL32 CMC6 And WMC6 32Mm Acrylic Drop Lens

SUSPENSION ACCESSORIES FOR CMC SERIES FOR 12FT & 20 FT SUSPENSION CABLE & CANOPY SET SEE PAGE 183

CMC-CS-8FT-WH Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White

CMC-CS-8FT-BK Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black

CMC-SRK-218-5C-WH Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White

CMC-SRK-218-5C-BK Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black

CMC-SRK-224-5C-WH Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White


CMC-SRK-224-5C-BK Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black

CMC-SRK-340-5C-WH Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White

CMC-SRK-340-5C-BK Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black

8IN SQUARE INDOOR CYLINDER, CCT- ADJUSTABLE

CATALOG NO.	DESCRIPTION
 CMC8S-MCT-D-BK	40W 80LM/W 30K/40K/50K Black
 CMC8S-MCT-D-WH	40W 80LM/W 30K/40K/50K White
 CMC8S-MCTP-DD-BK	30W/40W/50W 80LM/W 30K/40K/50K 5.5"H, Black
 CMC8S-MCTP-DD-WH	30W/40W/50W 80LM/W 30K/40K/50K 5.5"H, White
CMC8S-REFL-BK	CMC8S Replacement Lens Black
CMC8S-REFL-WH	CMC8S Replacement Lens White
CMC8S-REFL-SIL	CMC8S Replacement Lens Silver




9" ARCHITECTURAL CEILING CYLINDERS

INCL. CLEAR &
FORSTED LENSES

CATALOG NO.	DESCRIPTION
CMC9-MCTP-D-BK	60W/70W/80W 80LM/W 30K/40K/50K 10"H 120-277V, 60°
CMC9-MCTP-D-WH	60W/70W/80W 80LM/W 30K/40K/50K 10"H 120-277V, 60°
CMC9-EC-BK	Decorative Extension Cylinder Black, Adds 5"H
CMC9-EC-WH	Decorative Extension Cylinder White, Adds 5"H
CMC9-HCDK-BK	9in Cylinder Honeycomb Diffuser Kit, Black
CMC9-REFL-BK	Inside-Black Reflector
CMC9-REFL-WH	Inside-White Reflector
CMC9-WBK-BK	CMC9 Wall Bracket Kit And Conversion Top To IP65, Black
CMC9-WBK-WH	CMC9 Wall Bracket Kit And Conversion Top To IP65, White
CMC9-WPCK-BK	CMC9-Weatherproof Conversion Kit For Cord Or Down-Rod, Black
CMC9-WPCK-WH	CMC9-Weatherproof Conversion Kit For Cord Or Down-Rod, White
SUSPENSION ACCESSORIES FOR CMC SERIES FOR 12FT & 20 FT SUSPENSION CABLE & CANOPY SET SEE PAGE 183	
CMC-CS-8FT-WH	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White
CMC-CS-8FT-BK	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black
CMC-SRK-218-5C-WH	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White
CMC-SRK-218-5C-BK	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black
CMC-SRK-224-5C-WH	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White
CMC-SRK-224-5C-BK	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black
CMC-SRK-340-5C-WH	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White
CMC-SRK-340-5C-BK	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black

5" OLD-WORK RECESSED CEILING CANOPY WITH JUNCTION BOX

CATALOG NO.	DESCRIPTION
 CMC-OWCC-WH	5in Old-Work Recessed Ceiling Canopy With Junction Box For CMC Cylinders, White (Except CMC9)
 CMC-OWCC-BK	5in Old-Work Recessed Ceiling Canopy With Junction Box For CMC Cylinders, Black (Except CMC9)

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	TRACK PENDANT CONVERSION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
1', 2' 3'	N/A	N/A	OPT-CMC-TRACK-H-WH	3.3FT TRACK PENDANT CONVERSION, H-TYPE	N/A	N/A	N/A
1', 2' 3'	N/A	N/A	OPT-CMC-TRACK-H-BK				
4" & 6"	OPT-EM-CMC46	INTERNAL					
9" white	OPT-EM-CMC9-WH	Extension Cylinder - White					
9" black	OPT-EM-CMC9-BK	Extension Cylinder - Black					



CMC12-BK
14"H Black



CMC12-WH
14"H White



CMC12-SIL
14"H Silver



CMC12L-BK
20"H Black



CMC12L-WH
20"H White



CMC12L-SIL
20"H Silver

12" COMMERCIAL CEILING CYLINDERS




CATALOG NO.	DESCRIPTION
CMC12-MCTP-D-BK	60W/80W/100W 125LM/W 30K/40K/50K 14"H, Black
CMC12-MCTP-D-WH	60W/80W/100W 125LM/W 30K/40K/50K 14"H, White
CMC12-MCTP-D-SIL	60W/80W/100W 125LM/W 30K/40K/50K 14"H, Silver
CMC12L-MCTP-D-BK	60W/80W/100W 125LM/W 30K/40K/50K 20"H, Black
CMC12L-MCTP-D-WH	60W/80W/100W 125LM/W 30K/40K/50K 20"H, White
CMC12L-MCTP-D-SIL	60W/80W/100W 125LM/W 30K/40K/50K 20"H, Silver
CMC12-REFL-WH	Cmc12 Replacement Reflector - White
CMC12-REFL-SIL	Cmc12 Replacement Reflector - Silver
CMC12-REFL-GD	Cmc12 Replacement Reflector - Matte Gold
CMC12-SRK-218-5C-BK	1/2In Universal Downrod Kit With 5 Wires 2X18 H36In Bk
CMC12-SRK-218-5C-WH	1/2In Universal Downrod Kit With 5 Wires 2X18 H36In Wh
CMC12-SRK-218-5C-BR	1/2In Universal Downrod Kit With 5 Wires 2X18 H36In Bronze
CMC12-SRK-218-5C-SIL	1/2In Universal Downrod Kit With 5 Wires 2X18 H36In Silver
CMC12-SRK-224-5C-BK	1/2In Universal Downrod Kit With 5 Wires 2X24 H48In Bk
CMC12-SRK-224-5C-WH	1/2In Universal Downrod Kit With 5 Wires 2X24 H48In Wh
CMC12-SRK-224-5C-BR	1/2In Universal Downrod Kit With 5 Wires 2X24 H48In Bronze
CMC12-SRK-224-5C-SIL	1/2In Universal Downrod Kit With 5 Wires 2X24 H48In Silver
CMC12-SRK-340-5C-BK	1/2In Universal Downrod Kit With 5 Wires 3X40 H120In Bk
CMC12-SRK-340-5C-WH	1/2In Universal Downrod Kit With 5 Wires 3X40 H120In Wh
CMC12-SRK-340-5C-BR	1/2In Universal Downrod Kit With 5 Wires 3X40 H120In Bronze
CMC12-SRK-340-5C-SIL	1/2In Universal Downrod Kit With 5 Wires 3X40 H120In Silver

CMC RGBW CYLINDER LIGHTS, PENDANT OR SURFACE MOUNT, APP CONTROLLED



CATALOG NO.	DESCRIPTION	PKG. QTY.
CMC2L-RGBW-BK	6W 300LM 27K-50K + RGB Black	6
CMC2L-RGBW-WH	6W 300LM 27K-50K + RGB White	6
CMC3-RGBW-BK	9W 550LM 27K-50K + RGB Black	6
CMC3-RGBW-WH	9W 550LM 27K-50K + RGB White	6
CMC4-RGBW-BK	15W 900LM 27K-50K + RGB Black	6
CMC4-RGBW-WH	15W 900LM 27K-50K + RGB White	6
CMC6-RGBW-BK	20W 1200LM 27K-50K + RGB Black	8
CMC6-RGBW-WH	20W 1200LM 27K-50K + RGB White	8





CMCSR435MCTP-DD-BK
BLACK



CMCSR35-MCTP-DD-WH
WHITE



CMCSR6-MCTP-DD-BK
BLACK



CMCSR6-MCTP-DD-WH
WHITE



CMCSR4-MCTP-DD-BK
BLACK



CMCSR4-MCTP-DD-WH
WHITE



CMCSR4S-MCTP-DD-BK
BLACK



CMCSR4S-MCTP-DD-WH
WHITE



CMCSR7S-MCTP-DD-BK
BLACK



CMCSR7S-MCTP-DD-WH
WHITE



CMCSR9S-MCTP-DD-BK
BLACK



CMCSR9S-MCTP-DD-WH
WHITE

EU-DESIGN SQUARE ROUNDED-CORNER COMMERCIAL CYLINDERS



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
3" SQUARE ROUNDED-CORNER COMMERCIAL CYLINDERS		
CMCSR3S-MCTP-DD-BK	9W/12W/15W 80LM/W 30K/40K/50K 3"D X 4"H, Black	
CMCSR3S-MCTP-DD-WH	9W/12W/15W 80LM/W 30K/40K/50K 3"D X 4"H, White	
4" SQUARE ROUNDED-CORNER COMMERCIAL CYLINDERS, 10" LONG		
CMCSR4-MCTP-DD-BK	12W/16W/20W 80LM/W 30K/40K/50K 4"D X 10"H, Black	
CMCSR4-MCTP-DD-WH	12W/16W/20W 80LM/W 30K/40K/50K 4"D X 10"H, White	
4" SQUARE ROUNDED-CORNER COMMERCIAL CYLINDERS		
CMCSR4S-MCTP-DD-BK	12W/16W/20W 80LM/W 30K/40K/50K 4"D X 5"H, Black	
CMCSR4S-MCTP-DD-WH	12W/16W/20W 80LM/W 30K/40K/50K 4"D X 5"H, White	
6" SQUARE ROUNDED-CORNER COMMERCIAL CYLINDERS		
CMCSR6-MCTP-DD-BK	24W/32W/40W 70LM/W 30K/40K/50K 6"D X 6"H, Black	
CMCSR6-MCTP-DD-WH	24W/32W/40W 70LM/W 30K/40K/50K 6"D X 6"H, White	
7" SQUARE ROUNDED-CORNER COMMERCIAL CYLINDERS		
CMCSR7S-MCTP-DD-WH	30W/40W/5W 80LM/W 30K/40K/50K 7"D X 7"H, Black	
CMCSR7S-MCTP-DD-BK	30W/40W/5W 80LM/W 30K/40K/50K 7"D X 7"H, White	
9" SQUARE ROUNDED-CORNER COMMERCIAL CYLINDERS		
CMCSR9S-MCTP-DD-WH	42W/56W/70W 80LM/W 30K/40K/50K 9"D X 9"H, Black	
CMCSR9S-MCTP-DD-BK	42W/56W/70W 80LM/W 30K/40K/50K 9"D X 9"H, White	

CMC1 Round
Fixture
not Included



CMC1 Square
Fixture
not Included



CMC1 Square
Fixture
not Included



CMC1 Square
Fixture
not Included



CMC1 Square
Fixture
not Included



CMC2 Square
Fixture
not Included



CMC2 Round
Fixture
not Included



CMC3 Round
Fixture
not Included



CMC4 Round
Fixture
not Included



CMC4 Round
Fixture
not Included



CMC4 Square
Fixture
not Included



CMC4 Square
Fixture
not Included



CMC6 Round
Fixture
not Included



CMC6 Round
Fixture
not Included



CMC9 Round
Fixture
not Included



CMC9 Round
Fixture
not Included



SUSPENSION ACCESSORIES FOR CMC SERIES

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
CMC-CS-8FT-WH	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White	
CMC-CS-8FT-BK	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black	
CMC-CS-12FT-WH	Suspension Cable & Canopy Set For CMC Series, 12Ft, 5-Wire, White	
CMC-CS-12FT-BK	Suspension Cable & Canopy Set For CMC Series, 12Ft, 5-Wire, Black	
CMC-CS-20FT-WH	Suspension Cable & Canopy Set For CMC Series, 20Ft, 5-Wire, White	
CMC-CS-20FT-BK	Suspension Cable & Canopy Set For CMC Series, 20Ft, 5-Wire, Black	
CMC-SRK-218-5C-WH	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White	
CMC-SRK-218-5C-BK	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black	
CMC-SRK-224-5C-WH	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White	
CMC-SRK-224-5C-BK	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black	
CMC-SRK-340-5C-WH	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White	
CMC-SRK-340-5C-BK	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black	



CMCW3
BLACK



CMCW5
BLACK



CMCW6
BLACK



CMCW8
BLACK



CMCW10
BLACK

IP65 SPEC CYLINDER COB WITH OPTIC LENS, 36° BEAM ANGLE



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
CMCW3-COB-10W-MCT-36D-DT-WH	10W 900LM 30K/35K/40K 3.5" D X 4.2" H White, 120V		18
CMCW3-COB-10W-MCT-36D-DT-BK	10W 900LM 30K/35K/40K 3.5" D X 4.2" H Black, 120V		18
CMCW5-COB-25W-MCT-36D-DT-WH	25W 2250LM 30K/35K/40K 5" D X 4.5" H White, 120V		12
CMCW5-COB-25W-MCT-36D-DT-BK	25W 2250LM 30K/35K/40K 5" D X 4.5" H Black, 120V		12
CMCW6-COB-30W-MCT-36D-DT-WH	30W 2500LM 30K/35K/40K 6.3" D X 4.3" H White, 120V		6
CMCW6-COB-30W-MCT-36D-DT-BK	30W 2500LM 30K/35K/40K 6.3" D X 4.3" H Black, 120V		6
CMCW8-COB-35W-MCT-36D-D-WH	35W 3100LM 30K/35K/40K 8.4" D X 4.7" H White, 120-277V		6
CMCW8-COB-35W-MCT-36D-D-BK	35W 3100LM 30K/35K/40K 8.4" D X 4.7" H Black, 120-277V		6
CMCW10-COB-40W-MCT-36D-D-WH	40W 3850LM 30K/35K/40K 9.8" D X 5" H White, 120-277V		4
CMCW10-COB-40W-MCT-36D-D-BK	40W 3850LM 30K/35K/40K 9.8" D X 5" H Black, 120-277V		4

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	OPTIC LENS OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	480V OPTION	DESCRIPTION
ALL	OPT-CMCW3-COB-24D	24° OPTIC CMCW3	N/A	N/A	N/A	N/A	N/A
	OPT-CMCW3-COB-60D	60° OPTIC CMCW3					
	OPT-CMCW6-COB-24D	24° OPTIC CMCW6					
	OPT-CMCW6-COB-60D	60° OPTIC CMCW6					
	OPT-CMCW10-COB-24D	24° OPTIC CMCW10					
	OPT-CMCW10-COB-60D	60° OPTIC CMCW10					



CMCW3
BLACK



CMCW5
BLACK



CMCW6
BLACK



CMCW8
BLACK



CMCW10
BLACK

IP65 SPEC CYLINDER SMD WITH PC LENS, 75° BEAM ANGLE



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
CMCW3-SMD-10W-MCT-75D-DT-WH	10W 850LM 30K/35K/40K 3.5" D X 4.2" H White, 120V		18
CMCW3-SMD-10W-MCT-75D-DT-BK	10W 850LM 30K/35K/40K 3.5" D X 4.2" H Black, 120V		18
CMCW5-SMD-25W-MCT-75D-DT-BK	25W 2300LM 30K/35K/40K 5" D X 4.5" H White, 120V		12
CMCW5-SMD-25W-MCT-75D-DT-WH	25W 2300LM 30K/35K/40K 5" D X 4.5" H Black, 120V		12
CMCW6-SMD-30W-MCT-75D-DT-BK	30W 2800LM 30K/35K/40K 6.3" D X 4.3" H White, 120V		6
CMCW6-SMD-30W-MCT-75D-DT-WH	30W 2800LM 30K/35K/40K 6.3" D X 4.3" H Black, 120V		6
CMCW8-SMD-35W-MCT-75D-D-BK	35W 3650LM 30K/35K/40K 8.4" D X 4.7" H White, 120-277V		6
CMCW8-SMD-35W-MCT-75D-D-WH	35W 3650LM 30K/35K/40K 8.4" D X 4.7" H Black, 120-277V		6
CMCW10-SMD-40W-MCT-75D-D-BK	40W 4350LM 30K/35K/40K 9.8" D X 5" H White, 120-277V		4
CMCW10-SMD-40W-MCT-75D-D-WH	40W 4350LM 30K/35K/40K 9.8" D X 5" H Black, 120-277V		4



**ROUND &
OPEN
RECESSED LIGHT**



**SQUARE &
OPEN
RECESSED LIGHT**



**ROUND &
WALL WASH
RECESSED LIGHT**



**SQUARE &
WALL WASH
RECESSED LIGHT**



**CRLC-TRM-6
Round Trim
Open**

Haze finish & White ring



**CRLC-TRM-6-WH
Round Trim
Open**

White finish & White ring



**CRLC-TRM-6-RG
Round Trim
Open**

Rose Gold & White ring



**CRLC-TRM-6A
Round Trim
Wall Wash**

Haze finish & White ring



**CRLC-TRM-6S
Square Trim
Open**

Haze finish & White ring



**CRLC-TRM-6SA
Square Trim
Wall Wash**

Haze finish & White ring

LED COMMERCIAL RECESSED LIGHT (CLIP-ON/SNAP-IN) WITH OR WITHOUT HOUSING



WATTS	LUMENS
15W	1200-1275LM
20W	1600-1720LM

15W ENGINE

20W ENGINE

40W MAX ENGINE

60W MAX ENGINE

MCT₃

CRLC-EGN-15W-50K-D

15W RECESSED LIGHT

MCTP

CRLC-EGN-20W-50K-D
CRLC-EGN-20W-MCTP-D

20W RECESSED LIGHT

MCTP

CRLC-EGN-40W-MCTP-D

40W RECESSED LIGHT

MCTP

CRLC-EGN-60W-MCTP-D

60W RECESSED LIGHT

4" ROUND TRIM	HAZE FINISH & WHITE RING		OPEN	CRLC-TRM-4	4" ROUND RECESSED LIGHT	→	CRLC4-15W-50K-D	CRLC4-20W-MCTP-D	CRLC4-40W-MCTP-D	CRLC4-60W-MCTP-D
	WALL WASH <td>CRLC-TRM-4A</td> <td>→</td> <td>CRLC4-15W-50K-A-D</td> <td>CRLC4-20W-50K-A-D CRLC4-20W-MCTP-A-D</td> <td>CRLC4-40W-MCTP-A-D</td> <td>N/A</td>	CRLC-TRM-4A	→	CRLC4-15W-50K-A-D		CRLC4-20W-50K-A-D CRLC4-20W-MCTP-A-D	CRLC4-40W-MCTP-A-D	N/A		
		OPEN	CRLC-TRM-4-WH	→		CRLC4-15W-50K-D-WH	CRLC4-20W-50K-D-WH CRLC4-20W-MCTP-D-WH	CRLC4-40W-MCTP-D-WH	CRLC4-60W-MCTP-D-WH	
	WALL WASH	CRLC-TRM-4A-WH	→	CRLC4-15W-50K-A-D-WH		CRLC4-20W-50K-A-D-WH CRLC4-20W-MCTP-A-D-WH	CRLC4-40W-MCTP-A-D-WH	N/A		
		OPEN	CRLC-TRM-4-RG	→		CRLC4-15W-50K-D-RG	CRLC4-20W-50K-D-RG CRLC4-20W-MCTP-D-RG	CRLC4-40W-MCTP-D-RG	CRLC4-60W-MCTP-D-RG	
4" SQUARE TRIM	HAZE FINISH & WHITE RING		OPEN	CRLC-TRM-4S	4" SQUARE RECESSED LIGHT	→	CRLC4-15W-50K-S-D	CRLC4-20W-50K-S-D CRLC4-20W-MCTP-S-D	CRLC4-40W-MCTP-S-D	CRLC4-60W-MCTP-S-D
	WALL WASH	CRLC-TRM-4SA	→	CRLC4-15W-50K-SA-D		CRLC4-20W-50K-SA-D CRLC4-20W-MCTP-SA-D	CRLC4-40W-MCTP-SA-D	N/A		
		OPEN	CRLC-TRM-4S-WH	→		CRLC4-15W-50K-S-D-WH	CRLC4-20W-50K-S-D-WH CRLC4-20W-MCTP-S-D-WH	CRLC4-40W-MCTP-S-D-WH	CRLC4-60W-MCTP-S-D-WH	
	WALL WASH	CRLC-TRM-4SA-WH	→	CRLC4-15W-50K-SA-D-WH		CRLC4-20W-50K-SA-D-WH CRLC4-20W-MCTP-SA-D-WH	CRLC4-40W-MCTP-SA-D-WH	N/A		

LED COMMERCIAL RECESSED LIGHT
(CLIP-ON/SNAP-IN) WITH OR WITHOUT HOUSING



WATTS	LUMENS
15W	1200-1275LM
20W	1600-1720LM

15W ENGINE

20W ENGINE

40W MAX ENGINE

60W MAX ENGINE



15W RECESSED LIGHT

20W RECESSED LIGHT

40W RECESSED LIGHT

60W RECESSED LIGHT

6" ROUND TRIM	HAZE FINISH & WHITE RING		OPEN	CRLC-TRM-6	6" ROUND RECESSED LIGHT	→	CRLC6-15W-MCT-D	CRLC6-20W-MCTP-D	CRLC6-40W-MCTP-D	CRLC6-60W-MCTP-D
	WALL WASH			CRLC-TRM-6A		→	CRLC6-15W-50K-A-D CRLC6-15W-MCT-A-D	CRLC6-20W-50K-A-D CRLC6-20W-MCTP-A-D	CRLC6-40W-MCTP-A-D	N/A
						→				
	WHITE FINISH & WHITE RING		OPEN	CRLC-TRM-6-WH		→	CRLC6-15W-MCT-D-WH	CRLC6-20W-MCTP-D-WH	CRLC6-40W-MCTP-D-WH	CRLC6-60W-MCTP-D-WH
	WALL WASH			CRLC-TRM-6A-WH		→	CRLC6-15W-50K-A-D-WH CRLC6-15W-MCT-A-D-WH	CRLC6-20W-50K-A-D-WH CRLC6-20W-MCTP-A-D-WH	CRLC6-40W-MCTP-A-D-WH	N/A
						→				
	ROSE GOLD		OPEN	CRLC-TRM-6-RG			CRLC6-15W-50K-D-RG CRLC6-15W-MCT-D-RG	CRLC6-20W-50K-D-RG CRLC6-20W-MCTP-D-RG	CRLC6-40W-MCTP-D-RG	CRLC6-60W-MCTP-D-RG
6" SQUARE TRIM	HAZE FINISH & WHITE RING		OPEN	CRLC-TRM-6S	6" SQUARE RECESSED LIGHT	→	CRLC6-15W-50K-S-D CRLC6-15W-MCT-S-D	CRLC6-20W-50K-S-D CRLC6-20W-MCTP-S-D	CRLC6-40W-MCTP-S-D	CRLC6-60W-MCTP-S-D
	WALL WASH			CRLC-TRM-6SA		→	CRLC6-15W-50K-SA-D CRLC6-15W-MCT-SA-D	CRLC6-20W-50K-SA-D CRLC6-20W-MCTP-SA-D	CRLC6-40W-MCTP-SA-D	N/A
						→				
	WHITE FINISH & WHITE RING		OPEN	CRLC-TRM-6S-WH		→	CRLC6-15W-50K-S-D-WH CRLC6-15W-MCT-S-D-WH	CRLC6-20W-50K-S-D-WH CRLC6-20W-MCTP-S-D-WH	CRLC6-40W-MCTP-S-D-WH	CRLC6-60W-MCTP-S-D-WH
	WALL WASH			CRLC-TRM-6SA-WH		→	CRLC6-15W-50K-SA-D-WH CRLC6-15W-MCT-SA-D-WH	CRLC6-20W-50K-SA-D-WH CRLC6-20W-MCTP-SA-D-WH	CRLC6-40W-MCTP-SA-D-WH	N/A
8" ROUND TRIM	HAZE FINISH & WHITE RING		OPEN	CRLC-TRM-8	8" ROUND RECESSED LIGHT	→	CRLC8-15W-MCT-D	CRLC8-20W-MCTP-D	CRLC8-40W-MCTP-D	CRLC8-60W-MCTP-D
	WHITE FINISH & WHITE RING		OPEN	CRLC-TRM-8-WH		→	CRLC8-15W-MCT-D-WH	CRLC8-20W-MCTP-D-WH	CRLC8-40W-MCTP-D-WH	CRLC8-60W-MCTP-D-WH
	ROSE GOLD FINISH & WHITE RING		OPEN	CRLC-TRM-8-RG		→	CRLC8-15W-MCT-D-RG	CRLC8-20W-MCTP-D-RG	CRLC8-40W-MCTP-D-RG	CRLC8-60W-MCTP-D-RG
10" ROUND TRIM	HAZE FINISH & WHITE RING		OPEN	CRLC-TRM-10	10" ROUND RECESSED LIGHT	→	CRLC10-15W-MCT-D	CRLC10-20W-MCTP-D	CRLC10-40W-MCTP-D	CRLC10-60W-MCTP-D
	WHITE FINISH & WHITE RING		OPEN	CRLC-TRM-10-WH		→	CRLC10-15W-MCT-D-WH	CRLC10-20W-MCTP-D-WH	CRLC10-40W-MCTP-D-WH	CRLC10-60W-MCTP-D-WH
	ROSE GOLD FINISH & WHITE RING		OPEN	CRLC-TRM-10-RG		→	CRLC10-15W-MCT-D-RG	CRLC10-20W-MCTP-D-RG	CRLC10-40W-MCTP-D-RG	CRLC10-60W-MCTP-D-RG


MOUNTING PLATE WITH BRACKETS AND J-BOX

CATALOG NO.

DESCRIPTION

CRLC-468-RIBH-JB CRLC Series Mounting Plate With Brackets And J-Box 4/6/8 in

CRLCS-46-RIBH-JB CRLC Square Mounting Plate With Brackets And J-Box 4/6 in





FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-CRLC	EXTERNAL	N/A	N/A	N/A	N/A	N/A

LED COMMERCIAL RECESSED LIGHT, 120-277V

HAZE



Shown with Housing
(Not Incl., See Below)

CODE	TRIM DESCRIPTION	CODE	WATTS DESCRIPTION	CODE	COLOR TEMP DESCRIPTION	WATT
CRL4	4" LED Commercial trim only, 4 inches	27W	1950LM	30K	3000K	27W:
				40K	4000K	
				50K	5000K	
CRL6	6" LED Commercial trim only, 6 inches	18W	1639LM	30K	3000K	18W:
		27W	2387LM	40K	4000K	27W:
		40W	3447LN	50K	5000K	40W:
		54W	4500LM			54W:
CRL8	8" LED Commercial trim only, 8 inches	18W	1639LM	30K	3000K	18W:
		27W	2387LM	40K	4000K	27W:
		40W	3447LN	50K	5000K	40W:
		54W	4500LM			54W:
CRL10	10" LED Commercial trim only, 10 inches	18W	1639LM	30K	3000K	18W:
		27W	2387LM	40K	4000K	27W:
		40W	3447LN	50K	5000K	40W:
		54W	4500LM			54W:

SEE NEXT PAGE FOR HOUSING

Sample Order:

CRL6-27W-40K

Size

Engine

CCT



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-CRL	EXTERNAL	N/A	N/A	N/A	N/A	N/A

SPEC SERIES COMMERCIAL RECESS LIGHT, POWER AND CCT ADJUSTABLE




CATALOG NO.	DESCRIPTION
CRLX4-14-27W-MCTP	14W/20W/27W 80LM/W 30K/35K/40K 4" MCTP
CRLX6-18-40W-MCTP	18W/27W/40W 85LM/W 30K/35K/40K 6" MCTP
CRLX6-50-80W-MP-30K	50W/65W/80W 85LM/W 3000K 6" MP
CRLX6-50-80W-MP-40K	50W/65W/80W 85LM/W 4000K 6" MP
CRLX6-50-80W-MP-50K	50W/65W/80W 85LM/W 5000K 6" MP
CRLX8-18-40W-MCTP	18W/27W/40W 85LM/W 30K/35K/40K 8" MCTP
CRLX8-50-80W-MP-30K	50W/65W/80W 85LM/W 3000K 8" MP
CRLX8-50-80W-MP-40K	50W/65W/80W 85LM/W 4000K 8" MP
CRLX8-50-80W-MP-50K	50W/65W/80W 85LM/W 5000K 8" MP
CRLX10-18-40W-MCTP	18W/27W/40W 85LM/W 30K/35K/40K 10" MCTP
CRLX10-50-80W-MP-30K	50W/65W/80W 85LM/W 3000K 10" MP
CRLX10-50-80W-MP-40K	50W/65W/80W 85LM/W 4000K 10" MP
CRLX10-50-80W-MP-50K	50W/65W/80W 85LM/W 5000K 10" MP

SEE NEXT PAGE FOR HOUSING



Back View
ENGINE + TRIM



LED COMMERCIAL RECESSED LIGHT HOUSINGS

CATALOG NO.	DESCRIPTION	PKG. QTY.
CRL-HSG-4	Commercial Recessed Light Housings, 4"	2
CRL-HSG-6	Commercial Recessed Light Housings, 6"	2
CRL-HSG-8	Commercial Recessed Light Housings, 8"	2
CRL-HSG-10	Commercial Recessed Light Housings, 10"	2
CRL-BH	Bar Hanger For Commercial Recessed Housings	



BUILDER SERIES COMMERCIAL RECESS LIGHT, POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION
CRLE4-5-12W-MCTP-WH	5W/7W/12W 100LM/W 30K/35K/40K 4"
CRLE6-7-18W-MCTP-WH	7W/10W/18W 100LM/W 30K/35K/40K 6"
CRLE6-H0-25-40W-MCTP-WH	25W/30W/40W 100LM/W 30K/35K/40K 6", High-Output
CRLE8-10-22W-MCTP-WH	10W/15W/22W 100LM/W 30K/35K/40K 8"
CRLE8-H0-34-52W-MCTP-WH	34W/42W/52W 100LM/W 30K/35K/40K 8", High-Output
CRLE10-20-32W-MCTP-WH	20W/25W/32W 100LM/W 30K/35K/40K 10"
CRLE10-H0-26-40W-MCTP-WH	26W/32W/40W 100LM/W 30K/35K/40K 10", High-Output
CRLE-RI-TBAR-UNV	Snap-In Comm. Recessed Light Universal TBAR Plate
CRLE-RI-UNV	Snap-In Comm. Recessed Light Universal Rough-In Plate
CRLE4-TRM-BK	4" Snap-In Comm. Recessed Light 4In Black Trim + Ring Set
CRLE4-TRM-BN	4" Snap-In Comm. Recessed Light 4In Brushed Nickel Trim + Ring Set
CRLE6-TRM-BK	6" Snap-In Comm. Recessed Light 6In Black Trim + Ring Set
CRLE6-TRM-BN	6" Snap-In Comm. Recessed Light 6In Brushed Nickel Trim + Ring Set
CRLE8-TRM-BK	8" Snap-In Comm. Recessed Light 8In Black Trim + Ring Set
CRLE8-TRM-BN	8" Snap-In Comm. Recessed Light 8In Brushed Nickel Trim + Ring Set
CRLE10-TRM-BK	10" Snap-In Comm. Recessed Light 10In Black Trim + Ring Set
CRLE10-TRM-BN	10" Snap-In Comm. Recessed Light 10In Brushed Nickel Trim + Ring Set



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-CRLE	EXTERNAL	N/A	N/A	N/A	N/A	N/A



CRLE4-BF-7-12W-MCTP-FR



CRLE6-BF-10-18W-MCTP-FR



CRLE8-BF-15-25W-MCTP-FR

FIRE-RATED DEEP BAFFLE COMMERCIAL RECESSED LIGHTS - POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
CRLE4-BF-7-12W-MCTP-FR	7W/9W/12W 130LM/W 27K/30K/35K/40K/50K		18
CRLE6-BF-10-18W-MCTP-FR	10W/14W/18W 130LM/W 27K/30K/35K/40K/50K		12
CRLE8-BF-15-25W-MCTP-FR	15W/20W/25W 130LM/W 27K/30K/35K/40K/50K		12



CRLB4-7-15W-MCTP5-WH
White



CRLB6-10-18W-MCTP5-WH
White



CRLB8-18-30W-MCTP5-WH
White



CRLB10-22-38W-MCTP5-WH
White

BUILDER SERIES COMMERCIAL RECESSED LIGHT WITH REMOTE DRIVER 5CCT ADJ. POWER DUAL-DIM CRI90



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
CRLB4-7-15W-MCTP5-WH	7W/11W/15W 86LM/W 27K/30K/35K/40K/50K 4" White		16
CRLB6-10-18W-MCTP5-WH	10W/15W/18W 86LM/W 27K/30K/35K/40K/50K 6" White		12
CRLB8-18-30W-MCTP5-WH	18W/24W/30W 86LM/W 27K/30K/35K/40K/50K 8" White		8
CRLB10-22-38W-MCTP5-WH	22W/30W/38W 86LM/W 27K/30K/35K/40K/50K 10" White		8



LED COMMERCIAL SLIM CANLESS RECESSED REGRESSED BAFFLE LIGHTS 120-277V, 0-10V DIMMING



CATALOG NO.	DESCRIPTION	PKG. QTY.
RSLC6-BF-30K	15W 1200LM 3000K 6"	12
RSLC6-BF-40K	15W 1200LM 4000K 6"	12
RSLC8-BF-30K	18W 1440LM 3000K 8"	12
RSLC6-BF-MCT5	15W 1200LM 27K/30K/35K/40K/50K 6"	
RSLC8-BF-MCT5	18W 1440LM 27K/30K/35K/40K/50K 8"	
RSL-BF-EXT-6FT	RSL-BF 6FT. DC extension cord	-
RSL-BF-EXT-10FT	RSL-BF 10FT. DC extension cord	-
RSL-BF-EXT-20FT	RSL-BF 20FT. DC extension cord	-



HALF CIRCLE INDOOR WALL SCONCE, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
FDLH-12-MCT5	12W 960LM 27K/30K/35K/40K/50K	6

COMMERCIAL

VANITY LIGHTS



LSC-10-MCTP-BN
Brushed Nickel



LSC-15-MCTP-BN
Brushed Nickel



LSC-18-MCTP-BN
Brushed Nickel

MODERN INDOOR WALL SCONCE, POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
LSC-10-MCTP-BN	9W/12W/15W 80LM/W 30K/40K/50K Brushed Nickel	6
LSC-15-MCTP-BN	12W/18W/20W 80LM/W 30K/40K/50K Brushed Nickel	6
LSC-18-MCTP-BN	15W/20W/25W 80LM/W 30K/40K/50K Brushed Nickel	6



LED VANITY LIGHT, 120-277VAC



CATALOG NO.	DESCRIPTION	PKG. QTY.
LVL-2FT-MCT-DD	20W 2200LM 30K/40K/50K	3
LVL-2FT-17W-30K	17W 1900LM 3000K WHILE SUPPLIES LAST	3
LVL-2FT-17W-40K	17W 1900LM 4000K	3

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	ROCKER SWITCH OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LVL	INTERNAL	OPT-VL-RS-BK	BOX	N/A	OPT-SEN-2MDR-36 OPT-SEN-NLS-LVL OPT-SEN-KEILTON WEC-3RC	PROGRAMMABLE MICROWAVE BI-LEVEL WG NETWORK SENSOR KEILTON NETWORK SENSOR REMOTE CONTROL



LVF-WS-MCT5-BN

Fixture Shown with
OPT-VL-RS-BK
Factory-installed Switch Option

BULDER SERIES VANITY LIGHTS WITH SLIDE-TO-CENTER WALL CANOPY



CATALOG NO.	DESCRIPTION
LVF-18-MCT5-BN	12W 1020LM 27K/30K/35K/40K/50K 18" Brushed Nickel
LVF-24-MCT5-BN	16W 1360LM 27K/30K/35K/40K/50K 24" Brushed Nickel
LVF-30-MCT5-BN	20W 1600LM 27K/30K/35K/40K/50K 30" Brushed Nickel
LVF-36-MCT5-BN	24W 2000LM 27K/30K/35K/40K/50K 36" Brushed Nickel
LVF-48-MCT5-BN	32W 2700LM 27K/30K/35K/40K/50K 48" Brushed Nickel
LVF-WS-MCT5-BN	16W 1360LM 27K/30K/35K/40K/50K 14" Brushed Nickel



MODEL LVB LED SEMI-FLUSH VANITY LIGHT, 3CCT, PC LENS, 120V

FOR FACTORY OPTION BOX SEE LVE BELOW



CATALOG NO.	DESCRIPTION
LVB-12-MCT-BN	8W 560LM 30K/40K/50K Brushed-Nickel, 12"
LVB-12-MCT-PC	8W 560LM 30K/40K/50K Polished-Chrome, 12"
LVB-18-MCT-BN	12W 840LM 30K/40K/50K Brushed-Nickel, 18"
LVB-18-MCT-PC	12W 840LM 30K/40K/50K Polished-Chrome, 18"
LVB-24-MCT-BN	16W 1440LM 30K/40K/50K Brushed-Nickel, 24"
LVB-24-MCT-PC	16W 1440LM 30K/40K/50K Polished-Chrome, 24"
LVB-36-MCT-BN	24W 1680LM 30K/40K/50K Brushed-Nickel, 36"
LVB-36-MCT-PC	24W 1680LM 30K/40K/50K Polished-Chrome, 36"
LVB-48-MCT-BN	32W 2240LM 30K/40K/50K Brushed-Nickel, 48"
LVB-48-MCT-PC	32W 2240LM 30K/40K/50K Polished-Chrome, 48"



MODEL LVC ARCHITECTURAL LED MULTI COLOR-TEMPERATURE VANITY LIGHT WITH CUBE PC LENS, 120V

FOR FACTORY OPTION BOX SEE LVE BELOW



CATALOG NO.	DESCRIPTION	PKG. QTY.
LVC-24-MCT5-BN	16W 1120LM 27K/30K/35K/40K/50K Brushed Nickel 24"	10
LVC-36-MCT5-BN	24W 1680LM 27K/30K/35K/40K/50K Brushed Nickel 36"	10



LVD-WS-MCT5-BN

MODEL LVD ARCHITECTURAL LED MULTI COLOR-TEMPERATURE VANITY LIGHT WITH TUBE PC, 120V

FOR FACTORY OPTION BOX SEE LVE BELOW



CATALOG NO.	DESCRIPTION	PKG. QTY.
LVD-24-MCT5-BN	16W 1300LM 27K/30K/35K/40K/50K Brushed Nickel 24"	10
LVD-36-MCT5-BN	24W 2000LM 27K/30K/35K/40K/50K Brushed Nickel 36"	10
LVD-48-MCT5-BN	32W 2700LM 27K/30K/35K/40K/50K Brushed Nickel 48"	10
LVD-WS-MCT5-BN	16W 1360LM 27K/30K/35K/40K/50K Brushed Nickel 14"	



OVAL-BACK 360° MODERN VANITY LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
LVO-18-MCT5-BN	18W 1260LM 27K/30K/35K/40K/50K Brushed Nickel 18"	10
LVO-18-MCT5-BK	18W 900LM 27K/30K/35K/40K/50K Black 18"	10
LVO-24-MCT5-BN	24W 1680LM 27K/30K/35K/40K/50K Brushed Nickel 24"	6
LVO-24-MCT5-BK	24W 1200LM 27K/30K/35K/40K/50K Black 24"	6
LVO-36-MCT5-BN	36W 2520LM 27K/30K/35K/40K/50K Brushed Nickel 36"	4
LVO-36-MCT5-BK	36W 1800LM 27K/30K/35K/40K/50K Black 36"	4



MODEL LVE MULTI COLOR-TEMPERATURE VANITY LIGHT (3CCT), WITH PC LENS AND METAL RINGS, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
LVE-24-MCT-BN	17W 1760LM 3000K/3500K/4000K Brushed Nickel 24"	1
LVE-36-MCT-BN	25W 2560LM 3000K/3500K/4000K Brushed Nickel 36"	1
LVE-48-MCT-BN	34W 3500LM 3000K/3500K/4000K Brushed Nickel 48"	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	277V OPTION	DESCRIPTION	ROCKER SWITCH OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-277V	INTERNAL	OPT-VL-RS-BK	BOX	N/A	N/A	N/A




MODEL LVA ARCHITECTURAL LED DUAL GLASS MULTI COLOR-TEMPERATURE VANITY LIGHT, 120V

FOR FACTORY OPTION BOX SEE LVE BELOW



CATALOG NO.	DESCRIPTION	PKG. QTY.
LVA-24-MCT5-BN	20W 1400LM 27K/30K/35K/40K/50K Brushed Nickel 24"	1
LVA-36-MCT5-BN	30W 2100LM 27K/30K/35K/40K/50K Brushed Nickel 36"	1



MODEL LVG ARCHITECTURAL LED MULTI COLOR-TEMPERATURE VANITY LIGHT WITH SQUARE PC LENS, 120V

FOR FACTORY OPTION BOX SEE LVE BELOW



CATALOG NO.	DESCRIPTION	PKG. QTY.
LVG-24-MCT5-BN	18W 1300LM 27K/30K/35K/40K/50K Brushed Nickel 24"	10
LVG-36-MCT5-BN	30W 2000LM 27K/30K/35K/40K/50K Brushed Nickel 36"	10



LVJ
Black



LVJ
Brushed Nickel



LVJ
Black



LVJ
Brushed Nickel

SPEC SERIES WIDE PMMA LENS VANITY LIGHT, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
LVJ-18-MCT5-BK	18W 1260LM 27K/30K/35K/40K/50K Black 18"	10
LVJ-18-MCT5-BN	18W 1260LM 27K/30K/35K/40K/50K Brushed Nickel 18"	10
LVJ-24-MCT5-BK	24W 1680LM 27K/30K/35K/40K/50K Black 24"	10
LVJ-24-MCT5-BN	24W 1680LM 27K/30K/35K/40K/50K Brushed Nickel 24"	10
LVJ-36-MCT5-BK	36W 2520LM 27K/30K/35K/40K/50K Black 36"	10
LVJ-36-MCT5-BN	36W 2520LM 27K/30K/35K/40K/50K Brushed Nickel 36"	10



LVP
Black



LVP
Brushed Nickel

PMMA LENS VANITY LIGHT - 120V - 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
LVP-18-MCT5-BK	20W 1400LM 27K/30K/35K/40K/50K Black 18"	4
LVP-18-MCT5-BN	20W 1400LM 27K/30K/35K/40K/50K Brushed Nickel 18"	4
LVP-24-MCT5-BK	25W 1800LM 27K/30K/35K/40K/50K Black 24"	4
LVP-24-MCT5-BN	25W 1800LM 27K/30K/35K/40K/50K Brushed Nickel 24"	4
LVP-36-MCT5-BK	30W 3000LM 27K/30K/35K/40K/50K Black 36"	4
LVP-36-MCT5-BN	30W 3000LM 27K/30K/35K/40K/50K Brushed Nickel 36"	4



LVS-24
LVS-36
LVS-48




LVS-WS-21

SPEC SERIES SLIM ROTATABLE VANITY LIGHTS AND SCONCES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
LVS-24-MCT5-BN	20W 1400LM 27K/30K/35K/40K/50K 24" Brushed Nickel	10
LVS-24-MCT5-BK	20W 1400LM 27K/30K/35K/40K/50K 24" Black	10
LVS-24-MCT5-BB	20W 1400LM 27K/30K/35K/40K/50K 24" Brushed Brass	10
LVS-36-MCT5-BN	30W 2100LM 27K/30K/35K/40K/50K 36" Brushed Nickel	10
LVS-36-MCT5-BK	30W 2100LM 27K/30K/35K/40K/50K 36" Black	10
LVS-36-MCT5-BB	30W 2100LM 27K/30K/35K/40K/50K 36" Brushed Brass	10
LVS-48-MCT5-BN	40W 2800LM 27K/30K/35K/40K/50K 48" Brushed Nickel	10
LVS-48-MCT5-BK	40W 2800LM 27K/30K/35K/40K/50K 48" Black	10
LVS-48-MCT5-BB	40W 2800LM 27K/30K/35K/40K/50K 48" Brushed Brass	10
LVS-WS-21-MCT5-BN	14W 980LM 27K/30K/35K/40K/50K 21" Brushed Nickel	10
LVS-WS-21-MCT5-BK	14W 980LM 27K/30K/35K/40K/50K 21" Black	10
LVS-WS-21-MCT5-BB	14W 980LM 27K/30K/35K/40K/50K 21" Brushed Brass	10



CWS-12-MCTP CWS-18-MCTP CWS-48-MCTP
Show with
DWA Accessories

CWS-48-MCTP-DWA
Comes with
suspension cables

COMMERCIAL AND WAITING-ROOM INDOOR WALL SCONCE AND SUSPENDED LIGHTS

CATALOG NO.	DESCRIPTION	PKG. QTY.
CWS-12-MCTP	10W/15W/20W 85LM/W 30K/35K/40K	1
CWS-18-MCTP	10W/15W/20W 85LM/W 30K/35K/40K	1
CWS-48-MCTP	20W/30W/40W 85LM/W 30K/35K/40K	1




LMIR-18-2028-MCT-DF
LMIR-18-2436-MCT-DF
LMIR-18-2840-MCT-DF



LMIR-36-2028-MCT-DF
LMIR-36-2436-MCT-DF
LMIR-36-4836-MCT-DF



LMIR-MC18-2432-MCT-DF



LMIR-18R-24D-MCT-DF
LMIR-18R-32D-MCT-DF
LMIR-18R-40D-MCT-DF

SPEC SERIES LED MIRRORS AND CABINET, ADJUSTABLE COLOR TEMP., DIMMING, WITH DEFOGGER FEATURE, (CALL SPECIAL SIZES & FEATURES AVAILABLE BY SPECIAL ORDER)



CATALOG NO.	DESCRIPTION	W X H	PKG. QTY.
SQUARE LED MIRRORS			
LMIR-18-2028-MCT-DF	35W 3000K/4500K/6500K	20"W X 28"H	1
LMIR-18-2436-MCT-DF	44W 3000K/4500K/6500K	24"W X 36"H	1
LMIR-18-2840-MCT-DF	48W 3000K/4500K/6500K	28"W X 40"H	1
LMIR-36-2028-MCT-DF	31W 3000K/4500K/6500K	20"W X 28"H	1
LMIR-36-2436-MCT-DF	39W 3000K/4500K/6500K	24"W X 36"H	1
LMIR-36-4836-MCT-DF	50W 3000K/4500K/6500K	48"W X 36"H	1
SQUARE LED MEDICINE CABINET MIRROR			
LMIR-MC18-2432-MCT-DF	35W 2700K-6500K	24"W X 32"H	1
ROUND LED MIRRORS			
LMIR-18R-24D-MCT-DF	30W 30K/45K/65K	24"	1
LMIR-18R-32D-MCT-DF	48W 30K/45K/65K	32"	1
LMIR-18R-40D-MCT-DF	68W 30K/45K/65K	40"	1



With wall switch
WF-215-3B-56-BK
Black



With wall switch
WF-215-3B-56-WH
White

56" INDUSTRIAL 3-BLADE CEILING FAN WITH WALL SWITCH MATTE

CATALOG NO.	DESCRIPTION	PKG. QTY.
WF-215-3B-56-BK	56In Industrial 3-Blade Ceiling Fan With Wall Switch Matte Black	1
WF-215-3B-56-WH	56In Industrial 3-Blade Ceiling Fan With Wall Switch Matte White	1

Replacement wall switch available to purchase.



With Pull Chain
WFL-103-PC-5B-52-BN-RWSO
Brush Nickel and Reversible
Rosewood/Silver oak



With Pull Chain
WFL-103-PC-5B-52-WH-WH
White and White blades



With Pull Chain
WFL-105-PC-5B-52-SN-RWSO
Satin Nickel and Reversible
Rosewood/Silver oak



With Pull Chain
WFL-105-PC-5B-52-WH-WH
White and White blades



With Pull Chain
WFL-107-PC-5B-52-BN-RWSO
Brush Nickel and Reversible
Rosewood/Silver oak



With Pull Chain
WFL-107-PC-5B-52-WH-WH
White and White blades



With Pull Chain
WFL-112-PC-3B-52-MCT-BK-BK
Black and Black blades



With Pull Chain
WFL-112-PC-3B-52-MCT-BN-RWS
Brush Nickel and Reversible
Rosewood/Silver blades



With Pull Chain
WFL-112-PC-3B-52-MCT-WH-WH
White and White blades



With Pull Chain
WFL-113-PC-5B-52-MCT-BN-RWBK
Brush Nickel and Reversible
Black/Rosewood blades



With Pull Chain
WFL-113-PC-5B-52-MCT-WH-WH
White and White blades



With Pull Chain
WFL-114-PC-3B-52-BN-WNS
Brush Nickel and Reversible
Walnut/Silver blades



With Pull Chain
WFL-115-PC-3B-52-MCT-WH-WH
White and White blades



With Pull Chain
WFL-115-PC-3B-52-MCT-BK-BK
Black and Black blades



With Pull Chain
WFL-115-PC-3B-52-MCT-BN-RWS
Brush Nickel and Reversible
Rosewood/Silver blades



With Pull Chain
WFL-119-PC-4B-48-BN-BK
Brush Nickel and Black blades

WESTGATE CEILING FANS

CATALOG NO.	DESCRIPTION	PKG. QTY.
WFL-103-PC-5B-52-BN-RWSO	7W*3 600LM*3 3000K Brush Nickel and Reversible Rosewood/Silver oak	1
WFL-103-PC-5B-52-WH-WH	7W*3 600LM*3 3000K White and White blades	1
WFL-105-PC-5B-52-SN-RWSO	7W*3 600LM*3 3000K Satin Nickel and Reversible Rosewood/Silver oak	1
WFL-105-PC-5B-52-WH-WH	7W*3 600LM*3 3000K White and White blades	1
WFL-107-PC-5B-52-BN-RWSO	9W*2 800LM*2 3000K Brush Nickel and Reversible Rosewood/Silver oak	1
WFL-107-PC-5B-52-WH-WH	9W*2 800LM*2 3000K White and White blades	1
WFL-112-PC-3B-52-MCT-BK-BK	20W 1750LM 30K/40K/50K Black and Black blades	1
WFL-112-PC-3B-52-MCT-BN-RWS	20W 1750LM 30K/40K/50K Brush Nickel and Reversible Rosewood/Silver blades	1
WFL-112-PC-3B-52-MCT-WH-WH	20W 1750LM 30K/40K/50K White and White blades	1
WFL-113-PC-5B-52-MCT-BN-RWBK	20W 1750LM 30K/40K/50K Brush Nickel and Reversible Black/Rosewood blades	1
WFL-113-PC-5B-52-MCT-WH-WH	20W 1750LM 30K/40K/50K White and White blades	1
WFL-114-PC-3B-52-BN-WNS	1X19W 89LM/W 3000K Brush Nickel and Reversible Walnut/Silver blades	1
WFL-115-PC-3B-52-MCT-BK-BK	20W 1750LM 30K/40K/50K Black and Black blades	1
WFL-115-PC-3B-52-MCT-BN-RWS	20W 1750LM 30K/40K/50K Brush Nickel and Reversible Rosewood/Silver blades	1
WFL-115-PC-3B-52-MCT-WH-WH	20W 1750LM 30K/40K/50K White and White blades	1
WFL-119-PC-4B-48-BN-BK	3X19W 89LM/W 3000K Brush Nickel and Black blades	1



With wall switch

WFL-116-WS-3B-52-30K-WH-WH
White and White blades



With wall switch

WFL-116-WS-3B-52-30K-BK-BK
Black and Black blades



With wall switch

WFL-116-WS-3B-52-30K-BN-RWS
Brush Nickel and Reversible
Rosewood/Silver blades



With wall switch

WFL-118-WS-4B-52-30K-WH-WH
White and White blades



With wall switch

WFL-118-WS-4B-52-30K-BK-BK
Black and Black blades



With wall switch

WFL-118-WS-4B-52-30K-BN-S
Brush Nickel/Silver Blades



With wall switch

WFL-512-WS-3B-36-30K-BK-BK
Black and Black blades



With wall switch

WFL-512-WS-3B-36-30K-BN-BK
Brush Nickel and Black blades



With wall switch

WFL-512-WS-3B-36-30K-GD-BK
Gold and Black blades



With wall switch

WFL-512-WS-3B-36-30K-WH-WH
White and White blades



With wall switch

WFL-117DL-WS-4B-52-30K-BK-BK
Black and Black blades

WESTGATE CEILING FAN AND LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
WFL-116-WS-3B-52-30K-WH-WH	19W 1600LM 3000K White and White blades	1
WFL-116-WS-3B-52-30K-BK-BK	19W 1600LM 3000K Black and Black blades	1
WFL-116-WS-3B-52-30K-BN-RWS	19W 1600LM 3000K Brush Nickel and Reversible Rosewood/Silver blades	1
WFL-118-WS-4B-52-30K-WH-WH	19W 1600LM 3000K White and White blades	1
WFL-118-WS-4B-52-30K-BK-BK	19W 1600LM 3000K Black and Black blades	1
WFL-118-WS-4B-52-30K-BN-S	19W 1600LM 3000K Brush Nickel/Silver Blades	1
WFL-512-WS-3B-36-30K-BK-BK	18W 1700LM 3000K Black and Black blades	1
WFL-512-WS-3B-36-30K-BN-BK	18W 1700LM 3000K Brush Nickel and Black blades	1
WFL-512-WS-3B-36-30K-GD-BK	18W 1700LM 3000K Gold and Black blades	1
WFL-512-WS-3B-36-30K-WH-WH	18W 1700LM 3000K White and White blades	1
WFL-117DL-WS-4B-52-30K-BK-BK	19W 1600LM 3000K Black and Black blades	1

Replacement wall switch available to purchase.



With Remote Control

WFL-418-RC-3B-52-MCT5-BK
Black



With Remote Control

WFL-418-RC-3B-52-MCT5-WH
White

52in CONTEMPORARY 3-BLADE CEILING FAN AND LIGHT WITH REMOTE, 5CCT



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
WFL-418-RC-3B-52-MCT5-BK	18W 2160LM 30K/35K/40K/50K/65K Black		1
WFL-418-RC-3B-52-MCT5-WH	18W 2160LM 30K/35K/40K/50K/65K White		1

Replacement Remote Control available to purchase.



With Remote Control
WF-318WP-RC-3B-52-BR-WA
Bronze And Walnut Blades

52" 3-BLADE OUTDOOR CEILING FAN REMOTE CONTROL



CATALOG NO.	DESCRIPTION	PKG. QTY.
WF-318WP-RC-3B-52-BR-WA	52" 3-Blade Outdoor Ceiling Fan Remote Control, Bronze And Walnut Blades Replacement Remote Control available to purchase.	1



With Remote Control
WFL-DC-336WP-RC-5B-54-MCT-BKBR
Black/Brown



With Remote Control
WFL-DC-336WP-RC-5B-54-MCT-BKWA
Black/Walnut

54" 5-BLADE OUTDOOR WESTGATE CEILING FAN AND LIGHT WITH REMOTE, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
WFL-DC-336WP-RC-5B-54-MCT-BKWA	22W 27K/30K/35K/40K/50K Black/Brown	1
WFL-DC-336WP-RC-5B-54-MCT-BKBR	22W 27K/30K/35K/40K/50K Black/Walnut	1

Replacement Remote Control available to purchase.



With Remote Control
WFL-DC-120-RC-5B-42-MCT5-BK-BK
Black and Black blades



With Remote Control
WFL-DC-120-RC-5B-42-MCT5-WH-WH
Black and Black blades



With Remote Control
WFL-DC-120-RC-5B-42-MCT5-BN-OK
Brush Nickel and Light Oak blades



With Remote Control
WFL-DC-121-RC-5B-52-MCT5-BK-BK
Black and Black blades



With Remote Control
WFL-DC-122-RC-3B-46-MCT5-BK-RW
Black and Rosewood blades



With Remote Control
WFL-DC-123-RC-3B-56-MCT5-BN-NW
Black and Natural Wood blades



With Remote Control
WFL-DC-124-RC-3B-52-MCT5-BK-BK
Black and Black blades



With Remote Control
WFL-DC-124-RC-3B-52-MCT5-BN-NW
Brush Nickel and Natural Wood blades



With Remote Control
WFL-DC-124-RC-3B-52-MCT5-WH-WH
White and White blades



With Remote Control
WFL-DC-125-RC-3B-52-MCT5-AZ-BK
Antique Brass and Black blades



With Remote Control
WFL-DC-125-RC-3B-52-MCT5-BN-BK
Brush Nickel and Black blades



With Remote Control
WFL-DC-125-RC-3B-52-MCT5-GD-BK
Gold and Black blades

DC CEILING FAN AND LIGHT WITH REMOTE, 5CCT

Replacement Remote Control available to purchase.



CATALOG NO.	DESCRIPTION	PKG. QTY.
WFL-DC-120-RC-5B-42-MCT5-BK-BK	18W 109LM/W 30K/35K/40K/50K/65K Black and Black blades	1
WFL-DC-120-RC-5B-42-MCT5-WH-WH	18W 109LM/W 30K/35K/40K/50K/65K White and White blades	1
WFL-DC-120-RC-5B-42-MCT5-BN-OK	18W 109LM/W 30K/35K/40K/50K/65K Brush Nickel and Light Oak blades	1
WFL-DC-121-RC-5B-52-MCT5-BK-BK	18W 109LM/W 30K/35K/40K/50K/65K Black and Black blades	1
WFL-DC-122-RC-3B-46-MCT5-BK-RW	22W 100LM/W 30K/35K/40K/50K/65K Black and Rosewood blades	1
WFL-DC-123-RC-3B-56-MCT5-BN-NW	22W 103LM/W 30K/35K/40K/50K/65K Black and Natural Wood blades	1
WFL-DC-124-RC-3B-52-MCT5-BK-BK	22W 103LM/W 30K/35K/40K/50K/65K Black and Black blades	1
WFL-DC-124-RC-3B-52-MCT5-BN-NW	22W 103LM/W 30K/35K/40K/50K/65K Brush Nickel and Natural Wood blades	1
WFL-DC-124-RC-3B-52-MCT5-WH-WH	22W 103LM/W 30K/35K/40K/50K/65K White and White blades	1
WFL-DC-125-RC-3B-52-MCT5-AZ-BK	18W 108LM/W 30K/35K/40K/50K/65K Antique Brass and Black blades	1
WFL-DC-125-RC-3B-52-MCT5-BN-BK	18W 108LM/W 30K/35K/40K/50K/65K Brush Nickel and Black blades	1
WFL-DC-125-RC-3B-52-MCT5-GD-BK	18W 108LM/W 30K/35K/40K/50K/65K Gold and Black blades	1



With Remote Control
WF-DC-216-RC-6B-60-BK
Black



With Remote Control
WF-DC-216-RC-6B-60-BN
Brush Nickel



With Remote Control
WF-DC-216-RC-6B-60-WH
White



With Remote Control
WF-DC-216-RC-6B-72-BK
Black



With Remote Control
WF-DC-216-RC-6B-72-BN
Brush Nickel



With Remote Control
WF-DC-216-RC-6B-72-WH
White


WESTGATE DC 6-BLADE CEILING FAN WITH REMOTE

CATALOG NO.	DESCRIPTION	PKG. QTY.
WF-DC-216-RC-6B-60-BK	60" DC 6-Blade Fan With Remote Black	1
WF-DC-216-RC-6B-60-BN	60" DC 6-Blade Fan With Remote Brush Nickel	1
WF-DC-216-RC-6B-60-WH	60" DC 6-Blade Fan With Remote White	1
WF-DC-216-RC-6B-72-BK	72" DC 6-Blade Fan With Remote Black	1
WF-DC-216-RC-6B-72-BN	72" DC 6-Blade Fan With Remote Brush Nickel	1
WF-DC-216-RC-6B-72-WH	72" DC 6-Blade Fan With Remote White	1

Replacement Remote Control available to purchase.

CEILING FAN EXTENSION DOWNROD

CATALOG NO.	DESCRIPTION
WF-DR-12-BN	Ceiling Fan Extension Downrod 12in, Brush Nickel
WF-DR-18-BN	Ceiling Fan Extension Downrod 18in, Brush Nickel
WF-DR-24-BN	Ceiling Fan Extension Downrod 24in, Brush Nickel
WF-DR-36-BN	Ceiling Fan Extension Downrod 36in, Brush Nickel
WF-DR-48-BN	Ceiling Fan Extension Downrod 48in, Brush Nickel
WF-DR-60-BN	Ceiling Fan Extension Downrod 60in, Brush Nickel
WF-DR-12-BK	Ceiling Fan Extension Downrod 12in, Black
WF-DR-18-BK	Ceiling Fan Extension Downrod 18in, Black
WF-DR-24-BK	Ceiling Fan Extension Downrod 24in, Black
WF-DR-36-BK	Ceiling Fan Extension Downrod 36in, Black
WF-DR-48-BK	Ceiling Fan Extension Downrod 48in, Black
WF-DR-60-BK	Ceiling Fan Extension Downrod 60in, Black
WF-DR-12-WH	Ceiling Fan Extension Downrod 12in, White
WF-DR-18-WH	Ceiling Fan Extension Downrod 18in, White
WF-DR-24-WH	Ceiling Fan Extension Downrod 24in, White
WF-DR-36-WH	Ceiling Fan Extension Downrod 36in, White
WF-DR-48-WH	Ceiling Fan Extension Downrod 48in, White
WF-DR-60-WH	Ceiling Fan Extension Downrod 60in, White



LED TRACK LIGHTS, 120V (Fit Halo® and compatible tracks and accessories)

CATALOG NO.	DESCRIPTION
TR1-R-10W-WH-50K	10W 702LM 5000K WHITE 25° LED ADJ. CYLINDER
TR1-S-10W-WH-30K	10W 681LM 3000K WHITE 25° LED ADJ. SQUARE
TR1-S-10W-WH-40K	10W 706LM 4000K WHITE 25° LED ADJ. SQUARE
TR1-S-10W-WH-50K	10W 732LM 5000K WHITE 25° LED ADJ. SQUARE



WHILE SUPPLIES LAST



TRPK-3L-GU10-30K-BN
Brush Nickel



TRPK-4L-GU10-30K-BN
Brush Nickel



TRPK-6L-GU10-30K-BN
Brush Nickel

TRACK PACK W/ LED GU10 LAMP



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
TRPK-3L-GU10-30K-BN	3X6.5W 3x500LM 3000K Brush Nickel		6
TRPK-4L-GU10-30K-BN	4X6.5W 4x500LM 3000K Brush Nickel		6
TRPK-6L-GU10-30K-BN	6X6.5W 5x500LM 3000K Brush Nickel		6



TRE-5-15W-MCTP-36D-BK
Black



TRE-15-25W-MCTP-36D-BK
Black



TRE-25-35W-MCTP-36D-BK
Black



Shown with **TRE26-BK**
Black



TRE-5-15W-MCTP-36D-WH
White



TRE-15-25W-MCTP-36D-WH
White



TRE-25-35W-MCTP-36D-WH
White



Shown with **TRE26-WH**
White

BUILDER SERIES TRACK HEADS WITH EXT. DRIVERS, POWER AND CCT ADJUSTABLE, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
TRE-5-15W-MCTP-36D-BK	5W/10W/15W 84LM/W 30K/35K/40K Black	20
TRE-5-15W-MCTP-36D-WH	5W/10W/15W 84LM/W 30K/35K/40K White	20
TRE-15-25W-MCTP-36D-BK	15W/20W/25W 84LM/W 30K/35K/40K Black	12
TRE-15-25W-MCTP-36D-WH	15W/20W/25W 84LM/W 30K/35K/40K White	12
TRE-25-35W-MCTP-36D-BK	25W/30W/35W 84LM/W 30K/35K/40K Black	10
TRE-25-35W-MCTP-36D-WH	25W/30W/35W 84LM/W 30K/35K/40K White	10
TRE26-BK	3.5In Modern Par-Lamp Track Head 120V 3-Wire, Black	
TRE26-WH	3.5In Modern Par-Lamp Track Head 120V 3-Wire, White	



TRP-8-15W-MCTP-20D-WH
White



TRP-8-15W-MCTP-20D-BK
Black

TRACK PUCK LIGHTS - POWER AND CCT ADJUSTABLE, 120V - 20° BEAM ANGLE



CATALOG NO.	DESCRIPTION
TRP-8-15W-MCTP-20D-WH	8W/12W/15W 90LM/W 27K/30K/35K/40K/50K White
TRP-8-15W-MCTP-20D-BK	8W/12W/15W 90LM/W 27K/30K/35K/40K/50K Black



TRD-8W-MCT5-36D-BK
Black



TRD-12W-MCT5-36D-BK
TRD-15W-MCT5-36D-BK
Black



TRD-20W-MCT5-36D-BK
Black



TRD-30W-MCT5-36D-BK
Black

SPEC SERIES DIE-CAST TRACK HEADS 50CCT, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
TRD-8W-MCT5-36D-BK	8W 720LM 27K/30K/35K/40K/50K Black	40
TRD-8W-MCT5-36D-WH	8W 720LM 27K/30K/35K/40K/50K White	40
TRD-12W-MCT5-36D-BK	12W 1080LM 27K/30K/35K/40K/50K Black	24
TRD-12W-MCT5-36D-WH	12W 1080LM 27K/30K/35K/40K/50K White	24
TRD-15W-MCT5-36D-BK	15W 1350LM 27K/30K/35K/40K/50K Black	24
TRD-15W-MCT5-36D-WH	15W 1350LM 27K/30K/35K/40K/50K White	24
TRD-20W-MCT5-36D-BK	20W 1800LM 27K/30K/35K/40K/50K Black	16
TRD-20W-MCT5-36D-WH	20W 1800LM 27K/30K/35K/40K/50K White	16
TRD-30W-MCT5-36D-BK	30W 2700LM 27K/30K/35K/40K/50K Black	16
TRD-30W-MCT5-36D-WH	30W 2700LM 27K/30K/35K/40K/50K White	16
TRD-8W-LENS-15D	TRD 8W Replacement Lens 15-Degree	
TRD-8W-LENS-25D	TRD 8W Replacement Lens 25-Degree	
TRD-8W-LENS-55D	TRD 8W Replacement Lens 55-Degree	
TRD-12W-LENS-15D	TRD 12W & 15W Replacement Lens 15-Degree	
TRD-12W-LENS-25D	TRD 12W & 15W Replacement Lens 25-Degree	
TRD-12W-LENS-55D	TRD 12W & 15W Replacement Lens 55-Degree	
TRD-20W-LENS-15D	TRD 20W Replacement Lens 15-Degree	
TRD-20W-LENS-25D	TRD 20W Replacement Lens 25-Degree	
TRD-20W-LENS-60D	TRD 20W Replacement Lens 60-Degree	
TRD-30W-LENS-12D	TRD 30W Replacement Lens 12-Degree	
TRD-30W-LENS-24D	TRD 30W Replacement Lens 24-Degree	
TRD-30W-LENS-60D	TRD 30W Replacement Lens 60-Degree	



TRD-BK
Black



Fixture Shown with
Antiglare Honeycomb Louver



TRD-WH
White



Fixture Shown with
Antiglare Honeycomb Louver

SPEC SERIES DIE-CAST ZOOMABLE TRACK HEADS WATTAGE & CCT & BEAM ANGLE SELECT



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
TRD-20W-MCTB-BK	20W 1700LM 27K/30K/35K/40K/50K Black		16
TRD-20W-MCTB-WH	20W 1700LM 27K/30K/35K/40K/50K White		16
TRD-30W-MCTB-BK	30W 2700LM 27K/30K/35K/40K/50K Black		12
TRD-30W-MCTB-WH	30W 2700LM 27K/30K/35K/40K/50K White		12
TRD-20W-MCTB-HCL-BK	Antiglare Honeycomb Louver For Zoomable TRD-20W-MCTB Black		
TRD-20W-MCTB-HCL-WH	Antiglare Honeycomb Louver For Zoomable TRD-20W-MCTB White		
TRD-30W-MCTB-HCL-BK	Antiglare Honeycomb Louver For Zoomable TRD-30W-MCTB Black		
TRD-30W-MCTB-HCL-WH	Antiglare Honeycomb Louver For Zoomable TRD-30W-MCTB White		
TRD-20W-MCTB-BD-BK	Barn Door For Zoomable TRD-20W-MCTB Black		
TRD-20W-MCTB-BD-WH	Barn Door For Zoomable TRD-20W-MCTB White		
TRD-30W-MCTB-BD-BK	Barn Door For Zoomable TRD-30W-MCTB Black		
TRD-30W-MCTB-BD-WH	Barn Door For Zoomable TRD-30W-MCTB White		



TRS-10-20W-BK
Black



TRS-10-20W-WH
White



TRS-20-30W-BK
Black



TRS-20-30W-WH
White

STANDARD TRACK HEAD SERIES, WATTAGE & CCT SELECT, H-TYPE TO J-TYPE CONV. KIT AVAIL., 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
STANDARD TRACK HEAD SERIES, WATTAGE & CCT SELECT BEAM ANGLE: 36°		
TRS-10-20W-MCTP-36D-WH	10W/15W/20W 90LM/W 27K/30K/35K/40K/50K White	20
TRS-10-20W-MCTP-36D-BK	10W/15W/20W 90LM/W 27K/30K/35K/40K/50K Black	20
TRS-20-30W-MCTP-36D-WH	20W/25W/30W 90LM/W 27K/30K/35K/40K/50K White	20
TRS-20-30W-MCTP-36D-BK	20W/25W/30W 90LM/W 27K/30K/35K/40K/50K Black	20
STANDARD TRACK HEAD SERIES, WATTAGE & CCT & BEAM ANGLE SELECT BEAM ANGLE: 20°-50°		
TRS-10-20W-MCTPB-36D-WH	10W/15W/20W 90LM/W 27K/30K/35K/40K/50K White, Zoomable	20
TRS-10-20W-MCTPB-36D-BK	10W/15W/20W 90LM/W 27K/30K/35K/40K/50K Black, Zoomable	20
TRS-20-30W-MCTPB-36D-WH	20W/25W/30W 90LM/W 27K/30K/35K/40K/50K White, Zoomable	20
TRS-20-30W-MCTPB-36D-BK	20W/25W/30W 90LM/W 27K/30K/35K/40K/50K Black, Zoomable	20
TRS-H-J-WH	H-Type To J-Type Connector Head Converter for TRS Series, White	
TRS-H-J-BK	H-Type To J-Type Connector Head Converter for TRS Series, Black	



TR-2FT
TR-4FT
TR-6FT
TR-8FT

White OR Black



TR-LC

White OR Black



TR-FC

White OR Black



TR-EC

White OR Black
2 Included with each track



TR-LE

White OR Black



TR-MC

White OR Black



TR-SC

White OR Black



TR-TC

White OR Black



TR-XC

White OR Black



TR-FLEXC

White OR Black



TR-MONC

White OR Black



TR-JBEF

White OR Black



TR-CCON

White OR Black



TR-EXTCON

White OR Black

TRACK ACCESSORIES

CATALOG NO.	DESCRIPTION
TR-2FT-BK	2Ft 3-Wire Track, Black
TR-2FT-WH	2Ft 3-Wire Track, White
TR-4FT-BK	4Ft 3-Wire Track, Black
TR-4FT-WH	4Ft 3-Wire Track, White
TR-6FT-BK	6Ft 3-Wire Track, Black
TR-6FT-WH	6Ft 3-Wire Track, White
TR-8FT-BK	8Ft 3-Wire Track, Black
TR-8FT-WH	8Ft 3-Wire Track, White
TR-LE-BK	3-Wire Track Live End, Black
TR-LE-WH	3-Wire Track Live End, White
TR-MC-BK	3-Wire Track Mini Connector, Black
TR-MC-WH	3-Wire Track Mini Connector, White
TR-SC-BK	3-Wire Track Straight Connector, Black
TR-SC-WH	3-Wire Track Straight Connector, White
TR-LC-BK	3-Wire Track L Connector, Black
TR-LC-WH	3-Wire Track L Connector, White
TR-TC-BK	3-Wire Track T Connector, Black
TR-TC-WH	3-Wire Track T Connector, White
TR-XC-BK	3-Wire Track X Connector, Black
TR-XC-WH	3-Wire Track X Connector, White
TR-FLEXC-BK	3-Wire Track Flex Connector, Black
TR-FLEXC-WH	3-Wire Track Flex Connector, White
TR-FC-BK	3-Wire Track Floating Canopy, Black
TR-FC-WH	3-Wire Track Floating Canopy, White
TR-MONC-BK	3-Wire Track Mono Canopy, Black
TR-MONC-WH	3-Wire Track Mono Canopy, White
TR-JBEF-BK	3-Wire Track J-Box End Feed Kit, Black
TR-JBEF-WH	3-Wire Track J-Box End Feed Kit, White
TR-CCON-BK	3-Wire Track Conduit Connector, Black
TR-CCON-WH	3-Wire Track Conduit Connector, White
TR-EC-BK	3-Wire Track End Cap, Black
TR-EC-WH	3-Wire Track End Cap, White
TR-EXTCON-BK	3-Wire Track To Track Extension Connector, Black
TR-EXTCON-WH	3-Wire Track To Track Extension Connector, White
TR-PENDKIT-BK	3-Wire Track 3Ft Pendant Wiring Kit, Black
TR-PENDKIT-WH	3-Wire Track 3Ft Pendant Wiring Kit, White

SUSPENSION KIT SEE PAGES 171 TO 174

LAMPS

SEARCH FOR THE SERIES NAME @WESTGATEMFG.COM



CL-XHL SERIES




CL-EHL SERIES



CL-FLT SERIES



ED SERIES




CL-FTW SERIES



HPL SERIES




HBL SERIES



CL-CONST-2WIRE SERIES



CL-CONST SERIES



CL-CONST SERIES



T8-EZX SERIES



T8-EZX-GS SERIES



T8-EM SERIES



T8-EZ6 SERIES



T8-EZ6 SERIES



T8-4FT-TYPB SERIES



T8-HL SERIES



T8-HL-SPLIT SERIES




T12-EZX-MCT SERIES



T5 SERIES



T-RFG SERIES



T8HO SERIES



LPL SERIES



STG SERIES



STG-RGB SERIES



A19-MCT5 SERIES



A19 SERIES



TC-A19-RGBW SERIES



MR16 SERIES



MR11 SERIES




PAR30 SERIES



PAR36 SERIES



TC-PAR SERIES



GZ-JC SERIES



GZ-G9 SERIES



G10 SERIES



E12 SERIES



TC-E12 SERIES



TC-FLA SERIES



ST19 SERIES



BR30 SERIES



ST64 SERIES



T10 SERIES



MR-16-RGB SERIES



GATEWAY RESORT - RGBW STRING LIGHTS



Live inventory. Real-time pricing. No waiting.
Access the MyWestgate Portal to check
availability and pricing instantly.
Scan the QR code to skip the line.



CL-XHL-12-27W



CL-XHL-18-36W



CL-XHL-27-45W
CL-XHL-36-54W
CL-XHL-45-63W



CL-XHL-54-80W
CL-XHL-63-100W
CL-XHL-80-120W



CL-XHL-100-150W



CL-XHL-120-200W
CL-XHL-200-300W

DLC HIGH-LUMEN LED CORN LAMP, 100-277V AC



CATALOG NO.	DESCRIPTION			PKG. QTY.
CL-XHL-12-27W-MCTP-E39	12W/18W/27W	145LM/W	30K/40K/50K E39	24
CL-XHL-18-36W-MCTP-E39	18W/27W/36W	145LM/W	30K/40K/50K E39	12
CL-XHL-27-45W-MCTP-E39	27W/36W/45W	145LM/W	30K/40K/50K E39	12
CL-XHL-36-54W-MCTP-E39	36W/45W/54W	145LM/W	30K/40K/50K E39	12
CL-XHL-45-63W-MCTP-E39	45W/54W/63W	145LM/W	30K/40K/50K E39	12
CL-XHL-54-80W-MCTP-E39	54W/63W/80W	145LM/W	30K/40K/50K E39	6
CL-XHL-63-100W-MCTP-E39	63W/80W/100W	145LM/W	30K/40K/50K E39	6
CL-XHL-80-120W-MCTP-E39	80W/100W/120W	145LM/W	30K/40K/50K E39	6
CL-XHL-100-150W-MCTP-E39	100W/120W/150W	145LM/W	30K/40K/50K E39	6
CL-XHL-120-200W-MCTP-E39	120W/150W/200W	145LM/W	30K/40K/50K E39	6
CL-XHL-200-300W-MCTP-E39	200W/240W/300W	145LM/W	30K/40K/50K E39	6



HIGH-LUMEN LED CORN LAMP WITH UP LIGHT, 100-277V AC



CATALOG NO.	DESCRIPTION			REPLACEMENT RANGE	PKG. QTY.
CL-HL-27W-30K-E26	27W	3510LM	3000K E26 H: 7.13" X D: 3.74"	50-70MH	12
CL-HL-45W-30K-E39	45W	5850LM	3000K E39 H: 10.20" X D: 3.74"	70-100MH	12
CL-HL-75W-30K-E39	75W	9750LM	3000K E39 H: 12.17" X D: 3.74"	70-125MH	12
CL-HL-100W-30K-E39	100W	13000LM	3000K E39 H: 9.88" X D: 5.75"	70-175MH	6
E26-ENLARGER	ENLARGES E26 (MED.), BASE TO BE USED IN E39 (MOGUL) SOCKET				6
E39-REDUCER	REDUCES E39 (MOGUL), BASE TO BE USED IN E26 (MED.) SOCKET				6

WHILE SUPPLIES LAST



POWER & CCT
SWITCHES

CL-EHL-12-27W-MCTP-E26
CL-EHL-36-54W-MCTP-E39
CL-EHL-80-120W-MCTP-E39



CL-EHL
(12W TO 27W)



CL-EHL
(36W TO 54W)



CL-EHL
(75W TO 120W)



Internal Driver
CL-HL
(200W TO 300W)



External Driver
CL-HL-200W-EXTR
CL-HL-200W-480W

HIGH-LUMEN LED CORN LAMP,100-277V AC



LAMPS

CORN LAMPS

CATALOG NO.

DESCRIPTION

PKG.
QTY.

POWER & CCT ADJUSTABLE HIGH-LUMEN LED CORN LAMP,100-277V AC



CL-EHL-12-27W-MCTP-E26	27MAX	150LM/W	30K/40K/50K	E26 H: 6.69" X D: 2.36"	24
CL-EHL-36-54W-MCTP-E39	54MAX	150LM/W	30K/40K/50K	E39 H: 9.84" X D: 3.34"	12
CL-EHL-80-120W-MCTP-E39	120MAX	150LM/W	30K/40K/50K	E39 H: 11.14" X D: 5.11"	6
CL-EHL-80-120W-MCTP-EX39	80W/100W/120W	135LM/W	30K/40K/50K	E39 H: 11.14" X D: 5.11"	6

HIGH-LUMEN LED CORN LAMP,100-277V AC, DLC EXCEPT E26



CL-EHL-12W-30K-E26	12W	1500LM	3000K	E26 H: 4.90" X D: 2.36" 30-50MH	24
CL-EHL-12W-50K-E26	12W	1860LM	5000K	E26 H: 4.90" X D: 2.36" 30-50MH	24
CL-EHL-18W-30K-E26	18W	2250LM	3000K	E26 H: 5.70" X D: 2.36" 50-60MH	24
CL-EHL-18W-50K-E26	18W	2610LM	5000K	E26 H: 5.70" X D: 2.36" 50-60MH	24
CL-EHL-27W-30K-E26	27W	3375LM	3000K	E26 H: 6.69" X D: 2.36" 50-70MH	24
CL-EHL-27W-50K-E26	27W	4185LM	5000K	E26 H: 6.69" X D: 2.36" 50-70MH	24
CL-EHL-36W-30K-E26	36W	4500LM	3000K	E26 H: 7.55" X D: 3.34" 50-100MH	12
CL-EHL-36W-50K-E26	36W	5580LM	5000K	E26 H: 7.55" X D: 3.34" 50-100MH	12
CL-EHL-36W-30K-E39	36W	4500LM	3000K	E39 H: 8.30" X D: 3.34" 50-100MH	12
CL-EHL-36W-50K-E39	36W	5580LM	5000K	E39 H: 8.30" X D: 3.34" 50-100MH	12
CL-EHL-45W-30K-E39	45W	5625LM	3000K	E39 H: 9.84" X D: 3.34" 70-100MH	12
CL-EHL-45W-50K-E39	45W	6975LM	5000K	E39 H: 9.84" X D: 3.34" 70-100MH	12
CL-EHL-54W-30K-E39	54W	6750LM	3000K	E39 H: 9.84" X D: 3.34" 70-125MH	12
CL-EHL-54W-50K-E39	54W	8370LM	5000K	E39 H: 9.84" X D: 3.34" 70-125MH	12
CL-EHL-75W-30K-E39	75W	9375LM	3000K	E39 H: 9.84" X D: 5.11" 70-125MH	6
CL-EHL-75W-50K-E39	75W	11625LM	5000K	E39 H: 9.84" X D: 5.11" 70-125MH	6
CL-EHL-100W-30K-E39	100W	12500LM	3000K	E39 H: 10.31" X D: 5.11" 70-175MH	6
CL-EHL-100W-50K-E39	100W	15500LM	5000K	E39 H: 10.31" X D: 5.11" 70-175MH	6
CL-EHL-120W-30K-E39	120W	15600LM	3000K	E39 H: 11.14" X D: 5.11" 200-400MH	6
CL-EHL-120W-50K-E39	120W	17400LM	5000K	E39 H: 11.14" X D: 5.11" 200-400MH	6
CL-HL-200W-50K-E39	200W	28000LM	5000K	E39 H: 14.25" X D: 5.75" 600MH	6
CL-HL-240W-50K-E39	240W	34800LM	5000K	E39 H: 13.15" X D: 5.50" 800W HID	6
CL-HL-300W-50K-E39	300W	43500LM	5000K	E39 H: 13.15" X D: 5.50" 800W HID	6
CL-HL-200W-50K-E39-EXTR	200W	28000LM	5000K	E39 H: 14.25" X D: 5.75" 600MH	4
CL-HL-200W-50K-E39-480V	200W	28000LM	5000K	E39 H: 14.25" X D: 5.75" 600MH	4
CL-EHL-75W-30K-EX39	75W	135LM/W	3000K	EX39 H: 9.84" X D: 5.11" 70-125MH	6
CL-EHL-75W-50K-EX39	75W	135LM/W	5000K	EX39 H: 9.84" X D: 5.11" 70-125MH	6
CL-EHL-100W-30K-EX39	100W	135LM/W	3000K	EX39 H: 10.31" X D: 5.11" 70-175MH	6
CL-EHL-100W-50K-EX39	100W	135LM/W	5000K	EX39 H: 10.31" X D: 5.11" 70-175MH	6
CL-EHL-120W-30K-EX39	120W	135LM/W	3000K	EX39 H: 11.14" X D: 5.11" 200-400MH	6
CL-EHL-120W-50K-EX39	120W	135LM/W	5000K	EX39 H: 11.14" X D: 5.11" 200-400MH	6

480V



E26-ENLARGER ENLARGES E26 (MED.), BASE TO BE USED IN E39 (MOGUL) SOCKET

E39-REDUCER REDUCES E39 (MOGUL), BASE TO BE USED IN E26 (MED.) SOCKET

NOTE: FOR 125W OR BELOW: IF USED IN ENCLOSED FIXTURE, CHECK SPEC SHEET FOR MINIMUM SPACE REQUIRED
FOR 200W OR ABOVE: DO NOT USE THE LAMPS IN ENCLOSED FIXTURES
THE DIMENSION OF THE EXTERNAL DRIVER FOR 200-EXTR & 480V LAMPS IS 9.5"X2.5"X1.5"



LED 180 DEGREE FLAT HID RETROFIT LAMP



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
CL-FLT-75W-50K-E39	75W WHILE SUPPLIES LAST 9000LM 5000K 11.7"(L) x 5.5"(W) x 3.4"(H)	150-320 MH	8
CL-FLT-115W-50K-E39	115W WHILE SUPPLIES LAST 13570LM 5000K 11.7"(L) x 5.5"(W) x 3.4"(H)	320-400 MH	8
POWER & CTT - ADJUSTABLE LED 180 DEGREE FLAT HID RETROFIT LAMP			
CL-FLT-54-75W-50K-E39	54W/63W/75W 150LM/W 5000K 11.7"(L) x 5.5"(W) x 3.4"(H)	150-320 MH	8
CL-FLT-75-115W-50K-E39	75W/97W/115W 150LM/W 5000K 11.7"(L) x 5.5"(W) x 3.4"(H)	320-400 MH	8

LED 180 DEGREE FLAT HID RETROFIT LAMP



CATALOG NO.	DESCRIPTION	PKG. QTY.
CL-FLT-36-54W-50K-E39	36W/45W/54W 150LM/W 5000K Flat	6
CL-FLT-54-75W-50K-E39	54W/63W/75W 150LM/W 5000K Adjustable	6
CL-FLT-75-110W-50K-E39	75W/97W/110W 150LM/W 5000K Adjustable	6



HID-STYLE FILAMENT LAMP - 120-277V - GLASS LENS



CATALOG NO.	DESCRIPTION	PKG. QTY.
ED23-20W-40K-C-E26	20W 3500LM 4000K E26 Medium Base	10
ED23-20W-50K-C-E26	20W 3500LM 5000K E26 Medium Base	10
ED23-20W-40K-C-E39	20W 3500LM 4000K E39 Mogul Base	10
ED23-20W-50K-C-E39	20W 3500LM 5000K E39 Mogul Base	10
ED28-40W-40K-C-E39	40W 7200LM 4000K E39 Mogul Base	10
ED28-40W-50K-C-E39	40W 7200LM 5000K E39 Mogul Base	10
ED37-55W-40K-C-E39	55W 10010LM 4000K E39 Mogul Base	10
ED37-55W-50K-C-E39	55W 10010LM 5000K E39 Mogul Base	10

HIGH-PERFORMANCE HIGH BAY LAMP, POWER & CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
HBL-80-120W-MCT-E39	80W/100W/120W 150LM/W 30K/40K/50K E39 Mogul Base	4
HBL-120-160W-MCT-E39	120W/140W/160W 150LM/W 30K/40K/50K E39 Mogul Base	4



LED HIGH POWER LAMPS, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
HPL-16W-30K-E26	16W 2000LM 3000K E26 Medium Base WHILE SUPPLIES LAST	20
HPL-20W-30K-E26	20W 2500LM 3000K E26 Medium Base	20
HPL-20W-50K-E26	20W 2500LM 5000K E26 Medium Base	20
HPL-24W-30K-E26	24W 3000LM 3000K E26 Medium Base WHILE SUPPLIES LAST	20
HPL-32W-30K-E26	32W 4000LM 3000K E26 Medium Base	20
HPL-34W-30K-E26	34W 4250LM 3000K E26 Medium Base	12
HPL-34W-50K-E26	34W 4250LM 5000K E26 Medium Base	12
HPL-HB-60W-50K-E39	60W 6480LM 5000K E39 Mogul Base WHILE SUPPLIES LAST	4
HPL-HB-75W-50K-E39	75W 8100LM 5000K E39 Mogul Base WHILE SUPPLIES LAST	4
HPL-HB-100W-50K-E39	100W 12500LM 5000K E39 Mogul Base WHILE SUPPLIES LAST	4
HPL-HB-R1	Optional PC Reflector for HPL-HB-60W	12
HPL-HB-R2	Optional PC Reflector for HPL-HB-75W	8
HPL-HB-R3	Optional PC Reflector for HPL-HB-120W & HPL-HB-140W	8





2WIRE ECONOMY CONSTRUCTION STRING LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
CL-CONST-50FT-50W-2WIRE	5X10W 6000LM 5000K 50FT	1
CL-CONST-100FT-50W-2WIRE	10X10W 12000LM 5000K 100FT	1

LED CONSTRUCTION / TEMPORARY LIGHT WITH SOCKET FOR LINKING MULTIPLE UNITS




CATALOG NO.	DESCRIPTION	EQUIVALENCY	PKG. QTY.
CL-CONST-40W-50K	40W 4800LM 5000K 6FT CORD WITH 15A 3 PRONG STRAIGHT BLADE PLUG	400 MH	1
CL-CONST-100W-50K	100W 12000LM 5000K 6FT CORD WITH 15A 3 PRONG STRAIGHT BLADE PLUG	400 MH	1



LAMP-READY CONSTRUCTION LIGHT E39 MOGUL - MAX 8FT CORD MAX 1200W DAISY CHAIN



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
CL-CONST-E39-8FT	Lamp-Ready Construction Light E39 Mogul 150W Max 8Ft Cord Max 1200W Daisy Chain	



CL-CONST-LINEAR-IP65



CL-CONST-UFO-IP65

WET LOCATION LINKABLE TEMPORARY CONSTRUCTION LIGHTS IP65 HIGH-LUMEN & IMPACT RESISTANT



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
CL-CONST-LINEAR-IP65	90W 10800LM 5000K	
CL-CONST-UFO-IP65	130W 15600LM 5000K	
CL-CONST-LU-1FT-120V-PIGTAIL	5-15P 1Ft Straight Power Pigtail For Linear And Ufo Construction Lights	
CL-CONST-LU-1FT-277V-PIGTAIL	L7-15P 1Ft Twist-Lock Power Pigtail For Linear And Ufo Construction Lights	
CL-CONST-LU-25FT-EXTENSION-T	25Ft Extension Cord With Triple End For Linear And Ufo Construction Lights	

X-GEN WATTAGE & CCT ADJ. LED T8 GLASS LAMPS - TYPE A+B (A/C OR BALLAST) - NO POWER SELECT WITH BALLAST, DIMMABLE

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
 4FT T8-EZX-4FT-12-18W-MCTP-F	12W/15W/18W 130LM/W 27K/30K/35K/40K/50K FROSTED	12 & 36
T8-EZX-4FT-12-18W-MCTP-S	12W/15W/18W 130LM/W 27K/30K/35K/40K/50K CLEAR	12 & 36

X-GEN LED T8 PC+ALUM. SHATTER-PROOF LAMPS, TYPE A+B FOR A/C OR BALLAST

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
 2FT T8-EZX-PRO-2FT-10W-40K-C	10W 1300LM 4000K Clear, G13, Type A & B	25
T8-EZX-PRO-2FT-10W-40K-F	10W 1300LM 4000K Frosted, G13, Type A & B	25
T8-EZX-PRO-2FT-10W-50K-C	10W 1300LM 5000K Clear, G13, Type A & B	25
T8-EZX-PRO-2FT-10W-50K-F	10W 1300LM 5000K Frosted, G13, Type A & B	25
T8-EZX-PRO-4FT-12W-40K-F	12W 1560LM 4000K Frosted, G13, Type A & B	25
 4FT T8-EZX-PRO-4FT-12W-50K-F	12W 1560LM 5000K Frosted, G13, Type A & B	25
T8-EZX-PRO-4FT-18W-40K-C	18W 2340LM 4000K Clear, G13, Type A & B	25
T8-EZX-PRO-4FT-18W-40K-F	18W 2340LM 4000K Frosted, G13, Type A & B	25
T8-EZX-PRO-4FT-18W-50K-C	18W 2340LM 5000K Clear, G13, Type A & B	25
T8-EZX-PRO-4FT-18W-50K-F	18W 2340LM 5000K Frosted, G13, Type A & B	25

X-GEN 3CCT LED T8 GLASS LAMPS

3 COLOR-TEMPERATURES IN ONE LAMP TYPE A+B (A/C OR BALLAST)

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
 2FT T8-EZX-MCT-GS-2FT-8W-C	8W 1216LM 35K/40K/50K Clear, G13, Type A & B	12
T8-EZX-MCT-GS-2FT-8W-F	8W 1216LM 35K/40K/50K Frosted, G13, Type A & B	12
3FT T8-EZX-MCT-GS-3FT-12W-C	12W 1500LM 35K/40K/50K Clear, G13, Type A & B	12
T8-EZX-MCT-GS-3FT-12W-F	12W 1500LM 35K/40K/50K Frosted, G13, Type A & B	12
4FT T8-EZX-MCT-GS-4FT-15W-C	15W 1875LM 35K/40K/50K Clear, G13, Type A & B	12
T8-EZX-MCT-GS-4FT-15W-F	15W 1875LM 35K/40K/50K Frosted, G13, Type A & B	12

X-GEN SELECTABLE-POWER LED T8 GLASS LAMPS, TYPE B FOR DIRECT A/C (BALLAST OVERRIDE)

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
 4FT T8-EZX-TB-4FT-12-18W-50K-F	12W/15W/18W 120LM/W 5000K Frosted, G13, Type B	12
T8-EZX-TB-4FT-12-18W-50K-C	12W/15W/18W 120LM/W 5000K Clear, G13, Type B	12
T8-EZX-TB-4FT-12-18W-40K-F	12W/15W/18W 120LM/W 4000K Frosted, G13, Type B	12
T8-EZX-TB-4FT-12-18W-40K-C	12W/15W/18W 120LM/W 4000K Clear, G13, Type B	12

EMERGENCY (90-MIN) T8 LAMP 120-277V - TYPE B FOR DIRECT A/C (BALLAST OVERRIDE)



CATALOG NO.	DESCRIPTION	PKG. QTY.
 4FT T8-EM-4FT-12-15W-MCTP-F	12W/15W/18W 700LM 35K/40K/50K FROSTED	12

U-SHAPED T8 EZ6 LED GLASS LAMPS

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
 U Lamp T8-EZ6-U2F-15W-41K-C	15W 2100LM 4100K Ballast Compatible Or 100-277 Ac	10
T8-EZ6-U2F-15W-41K-F	15W 2000LM 4100K Ballast Compatible Or 100-277 Ac	10
T8-EZ6-U2F-15W-50K-C	15W 2100LM 5000K Ballast Compatible Or 100-277 Ac	10
T8-EZ6-U2F-15W-50K-F	15W 2000LM 5000K Ballast Compatible Or 100-277 Ac	10

U-SHAPED T8 LED PLASTIC/ALUMINUM LAMPS

Works 3 ways: 1) With existing electronic ballast 2) A/C direct one end 3) A/C direct 2 ends

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
 T8-U2F-EZ3-15W-41K-C	15W 1450LM 4100K BALLAST COMPATIBLE OR 100-277 AC	10
T8-U2F-EZ3-15W-50K-C	15W 1500LM 5000K BALLAST COMPATIBLE OR 100-277 AC	10

WHITE SHIP PLUS LAST

NEW GEN. - TYPE A + B (DOUBLE UL) 2FT. 3FT. & 4FT. LED T8-EZ6 GLASS LAMPS, 180°(CLEAR)
& 240° (FROSTED) Beam Angle, ELECTRONIC BALLASTS (TYPE A), ALSO WORK WITH A/C DIRECT
(120-277V) ONE END OR BOTH ENDS (TYPE B)

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
2FT 	T8-EZ6-GS-2FT-10W-30K-C 10W 1250LM 3000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-2FT-10W-30K-F 10W 1200LM 3000K Frosted, G13, Type A & B	12 & 36
	T8-EZ6-GS-2FT-10W-35K-C 10W 1250LM 3500K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-2FT-10W-35K-F 10W 1200LM 3500K Frosted, G13, Type A & B	12 & 36
	T8-EZ6-GS-2FT-10W-40K-C 10W 1250LM 4000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-2FT-10W-40K-F 10W 1200LM 4000K Frosted, G13, Type A & B	12 & 36
	T8-EZ6-GS-2FT-10W-50K-C 10W 1250LM 5000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-2FT-10W-50K-F 10W 1200LM 5000K Frosted, G13, Type A & B	12 & 36
3FT 	T8-EZ6-GS-3FT-12W-40K-C 12W 1600LM 4000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-3FT-12W-40K-F 12W 1560LM 4000K Frosted, G13, Type A & B	12 & 36
	T8-EZ6-GS-3FT-12W-50K-C 12W 1600LM 5000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-3FT-12W-50K-F 12W 1560LM 5000K Frosted, G13, Type A & B	12 & 36
4FT 	T8-EZ6-GS-4FT-15W-30K-C 15W 1875LM 3000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-15W-30K-F 15W 1800LM 3000K Frosted, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-15W-35K-C 15W 1875LM 3500K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-15W-35K-F 15W 1800LM 3500K Frosted, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-15W-40K-C 15W 1875LM 4000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-15W-40K-F 15W 1800LM 4000K Frosted, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-15W-50K-C 15W 1875LM 5000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-15W-50K-F 15W 1800LM 5000K Frosted, G13, Type A & B	12 & 36
4FT 	T8-EZ6-GS-4FT-18W-30K-C 18W 2250LM 3000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-18W-30K-F 18W 2160LM 3000K Frosted, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-18W-35K-C 18W 2250LM 3500K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-18W-35K-F 18W 2160LM 3500K Frosted, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-18W-40K-C 18W 2250LM 4000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-18W-40K-F 18W 2160LM 4000K Frosted, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-18W-50K-C 18W 2250LM 5000K Clear, G13, Type A & B	12 & 36
	T8-EZ6-GS-4FT-18W-50K-F 18W 2160LM 5000K Frosted, G13, Type A & B	12 & 36

4FT. T8 GLASS LAMPS

WORKS WITH A/C DIRECT (120-277V) ONE END OR BOTH ENDS (TYPE B)

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
4FT 	T8-4FT-TYPB-17W-40K-F 17W 2200LM 4000K FROSTED	12 & 36
	T8-4FT-TYPB-17W-40K-C 17W 2200LM 4000K CLEAR	12 & 36
	T8-4FT-TYPB-17W-50K-F 17W 2200LM 5000K FROSTED	12 & 36
	T8-4FT-TYPB-17W-50K-C 17W 2200LM 5000K CLEAR	12 & 36
	T8-4FT-TYPB-14W-40K-F 14W 1800LM 4000K FROSTED	13 & 36
	T8-4FT-TYPB-10.5WHL-40K-F 10.5W 1700LM 4000K FROSTED	12 & 36
	T8-4FT-TYPB-10.5WHL-40K-C 10.5W 1700LM 4000K CLEAR	12 & 36

4FT. T8 LED GLASS LAMPS DIMMABLE DIRECT A/C (one end N+L)

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
4FT 	T8-4FT-DIM-18W-35K-C 18W 1900LM 3500K 90-140VAC, CLEAR	12 & 36
	T8-4FT-DIM-18W-50K-F 18W 2150LM 5000K 90-140VAC, FROSTED	12 & 36

NEW GEN HIGH LUMEN 4FT. LED T8 GLASS LAMPS DIMMABLE DIRECT A/C (ONE END N+L)

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
4FT 	T8-HL-4FT-DIM-18W-40K-C 18W 2250LM 4000K Clear	12 & 36
	T8-HL-4FT-DIM-18W-40K-F 18W 2160LM 4000K Frosted	12 & 36
	T8-HL-4FT-DIM-18W-50K-C 18W 2250LM 5000K Clear	12 & 36
	T8-HL-4FT-DIM-18W-50K-F 18W 2160LM 5000K Frosted	12 & 36

4FT. LED T8 GLASS LAMPS ELV DIMMABLE (TYPE A),
ALSO WORK WITH A/C DIRECT (120-277V) ONE END OR BOTH ENDS (TYPE B)



CATALOG NO.	DESCRIPTION	PKG. QTY.
T8-HL-4FT-ELV-18W-50K-F	18W 2250LM 5000K FROSTED	12 & 36

8FT. SPLIT VERSION LED T8 LAMPS, TYPE B

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
T8-HL-8FT-SPLIT-42W-40K-C	42W 6000LM 4000K Clear	18
T8-HL-8FT-SPLIT-42W-40K-F	42W 5500LM 4000K Frosted	18
T8-HL-8FT-SPLIT-42W-50K-C	42W 6000LM 5000K Clear	18
T8-HL-8FT-SPLIT-42W-50K-F	42W 5500LM 5000K Frosted	18
T8-R17D-CONV	R17D Conversion kit	

8FT. LED T8 LAMPS, TYPE B DIRECT A/C 100-277V (TWO ENDS) NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
T8-HL-8FT-40W-40K-C	40W 4600LM 4000K Clear	20
T8-HL-8FT-40W-40K-F	40W 4400LM 4000K Frosted	20
T8-HL-8FT-40W-50K-C	40W 4600LM 5000K Clear	20
T8-HL-8FT-40W-50K-F	40W 4400LM 5000K Frosted	20

T12 X-GEN SELECTABLE-CCT LED LAMPS,
TYPE A+B FOR A/C OR BALLAST

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
T12-EZX-MCT-GS-4FT-16W-F	16W 2000LM 30K/40K/50K/65K Frosted, G13, Type B	20

4FT. LED T5 GLASS LAMPS, TYPE A+B, WORK WITH DIRECT A/C OR BALLAST



CATALOG NO.	DESCRIPTION	PKG. QTY.
T5-EZ6-GS-4FT-24W-40K-F	24W 3000LM 4000K Frosted	12 & 36
T5-EZ6-GS-4FT-24W-50K-F	24W 3000LM 5000K Frosted	12 & 36

4FT. LED T5 GLASS LAMPS

NO PARTIAL/MUST SHIP CASE QTY.

CATALOG NO.	DESCRIPTION	PKG. QTY.
T5-TYPB-25W-40K-F	25W 3200LM 4000K FROSTED	40

5FT. & 6FT. LED REFRIGERATOR LAMPS



CATALOG NO.	DESCRIPTION	PKG. QTY.
T-RFG-5FT-22W-50K-C	22W 3100LM 5000K CLEAR	25
T-RFG-6FT-30W-50K-C	30W 4200LM 5000K CLEAR	25

LED SIGN TUBE - 360° - R17D ENDS - SINGLE/DOUBLE ENDED NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
T8H0-R17D-4FT-65K-360D	21W 125LM/W 6500K	25
T8H0-R17D-5FT-65K-360D	26W 125LM/W 6500K	25
T8H0-R17D-6FT-65K-360D	31W 125LM/W 6500K	25
T8H0-R17D-7FT-65K-360D	37W 125LM/W 6500K	25
T8H0-R17D-8FT-65K-360D	42W 125LM/W 6500K	25

LED EMERGENCY DRIVER FOR ALL T8 LAMPS



CATALOG NO.	DESCRIPTION
ELB-23120-HH-AC-FLEX	120VAC 23W BACKUP FOR T8 LAMPS

LED PL LAMPS



WHILE SUPPLIES LAST

CATALOG NO.	DESCRIPTION	POSITION	ROTATABLE	BALLAST
 LPL-EB-9W-H-40K	9W 800LM 4000K	Horizontal	90°	Electronic Ballast

LED TYPE A+B PL LAMPS



CATALOG NO.	DESCRIPTION	PKG. QTY.
 LPL-G24-AB-11W	11W 1300LM 4000K	1
 LPL-GX23-AB-8W	8W 800LM 4000K	1

12 LED LAMPS /24FT. STG



CATALOG NO.	DESCRIPTION	TOTAL LED
 STG-2412-27K	1W per bulb 75LM per S14 bulb 2700K Black	12
 STG-2412-27K-WH	1W per bulb 75LM per S14 bulb 2700K White	12

53FT 15-BULB ST14 RGB STRING LIGHT



CATALOG NO.	DESCRIPTION
 STG-5315-RGB-BT	53Ft 15-Bulb ST14 Rgb String Light 1M Appart With 11 Fairy Lights In Between Bluetooth

LANTERN DESIGN STRING LIGHT RGB BLUETOOTH APP CONTROLLED



CATALOG NO.	DESCRIPTION
 STG-2415-LANT-RGBIC-BT	24Ft 15-Lamp Lantern Design String Light Rgb Bluetooth App Controlled
STG-4830-LANT-RGBIC-BT	48Ft 30-Lamp Lantern Design String Light Rgb Bluetooth App Controlled

A19 LED LAMPS



CATALOG NO.	DESCRIPTION	PKG. QTY.
 A19-9W-MCT5-D	9W 800LM 27K/30K/35K/40K/50K	1

A19 LED LAMPS (Medium Base) 240° 15K Hours



CATALOG NO.	DESCRIPTION	MASTER QTY.
 A19-8PK-9W-30K-D	9W 700LM 3000K 8-PACK	64
A19-8PK-9W-40K-D	9W 810LM 4000K 8-PACK	64
A19-8PK-9W-50K-D	9W 810LM 5000K 8-PACK	64
A19-40PK-9W-30K-D	9W 700LM 3000K 40-PACK	40
A19-40PK-9W-40K-D	9W 810LM 4000K 40-PACK	40
A19-40PK-9W-50K-D	9W 810LM 5000K 40-PACK	40

WG SMART APP COMPATIBLE RGBW A19 LAMP, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 TC-A19-9W-RGBW-WIFI	9W 800LM RGBW E26 Base	50

MR16 LED LAMPS, 12V AC/DC GU5.3 BASE 36°



CATALOG NO.	DESCRIPTION	PKG. QTY.
 MR16-400L-27K-D	5W 380LM 2700K 80CRI	200
MR16-400L-30K-D	5W 380LM 3000K 80CRI	200
MR16-400L-41K-D	5W 390LM 4100K 80CRI	200
MR16-400L-50K-D	5W 400LM 5000K 80CRI	200
 MR16-500L-C90-30K-D	7W 500LM 3000K 90CRI	100
MR16-500L-C90-40K-D	7W 560LM 4000K 90CRI	100
MR16-500L-C90-50K-D	7W 560LM 5000K 90CRI	100

MR11 LED LAMPS, 12V AC/DC GU5.3 BASE 36°

CATALOG NO.	DESCRIPTION	PKG. QTY.
 MR11-250L-27K	3W 250LM 2700K	
MR11-250L-30K	3W 250LM 3000K	

BR30 LED LAMPS



CATALOG NO.	DESCRIPTION	PKG. QTY.
 BR30-9W-MCT5-D	9W 800LM 27K/30K/35K/40K/50K	1

PAR30, PAR30S, PAR38 LED LAMPS, 5CCT, WEATHERPROOF



CATALOG NO.	DESCRIPTION	PKG. QTY.
 PAR30-9W-MCT5-D-WP	9W 800LM 27K/30K/35K/40K/50K	24
PAR30S-9W-MCT5-D-WP	9W 800LM 27K/30K/35K/40K/50K	24
PAR38-12W-MCT5-D-WP	12W 1200LM 27K/30K/35K/40K/50K	1

PAR36 12V AC/DC G53 Terminal Base, IP65, WET LOCATION



CATALOG NO.	DESCRIPTION	PKG. QTY.
 PAR36-12W-30K	12W 1000LM 3000K	20
PAR36-12W-40K	12W 1000LM 4000K	20
PAR36-12W-50K	12W 1000LM 5000K	20

WG SMART APP COMPATIBLE RGBW PAR20/PAR30/PAR38, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 TC-PAR20-4.5W-RGBW-WIFI	4.5W 400LM RGBW E26 Base	50
TC-PAR30-11W-RGBW-WIFI	11W 850LM RGBW E26 Base	50
TC-PAR38-10W-RGBW-WIFI	10W 1050LM RGBW E26 Base	50

12-VOLT LED REPLACEMENT LAMPS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 GZ-JC-39L-27K	3W 250LM 2700K 12VAC/DC	1000
 GZ-JC-39L-30K	3W 250LM 3000K 12VAC/DC	1000
 GZ-JC-18L-27K	3W 250LM 2700K 12VAC/DC	1000
 GZ-JC-WP-3W-32K	3W 180LM 3200K 12VAC/DC	1000
 GZ-S8-32K-G2	2.2W 230LM 3200K 12V	500
 GZ-G4-9L-32K	2W 120LM 3200K 12V	1000
 GZ-JC-60L-TFL	3W 60LM TURTLE FRIENDLY CCT	1000
 GZ-JC-300L-27K	3W 300LM 2700K 360° Beam Angle	1000
 GZ-JC-300L-30K	3W 300LM 3000K 360° Beam Angle	1000

LED REPLACEMENT LAMPS, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
 GZ-G9-3W-32K	3W 240LM 3200K G9	500
GZ-G9-3W-55K	3W 250LM 5500K G9	500

HIGH POWER GU10, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
 G10-600L-30K-D	7.5W 500LM 3000K SMD CRI80 30° ANGLE	60
G10-600L-50K-D	7.5W 600LM 5000K SMD CRI80 30° ANGLE	60

LED FILAMENT CANDELABRA, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
 E12-FLA-4W-30K-D	4W 500LM 3000K CLEAR TORPEDO	48
E12-FLA-4W-30K-D-F-BT	4W 500LM 3000K FROSTED BENT TIP	48
E12-FLA-5W-27K-D	4W 400LM 2700K CLEAR TORPEDO	48
E12-FLA-5W-40K-D	4W 400LM 4000K CLEAR TORPEDO	48
E12-FLA-5W-27K-D-F-BT	4W 300LM 2700K FROSTED BENT TIP	48
E12-FLA-5W-40K-D-F-BT	4W 300LM 4000K FROSTED BENT TIP	48

WG SMART APP COMPATIBLE RGBW CANDELABRA, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
 TC-E12-4.5W-RGBW-WIFI	4.5W 325LM RGBW E12 Base	50

LED FILAMENT A19 BULB, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
A19-FLA-7W-27K-D	7W 800LM 2700K CLEAR	100
A19-FLA-7W-30K-D	7W 800LM 3000K CLEAR	100
A19-FLA-7W-40K-D	7W 800LM 4000K CLEAR	100

LED FILAMENT ST19 BULB, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
ST19-FLA-5W-27K-D-CL	5W 430LM 2700K	24
ST19-FLA-5W-30K-D-CL	5W 650LM 3000K	24
ST19-FLA-5W-40K-D-CL	5W 650LM 4000K	24
ST19-FLA-5W-22K-D-AM	5W 380LM 2200K (Amber Glass, LED Component 2700K)	24

LED DECO FILAMENT ST64 BULB, 120V, E26 BASE



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
ST64-DECO-4W-27K-D-AMB	4W 140LM 2700K AMBER GLASS		50
ST64-DECO-4W-27K-D-CL	4W 140LM 2700K CLEAR		50
ST64-DECO-4W-30K-D-CL	4W 140LM 3000K CLEAR		50

LED T10 FILAMENT LAMP, 120V



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
T10-12-6W-27K	6W 780LM 2700K		50
T10-12-6W-30K	6W 780LM 3000K		50
T10-12-6W-40K	6W 780LM 4000K		50
T10-9-4W-27K	4W 520LM 2700K		50
T10-9-4W-30K	4W 520LM 3000K		50
T10-9-4W-40K	4W 520LM 4000K		50

RGB BULBS



CATALOG NO.	DESCRIPTION
MR16-5W-RGB	5W 280LM RGB 12V 30° REMOTE CONTROL

RESIDENTIAL LIGHTING

SEARCH FOR THE SERIES NAME @WESTGATEMFG.COM



RDDF-MCT5 SERIES



RDDS-MCT5 SERIES



RDDF6-PIR SERIES



RDPS2-MCT5 SERIES




RDPF SERIES



RDL-MCT5 SERIES



RDMF SERIES



SDL SERIES




TC-RDPS-RGBW SERIES



RDL4-12V SERIES




RDJ4 SERIES




HL SERIES



ICF SERIES



FR-HL SERIES



RSL-FR SERIES



SSL-FR SERIES



RSL SERIES



RSL-D2W SERIES



RSL-BF SERIES



SSL SERIES



TC-RSL-RGBW SERIES



RSL-ADJ SERIES



RSL-GIM SERIES



RSL-ADP SERIES



RSL-JB SERIES



RDL-BF SERIES



LDLS SERIES



SDL SERIES



RDL SERIES



RDL-ADJ SERIES



RDL2S SERIES



SDL2S SERIES




RDL3S-ADJ SERIES



RDLT SDLT SERIES



LRD-WTM1 SERIES



LRD-4WTR SERIES



LRD-TL-4S SERIES




LRD-3WTRSL SERIES



LRD-3WTRPH SERIES



LRD-3WTR SERIES



LRD-4WTRPH SERIES



LRD-4WTRSL SERIES



LRD-TL-4R SERIES



LRD-WTM3 SERIES



LRD-WTM2 SERIES



DLST6 SERIES



DLST6-PIR SERIES



DLSE SERIES



DLSE-PIR SERIES



DLSE-PIR SERIES



DLSF SERIES



DLS SERIES



DLS-PIR SERIES



FMD SERIES



FDL SERIES



FSL SERIES



FCRB SERIES



FCR SERIES



FCS SERIES



FMH SERIES



FMLU SERIES



FEL SERIES



FDLS SERIES




FMLT SERIES



FMLB SERIES



FMLS SERIES



TC-FML SERIES



FML-UGR SERIES



FML SERIES




FMLB SERIES



LCFF SERIES



FCD SERIES



LCEU SERIES



LCFC SERIES



LCFN SERIES



LCFA SERIES



LCFPM SERIES



LCF SERIES



LCFQ SERIES



LCFT SERIES



LCFW SERIES



LCFK SERIES



LCFI SERIES



LCFL SERIES



LDAP SERIES



LCFD SERIES



LCFP SERIES



LCFR SERIES



LCFB SERIES



LCFH SERIES



LCFE SERIES



LCFE-26 SERIES



LCFG SERIES



DPL SERIES



BRL SERIES



TC-PL12 SERIES



Live inventory. Real-time pricing. No waiting.
Access the MyWestgate Portal to check
availability and pricing instantly.
Scan the QR code to skip the line.

2" ROUND COMPOSITE RECESSED TRIM, SMOOTH



CATALOG NO.	DESCRIPTION
RDPS2-MCT5	7W 600LM 27K/30K/35K/40K/50K



2" ADJUSTABLE ROUND COMPOSITE RECESSED TRIM



CATALOG NO.	DESCRIPTION
RDPS2-ADJ-MCT5	7W 600LM 27K/30K/35K/40K/50K



ECO SHALLOW PC DOB RECESS TRIM, 5CCT WITH PIR MOTION SENSOR




CATALOG NO.	DESCRIPTION
RDDF6-MCT5-PIR	10W 1000LM 27K/30K/40K/50K/60K 6" BAFFLE



BUILDER SERIES ECO SHALLOW PC DOB RECESS TRIM, 5CCT SELECTABLE



CATALOG NO.	DESCRIPTION
RDDF4-MCT5	6.5W 650LM 27K/30K/40K/50K/60K 4" BAFFLE
RDDF6-MCT5	10W 1000LM 27K/30K/40K/50K/60K 6" BAFFLE
RDDS4-MCT5	6.5W 650LM 27K/30K/40K/50K/60K 4" SMOOTH
RDDS6-MCT5	10W 1000LM 27K/30K/40K/50K/60K 6" SMOOTH



BUILDER PLUS ENVIRONMENTAL SERIES PC 5CCT SELECTABLE LED RECESSED LIGHT TRIM- COMPOSITE SERIES



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST
RDPF4-MCT5	10W 800LM 27K/30K/35K/40K/50K 4" BAFFLE	
RDPF6-MCT5	13W 1040LM 27K/30K/35K/40K/50K 6" BAFFLE	
RDPS4-MCT5	10W 800LM 27K/30K/35K/40K/50K 4" SMOOTH	
RDPS6-MCT5	13W 1040LM 27K/30K/35K/40K/50K 6" SMOOTH	

PKG.
QTY.

12
8
12
8




BUILDER PLUS ENVIRONMENTAL SERIES PC 5CCT+3 POWER-LEVEL SELECTABLE LED RECESSED LIGHT TRIM- COMPOSITE SERIES



CATALOG NO.	DESCRIPTION
RDPF4-MCTP	8W/10W/13W 80LM/W 27K/30K/35K/40K/50K 4" BAFFLE
RDPF6-MCTP	10W/13W/17W 80LM/W 27K/30K/35K/40K/50K 6" BAFFLE

PKG.
QTY.

12
8



BUILDER PLUS ENVIRONMENTAL SERIES PC 5CCT SELECTABLE ADJUSTABLE-HEAD LED RECESSED LIGHT TRIMS



CATALOG NO.	DESCRIPTION
RDPF4-ADJ-MCT5	10W 800LM 27K/30K/35K/40K/50K 4"
RDPF6-ADJ-MCT5	11W 880LM 27K/30K/35K/40K/50K 6"

PKG.
QTY.

12
8



SPEC SERIES LED RECESSED TRIM SERIES 3", 4", 5/6" 5CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
SMOOTH METAL LED RECESSED TRIM SERIES 4" & 5/6" SELECTABLE 5CCT [JA8]		
RDL4-ST-MCT5	10W 700LM 27K/30K/35K/40K/50K 4" WEST	24
RDL4-ST-MCT5-ORB	10W 700LM 27K/30K/35K/40K/50K 4" WEST	24
RDL4-ST-MCT5-BK	10W 700LM 27K/30K/35K/40K/50K 4" WEST	24
RDL6-ST-MCT5	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
RDL6-ST-MCT5-ORB	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
RDL6-ST-MCT5-BK	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
BAFFLE METAL LED RECESSED TRIM SERIES 4" & 5/6" SELECTABLE 5CCT [JA8]		
RDL4-BF-MCT5	10W 700LM 27K/30K/35K/40K/50K 4"	24
RDL4-BF-MCT5-ORB	10W 700LM 27K/30K/35K/40K/50K 4"	24
RDL4-BF-MCT5-BK	10W 700LM 27K/30K/35K/40K/50K 4"	24
RDL6-BF-MCT5	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
RDL6-BF-MCT5-ORB	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
RDL6-BF-MCT5-BK	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
SPEC PLUS & WESTGATE SIGNATURE LED RECESSED TRIM SERIES 3", 4", 5/6" SELECTABLE 5CCT [JA8]		
RDL3-MCT5-WP	7W 560LM 27K/30K/35K/40K/50K 3"	20
RDL4-MCT5-WP	8W 650LM 27K/30K/35K/40K/50K 4"	20
RDL6-MCT5-WP	14W 1140LM 27K/30K/35K/40K/50K 5/6"	20
WESTGATE SIGNATURE ADJUSTABLE BAFFLE METAL LED RECESSED TRIM SERIES 4" & 5/6" SELECTABLE 5CCT [JA8]		
RDL4-ADJ-MCT5	8W 650LM 27K/30K/35K/40K/50K 4"	12
RDL6-ADJ-MCT5	11W 900LM 27K/30K/35K/40K/50K 5/6"	8

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
UP TO 19W	OPT-EM-RDL	EXTERNAL	N/A	N/A	N/A	N/A	N/A



RDMF4-MCT5
White



RDMF4-MCT5-BK
Black



RDMF4-MCT5-ORB
Oil-Rubbed Bronze



RDMF6-MCT5
White



RDMF6-MCT5-BK
Black



RDMF6-MCT5-ORB
Oil-Rubbed Bronze

WESTGATE SIGNATURE DEEP BAFFLE RETROFIT METAL LED RECESSED TRIM POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
RDMF4-MCT5	6W/7W/9.5W 550LM/650W/800LM 27K/30K/35K/40K/50K White	10
RDMF4-MCT5-BK	6W/7W/9.5W 550LM/650W/800LM 27K/30K/35K/40K/50K Black	10
RDMF4-MCT5-ORB	6W/7W/9.5W 550LM/650W/800LM 27K/30K/35K/40K/50K Oil-rubbed bronze	10
RDMF6-MCT5	8W/10W/13W 750LM/900W/1100LM 27K/30K/35K/40K/50K White	10
RDMF6-MCT5-BK	8W/10W/13W 750LM/900W/1100LM 27K/30K/35K/40K/50K Black	10
RDMF6-MCT5-ORB	8W/10W/13W 750LM/900W/1100LM 27K/30K/35K/40K/50K Oil-rubbed bronze	10

LED BAFFLE AND SMOOTH RECESSED TRIMS (CLIP-ON RDL-BF & RDL-ST)

	CATALOG NO.	DESCRIPTION
	RDL4-BF-TRMB-BK	RDL4-BF series color trim, baffle, black finish
	RDL4-BF-TRMB-BN	RDL4-BF series color trim, baffle, brushed nickel finish
	RDL4-BF-TRMB-ORB	RDL4-BF series color trim, baffle, oil-rubbed bronze finish
	RDL4-BF-TRMB-GD	RDL4-BF series color trim, baffle, Specular Gold
	RDL6-BF-TRMB-BK	RDL6-BF series color trim, baffle, black finish
	RDL6-BF-TRMB-BN	RDL6-BF series color trim, baffle, brushed nickel
	RDL6-BF-TRMB-ORB	RDL6-BF series color trim, baffle, oil-rubbed bronze finish
	RDL6-BF-TRMB-GD	RDL6-BF series color trim, baffle, Specular Gold
	RDL4-BF-TRMS-BK	RDL4-BF series color trim, smooth, black finish
	RDL4-BF-TRMS-BN	RDL4-BF series color trim, smooth, brushed nickel
	RDL4-BF-TRMS-WH	RDL4-BF series color trim, smooth, white finish
	RDL4-BF-TRMS-ORB	RDL4-BF series color trim, smooth, oil-rubbed bronze finish
	RDL4-BF-TRMS-GD	RDL4-BF series color trim, smooth, Specular Gold
	RDL6-BF-TRMS-BK	RDL6-BF series color trim, smooth, black finish
	RDL6-BF-TRMS-BN	RDL6-BF series color trim, smooth, brushed nickel
	RDL6-BF-TRMS-WH	RDL6-BF series color trim, smooth, white finish
	RDL6-BF-TRMS-ORB	RDL6-BF series color trim, smooth, oil-rubbed bronze finish
	RDL6-BF-TRMS-GD	RDL6-BF series color trim, smooth, Specular Gold



SDPS2-MCT5
White



SDL4
White



SDL4-BF
White



SDL6-BF
White

LED SQUARE TRIMS 2", 4", 5/6"



SMOOTH

BAFFLE

	CATALOG NO.	DESCRIPTION	PKG. QTY.
SMOOTH	2" SQUARE COMPOSITE RECESSED TRIM, SMOOTH		
	SDPS2-MCT5	7W 600LM 27K/30K/35K/40K/50K 2"	50
	SMOOTH LED SQUARE TRIMS 4", 5/6"		
	SDL4-MCT5	10W 650LM 27K/30K/35K/40K/50K 4"	24
BAFFLE	SDL6-MCT5	15W 1155LM 27K/30K/35K/40K/50K 5/6"	16
	BAFFLE LED SQUARE TRIMS 4", 5/6"		
	SDL4-BF-27K	10W 600LM 2700K 4"	24
	SDL4-BF-30K	10W 650LM 3000K 4"	24
	SDL4-BF-50K	10W 700LM 5000K 4"	24
	SDL4-BF-MCT5	10W 700LM 27K/30K/35K/40K/50K 4"	24
	SDL6-BF-27K	16.5W 1073LM 2700K 5/6"	16
	SDL6-BF-30K	16.5W 1100LM 3000K 5/6"	16
	SDL6-BF-41K	16.5W 1150LM 4100K 5/6"	16
	SDL6-BF-50K	16.5W 1200LM 5000K 5/6"	16
	SDL6-BF-MCT5	15W 1155LM 27K/30K/35K/40K/50K 5/6"	16



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
UP TO 19W	OPT-EM-SDL	EXTERNAL	N/A	N/A	N/A	N/A	N/A

WG SMART APP COMPATIBLE RGBW SMOOTH RECESSED LIGHT TRIM - ROUND, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
TC-RDPS4-10W-RGBW-WIFI	10W 650LM RGBW 4" E26 Base	12
TC-RDPS6-13W-RGBW-WIFI	13W 850LM RGBW 6" E26 Base	8



12V LOW-VOLTAGE LED REPLACEMENT TRIMS FOR MR16 HOUSINGS



CATALOG NO.	DESCRIPTION	PKG. QTY.
RDL4-BF-MCT5-12V	11W 77LM 27K/30K/35K/40K/50K 4"	24
RDL4-ST-MCT5-12V	11W 77LM 27K/30K/35K/40K/50K 4"	24



J-BOX DIRECT-MOUNT RECESSED LIGHT, FITS 3-0 AND 4-0 OCTAGON BOXES



CATALOG NO.	DESCRIPTION	PKG. QTY.
RDJ4-MCT5	10W 700LM 27K/30K/35K/40K/50K 4"	20
RDJ4-TRM-BK	4 inch magnetic trim for RDJ4, Black	



SPEC PLUS SERIES SINGLE CCT LED TRIMS 3", 4", 5/6" E26 included in the box (JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	PKG. QTY.
RDL3-27K-WP	9W 540LM 2700K 3"	20
RDL3-41K-WP	9W 540LM 4100K 3"	20
RDL3-50K-WP	9W 540LM 5000K 3"	20
RDL4-27K-WP	12W 650LM 2700K 4"	12
RDL4-30K-WP	12W 700LM 3000K 4"	12
RDL4-35K-WP	12W 725LM 3500K 4"	12
RDL4-65K-WP	12W 850LM 6500K 4"	12
RDL6-30K-WP	19W 1250LM 3000K 5/6"	8
RDL6-41K-WP	19W 1300LM 4100K 5/6"	8
RDL6-50K-WP	19W 1350LM 5000K 5/6"	8
RDL6-65K-WP	19W 1400LM 6500K 5/6"	8
RDL4-BF-27K	10W 650LM 2700K 4"	24
RDL4-BF-30K-ORB	10W 680LM 3000K 4" Oil-Rubbed Bronze	24
RDL4-BF-35K	10W 720LM 3500K 4"	24
RDL4-BF-41K	10W 746LM 4100K 4"	24
RDL4-BF-50K	10W 761LM 5000K 4"	24
RDL6-BF-35K	18W 1280LM 3500K 5/6"	16
RDL4-ADJ-27K	10W 650LM 2700K 4"	12
RDL4-ADJ-30K	10W 650LM 3000K 4"	12
RDL4-ADJ-41K	10W 650LM 4100K 4"	12
RDL4-ADJ-50K	10W 650LM 5000K 4"	12
RDL6-ADJ-50K	13W 900LM 5000K 5/6"	8

SMOOTH

BAFFLE

ADJUSTABLE EYEBALL



RESIDENTIAL

RECESSED TRIMS


WHILE SUPPLIES LAST



LED RECESSED HOUSINGS



CATALOG NO.	DESCRIPTION
HL2R-ICAT	2In Led (TP24) Remodel Recessed Housing ICAT UL
HL2DW-ICAT	2In Led (TP24) Double-Wall Recessed Housing ICAT UL
HL3R-ICAT	3In Led (TP24) Remodel Recessed Housing ICAT UL
HL3-ICAT	3In Led (TP24) Recessed Housing ICAT UL
HL4R-ICAT	4In Led (TP24) Remodel Recessed Housing ICAT UL
HL4DW-ICAT	4In Led (TP24) Double-Wall Recessed Housing ICAT UL
HL4-ICAT	4In Led (TP24) Recessed Housing ICAT UL
HL4RS-ICAT	4In Led (TP24) Shallow Remodel Recessed Housing ICAT UL
HL4S-ICAT	4In Led (TP24) Shallow Recessed Housing ICAT UL
HL6R-ICAT	6In Led (TP24) Remodel Recessed Housing ICAT UL
HL6-ICAT	6In Led (TP24) Recessed Housing ICAT UL
HL6RS-ICAT	6In Led (TP24) Shallow Remodel Recessed Housing ICAT UL
HL6S-ICAT	6In Led (TP24) Shallow Recessed Housing ICAT UL



AIRTIGHT LED RECESSED LIGHT HOUSING

NO PARTIAL/MUST SHIP CASE QTY.

CATALOG NO.	DESCRIPTION	PKG. QTY.
ICF4SJBB	4" Fire-Rated Junction Box With Bar Hangers For Surface Mount Down Lights	24
ICF4SJBP	4" Fire-Rated Junction Box Housing For Led Surface Mount Down Lights & J-Box Recessed Lights	6
ICFAL-4	4" Fire-Rated Ic New Construction Led Recessed Housing	4
ICFAL-6	6" Fire-Rated Ic New Construction Led Recessed Housing	4

FOR FACTORY-INSTALLED OPTIONS SEE SDL4 & 6 BELOW



FIRE-RATED RECESSED HOUSINGS GEN. 2, IC & AT, CONFROM TO UL263 & UL1598



CATALOG NO.	DESCRIPTION	PKG. QTY.
FR-HL4-AT	4in 2hr Fire-Rated Recessed Housing New Const.	4
FR-HL6-AT	6in 2hr Fire-Rated Recessed Housing New Const.	4

RSL G2 SECOND GENERATION SLIM CANLESS WAFER LIGHTS, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RSL4-G2-MCT5	10W 700LM 27K/30K/35K/40K/50K 4" White	20
RSL4-G2-MCT5-BK	10W 700LM 27K/30K/35K/40K/50K 4" Black	20
RSL4-G2-MCT5-ORB	10W 700LM 27K/30K/35K/40K/50K 4" Oil-Rubbed Bronze	20
RSL6-G2-MCT5	12W 1000LM 27K/30K/35K/40K/50K 6" White	20
RSL6-G2-MCT5-BK	12W 1000LM 27K/30K/35K/40K/50K 6" Black	20
RSL6-G2-MCT5-ORB	12W 1000LM 27K/30K/35K/40K/50K 6" Oil-Rubbed Bronze	20

ROUND CANLESS SLIM LIGHTS 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 CANLESS SLIM LIGHTS, DIM-TO-WARM		
RSL4-D2W	11W 700LM DIM TO WARM 22-40K	12
RSL6-D2W	12W 900LM DIM TO WARM 22-40K	12
 WG SMART APP OR REMOTE COMPATIBLE RGBWW SLIM CANLESS RECESSED LIGHTS		
TC-RSL4-RGBWW	9W 630LM RGBWW	24
TC-RSL6-RGBWW	12W 840LM RGBWW	24

LED ULTRA SLIM CANLESS RECESSED LIGHTS 3", 4", 6", 8" & 12"



CATALOG NO.	DESCRIPTION	PKG. QTY.
 LED 5CCT ULTRA SLIM ROUND RECESSED LIGHTS, 120V		
RSL3-MCT5	6W 400LM 27K/30K/35K/40K/50K 3"	24
RSL3-MCT5-BN	6W 400LM 27K/30K/35K/40K/50K 3"	24
RSL3-MCT5-ORB	6W 400LM 27K/30K/35K/40K/50K 3"	24
 RSL4-MCT5	9W 630LM 27K/30K/35K/40K/50K 4"	24
RSL4-MCT5-ORB	9W 630LM 27K/30K/35K/40K/50K 4"	24
 RSL6-MCT5	15W 1125LM 27K/30K/35K/40K/50K 6"	24
RSL6-MCT5-ORB	15W 1125LM 27K/30K/35K/40K/50K 6"	24
 RSL8-MCT5	18W 1350LM 27K/30K/35K/40K/50K 8"	24
 RSL10-MCT5	20W 1500LM 27K/30K/35K/40K/50K 10"	24
 RSL12-MCT5	24W 1800LM 27K/30K/35K/40K/50K 12"	24
 LED 5CCT BAFFLE ULTRA SLIM ROUND RECESSED LIGHTS, 120V		
RSL4-BF-MCT5	9W 650LM 27K/30K/35K/40K/50K 4"	12
RSL6-BF-MCT5	15W 1200LM 27K/30K/35K/40K/50K 6"	12
RSL-BF-EXT-6FT-MCT5	6 FT Extension Cord for RSL-BF	-
RSL-BF-EXT-10FT-MCT5	10 FT Extension Cord for RSL-BF	-
RSL-BF-EXT-20FT-MCT5	20 FT Extension Cord for RSL-BF	-
 WET LOCATION LED 5CCT SLIM CANLESS ROUND RECESSED LIGHTS, 120V		
RSL3-MCT5-WP	6W 400LM 27K/30K/35K/40K/50K 3"	24
RSL4-MCT5-WP	9W 630LM 27K/30K/35K/40K/50K 4"	24
RSL6-MCT5-WP	15W 1125LM 27K/30K/35K/40K/50K 6"	24
RSL8-MCT5-WP	18W 1350LM 27K/30K/35K/40K/50K 8"	24
RSL10-MCT5-WP	20W 1500LM 27K/30K/35K/40K/50K 10"	24
RSL12-MCT5-WP	24W 1800LM 27K/30K/35K/40K/50K 12"	24
 LED COMMERCIAL SLIM CANLESS ROUND RECESSED REGRESSED BAFFLE LIGHTS 120-277V, 0-10V DIMMING		
RSLC6-BF-30K	15W 1200LM 3000K 6"	18
RSLC6-BF-40K	15W 1200LM 4000K 6"	19
RSLC6-BF-MCT5	15W 1200LM 27K/30K/35K/40K/50K 6"	20
RSLC8-BF-30K	18W 1440LM 3000K 8"	21
RSLC8-BF-MCT5	18W 1440LM 27K/30K/35K/40K/50K 8"	22
RSL-BF-EXT-6FT	RSL-BF 6FT. DC extension cord	23
RSL-BF-EXT-10FT	RSL-BF 10FT. DC extension cord	24
RSL-BF-EXT-20FT	RSL-BF 20FT. DC extension cord	25
 LED 5CCT ULTRA SLIM SQUARE RECESSED LIGHTS, 120V		
SSL4-MCT5	9W 630LM 27K/30K/35K/40K/50K 4"	24
SSL6-MCT5	15W 1125LM 27K/30K/35K/40K/50K 6"	24
SSL8-MCT5	18W 1350LM 27K/30K/35K/40K/50K 8"	24
SSL12-MCT5	24W 1800LM 27K/30K/35K/40K/50K 12"	24
RSL-EXT-10FT-MCT	10 Ft. Extension Cable for use with all MCT Slim Lights	

LED ULTRA SLIM RECESSED TRIMS (CLIP ON RSL & SSL SLIM LIGHTS)

CATALOG NO.	DESCRIPTION
	RSL4-TRM-BK 4" Black Clip-on Trim
	RSL4-TRM-ORB 4" Oil-rubbed Bronze Clip-on Trim
	RSL4-TRM-CU 4" Copper Clip-on Trim
	RSL4-TRM-BZ 4" Bronze Clip-on Trim
	RSL4-TRM-BN 4" Brushed Nickel Clip-on Trim
	RSL4-TRM-CH 4" Chrome Clip-on Trim
	SSL4-TRM-BK 4" Black Clip-on Trim
	SSL4-TRM-ORB 4" Oil-rubbed Bronze Clip-on Trim
	SSL4-TRM-CU 4" Copper Clip-on Trim
	SSL4-TRM-BZ 4" Bronze Clip-on Trim
	SSL4-TRM-BN 4" Brushed Nickel Clip-on Trim
	SSL4-TRM-CH 4" Chrome Clip-on Trim
	RSL6-TRM-BK 6" Black Clip-on Trim
	RSL6-TRM-ORB 6" Oil-rubbed Bronze Clip-on Trim
	RSL6-TRM-CU 6" Copper Clip-on Trim
	RSL6-TRM-BZ 6" Bronze Clip-on Trim
	RSL6-TRM-BN 6" Brushed Nickel Clip-on Trim
	RSL6-TRM-CH 6" Chrome Clip-on Trim
	SSL6-TRM-BK 6" Black Clip-on Trim
	SSL6-TRM-ORB 6" Oil-rubbed Bronze Clip-on Trim
	SSL6-TRM-CU 6" Copper Clip-on Trim
	SSL6-TRM-BZ 6" Bronze Clip-on Trim
	SSL6-TRM-BN 6" Brushed Nickel Clip-on Trim
	SSL6-TRM-CH 6" Chrome Clip-on Trim




LED 50CT ADJUSTABLE ULTRA SLIM **ROUND-BACK** CANLESS RECESSED LIGHTS

CATALOG NO.	DESCRIPTION	PKG. QTY.
SSLRB4-MCT5	9W 630LM 27K/30K/35K/40K/50K 4"	24
SSLRB6-MCT5	15W 1125LM 27K/30K/35K/40K/50K 6"	24
SSLRB4-TRM-BK	4 inch square trim for SSLRB4, black	
SSLRB4-TRM-BN	4 inch square trim for SSLRB4, brushed nickel	
SSLRB4-TRM-ORB	4 inch square trim for SSLRB4, oil-rubbed bronze	
SSLRB6-TRM-BK	6 inch square trim for SSLRB6, black	
SSLRB6-TRM-BN	6 inch square trim for SSLRB6, brushed nickel	
SSLRB6-TRM-ORB	6 inch square trim for SSLRB6, oil-rubbed bronze	

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
UP TO 19W	OPT-EM-RSL	EXTERNAL	N/A	N/A	N/A	N/A	N/A



LED ULTRA SLIM RECESSED LIGHT ACCESSORIES

CATALOG NO.	DESCRIPTION
RSL2-RI	2" Round Rough-in Plate, 26" Long
RSL3-RI	3" Round Rough-in Plate, 26" Long
RSL3-RIBH	New Construction Recessed LT Mounting Plate 3" Hole With Hanger Bars
RSL4-RI	4" Round Rough-in Plate, 26" Long
RSL4-RI-13	4" Round Rough-in Plate, 13" Long
RSL4-RIL-13	13" Long Recessed Lt Mounting Plate 4" Hole With 1/2In Lip
RSL4-RIBH	New Construction Recessed LT Mounting Plate 4" Hole With Hanger Bars
RSL6-RI	6" Round Rough-in Plate, 26" Long
RSL6-RI-13	6" Round Rough-in Plate, 13" Long
RSL6-RIL-13	13" Long Recessed Lt Mounting Plate 6" Hole With 1/2In Lip
RSL6-RIBH	New Construction Recessed LT Mounting Plate 6" Hole With Hanger Bars
RSL-346-RI	3", 4", 6" Round Rough-in Plate, 26" Long
RSL-346-RI-13	3", 4", 6" Round Rough-in Plate, 13" Long
RSL-346-RIBH	3", 4", 6" (Adjustable) Round Galvanized plate with Bar Hangers
RSL-568-RIBH	5", 6", 8" (Adjustable) Round Galvanized plate with Bar Hangers
RSL8-RI	8" Round Rough-in Plate, 26" Long
RSL12-RI	12" Round Rough-in Plate, 26" Long
RSL-81012-RI	8", 10", 12" Round Rough-in Plate, 26" Long
RSL-81012-RI-13	8", 10", 12" Round Rough-in Plate, 13" Long
RSL-81012-RIBH	8", 10", 12" (Adjustable) Round Galvanized plate with Bar Hangers
SSL4-RI	4" Square Rough-in Plate, 26" Long
SSL6-RI	6" Square Rough-in Plate, 26" Long
SSL-346-RI	3", 4", 6" Square Rough-in Plate, 26" Long
SSL-346-RI-13	3", 4", 6" Square Rough-in Plate, 13" Long
SSL-346-RIBH	3", 4", 6" (Adjustable) Square Galvanized plate with Bar Hangers
SSL-568-RIBH	5", 6", 8" (Adjustable) Square Galvanized plate with Bar Hangers
SSL12-RI	12" Square Rough-in Plate, 26" Long
SSL-81012-RI	8", 10", 12" Square Rough-in Plate, 26" Long
SSL-81012-RI-13	8", 10", 12" Square Rough-in Plate, 13" Long
SSL-81012-RIBH	8", 10", 12" (Adjustable) Square Galvanized plate with Bar Hangers
RSL-EXT-10FT	10 Ft Extension Cord For Slim Recessed Lights
RSL4-GR	Goof ring for 4in lights with butterfly wings
RSL6-GR	Goof ring for 6in lights with butterfly wings
RSL8-GR	Goof ring for 8in lights with butterfly wings
RSL10-GR	Goof ring for 10in lights with butterfly wings
RSL12-GR	Goof ring for 12in lights with butterfly wings
RSL4-VB	4" Vapor Barrier For Slim Recessed Lights
RSL6-VB	6" Vapor Barrier For Slim Recessed Lights

ROUND FIRE-RATED EDGE-LIT SLIM RECESS LIGHTS



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
 RSL3-G2-MCT5-FR	6W 600LM 27K/30K/35K/40K/50K 3"		24
RSL4-G2-MCT5-FR	9W 900LM 27K/30K/35K/40K/50K 4"		24
RSL6-G2-MCT5-FR	12W 1200LM 27K/30K/35K/40K/50K 6"		24

SQUARE FIRE-RATED EDGE-LIT SLIM RECESS LIGHTS



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
 SSL4-G2-MCT5-FR	9W 900LM 27K/30K/35K/40K/50K 4"		24
SSL6-G2-MCT5-FR	12W 1200LM 27K/30K/35K/40K/50K 6"		24

ROUND FIRE-RATED EDGE-LIT SLIM REGRESSED RECESS LIGHTS



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
 RSL4-REG-MCT5-FR	9W 900LM 27K/30K/35K/40K/50K 4"		24
RSL6-REG-MCT5-FR	14W 1400LM 27K/30K/35K/40K/50K 6"		18

SQUARE FIRE-RATED EDGE-LIT SLIM REGRESSED RECESS LIGHTS



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
 SSL4-REG-MCT5-FR	9W 900LM 27K/30K/35K/40K/50K 4"		24
SSL6-REG-MCT5-FR	14W 1400LM 27K/30K/35K/40K/50K 6"		18

FIRE-RATED (2 HR) SLIM WAFER CANLESS RECESSED LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RSL4-MCT5-FR	9W 630LM 27K/30K/35K/40K/50K 4"	24
SSL4-MCT5-FR	9W 630LM 27K/30K/35K/40K/50K 4"	24
RSL6-MCT5-FR	12W 840LM 27K/30K/35K/40K/50K 6"	24
SSL6-MCT5-FR	12W 840LM 27K/30K/35K/40K/50K 6"	24

ADJUSTABLE FIRE-RATED SLIM CANLESS RECESSED LIGHT, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RSL4-ADJ-MCT5-FR	9W 630LM 27K/30K/35K/40K/50K	24
RSL6-ADJ-MCT5-FR	12W 840LM 27K/30K/35K/40K/50K	12

ROUND GIMBAL FIRE-RATED EDGE-LIT SLIM RECESS LIGHTS



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
 RSL4-GIM-MCT5-FR	9W 900LM 27K/30K/35K/40K/50K 4"		24
RSL6-GIM-MCT5-FR	12W 1200LM 27K/30K/35K/40K/50K 6"		18



SLIM SNAP-IN CANLESS RECESSED LIGHTS WITH J-BOX, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
RSL4-JB-MCT5	10W 650LM 27K/30K/35K/40K/50K 4"	24
RSL6-JB-MCT5	12W 1000LM 27K/30K/35K/40K/50K 6"	24

ROUND ADJUSTABLE CANLESS LIGHT, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
NEW GENERATION OF ADJUSTABLE ANGLE CANLESS LIGHT		
RSL4-ADJ-G2-MCT5	9W 630LM 27K/30K/35K/40K/50K 4"	24
RSL6-ADJ-G2-MCT5	12W 840LM 27K/30K/35K/40K/50K 6"	24
LED 5CCT ADJUSTABLE ULTRA SLIM CANLESS RECESSED LIGHTS		
RSL4-ADJ-MCT5	9W 700LM 27K/30K/35K/40K/50K 4"	24
WET LOCATION ADJUSTABLE LED 5CCT SLIM CANLESS RECESSED LIGHTS		
RSL4-ADJ-MCT5-WP	9W 630LM 27K/30K/35K/40K/50K 4"	24
RSL6-ADJ-MCT5-WP	15W 1125LM 27K/30K/35K/40K/50K 6"	24



4" LED GIMBAL (EYEBALL) ROUND CANLESS RECESSED SNAP-IN LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
RSL4-GIM-MCT5	10W 800LM 27K/30K/35K/40K/50K 4"	24



4" LED 5CCT ADJUSTABLE PULL-DOWN ULTRA SLIM CANLESS RECESSED LIGHTS




CATALOG NO.	DESCRIPTION	PKG. QTY.
RSL4-APD-MCT5	10W 700LM 27K/30K/35K/40K/50K 4"	12



CANLESS DEEP BAFFLE RECESSED LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
 RDL4S-BF-MCT5-WH	12W 1050LM 27K/30K/35K/40K/50K 4" White	20
 RDL4S-BF-MCT5-BK	12W 1050LM 27K/30K/35K/40K/50K 4" Black	20
 RDL4S-BF-MCT5-ORB	12W 1050LM 27K/30K/35K/40K/50K 4" Oil-rubbed bronze	20
 RDL6S-BF-MCT5-WH	14W 1200LM 27K/30K/35K/40K/50K 6" White	20
 RDL6S-BF-MCT5-BK	14W 1200LM 27K/30K/35K/40K/50K 6" Black	20
 RDL6S-BF-MCT5-ORB	14W 1200LM 27K/30K/35K/40K/50K 6" Oil-rubbed bronze	20

CANLESS DEEP RECESS LIGHT, DIM TO WARM



CATALOG NO.	DESCRIPTION
 RDL4S-BF-D2W-WH	12W 1050LM DIM TO WARM 22-40K
 RDL6S-BF-D2W-WH	14W 1200LM DIM TO WARM 22-40K



RDL1S-ADJ
White



RDL3S-ADJ
White



SDL3S-ADJ
White



RDL3S-ADJ-WH
RDL4S-ADJ-WH
White



RDL3S-ADJ-BK
RDL4S-ADJ-BK
Black



SDL3S-ADJ-WH
SDL4S-ADJ-WH
White



SDL3S-ADJ-BK
SDL4S-ADJ-BK
Black

1" & 3" & 4" ADJUSTABLE CANLESS LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
1" & 3" ADJUSTABLE (EYEBALL) ROUND ARCHITECTURAL CANLESS LIGHT 5CCT		
RDL1S-ADJ-MCT5	6W 350LM 27K/30K/35K/40K/50K 1" White	24
RDL3S-ADJ-MCT5-WH	7W 700LM 27K/30K/35K/40K/50K 3" White	20
3" & 4" ROUND REGRESSED CANLESS GIMBAL ARRIVES THIS SEASON CHECK & PRE-ORDER		
RDL3S-ADJ-MCT5-WH	9W 800LM 27K/30K/35K/40K/50K 3" White	30
RDL4S-ADJ-MCT5-WH	15W 1100LM 27K/30K/35K/40K/50K 4" White	20
RDL3S-ADJ-MCT5-BK	9W 800LM 27K/30K/35K/40K/50K 3" Black	30
RDL4S-ADJ-MCT5-BK	15W 1100LM 27K/30K/35K/40K/50K 4" Black	20
3" & 4" SQUARE REGRESSED CANLESS GIMBAL ARRIVES THIS SEASON CHECK & PRE-ORDER		
SDL3S-ADJ-MCT5-WH	9W 800LM 27K/30K/35K/40K/50K 3" White	30
SDL4S-ADJ-MCT5-WH	15W 1100LM 27K/30K/35K/40K/50K 4" White	20
SDL3S-ADJ-MCT5-BK	9W 800LM 27K/30K/35K/40K/50K 3" Black	30
SDL4S-ADJ-MCT5-BK	15W 1100LM 27K/30K/35K/40K/50K 4" Black	20
3" LED ADJUSTABLE (EYEBALL) CANLESS RECESSED LIGHTS (JA8-E-2016 COMPLIANT) (ROUND & SQUARE) 24" JAB		
RDL3S-ADJ-40K-WH	8W 600LM 4000K 3" White	18
SDL3S-ADJ-27K-WH	8W 600LM 2700K 3" White	18
SDL3S-ADJ-30K-WH	8W 600LM 3000K 3" White	18
SDL3S-ADJ-40K-WH	8W 600LM 4000K 3" White	18
SDL3S-ADJ-50K-WH	8W 600LM 5000K 3" White	18
RSL-346-RIBH	3", 4", 6" (Adjustable) Galvanized plate with Bar Hangers	



RDL1S-ST
White



SDL1S-ST
White



RSL-1-RIBH

HIGH-OUTPUT LOW-GLARE CANLESS RECESSED LIGHTS, ROUND & SQUARE




CATALOG NO.	DESCRIPTION
RDL1S-ST-MCT5-BK	8W 600LM 27K/30K/35K/40K/50K Black
RDL1S-ST-MCT5-WH	8W 600LM 27K/30K/35K/40K/50K White
SDL1S-ST-MCT5-BK	8W 600LM 27K/30K/35K/40K/50K Black
SDL1S-ST-MCT5-WH	8W 600LM 27K/30K/35K/40K/50K White
RSL-1-RIBH	1in (Adjustable) Galvanized Mounting Plate with Bar Hangers



RDL2S-SB-WH
RDL4S-SB-WH
RDL6S-SB-WH
White



RDL2S-SB-BK
RDL4S-SB-BK
RDL6S-SB-BK
Black



SDL2S-SB-WH
SDL4S-SB-WH
SDL6S-SB-WH
White



SDL2S-SB-BK
SDL4S-SB-BK
SDL6S-SB-BK
Black

HIGH-LUMEN DIE-CAST LED SNAP-IN CANLESS RECESSED LIGHTS SMOOTH AND BAFFLE TRIMS INCL.




CATALOG NO.	DESCRIPTION	PKG. QTY.
2" & 4" HIGH-LUMEN DIE-CAST LED SNAP-IN CANLESS RECESSED LIGHTS		
RDL2S-SB-MCT5-BK	9W 600LM 27K/30K/35K/40K/50K 2" Round, Black	20
RDL4S-SB-MCT5-WH	15W 1350LM 27K/30K/35K/40K/50K 4" Round, White	20
RDL4S-SB-MCT5-BK	15W 1350LM 27K/30K/35K/40K/50K 4" Round, Black	20
SDL2S-SB-MCT5-BK	9W 600LM 27K/30K/35K/40K/50K 2" Square, Black	20
SDL4S-SB-MCT5-WH	15W 1350LM 27K/30K/35K/40K/50K 4" Square, White	20
SDL4S-SB-MCT5-BK	15W 1350LM 27K/30K/35K/40K/50K 4" Square, Black	20
6" ANTI-GLARE COMMERCIAL CANLESS RECESSED LIGHTS, DUAL DIM		
RDL6S-SB-MCTP5-DD-WH	10W/15W/20W 85LM/W 27K/30K/35K/40K/50K 6" Round, White	20
RDL6S-SB-MCTP5-DD-BK	10W/15W/20W 85LM/W 27K/30K/35K/40K/50K 6" Round, Black	20

2" LED CANLESS RECESSED LIGHTS (Baffle)(JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	PKG. QTY.
RDL2S-BF-40K-WH	8W 600LM 4000K Round WHILE SUPPLIES LAST	18
RDL2S-BF-50K-WH	8W 600LM 5000K Round WHILE SUPPLIES LAST	18
RDL2S-BF-MCT-WH	8W 600LM 3000K/4000K/5000K Round MCT5	18
SDL2S-BF-27K-WH	8W 600LM 2700K Square WHILE SUPPLIES LAST	18
SDL2S-BF-40K-WH	8W 600LM 4000K Square WHILE SUPPLIES LAST	18
SDL2S-BF-50K-WH	8W 600LM 5000K Square WHILE SUPPLIES LAST	18
SDL2S-BF-MCT-WH	8W 600LM 3000K/4000K/5000K Square MCT5	18
RSL-346-RIBH	3", 4", 6" (Adjustable) Galvanized plate with Bar Hangers	
RDL2S-TRIM-ST-WH	Smooth Reflector Trim For RDL2S-BF, White	
SDL2S-TRIM-ST-WH	Smooth Reflector Trim For SDL2S-BF, White	



ROUND HOTEL SPEC CANLESS THIN-TRIM RECESS LIGHTS



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
RDLT1S-ST-MCT5-WH	7W 550LM 27K/30K/35K/40K/50K 1" White	MCT5	40
RDLT2S-ST-MCT5-WH	12W 900LM 27K/30K/35K/40K/50K 2" White	MCT5	20
RDLT3S-ST-MCTP5-WH	12W/15W/18W 82LM/W 27K/30K/35K/40K/50K 3" White	MCTP5	20
RDLT4S-ST-MCTP5-WH	12W/15W/18W 82LM/W 27K/30K/35K/40K/50K 4" White	MCTP5	20
RDLT1S-ST-MCT5-BK	7W 550LM 27K/30K/35K/40K/50K 1" Black	MCT5	40
RDLT2S-ST-MCT5-BK	12W 900LM 27K/30K/35K/40K/50K 2" Black	MCT5	20
RDLT3S-ST-MCTP5-BK	12W/15W/18W 82LM/W 27K/30K/35K/40K/50K 3" Black	MCTP5	20
RDLT4S-ST-MCTP5-BK	12W/15W/18W 82LM/W 27K/30K/35K/40K/50K 4" Black	MCTP5	20



SQUARE HOTEL SPEC CANLESS THIN-TRIM RECESS LIGHTS



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
SDLT1S-ST-MCT5-WH	7W 550LM 27K/30K/35K/40K/50K 1" White	MCT5	40
SDLT2S-ST-MCT5-WH	12W 900LM 27K/30K/35K/40K/50K 2" White	MCT5	20
SDLT3S-ST-MCTP5-WH	12W/15W/18W 82LM/W 27K/30K/35K/40K/50K 3" White	MCTP5	20
SDLT4S-ST-MCTP5-WH	12W/15W/18W 82LM/W 27K/30K/35K/40K/50K 4" White	MCTP5	20
SDLT1S-ST-MCT5-BK	7W 550LM 27K/30K/35K/40K/50K 1" Black	MCT5	40
SDLT2S-ST-MCT5-BK	12W 900LM 27K/30K/35K/40K/50K 2" Black	MCT5	20
SDLT3S-ST-MCTP5-BK	12W/15W/18W 82LM/W 27K/30K/35K/40K/50K 3" Black	MCTP5	20
SDLT4S-ST-MCTP5-BK	12W/15W/18W 82LM/W 27K/30K/35K/40K/50K 4" Black	MCTP5	20



MINI LINEAR OPTIC-LIGHT FIXTURES, SNAP IN 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
LDLS-6-MCT5	11W 600LM 27K/30K/35K/40K/50K	20
LDLS-12-MCT5	18W 1200LM 27K/30K/35K/40K/50K	20
LDLS-6-12-RI	26in Mounting Plate For LDLS6 And LDLS12 Snap-In Linear Lights	

LED EMERGENCY DRIVER FOR ALL RECESSED TRIMS



CATALOG NO.	DESCRIPTION
-------------	-------------



ELB-0895

Field-installed emergency ballast for all LED recessed trims;
Input voltage: 100-277VAC, 50-60Hz; Output: 8W Maximum for 90 minutes



LED ARCHITECTURAL TRIMLESS RECESSED LIGHTS - 4"



CATALOG NO.

LRD-TL

WATTAGE

10W 10W

COLOR TEMPERATURES

MCT5 27K/30K/35K/40K/50K

SHAPE

4R	ROUND
4S	SQUARE
4RM-WH	REGRESSED ROUND WHITE*
4SM1-WH	REGRESSED SQUARE WHITE*
4SM2-WH	REGRESSED SQUARE WHITE*
4SM3-WH	REGRESSED SQUARE WHITE*
4RM-BK	REGRESSED ROUND BLACK*
4SM1-BK	REGRESSED SQUARE BLACK*
4SM2-BK	REGRESSED SQUARE BLACK*
4SM3-BK	REGRESSED SQUARE BLACK*

TRIM FINISH

WH	WHITE (For 4R & 4S shape only)
BK	BLACK (For 4R & 4S shape only)
C	CLEAR (For 4R & 4S shape only)
MG	MATTE GOLD (For 4R & 4S shape only)
HZ	MATTE SILVER (For 4R & 4S shape only)

SAMPLE ORDERING:

LRD-TL-10W-MCT5-4S-BK

FOR SEPARATE LIGHT ENGINE & TRIM PART NUMBERS, PLEASE SEE THE SPEC SHEETS

COMPLETE
ITEM CODE



SINGLE ROUND

ENGINE
ONLY 10W ENGINE



HOUSING



ROUND TRIMS



BLACK CLEAR



MATTE SILVER MATTE GOLD WHITE

*COLOR TRIMS NOT COMPATIBLE WITH
REGRESSED TRIMS



REGRESSED ROUND

HOUSING AVAILABLE IN BLACK & WHITE

*COLOR TRIMS NOT COMPATIBLE

COMPLETE
ITEM CODE



SINGLE SQUARE

ENGINE
ONLY 10W ENGINE



HOUSING



SQUARE TRIMS



BLACK CLEAR




MATTE SILVER MATTE GOLD WHITE

*COLOR TRIMS NOT COMPATIBLE WITH
REGRESSED TRIMS




SINGLE REGRESSED SQUARE

HOUSING AVAILABLE IN BLACK & WHITE
COLOR TRIMS NOT COMPATIBLE



DOUBLE REGRESSED SQUARE

HOUSING AVAILABLE IN BLACK & WHITE
COLOR TRIMS NOT COMPATIBLE



TRIPLE REGRESSED SQUARE

HOUSING AVAILABLE IN BLACK & WHITE
COLOR TRIMS NOT COMPATIBLE



+



RESIDENTIAL

RECESSED
TRIMS



LED ARCHITECTURAL WINGED RECESSED LIGHTS - 3" & 4"



CATALOG NO.	WATTAGE	COLOR TEMPERATURES	TRIM (ADJUSTBLE)	TRIM FINISH
LRD	10W 10W	MCT5 27K/30K/35K/40K/50K	3WTR 3" OPEN TRIM 3WTRPH 3" PIN HOLE TRIM 3WTRSL 3" SLOT TRIM 4WTR 4" OPEN TRIM 4WTRPH 4" PIN HOLE TRIM 4WTRSL 4" SLOT TRIM	WH WHITE (ALL TRIMS) BK BLACK (ALL TRIMS) C CLEAR (OPEN TRIMS ONLY) MG MATTE GOLD (OPEN TRIMS ONLY) HZ MATTE SILVER (OPEN TRIMS ONLY) ABK BLACK ON BLACK (OPEN TRIMS ONLY)

SAMPLE ORDERING:

LRD-10W-MCT5-3WTR-MG

FOR SEPARATE LIGHT ENGINE & TRIM PART NUMBERS, PLEASE SEE THE SPEC SHEETS



RESIDENTIAL

RECESSED TRIMS



LED ARCHITECTURAL MULTIPLE-TRIM RECESSED LIGHTS



CATALOG NO.	WATTAGE	COLOR TEMPERATURES	TRIM (ADJUSTBLE)	TRIM FINISH
LRD	10W 10W	MCT5 27K/30K/35K/40K/50K	WTM1 SINGLE SLOT TRIM WTM2 DOUBLE SLOT TRIM WTM3 TRIPLE SLOT TRIM	WH WHITE

SAMPLE ORDERING:

LRD-10W-MCT5-WTM1-WH

FOR SEPARATE LIGHT ENGINE & TRIM PART NUMBERS, PLEASE SEE THE SPEC SHEETS



LRD-FGL

Frosted Glass Lens For LRD Series

6" ECO METAL DISK LIGHT - 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 DLSU6-MCT5	14.8W 1000LM 3000K	20

6" ECONOMY EASY-INSTALL DISK - POLYCARBONATE HOUSING



CATALOG NO.	DESCRIPTION	PKG. QTY.
 DLST6-MCT5	10W 1000LM 27K/30K/40K/50K/60K 6"	10

6" ECONOMY EASY-INSTALL DISK, IP65 - POLYCARBONATE HOUSING



CATALOG NO.	DESCRIPTION	PKG. QTY.
 DLST6-MCT5-IP65	10W 1000LM 27K/30K/40K/50K/60K 6"	10

6" ECONOMY EASY-INSTALL DISK WITH PIR MOTION SENSOR, PC HOUSING



CATALOG NO.	DESCRIPTION	PKG. QTY.
 DLST6-MCT5-PIR	10W 1000LM 27K/30K/40K/50K/60K 6"	10

BUILDER SERIES 4" & 6" LED 5CCT DISK LIGHT ECONOMY DISC LIGHT (JA8-E-2019 COMPLIANT)



CATALOG NO.	DESCRIPTION	PKG. QTY.
 DLSE4-MCT5	10W 630LM 27K/30K/35K/40K/50K 4" White	30
 DLSE4-MCT5-BR	10W 630LM 27K/30K/35K/40K/50K 4" Bronze	30
 DLSE6-MCT5	15W 1000LM 27K/30K/35K/40K/50K 6" White	24
 DLSE6-MCT5-BR	15W 1000LM 27K/30K/35K/40K/50K 6" Bronze	24
 DLSE6-MCT5-BN	15W 1000LM 27K/30K/35K/40K/50K 6" Brushed Nickel	24


BUILDER SERIES LED ECONOMY DISK LIGHT WITH PIR MOTION SENSOR



CATALOG NO.	DESCRIPTION	PKG. QTY.
 DLSE4-MCT5-PIR	10W 630LM 27K/30K/35K/40K/50K 4"	30
 DLSE6-MCT5-PIR	15W 1000LM 27K/30K/35K/40K/50K 6"	24

WG SMART APP COMPATIBLE RGBW BUILDER SERIES LED ECONOMY DISK LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 DLSE6-RGBW	15W 1000LM 27K/30K/35K/40K/50K 6"	24

BUILDER SERIES 4" & 6" LED MULTI-CCT ECONOMY DISC LIGHT (JA8-E-2019 COMPLIANT)



CATALOG NO.	DESCRIPTION	PKG. QTY.
 DLSE4-MCT	9W 540LM 3000K/4000K/5000K 4" White	20
 DLSE6-40K	15W 900LM 4000K 6" White	20
 DLSE6-50K	15W 900LM 5000K 6" White	20
 DLSE6-MCT-BN	15W 1000LM 3000K/4000K/5000K 6" Brushed Nickel	20

LED DISC LIGHT 4" & 6" 120V (J-BOX MOUNTING)(JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	PKG. QTY.
 DLSN4-50K	10W 600LM 5000K	20
DLSN6-27K	15W 1000LM 2700K	20
DLSN6-30K	15W 1000LM 3000K	20
DLSN6-50K	15W 1000LM 5000K	20

WHILE SUPPLIES LAST

ARCHITECTURAL FLAT **EDGE-LIT** SURFACE DISK LIGHTS, **5CCT**



CATALOG NO.	DESCRIPTION
 DLSF4-MCT5	12W 1080LM 27K/30K/35K/40K/50K
 DLSF6-MCT5	14W 1350LM 27K/30K/35K/40K/50K

SPEC SERIES 3CCT HIGH-PERFORMANCE DISC LIGHTS, 120V

DIE CAST ALUMINUM, ALL MOUNTING OPTIONS INCL.



CATALOG NO.	DESCRIPTION	PKG. QTY.
 DLS4-MCT	9W 540LM 3000K/4000K/5000K 4"	20
 DLS6-MCT	15W 900LM 3000K/4000K/5000K 6"	20
 DLS6-MCT-BN	15W 900LM 3000K/4000K/5000K 6" BRUSHED NICKEL	20
 DLS6-MCT-BR	15W 900LM 3000K/4000K/5000K 6" BRONZE	20
 DLS8-MCT	20W 1200LM 3000K/4000K/5000K 8"	10
 DLS10-MCT	25W 1500LM 3000K/4000K/5000K 10"	10
 DLS12-MCT	30W 1800LM 3000K/4000K/5000K 12"	5

SPEC SERIES HIGH-PERFORMANCE DISC LIGHTS, 120V

DIE CAST ALUMINUM, ALL MOUNTING OPTIONS INCL.



CATALOG NO.	DESCRIPTION	PKG. QTY.
 DLS4-27K	9W 550-600LM 2700K 4"	20
 DLS4-30K	9W 550-600LM 3000K 4"	20
 DLS4-41K	9W 550-600LM 4100K 4"	20
 DLS4-50K	9W 550-600LM 5000K 4"	20
 DLS6-30K	15W 950-1000LM 3000K 6"	20
 DLS6-41K	15W 950-1000LM 4100K 6"	20
 DLS6-30K-BR	15W 950-1000LM 3000K BRONZE 6"	20
 DLS6-30K-BN	15W 950-1000LM 3000K BRUSHED NICKEL 6"	20

WHILE SUPPLIES LAST

SPECS SERIES HIGH-PERFORMANCE DIE-CAST DISK LIGHTS, 277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 DLS6-MCT-277V	15W 900LM 3000K/4000K/5000K 6"	20
 DLS12-MCT-277V	30W 1800LM 3000K/4000K/5000K 12"	5

SPECS SERIES HIGH-PERFORMANCE DIE-CAST DISK LIGHTS WITH PIR MOTION SENSOR



CATALOG NO.	DESCRIPTION	PKG. QTY.
 DLS4-MCT-PIR	9W 540LM 3000K/4000K/5000K 4"	20
 DLS6-MCT-PIR	15W 900LM 3000K/4000K/5000K 6"	20
 DLS8-MCT-PIR	20W 1200LM 3000K/4000K/5000K 8"	10
 DLS10-MCT-PIR	25W 1500LM 3000K/4000K/5000K 10"	10
 DLS12-MCT-PIR	30W 1800LM 3000K/4000K/5000K 12"	5



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	277V OPTION	DESCRIPTION
DLS6, DLS6, DLSN6	OPT-EM-DLS6	MOUNT IN EXTENDED BASE	OPT-PC-DLS6	Photocell	N/A	OPT-277V-DLS6	277V
DLS8	OPT-EM-DLS8	MOUNT IN EXTENDED BASE	OPT-PC-DLS8	Photocell		OPT-277V-DLS8	277V
DLS10	OPT-EM-DLS10	MOUNT IN EXTENDED BASE	OPT-PC-DLS10	Photocell		OPT-277V-DLS10	277V
DLS12	OPT-EM-DLS12	MOUNT IN EXTENDED BASE	OPT-PC-DLS12	Photocell		OPT-277V-DLS12	277V
DLS6-277V	OPT-EM-DLS6-277V	MOUNT IN EXTENDED BASE	OPT-PC-DLS6-277V	Photocell			
DLS12-277V	OPT-EM-DLS12-277V	MOUNT IN EXTENDED BASE	OPT-PC-DLS12-277V	Photocell			

LED 5CCT DOME FLUSH MOUNT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 FMD-11-MCT5-BN	20W 1500LM 27K/30K/35K/40K/50K Brushed Nickel 11"	8
 FMD-11-MCT5-ORB	20W 1500LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze 11"	8
 FMD-11-MCT5-WH	20W 1500LM 27K/30K/35K/40K/50K White 11"	8
FMD-13-MCT5-BN	24W 1800LM 27K/30K/35K/40K/50K Brushed Nickel 13"	8
FMD-13-MCT5-ORB	24W 1800LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze 13"	8
FMD-13-MCT5-WH	24W 1800LM 27K/30K/35K/40K/50K White 13"	8



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FMD-11	OPT-EM-FMD11	EXTERNAL BOX	N/A	N/A	N/A	OPT-SEN-2US	MICROWAVE
FMD-13	OPT-EM-FMD11-BN	EXTERNAL BOX				OPT-SEN-NLS-FMD	WG NETWORK SENSOR
	OPT-EM-FMD11-ORB	EXTERNAL BOX				OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
	OPT-EM-FMD13	EXTERNAL BOX				OPT-SEN-2USRC	OPTIONAL RC
	OPT-EM-FMD13-BN	EXTERNAL BOX					
	OPT-EM-FMD13-ORB	EXTERNAL BOX					



FDL
White



FDL-BK
Black



FDL shown
with EM



FDL-BK
shown with **FDL-SFK-BK**



FDLS

LED 5CCT DOUBLE RING FLUSH MOUNT, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
FDL-10-MCT5	12W 900LM 27K/30K/35K/40K/50K 10" D X 3-1/4" H	8
FDL-12-MCT5	16W 1200LM 27K/30K/35K/40K/50K 12" D X 3-1/4" H	8
FDLS-12-MCT5	20W 1500LM 27K/30K/35K/40K/50K 12" D X 2-1/8" H	8
FDL-12-MCT5-BK	16W 1200LM 27K/30K/35K/40K/50K 12" D X 3-1/4" H	8
FDL-14-MCT5	20W 1500LM 27K/30K/35K/40K/50K 14" D X 3-1/4" H	8
FDLS-14-MCT5	24W 1800LM 27K/30K/35K/40K/50K 14" D X 2-1/8" H	8
FDL-14-MCT5-BK	20W 1500LM 27K/30K/35K/40K/50K 14" D X 3-1/4" H	8
FDL-16-MCT5	24W 1800LM 27K/30K/35K/40K/50K 16" D X 3-1/4" H	8
FDL-18-MCT	30W 2200LM 3000K/4000K/5000K 18" D X 3-1/4" H	5
FDL-SFK	Semi-Flush Accessory Kit For Fdl Flush-Mount Series	
FDL-SFK-BK	Semi-Flush Accessory Kit For Fdl Flush-Mount Series, Bk	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FDL-10	OPT-EM-FDL-10	MOUNT IN EXTENDED BASE	OPT-PC-FM	BUTTON WITH AUXILIARY BASE	N/A	OPT-SEN-2US	MICROWAVE
FDL-12	OPT-EM-FDL-12	MOUNT IN EXTENDED BASE	277V OPTION	DESCRIPTION		OPT-SEN-NLS-FDL	WG NETWORK SENSOR
FDL-14	OPT-EM-FDL-14	MOUNT IN EXTENDED BASE	OPT-277V-FDL-10	EXTERNAL BOX		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
FDL-16	OPT-EM-FDL-16	MOUNT IN EXTENDED BASE	OPT-277V-FDL-12	EXTERNAL BOX		WEC-3RC	REMOTE CONTROL
FDL-18	OPT-EM-FDL-18	INTERNAL	OPT-277V-FDL-14	EXTERNAL BOX			
			OPT-277V-FDL-16	EXTERNAL BOX			
			OPT-277V-FDL-18	INTERNAL			

LED 5CCT SINGLE RING FLUSH MOUNT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 FSL-11-MCT5	16W 1200LM 27K/30K/35K/40K/50K 11"	8
 FSL-11-MCT5-GD	16W 1200LM 27K/30K/35K/40K/50K 11"	8
FSL-13-MCT5	20W 1500LM 27K/30K/35K/40K/50K 13"	8
FSL-13-MCT5-GD	20W 1500LM 27K/30K/35K/40K/50K 13"	8
FSL-15-MCT5	24W 1800LM 27K/30K/35K/40K/50K 15"	8
FSL-15-MCT5-GD	24W 1800LM 27K/30K/35K/40K/50K 15"	8



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FSL-11	OPT-EM-FSL-11	MOUNT IN EXTENDED BASE	OPT-PC-FM	BUTTON WITH AUXILIARY BASE	N/A	OPT-SEN-2US	MICROWAVE BI-LEVEL DIMMING
FSL-13	OPT-EM-FSL-13	MOUNT IN EXTENDED BASE	277V OPTION	DESCRIPTION		OPT-SEN-NLS-FSL	WG NETWORK SENSOR
FSL-15	OPT-EM-FSL-15	MOUNT IN EXTENDED BASE	OPT-277V-FSL-11	EXTERNAL BOX		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
			OPT-277V-FSL-13	EXTERNAL BOX		WEC-3RC	REMOTE CONTROL
			OPT-277V-FSL-15	EXTERNAL BOX			

LED 5CCT CLOUD FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 FCRB-11HL-MCT5	20W 1500LM 27K/30K/35K/40K/50K 11" DIA	8
FCRB-14-MCT5	20W 1500LM 27K/30K/35K/40K/50K 14" DIA	8
FCRB-16-MCT5	20W 1500LM 27K/30K/35K/40K/50K 16" DIA	8

LED 5CCT CLOUD FIXTURE WITH PRE-INSTALLED SENSOR, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 FCRB-16-MCT5-SEN	20W 1400LM 27K/30K/35K/40K/50K 16" DIA	8

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FCRB-11	OPT-EM-FCRB-11	MOUNT IN EXTENDED BASE	OPT-PC-FM	BUTTON WITH AUXILIARY BASE	N/A	OPT-SEN-2US	MICROWAVE BI-LEVEL DIMMING
FCRB-14	OPT-EM-FCRB-14	MOUNT IN EXTENDED BASE	277V OPTION	DESCRIPTION		OPT-SEN-NLS-FCRB	WG NETWORK SENSOR
FCRB-16	OPT-EM-FCRB-16	MOUNT IN EXTENDED BASE	OPT-277V-FCRB-11	EXTERNAL BOX		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
			OPT-277V-FCRB-14	EXTERNAL BOX		WEC-3RC	REMOTE CONTROL
			OPT-277V-FCRB-16	EXTERNAL BOX			

LED 5CCT CLOUD FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 FCR-11-MCT5	16W 1200LM 27K/30K/35K/40K/50K 11" DIA	8
FCR-14-MCT5	24W 1800LM 27K/30K/35K/40K/50K 14" DIA	8

LED 5CCT CLOUD FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 FCS-11HL-MCT5	20W 1500LM 27K/30K/35K/40K/50K 11" DIA	8
FCS-13-MCT5	20W 1800LM 27K/30K/35K/40K/50K 13" DIA	8

LED CLOUD FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 FCS-11-12W-40K	15W 1100LM 4000K 11" DIA	2



SHOWN WITH EM



SHOWN WITH EM

 **FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FCR-11	OPT-EM-FCR11	INTERNAL	OPT-PC-FM	BUTTON WITH AUXILIARY BASE	N/A	OPT-SEN-2US	MICROWAVE
FCR-14	OPT-EM-FCR14	INTERNAL	277V OPTION	DESCRIPTION		OPT-SEN-NLS-FCS	WG NETWORK SENSOR
FCS11, FCS11HL	OPT-EM-FCS11	INTERNAL	OPT-277V-FCR-11	EXTERNAL BOX		OPT-SEN-KEILTON	KEILTON NETWORK SENSOR
FCS14	OPT-EM-FCS14	INTERNAL	OPT-277V-FCS-11	EXTERNAL BOX		OPT-SEN-2USRC	OPTIONAL RC
FCS13	OPT-EM-FCS13	INTERNAL	OPT-277V-FCS-11HL	EXTERNAL BOX			
			OPT-277V-FCS-13	EXTERNAL BOX			



FMHT-WH
White



FMHT-BK
Black



FMHR-WH
White



FMHR-BK
Black

FLUSH MOUNT FIXTURES - 120V



CATALOG NO.	DESCRIPTION		PKG. QTY.
FREE FORM FLUSH MOUNT FIXTURES - 120V			
FMHT-16-MCT5-WH	20W 1400LM	27K/30K/35K/40K/50K 16" White	1
FMHT-16-MCT5-BK	20W 1400LM	27K/30K/35K/40K/50K 16" Black	1
FMHT-20-MCT5-WH	30W 2100LM	27K/30K/35K/40K/50K 20" White	1
FMHT-20-MCT5-BK	30W 2100LM	27K/30K/35K/40K/50K 20" Black	1
FMHT-24-MCT5-WH	40W 2800LM	27K/30K/35K/40K/50K 24" White	1
FMHT-24-MCT5-BK	40W 2800LM	27K/30K/35K/40K/50K 24" Black	1
ROUND FLUSH MOUNT FIXTURES - 120V			
FMHR-15-MCT5-WH	20W 1400LM	27K/30K/35K/40K/50K 15" White	1
FMHR-15-MCT5-BK	20W 1400LM	27K/30K/35K/40K/50K 15" Black	1
FMHR-19-MCT5-WH	30W 2100LM	27K/30K/35K/40K/50K 19" White	1
FMHR-19-MCT5-BK	30W 2100LM	27K/30K/35K/40K/50K 19" Black	1
FMHR-23-MCT5-WH	30W 2100LM	27K/30K/35K/40K/50K 23" White	1
FMHR-23-MCT5-BK	30W 2100LM	27K/30K/35K/40K/50K 23" Black	1



FMLU-R12-MCT5-BK
Black



FMLU-R12-MCT5-WH
White

12" FLUSH-MOUNT LIGHT WITH UPLIGHT, 5CCT



CATALOG NO.	DESCRIPTION		PKG. QTY.
FMLU-R12-MCT5-BK	25W 1600LM	27K/30K/35K/40K/50K 12" Black	6
FMLU-R12-MCT5-WH	25W 1600LM	27K/30K/35K/40K/50K 12" White	6



FEL
White



FEL-SEN
White



FEL-TRM-BK
Black



FEL-TRM-BN
Brushed Nickel



FEL-TRM-GD
Gold

5CCT EDGE-LESS ARCHITECTURAL FLUSH MOUNT



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

5CCT EDGE-LESS ARCHITECTURAL FLUSH MOUNT

FEL-R6-MCT5	10W 700LM 27K/30K/35K/40K/50K	20
FEL-R8-MCT5	15W 1050LM 27K/30K/35K/40K/50K	10
FEL-R10-MCT5	20W 1400LM 27K/30K/35K/40K/50K	10
FEL-R12-MCT5	25W 1750LM 27K/30K/35K/40K/50K	5
FEL-R14-MCT5	30W 2100LM 27K/30K/35K/40K/50K	5

5CCT EDGE-LESS ARCHITECTURAL FLUSH MOUNT

FEL-R6-MCT5-SEN	10W 700LM 27K/30K/35K/40K/50K	20
FEL-R8-MCT5-SEN	15W 1050LM 27K/30K/35K/40K/50K	10
FEL-R10-MCT5-SEN	20W 1400LM 27K/30K/35K/40K/50K	10
FEL-R12-MCT5-SEN	25W 1750LM 27K/30K/35K/40K/50K	5
FEL-R14-MCT5-SEN	30W 2100LM 27K/30K/35K/40K/50K	5

TRIM ACCESSORIES

FEL-R6-TRM-BK	FEL-R6 Decorative Trim Black
FEL-R6-TRM-BN	FEL-R6 Decorative Trim Brushed Nickel
FEL-R6-TRM-GD	FEL-R6 Decorative Trim Gold
FEL-R8-TRM-BK	FEL-R8 Decorative Trim Black
FEL-R8-TRM-BN	FEL-R8 Decorative Trim Brushed Nickel
FEL-R8-TRM-GD	FEL-R8 Decorative Trim Gold
FEL-R10-TRM-BK	FEL-R10 Decorative Trim Black
FEL-R10-TRM-BN	FEL-R10 Decorative Trim Brushed Nickel
FEL-R10-TRM-GD	FEL-R10 Decorative Trim Gold
FEL-R12-TRM-BK	FEL-R12 Decorative Trim Black
FEL-R12-TRM-BN	FEL-R12 Decorative Trim Brushed Nickel
FEL-R12-TRM-GD	FEL-R12 Decorative Trim Gold
FEL-R14-TRM-BK	FEL-R14 Decorative Trim Black
FEL-R14-TRM-BN	FEL-R14 Decorative Trim Brushed Nickel
FEL-R14-TRM-GD	FEL-R14 Decorative Trim Gold



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-FEL-R6	MOUNT IN EXTENDED BASE	N/A	N/A	N/A	N/A	N/A
	OPT-EM-FEL-R8	MOUNT IN EXTENDED BASE					
	OPT-EM-FEL-R10	MOUNT IN EXTENDED BASE					
	OPT-EM-FEL-R12	MOUNT IN EXTENDED BASE					
	OPT-EM-FEL-R14	MOUNT IN EXTENDED BASE					

CONTRACTOR-FRIENDLY SNAP-IN FLUSH MOUNT SERIES, 5CCT E26 VER. INCL. RECESS ACCESSORIES



CATALOG NO.	DESCRIPTION	PKG. QTY.
CONTRACTOR-FRIENDLY SNAP-IN FLUSH MOUNT SERIES, 5CCT, 120V		
 FMLS-R5-MCT5-DT	11W 680LM 27K/30K/35K/40K/50K	12
FMLS-R7-MCT5-DT	14W 900LM 27K/30K/35K/40K/50K	12
FMLS-R9-MCT5-DT	20W 1300LM 27K/30K/35K/40K/50K	8
FMLS-R11-MCT5-DT	25W 1650LM 27K/30K/35K/40K/50K	8
DUAL-DIMMING CONTRACTOR-FRIENDLY SNAP-IN FLUSH MOUNT SERIES, 5CCT AVAIL. WITH SLIM, 120-277V		
 FMLS-R5-MCT5-DD	11W 680LM 27K/30K/35K/40K/50K	12
 FMLS-R7-MCT5-DD	14W 1000LM 27K/30K/35K/40K/50K	12
FMLS-R9-MCT5-DD	20W 1600LM 27K/30K/35K/40K/50K	8
FMLS-R11-MCT5-DD	25W 2000LM 27K/30K/35K/40K/50K	8
FMLS-R7-MCT5-DD-EM	14W 1000LM 27K/30K/35K/40K/50K	8
FMLS-R9-MCT5-DD-EM	20W 1600LM 27K/30K/35K/40K/50K	8

TRIMS FOR FMLS SERIES

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
 FMLS-R5-TRIM-BK	FMLS-R5 Accessory Trim, Black	
FMLS-R7-TRIM-BK	FMLS-R7 Accessory Trim, Black	
FMLS-R9-TRIM-BK	FMLS-R9 Accessory Trim, Black	
FMLS-R11-TRIM-BK	FMLS-R11 Accessory Trim, Black	
FMLS-R7-TRIM-BK-EM	FMLS-R7 Accessory Trim, Black, EM VERSION	
FMLS-R9-TRIM-BK-EM	FMLS-R9 Accessory Trim, Black, EM VERSION	
FMLS-R5-TRIM-BN	FMLS-R5 Accessory Trim, Brushed Nickel	
FMLS-R7-TRIM-BN	FMLS-R7 Accessory Trim, Brushed Nickel	
FMLS-R9-TRIM-BN	FMLS-R9 Accessory Trim, Brushed Nickel	
FMLS-R11-TRIM-BN	FMLS-R11 Accessory Trim, Brushed Nickel	
FMLS-R7-TRIM-BN-EM	FMLS-R7 Accessory Trim, Brushed Nickel, EM VERSION	
FMLS-R9-TRIM-BN-EM	FMLS-R9 Accessory Trim, Brushed Nickel, EM VERSION	

RESIDENTIAL
SURFACE
MOUNT

ULTRA-ECONOMY QUICK-INSTALL FLUSH-MOUNT LIGHT 120V 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 FMLT-R5-MCT5	10W 740LM 27K/30K/35K/40K/50K 5"	20
FMLT-R7-MCT5	15W 1260LM 27K/30K/35K/40K/50K 7"	20
FMLT-R9-MCT5	18W 1440LM 27K/30K/35K/40K/50K 9"	10
FMLT-R12-MCT5	24W 2150LM 27K/30K/35K/40K/50K 12"	5



BUILDER COMPOSITE SERIES DECORATIVE FLUSH MOUNT FIXTURES 120V 5CCT E26 VER. INCL. (EXCEPT R12) RECESS ACCESSORIES



CATALOG NO.	DESCRIPTION	PKG. QTY.
 FMLE-R5-MCT5-E26	9W 650LM 27K/30K/35K/40K/50K 5" WHILE SUPPLIES	20
FMLE-R9-MCT5-E26	17W 1300LM 27K/30K/35K/40K/50K 9" WHILE SUPPLIES	10
FMLE-R12-MCT5	21W 1500LM 27K/30K/35K/40K/50K 12" WHILE SUPPLIES	5

COMMERCIAL FLUSH MOUNT SERIES UGR<19 LOW-GLARE, 0-10V DIMMABLE, 120-277V



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
FML-R6-MCT5-UGR-010V	11W 660LM 27K/30K/35K/40K/50K 6"		20
FML-R8-MCT5-UGR-010V	14W 980LM 27K/30K/35K/40K/50K 8"		10
FML-R10-MCT5-UGR-010V	17W 1020LM 27K/30K/35K/40K/50K 10"		10
FML-R12-MCT5-UGR-010V	22W 1540LM 27K/30K/35K/40K/50K 12"		10
FML-R14-MCT5-UGR-010V	26W 1560LM 27K/30K/35K/40K/50K 14"		5
FML-R16-MCT5-UGR-010V	30W 2100LM 27K/30K/35K/40K/50K 16"		5
FML-R18-MCT5-UGR-010V	35W 2450LM 27K/30K/35K/40K/50K 18"		3
FML-R20-MCT5-UGR-010V	40W 2800LM 27K/30K/35K/40K/50K 20"		3
FML-R22-MCT5-UGR-010V	45W 3150LM 27K/30K/35K/40K/50K 22"		3
FML-R24-MCT5-UGR-010V	50W 3500LM 27K/30K/35K/40K/50K 24"		3



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FML-R6	OPT-EM-FML-R6	MOUNT IN EXTENDED BASE	OPT-PC-FML8	BUTTON	N/A	N/A	N/A
FML-R8	OPT-EM-FML-R8	MOUNT IN EXTENDED BASE	OPT-PC-FML10	BUTTON			
FML-R10	OPT-EM-FML-R10	MOUNT IN EXTENDED BASE	277V OPTION	DESCRIPTION			
FML-R12	OPT-EM-FML-R12	MOUNT IN EXTENDED BASE	OPT-277V-FML-R8	EXTERNAL BOX			
FML-R14	OPT-EM-FML-R14	MOUNT IN EXTENDED BASE	OPT-277V-FML-R10	EXTERNAL BOX			
FML-R16	OPT-EM-FML-R16	EXTERNAL EM PACKAGE					
FML-R18	OPT-EM-FML-R18	EXTERNAL EM PACKAGE					
FML-R20	OPT-EM-FML-R20	EXTERNAL EM PACKAGE					
FML-R22	OPT-EM-FML-R22	EXTERNAL EM PACKAGE					

FLUSH MOUNT SERIES, UGR<19 LOW-GLARE




CATALOG NO.	DESCRIPTION	PKG. QTY.
FML-R6-MCT5-UGR	11W 700LM 27K/30K/35K/40K/50K 6"	20
FML-R8-MCT5-UGR	14W 980LM 27K/30K/35K/40K/50K 8"	10
FML-R10-MCT5-UGR	17W 1190LM 27K/30K/35K/40K/50K 10"	10
FML-R12-MCT5-UGR	22W 1540LM 27K/30K/35K/40K/50K 12"	10
FML-R14-MCT5-UGR	26W 1820LM 27K/30K/35K/40K/50K 14"	5
FML-R16-MCT5-UGR	30W 2100LM 27K/30K/35K/40K/50K 16"	5
FML-R18-MCT5-UGR	35W 2450LM 27K/30K/35K/40K/50K 18"	3
FML-R20-MCT5-UGR	40W 2800LM 27K/30K/35K/40K/50K 20"	3
FML-R22-MCT5-UGR	45W 3150LM 27K/30K/35K/40K/50K 22"	3
FML-R24-MCT5-UGR	50W 3500LM 27K/30K/35K/40K/50K 24"	3



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FML-R6	OPT-EM-FML-R6	MOUNT IN EXTENDED BASE	OPT-PC-FML8	BUTTON	N/A	N/A	N/A
FML-R8	OPT-EM-FML-R8	MOUNT IN EXTENDED BASE	OPT-PC-FML10	BUTTON			
FML-R10	OPT-EM-FML-R10	MOUNT IN EXTENDED BASE	277V OPTION	DESCRIPTION			
FML-R12	OPT-EM-FML-R12	MOUNT IN EXTENDED BASE	OPT-277V-FML-R8	EXTERNAL BOX			
FML-R14	OPT-EM-FML-R14	MOUNT IN EXTENDED BASE	OPT-277V-FML-R10	EXTERNAL BOX			
FML-R16	OPT-EM-FML-R16	EXTERNAL EM PACKAGE					
FML-R18	OPT-EM-FML-R18	EXTERNAL EM PACKAGE					
FML-R20	OPT-EM-FML-R20	EXTERNAL EM PACKAGE					
FML-R22	OPT-EM-FML-R22	EXTERNAL EM PACKAGE					

WG SMART APP COMPATIBLE RGBW FLUSH MOUNT FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
TC-FML-8-14W-RGBW-WIFI	14W 980LM RGBW	20
TC-FML-10-17W-RGBW-WIFI	17W 1190LM RGBW	20
TC-FML-12-22W-RGBW-WIFI	22W 1540LM RGBW	20
TC-FML-14-26W-RGBW-WIFI	26W 1820LM RGBW	20



SPEC SERIES ARCHITECTURAL DIE-CAST FLUSH MOUNT FIXTURES, 120V, 3 CCT

277V
OPTION

EM Capable

MCT3

DIMMABLE

24



CATALOG NO.	DESCRIPTION	PKG. QTY.
FML-R6-MCT	11W 660LM 30K/40K/50K 6"	20
FML-R8-MCT	14W 840LM 30K/40K/50K 8"	10
FML-R10-MCT	17W 1020LM 30K/40K/50K 10"	10
FML-R18-MCT	30W 2100LM 30K/40K/50K 18"	5
FML-ULK-MCT	15W 850LM 30K/40K/50K UP LIGHT KIT FOR 18" & 22" FML SERIES	
FML-RK-712	7" OR 12" ROD KIT FOR FML FOR 18" & 22" FML SERIES	
FML-SK6	6FT ADJUSTABLE SUSPENSION KIT FOR 18" & 22" FML SERIES	



SHOWN WITH
EM BASE



SHOWN WITH
FML-SK6



SHOWN WITH
FML-RK-712



SHOWN WITH
FML-ULK-MCT

ARCHITECTURAL FLUSH MOUNT SURFACE FIXTURES, 120V

EM Capable

DIMMABLE

24

CEC US



CATALOG NO.	DESCRIPTION	PKG. QTY.
FML-R6-11W-50K	11W 550LM 5000K 6" DIAMETER	20
FML-R8-14W-50K	14W 750LM 5000K 8" DIAMETER	10
FML-S6-11W-50K	11W 550LM 5000K 6" X 6"	20
FML-S8-14W-30K	14W 750LM 3000K 8" X 8"	20
FML-S10-17W-30K	17W 950LM 3000K 10" X 10"	20

WHILE SUPPLIES LAST

RESIDENTIAL

FML COLOR TRIMS (CLIP ON)



CATALOG NO.	DESCRIPTION
FML-R6-TRM-BK	6" ROUND TRIM FOR FML-R6 SERIES, BLACK FINISH
FML-R6-TRM-BN	6" ROUND TRIM FOR FML-R6 SERIES, BRUSHED NICKEL FINISH
FML-R6-TRM-BR	6" ROUND TRIM FOR FML-R6 SERIES, BRONZE FINISH
FML-R8-TRM-BK	8" ROUND TRIM FOR FML-R6 SERIES, BLACK FINISH
FML-R8-TRM-BN	8" ROUND TRIM FOR FML-R6 SERIES, BRUSHED NICKEL FINISH
FML-R8-TRM-BR	8" ROUND TRIM FOR FML-R6 SERIES, BRONZE FINISH
FML-R10-TRM-BK	10" ROUND TRIM FOR FML-R6 SERIES, BLACK FINISH
FML-R10-TRM-BN	10" ROUND TRIM FOR FML-R6 SERIES, BRUSHED NICKEL FINISH
FML-R10-TRM-BR	10" ROUND TRIM FOR FML-R6 SERIES, BRONZE FINISH

SURFACE
MOUNT



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FML-R6	OPT-EM-FML-R6	MOUNT IN EXTENDED BASE	OPT-PC-FML8	BUTTON	N/A	N/A	N/A
FML-R8	OPT-EM-FML-R8	MOUNT IN EXTENDED BASE	OPT-PC-FML10	BUTTON			
FML-R10	OPT-EM-FML-R10	MOUNT IN EXTENDED BASE	277V OPTION	DESCRIPTION			
FML-R12	OPT-EM-FML-R12	MOUNT IN EXTENDED BASE	OPT-277V-FML-R8	EXTERNAL BOX			
FML-R14	OPT-EM-FML-R14	MOUNT IN EXTENDED BASE	OPT-277V-FML-R10	EXTERNAL BOX			
FML-R16	OPT-EM-FML-R16	EXTERNAL EM PACKAGE					
FML-R18	OPT-EM-FML-R18	EXTERNAL EM PACKAGE					
FML-R20	OPT-EM-FML-R20	EXTERNAL EM PACKAGE					
FML-R22	OPT-EM-FML-R22	EXTERNAL EM PACKAGE					

4in SQUARE J-BOX WITH FLAT BRACKET

CATALOG NO. DESCRIPTION

ARRIVES THIS SEASON
CHECK & PRE-ORDER

ELB-09120-AC-JB 4in SQUARE J-BOX WITH FLAT BRACKET FOR CEILING LIGHTS WITH 9W AC-CONNECT





FMLB
White



FMLB-SEN
White



FMLB-TRM-BN
Brushed Nickel



FMLB-TRM-BK
Black



FMLB-TRM-ALAB-BK
Black



FMLB-TRM-ALAB-GD
Gold



FMLB-TRM-ALAB-BN
Brushed Nickel



BUILDER SERIES FLUSH MOUNT FIXTURES - 5CCT - 120V



CATALOG NO.	DESCRIPTION			PKG. QTY.
FMLB-R5-MCT5	8W	560LM	27K/30K/35K/40K/50K	20
FMLB-R7-MCT5	12W	900LM	27K/30K/35K/40K/50K	
FMLB-R9-MCT5	18W	1440LM	27K/30K/35K/40K/50K	
FMLB-R12-MCT5	24W	2000LM	27K/30K/35K/40K/50K	
FMLB-R15-MCT5	36W	3050LM	27K/30K/35K/40K/50K	
BUILDER SERIES FLUSH MOUNT FIXTURES WITH SENSOR				
FMLB-R7-MCT5-SEN	12W	900LM	27K/30K/35K/40K/50K	20
FMLB-R9-MCT5-SEN	18W	1440LM	27K/30K/35K/40K/50K	
FMLB-R12-MCT5-SEN	24W	2000LM	27K/30K/35K/40K/50K	
FMLB-R15-MCT5-SEN	36W	3050LM	27K/30K/35K/40K/50K	
FMLB-SEN-RC	Remote Control For FMLB Sensor Series			
COLOR TRIM ACCESSORIES				
FMLB-R5-TRM-BN	FMLB-R5 Color Trim - Brushed Nickel			
FMLB-R5-TRM-BK	FMLB-R5 Color Trim - Black			
FMLB-R7-TRM-BN	FMLB-R7 Color Trim - Brushed Nickel			
FMLB-R7-TRM-BK	FMLB-R7 Color Trim - Black			
FMLB-R9-TRM-BN	FMLB-R9 Color Trim - Brushed Nickel			
FMLB-R9-TRM-BK	FMLB-R9 Color Trim - Black			
FMLB-R12-TRM-BN	FMLB-R12 Color Trim - Brushed Nickel			
FMLB-R12-TRM-BK	FMLB-R12 Color Trim - Black			
FMLB-R15-TRM-BN	FMLB-R12 Color Trim - Brushed Nickel			
FMLB-R15-TRM-BK	FMLB-R12 Color Trim - Black			
ALABASTER STONE LENSES WITH METAL TRIMS				
FMLB-R7-TRM-ALAB-BK	FMLB-R7 Real Alabaster Lens With Trim - Black			
FMLB-R7-TRM-ALAB-GD	FMLB-R7 Real Alabaster Lens With Trim - Gold			
FMLB-R7-TRM-ALAB-BN	FMLB-R7 Real Alabaster Lens With Trim - Brushed Nickel			
FMLB-R9-TRM-ALAB-BK	FMLB-R9 Real Alabaster Lens With Trim - Black			
FMLB-R9-TRM-ALAB-GD	FMLB-R9 Real Alabaster Lens With Trim - Gold			
FMLB-R9-TRM-ALAB-BN	FMLB-R9 Real Alabaster Lens With Trim - Brushed Nickel			
FMLB-R12-TRM-ALAB-BK	FMLB-R12 Real Alabaster Lens With Trim - Black			
FMLB-R12-TRM-ALAB-GD	FMLB-R12 Real Alabaster Lens With Trim - Gold			
FMLB-R12-TRM-ALAB-BN	FMLB-R12 Real Alabaster Lens With Trim - Brushed Nickel			



CEILING LIGHTS BUILT WITH FMLB FIXTURES INCLUDED, 5CCT

CATALOG NO.	DESCRIPTION			PKG. QTY.
FMLB-R9-MCT5-FMF12-WG	18W	1440LM	27K/30K/35K/40K/50K White/Gold	1
FMLB-R9-MCT5-FMF12-BG	18W	1440LM	27K/30K/35K/40K/50K Black/Gold	1
FMLB-R12-MCT5-FMF15-WG	24W	2000LM	27K/30K/35K/40K/50K White/Gold	1
FMLB-R12-MCT5-FMF15-BG	24W	2000LM	27K/30K/35K/40K/50K Black/Gold	1



REGRESSED CEILING LIGHTS BUILT WITH FMLB FIXTURES INCLUDED, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 FMLB-R5-MCT5-REG-WH	8W 560LM 27K/30K/35K/40K/50K White	1
 FMLB-R5-MCT5-REG-BK	8W 560LM 27K/30K/35K/40K/50K Black	1
FMLB-R7-MCT5-REG-WH	12W 900LM 27K/30K/35K/40K/50K White	1
FMLB-R7-MCT5-REG-BK	12W 900LM 27K/30K/35K/40K/50K Black	1
FMLB-R9-MCT5-REG-WH	18W 1440LM 27K/30K/35K/40K/50K White	1
FMLB-R9-MCT5-REG-BK	18W 1440LM 27K/30K/35K/40K/50K Black	1
FMLB-R12-MCT5-REG-WH	24W 2000LM 27K/30K/35K/40K/50K White	1
FMLB-R12-MCT5-REG-BK	24W 2000LM 27K/30K/35K/40K/50K Black	1
FMLB-R15-MCT5-REG-WH	36W 3050LM 27K/30K/35K/40K/50K White	1
FMLB-R15-MCT5-REG-BK	36W 3050LM 27K/30K/35K/40K/50K Black	1

FMLB-CMC7

FMLB-CMC9FL

FMLB-CMC5S

FMLB-CMC7S



White

Black



White

Black



White

Black



White

Black



White/Gold

Black/Gold



White/Gold

Black/Gold



White/Gold

Black/Gold

CYLINDERS BUILT WITH FMLB FIXTURES INCLUDED, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
FMLB-R5-MCT5-CMC5S-WH	8W 560LM 27K/30K/35K/40K/50K White	1
FMLB-R5-MCT5-CMC5S-BK	8W 560LM 27K/30K/35K/40K/50K Black	1
FMLB-R5-MCT5-CMC5S-WG	8W 560LM 27K/30K/35K/40K/50K White/Gold	1
FMLB-R5-MCT5-CMC5S-BG	8W 560LM 27K/30K/35K/40K/50K Black/Gold	1
FMLB-R7-MCT5-CMC7S-WH	12W 900LM 27K/30K/35K/40K/50K White	1
FMLB-R7-MCT5-CMC7S-BK	12W 900LM 27K/30K/35K/40K/50K Black	1
FMLB-R7-MCT5-CMC7S-WG	12W 900LM 27K/30K/35K/40K/50K White/Gold	1
FMLB-R7-MCT5-CMC7S-BG	12W 900LM 27K/30K/35K/40K/50K Black/Gold	1
FMLB-R7-MCT5-CMC7-WH	12W 900LM 27K/30K/35K/40K/50K White	1
FMLB-R7-MCT5-CMC7-BK	12W 900LM 27K/30K/35K/40K/50K Black	1
FMLB-R7-MCT5-CMC7-WG	12W 900LM 27K/30K/35K/40K/50K White/Gold	1
FMLB-R7-MCT5-CMC7-BG	12W 900LM 27K/30K/35K/40K/50K Black/Gold	1
FMLB-R9-MCT5-CMC9FL-WH	18W 1440LM 27K/30K/35K/40K/50K White	1
FMLB-R9-MCT5-CMC9FL-BK	18W 1440LM 27K/30K/35K/40K/50K Black	1



Shown with
FMLB-CS-10FT



Shown with
FMLB-CSC-10FT



Shown with
FMLB-SRK-412-3W

FMLB SERIES ACCESSORIES

CATALOG NO.	DESCRIPTION
FMLB-CS-10FT-WH	FMLB 10FT Suspension Cord And Canopy Accessory - White
FMLB-CS-10FT-BK	FMLB 10FT Suspension Cord And Canopy Accessory - Black
FMLB-CSC-10FT-WH	FMLB Canopy And Cord Pendant Cylinder Accessory 10FT White
FMLB-CSC-10FT-BK	FMLB Canopy And Cord Pendant Cylinder Accessory 10FT Black
FMLB-SRK-412-3W-WH	FMLB Downrod Kit Pendant Cylinder Accessory 4X1FT 3-Wire White
FMLB-SRK-412-3W-BK	FMLB Downrod Kit Pendant Cylinder Accessory 4X1FT 3-Wire Black



RESIDENTIAL SURFACE MOUNT LIGHTS



LCFF



SHOWN WITH
ROD & CANOPY



SHOWN WITH
SUSPENSION KIT
& CANOPY



LCFF-WS

LED 5CCT INTEGRATED LED FABRIC DRUM




CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFF-15-MCT5-BR	25W 1400LM 27K/30K/35K/40K/50K 15" Bronze	2
LCFF-18-MCT5-BR	35W 1800LM 27K/30K/35K/40K/50K 18" Bronze	2
LCFF-22-MCT5-BR	45W 2100LM 27K/30K/35K/40K/50K 22" Bronze	2
LCFF-15-MCT5-BN	25W 1400LM 27K/30K/35K/40K/50K 15" Brushed Nickel	2
LCFF-18-MCT5-BN	35W 1800LM 27K/30K/35K/40K/50K 18" Brushed Nickel	2
LCFF-22-MCT5-BN	45W 2100LM 27K/30K/35K/40K/50K 22" Brushed Nickel	2
INTEGRATED LED MODERN WALL SCONCE		
LCFF-WS-WH	10W 500LM 27K/30K/35K/40K/50K White	5
LCFF-WS-BR	10W 500LM 27K/30K/35K/40K/50K Bronze	5
LCFF-WS-BN	10W 500LM 27K/30K/35K/40K/50K Brushed Nickel	5
LCF-ROD-5-BR	5In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze	
LCF-ROD-12-BR	12In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze	
LCF-ROD-24-BR	24In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze	
LCF-ROD-36-BR	36In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze	
LCF-ROD-48-BR	48In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze	
LCF-ROD-5-BN	5In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel	
LCF-ROD-12-BN	12In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel	
LCF-ROD-24-BN	24In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel	
LCF-ROD-36-BN	36In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel	
LCF-ROD-48-BN	48In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel	
LCF-CANOPY-S-BR	Swivel Ceiling Canopy For Ceiling Fixtures, Bronze	
LCF-CANOPY-S-BN	Swivel Ceiling Canopy For Ceiling Fixtures, Brushed Nickel	
LFCF-SK10-BR	10Ft 4Line Canopy Suspension Kit For Decorative Lights, Bronze	
LFCF-SK10-BN	10Ft 4Line Canopy Suspension Kit For Decorative Lights, Brushed Nickel	
FML-ULK-MCT	15W, 850Lm, 30K/40K/50K Up Light Kit	

MODERN 3CCT FLUSH MOUNT DRUM



CATALOG NO.	DESCRIPTION	PKG. QTY.
FCD-13-MCT-BG	25W 2350LM 3000K/4000K/5000K 13" Black/Gold	5
FCD-16-MCT-BG	30W 2800LM 3000K/4000K/5000K 16" Black/Gold	5





LCEU-8-30K-WH
8" White With Copper Reflector



LCEU-8-30K-BK
8" Black With Copper Reflector



LCEU-8-30K-CU
8" Copper With White Reflector



LCEU-12-30K-WH
12" White With Copper Reflector



LCEU-12-30K-BK
12" Black With Copper Reflector



LCEU-12-30K-CU
12" Copper With White Reflector

EU PENDANT WITH INDIRECT LIGHT SOURCE



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
LCEU-8-30K-WH	8W 395LM 3000K 8" White With Copper Reflector		2
LCEU-8-30K-BK	8W 220LM 3000K 8" Black With Copper Reflector		2
LCEU-8-30K-CU	8W 650LM 3000K 8" Copper With White Reflector		2
LCEU-12-30K-WH	12W 815LM 3000K 12" White With Copper Reflector		8
LCEU-12-30K-BK	12W 540LM 3000K 12" Black With Copper Reflector		8
LCEU-12-30K-CU	12W 1400LM 3000K 12" Copper With White Reflector		8



SHOWN WITH MODIFICATION ACCESSORY

5CCT INTEGRATED LED MODERN CONE PENDANT LIGHTS, 12" DAI.- 5FT ADJ. CORD



CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFC-MCT5-BK	25W 1300LM 27K/30K/35K/40K/50K Black	2
LCFC-MCT5-WH	25W 1300LM 27K/30K/35K/40K/50K White	2
LCFC-BF-ACC-GD	LCFC Pendant Modification Accessory, Electroplated Gold	
LCFC-BF-ACC-BN	LCFC Pendant Modification Accessory, Brushed Nickel	



NORDIC DESIGN PENDANT WITH LEATHER STRAP, INTEGRATED 5CCT LED - 10FT ADJ. CORD

CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFN-MCT5-WH	25W 1400LM 27K/30K/35K/40K/50K White	2
LCFN-MCT5-BK	25W 1400LM 27K/30K/35K/40K/50K Black	2



12" INTEGRATED LED VINTAGE PENDANT LIGHTS, 5CCT - 5FT ADJ. CORD

CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFA-MCT5-BK	25W 1300LM 27K/30K/35K/40K/50K Black (Copper Inside)	2
LCFA-MCT5-WH	25W 1300LM 27K/30K/35K/40K/50K White Gloss (Copper Inside)	2
LCFA-WG-BK	LCFA Wire Guard, Black	
LCFA-WG-WH	LCFA Wire Guard, White	



5" MINI PAN PENDANT W/ 4.FT CORD, 120V - 5CCT

CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFPM-MCT5-BK	10W 700LM 27K/30K/35K/40K/50K Black	1
LCFPM-MCT5-WH	10W 700LM 27K/30K/35K/40K/50K White	1



LCFS-MCT-BK
LCFS-MCT-WH



LCFQ-MCT-BK
All Black



LCFQ-MCT-BK
Shown with Brushed
Nickel



LCFQ-MCT-BK
Shown with
Anodized Gold



LCFQ-MCT-WH
All White



LCFQ-MCT-WH
Shown with Brushed
Nickel



LCFQ-MCT-WH
Shown with
Anodized Gold



LCFT-BK
Black



LCFT-WH
White



LCFT-BN
Brushed Nickel



Shown with
Acrylic Drop Lens



LCFW-MCTP-BK
Black



LCFW-MCTP-WH
White



LCFK-MCTP-BK
Black



LCFK-MCTP-WH
White

COMMERCIAL/RESIDENTIAL POWER & CCT-ADJUSTABLE CONE PENDANT



CATALOG NO.	DESCRIPTION	PKG. QTY.
3CCT CONE PENDANT WITH 5FT ADJ. DOWNROD, 7" Dia. MCTP		
LCFS-MCT-BK	6W/9W/12W 600LM Max. 30K/40K/50K Black	4
LCFS-MCT-WH	6W/9W/12W 600LM Max. 30K/40K/50K White	4
3CCT CONE PENDANT WITH 6FT ADJ. CORD, 6" Dia. MCTP		
LCFQ-MCT-BK	6W/9W/12W 600LM Max. 30K/40K/50K Black	12
LCFQ-MCT-WH	6W/9W/12W 600LM Max. 30K/40K/50K White	12
CMC2-TRMWM-AG	Replacement Trim Accessory, Anodized Gold	
CMC2-TRMWM-BN	Replacement Trim Accessory, Brushed Nickel	
POWER & CCT ADJUSTABLE TAPERED PENDANT WITH 6FT ADJ. CORD, 2" Dia. MCTP		
LCFT-MCTP-BK	3W/6W/9W 720LM Max. 30K/40K/50K Black	8
LCFT-MCTP-WH	3W/6W/9W 720LM Max. 30K/40K/50K White	8
LCFT-MCTP-BN	3W/6W/9W 720LM Max. 30K/40K/50K Brushed Nickel	8
LCFT-DL25	LCFT 2in 25mm Acrylic Drop Lens	
WINE BOTTLE PENDANT, COMMERCIAL/RESIDENTIAL 10FT ADJ. CORD MCTP		
LCFW-MCTP-BK	6W/9W/12W 960LM Max. 30K/40K/50K Black	4
LCFW-MCTP-WH	6W/9W/12W 960LM Max. 30K/40K/50K White	4
COCONUT PENDANT, COMMERCIAL/RESIDENTIAL WITH 6FT ADJ. CORD, 6" Dia MCTP		
LCFK-MCTP-BK	6W/9W/12W 960LM Max. 30K/40K/50K Black	4
LCFK-MCTP-WH	6W/9W/12W 960LM Max. 30K/40K/50K White	4



LCFI-MCT5-WH
White



LCFI-WS-WH
White

11" DECORATIVE 2-LEVEL PENDANT - 5FT ADJ. CORD



CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFI-MCT5-WH	12W 600LM 27K/30K/35K/40K/50K White	4
LCFI-MCT5-BK	12W 600LM 27K/30K/35K/40K/50K Black	4
INTEGRATED LED MODERN WALL SCONCE		
LCFI-WS-WH	10W 500LM 27K/30K/35K/40K/50K White	5
LCFI-WS-BK	10W 500LM 27K/30K/35K/40K/50K Black	5



LCFL-MCT5-WH
White



LCFL-MCT5-BG
Black/Gold



LCFL-WS-WH
White

12" MODERN DESIGNER LED PENDANT - 5FT ADJ. CORD



CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFL-MCT5-WH	10W 500LM 27K/30K/35K/40K/50K White	4
LCFL-MCT5-BG	10W 500LM 27K/30K/35K/40K/50K Black Gold	4
INTEGRATED LED MODERN WALL SCONCE		
LCFL-WS-WH	10W 500LM 27K/30K/35K/40K/50K White	5
LCFL-WS-BG	10W 500LM 27K/30K/35K/40K/50K Black	5



MODERN 3CCT FLUSH MOUNT DRUM



CATALOG NO.	DESCRIPTION	PKG. QTY.
LDAP-10-MCT5	12W 700LM 27K/30K/35K/40K/50K BLACK, 10" Dia.	4
LDAP-14-MCT5	18W 900LM 27K/30K/35K/40K/50K BLACK, 14" Dia.	4



5CCT INTEGRATED LED MODERN DOME PENDANT LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
12" INTEGRATED LED MODERN DOME PENDANT LIGHTS, 5CCT		
LCFD-MCT5-BK	25W 1300LM 27K/30K/35K/40K/50K 12"X62" Black	2
LCFD-MCT5-WH	25W 1300LM 27K/30K/35K/40K/50K 12"X62" White	2
LCFD-MCT5-WS	25W 1300LM 27K/30K/35K/40K/50K 12"X62" White/Silver	2
LCFD-MCT5-BG	25W 1300LM 27K/30K/35K/40K/50K 12"X62" Black/Gold	2
20" INTEGRATED LED MODERN DOME PENDANT LIGHTS		
LCFD-20-MCT5-WS	40W 2250LM 27K/30K/35K/40K/50K 20"X62" White/Silver	2
LCFD-20-MCT5-BG	40W 2250LM 27K/30K/35K/40K/50K 20"X62" Black/Gold	2
INTEGRATED LED MODERN WALL SCONCE		
LCFD-WS-BK	10W 500LM 27K/30K/35K/40K/50K Black	5
LCFD-WS-WH	10W 500LM 27K/30K/35K/40K/50K White	5



LCFP-MCT5-BG
Black/Gold



LCFP-MCT5-WG
White/Gold



LCFP-WS-WH
White



LCFP-WS-BK
Black

LED PAN PENDANT, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
20" INTEGRATED LED PAN PENDANT WITH 6FT ADJ. ROD DOWN, 5CCT		
LCFP-MCT5-WG	40W 2800LM 27K/30K/35K/40K/50K White/Gold	1
LCFP-MCT5-BG	40W 2800LM 27K/30K/35K/40K/50K Black/Gold	1
5" PAN DESIGN WALL SCONCE, 5CCT		
LCFP-WS-WH	10W 700LM 27K/30K/35K/40K/50K White	5
LCFP-WS-BK	10W 700LM 27K/30K/35K/40K/50K Black	5



12" LARGE INTEGRATED LED DOME PENDANT WITH 6FT CORD, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFR-MCT5-WG	24W 820LM 27K/30K/35K/40K/50K White/Gold	2
LCFR-MCT5-BG	24W 820LM 27K/30K/35K/40K/50K Black/Gold	2



5CCT INTEGRATED LED PENDANT LIGHTS

xFT Adjustable



CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFB-1L-MCT5	12W 810LM 27K/30K/35K/40K/50K Single	4
LCFB-3LR-MCT5	36W 2430LM 27K/30K/35K/40K/50K Triple w/ Square Canopy	2
LCFB-3LS-MCT5	36W 2430LM 27K/30K/35K/40K/50K Triple w/ Straight Bar	1



5CCT INTEGRATED LED HOLOGRAM PENDANT LIGHTS

xFT Adjustable



CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFH-1L-MCT5	12W 810LM 27K/30K/35K/40K/50K Single	4
LCFH-3LR-MCT5	36W 2430LM 27K/30K/35K/40K/50K Triple w/ Square Canopy	2
LCFH-3LS-MCT5	36W 2430LM 27K/30K/35K/40K/50K Triple w/ Straight Bar	1



4" GLASS LENS PENDANT WITH 6FT ADJ. ROD, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFE-MCT5-BN	12W 720LM 27K/30K/35K/40K/50K Brushed Nickel	4
LCFE-MCT5-BK	12W 720LM 27K/30K/35K/40K/50K Black	4



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	277V OPTION	DESCRIPTION	PAINT	WIRE CABLE	DESCRIPTION
LCFF, LCFN, LDAP, LCFD	OPT-EM-LCFX-WH	INTERNAL White	OPT-277V-LCFX-WH	277V	N/A	OPT-HBC-3WR-6FT-WH	12FT Cable
LCFC, LCFP, LCFR, LCFB	OPT-EM-LCFX-BK	INTERNAL Black	OPT-277V-LCFX-BK	277V		OPT-HBC-3WR-6FT-BK	12FT Cable
LCFS, LCFQ, LCFA, LCFH	OPT-EM-LCFX-BN	INTERNAL Brushed Nickel	OPT-277V-LCFX-BN	277V			
LCGS, LCFQ, LCFA, LCFE							



LCFE SERIES E26 LAMP-READY CHANDELIER



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
LCFE-E26-V1L-BK	LCFE Series Lamp-Ready 1-Lamp Vanity Black	
LCFE-E26-V1L-BN	LCFE Series Lamp-Ready 1-Lamp Vanity Brushed Nickel	
LCFE-E26-V2L-BK	LCFE Series Lamp-Ready 2-Lamp Vanity Black	
LCFE-E26-V2L-BN	LCFE Series Lamp-Ready 2-Lamp Vanity Brushed Nickel	
LCFE-E26-V3L-BK	LCFE Series Lamp-Ready 3-Lamp Vanity Black	
LCFE-E26-V3L-BN	LCFE Series Lamp-Ready 3-Lamp Vanity Brushed Nickel	
LCFE-E26-P1L-BK	LCFE Series Lamp-Ready 1-Lamp Pendant 54In Adj. Downrod Black	
LCFE-E26-P1L-BN	LCFE Series Lamp-Ready 1-Lamp Pendant 54In Adj. Downrod Brushed Nickel	
LCFE-E26-P5L-BK	LCFE Series Lamp-Ready 5-Lamp Chandelier 8Ft Height Adjustable Black	
LCFE-E26-P5L-BN	LCFE Series Lamp-Ready 5-Lamp Chandelier 8Ft Height Adjustable Brushed Nickel	

RESIDENTIAL

PENDANT
LIGHTS



FROSTED GLASS ARCHITECTURAL GLOBE PENDANT - MULTI-CCT



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
LCFG-8-MCT5-FR-GD	12W 1000LM 27K/30K/35K/40K/50K 8" Gold		2
LCFG-12-MCT5-FR-GD	20W 1600LM 27K/30K/35K/40K/50K 12" Gold		2
LCFG-8-MCT5-FR-BK	12W 1000LM 27K/30K/35K/40K/50K 8" Black		2
LCFG-12-MCT5-FR-BK	20W 1600LM 27K/30K/35K/40K/50K 12" Black		2



LCFG-SG-GD
Gold



LCFG-SG-BK
Black



LCFG-FR-GD
Gold



LCFG-FR-BK
Black

LAMP-READY ARCHITECTURAL GLOBE PENDANT, E26 BASE



CATALOG NO.

DESCRIPTION

**ARRIVES THIS SEASON
CHECK & PRE-ORDER**

SEEDED GLASS E26 LAMP-READY ARCHITECTURAL GLOBE PENDANT

LCFG-8-E26-SG-GD 8In Seeded Glass E26 Architectural Globe Pendant 67In - Gold

LCFG-12-E26-SG-GD 12In Seeded Glass E26 Architectural Globe Pendant 67In - Gold

LCFG-8-E26-SG-BK 8In Seeded Glass E26 Architectural Globe Pendant 67In - Black

LCFG-12-E26-SG-BK 12In Seeded Glass E26 Architectural Globe Pendant 67In - Black

FROSTED GLASS E26 LAMP-READY ARCHITECTURAL GLOBE PENDANT

LCFG-8-E26-FR-GD 8In Frosted Glass E26 Architectural Globe Pendant 67In - Gold

LCFG-12-E26-FR-GD 12In Frosted Glass E26 Architectural Globe Pendant 67In - Gold

LCFG-8-E26-FR-BK 8In Frosted Glass E26 Architectural Globe Pendant 67In - Black

LCFG-12-E26-FR-BK 12In Frosted Glass E26 Architectural Globe Pendant 67In - Black



DPL-01-18K
Free Form 7.5in Dia



DPL-02-18K
Tear Drop 7in Dia



DPL-03-18K
Long Form 2.4X10in



DPL-04-18K
Round Form 3.2in Dia



DPL-05-18K
Round Form 5.2in Dia



DPL-06-18K
Round Dimple 8in Dia



DPL-07M-18K
Round Metal Mesh 8in Dia

DECORATIVE PENDANT LAMP - E26 BASE - 120V

CATALOG NO.

DESCRIPTION

**ARRIVES THIS SEASON
CHECK & PRE-ORDER**

DPL-01-18K 4W **160LM** 1800K Free Form 7.5in Dia

DPL-02-18K 4W **160LM** 1800K Tear Drop 7in Dia

DPL-03-18K 4W **160LM** 1800K Long Form 2.4X10in

DPL-04-18K 4W **160LM** 1800K Round Form 3.2in Dia

DPL-05-18K 4W **160LM** 1800K Round Form 5.2in Dia

DPL-06-18K 4W **160LM** 1800K Round Dimple 8in Dia

DPL-07M-18K 4W **160LM** 1800K Round Metal Mesh 8in Dia



DECORATIVE SOCKET PENDANT 6FT CORD - E26 MEDIUM BASE

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
DSP-066-6FT-BK	Decorative Socket Pendant 066 6Ft Blk Cord - Black	
DSP-066-6FT-AB	Decorative Socket Pendant 066 6Ft Blk Cord - Antique Brass	
DSP-066-6FT-BR	Decorative Socket Pendant 066 6Ft Blk Cord - Brass	
DSP-066-6FT-GB	Decorative Socket Pendant 066 6Ft Blk Cord - Gun Black	
DSP-761-6FT-AC	Decorative Socket Pendant 761 6Ft Blk Cord - Antique Copper	
DSP-761-6FT-AB	Decorative Socket Pendant 761 6Ft Blk Cord - Antique Brass	
DSP-722-6FT-RG	Decorative Socket Pendant 761 6Ft Blk Cord - Rose Gold	
DSP-722-6FT-GB	Decorative Socket Pendant 761 6Ft Blk Cord - Gun Black	
DSP-974-6FT-AB	Decorative Socket Pendant 974 6Ft Blk Cord - Antique Brass	
DSP-039-6FT-RG	Decorative Socket Pendant 039 6Ft Blk Cord - Rose Gold	
DSP-039-6FT-BK	Decorative Socket Pendant 039 6Ft Blk Cord - Black	
DSP-CORD-FAB-BK	Replacement Fabric Cord For DSP Decorative Sockets - Black	



BRL-RH-BK
Black



BRL-RH-BN
Brushed Nickel



BRL-RH-WH
White



BRL-SHL-BK
Black



BRL-SHL-WH
White



BRL-SHR-BK
Black



BRL-SHR-WH
White



BRL-RV-BK
Black



BRL-RV-BN
Brushed Nickel



BRL-RV-WH
White



BRL-SV-BK
Black



BRL-SV-WH
White

BEDSIDE READING LAMPS WITH BACKLIGHT, WIRELESS CHARGING, & USB OPTIONS



CATALOG NO.	DESCRIPTION	PKG. QTY.
BRL-RH-WH	3W 120LM 3000K Horizontal Recessed, White	20
BRL-RH-BK	3W 120LM 3000K Horizontal Recessed, Black	20
BRL-RH-BN	3W 120LM 3000K Horizontal Recessed, Brushed Nickel	20
BRL-RV-WH	3W 120LM 3000K Vertical Recessed, White	20
BRL-RV-BK	3W 120LM 3000K Vertical Recessed, Black	20
BRL-RV-BN	3W 120LM 3000K Vertical Recessed, Brushed Nickel	20
BRL-SHR-WCH-WH	10W 500LM 3000K Horiz. Surf. Backlit + USB & W/L CHG., Right Side, White	5
BRL-SHR-WCH-BK	10W 500LM 3000K Horiz. Surf. Backlit + USB & W/L CHG., Right Side, Black	5
BRL-SHL-WCH-WH	10W 500LM 3000K Horiz. Surf. Backlit + USB & W/L CHG., Left Side, White	5
BRL-SHL-WCH-BK	10W 500LM 3000K Horiz. Surf. Backlit + USB & W/L CHG., Left Side, Black	5
BRL-SV-WH	10W 500LM 3000K Vert. Surf. Backlit + USB, White	5
BRL-SV-BK	10W 500LM 3000K Vert. Surf. Backlit + USB, Black	5



WESTGATE SMART APP COMPATIBLE RGBW SERIES



BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 40D LENS, 12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 TC-GL-12V-15W-RGBW-BT-BR FOR REMOTE CONTROL SEE PAGE 104	15W 405LM RGBW	6

BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 60D LENS, 12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 TC-FL-12V-36W-RGBW-BT-BR FOR REMOTE CONTROL SEE PAGE 104	36W 824LM RGBW	4

BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 60D LENS, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 TC-FL-36W-RGBW-BT-BR FOR REMOTE CONTROL SEE PAGE 104	36W 824LM RGBW	4

SPEC SERIES RGBW BLUETOOTH WESTGATE APP BULLET, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 FLDX-MD-15W-RGBW-BT-BR FOR REMOTE CONTROL SEE PAGE 104	15W 720LM RGBW Bronze	4

SPEC SERIES RGBW BLUETOOTH WESTGATE APP BULLET, 12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 FLVX-MD-15W-RGBW-BT-BR FOR REMOTE CONTROL SEE PAGE 104	15W 720LM RGBW Bronze	4

RGBW LED OUTDOOR CYLINDER LIGHTS, IP65




CATALOG NO.	DESCRIPTION	PKG. QTY.
	4" LED ROUND CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 12"	
	WMC-UDL-RGBW-BK 24w 1920LM RGBW 25° Black	6
	WMC-UDL-RGBW-WH 24w 1920LM RGBW 25° White	6
	4" LED SQUARE CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10-1/4"	
	WMCS-UDL-RGBW-BK 24w 1920LM RGBW 30° Black	6
	WMCS-UDL-RGBW-WH 24w 1920LM RGBW 30° White	6

FOR REMOTE CONTROL SEE PAGE 104

CMC RGBW CYLINDER LIGHTS, PENDANT OR SURFACE MOUNT, APP CONTROLLED



CATALOG NO.	DESCRIPTION	PKG. QTY.
	CMC2L-RGBW-BK 6W 300LM 27K-50K + RGB Black	6
	CMC2L-RGBW-WH 6W 300LM 27K-50K + RGB White	6
	CMC3-RGBW-BK 9W 550LM 27K-50K + RGB Black	6
	CMC3-RGBW-WH 9W 550LM 27K-50K + RGB White	6
	CMC4-RGBW-BK 15W 900LM 27K-50K + RGB Black	6
	CMC4-RGBW-WH 15W 900LM 27K-50K + RGB White	6
	CMC6-RGBW-BK 20W 1200LM 27K-50K + RGB Black	8
	CMC6-RGBW-WH 20W 1200LM 27K-50K + RGB White	8

FOR REMOTE CONTROL SEE PAGE 104

SPEC SERIES X GEN. RGB STADIUM LIGHTS, DMX512 CONTROLLED - SPECIAL ORDER



CATALOG NO.	DESCRIPTION	PKG. QTY.
 SFX-G9-500W-45D-RGB	500W RGB	1
SFX-G9-800W-45D-RGB	800W RGB	1

SHOWN WITH
OPTIONAL
SHROUD



WESTGATE SMART APP COMPATIBLE RGBW SERIES




RGB WG APP OR RC 13" OUTDOOR/INDOOR CEILING LIGHT, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRS-PV-RGBW FOR REMOTE CONTROL SEE PAGE 104	25W 1920LM 5CCT AND RGB Black	4

RGB WG APP OR RC 6" SQUARE MODEL H ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRS-H-RGBW-BK FOR REMOTE CONTROL SEE PAGE 104	12W 650LM 5CCT AND RGB Black	12

RGB WG APP OR RC 7" ROUND MODEL F ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRS-F-RGBW-BK FOR REMOTE CONTROL SEE PAGE 104	12W 650LM 5CCT AND RGB Black	12

RGB WG APP OR RC OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120V (7" WIDE)



CATALOG NO.	DESCRIPTION	PKG. QTY.
LDS-RGBW-BK FOR REMOTE CONTROL SEE PAGE 104	15W 980LM 5CCT AND RGB Black	4

WG SMART APP COMPATIBLE RGBW SMOOTH RECESSED LIGHT TRIM - ROUND, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
TC-RDPS4-10W-RGBW-WIFI	10W 650LM RGBW 4" E26 Base	12
TC-RDPS6-13W-RGBW-WIFI FOR REMOTE CONTROL SEE PAGE 104	13W 850LM RGBW 6" E26 Base	8

WG SMART APP OR REMOTE COMPATIBLE RGBW/W ULTRA SLIM CANLESS RECESSED LIGHTS - ROUND, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
TC-RSL4-RGBW/W	9W 630LM RGBW/W 4"	24
TC-RSL6-RGBW/W FOR REMOTE CONTROL SEE PAGE 104	12W 840LM RGBW/W 6"	24

WG SMART APP COMPATIBLE RGBW FLUSH MOUNT FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
TC-FML-8-14W-RGBW-WIFI	14W 980LM RGBW	20
TC-FML-10-17W-RGBW-WIFI	17W 1190LM RGBW	20
TC-FML-12-22W-RGBW-WIFI	22W 1540LM RGBW	20
TC-FML-14-26W-RGBW-WIFI FOR REMOTE CONTROL SEE PAGE 104	26W 1820LM RGBW	20




WESTGATE SMART APP COMPATIBLE RGBW SERIES



WG SMART APP COMPATIBLE RGBW BUILDER SERIES LED ECONOMY DISK LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 DLSE6-RGBW FOR REMOTE CONTROL SEE PAGE 104	15W 1000LM 27K/30K/35K/40K/50K 6"	24

53FT 15-BULB ST14 RGB STRING LIGHT



CATALOG NO.	DESCRIPTION
 STG-5315-RGB-BT FOR REMOTE CONTROL SEE PAGE 104	53Ft 15-Bulb ST14 Rgb String Light 1M Appart With 11 Fairy Lights In Between Bluetooth

LANERN DESIGN STRING LIGHT RGB BLUETOOTH APP CONTROLLED



CATALOG NO.	DESCRIPTION
 STG-2415-LANT-RGBIC-BT	24Ft 15-Lamp Lantern Design String Light Rgb Bluetooth App Controlled
STG-4830-LANT-RGBIC-BT FOR REMOTE CONTROL SEE PAGE 104	48Ft 30-Lamp Lantern Design String Light Rgb Bluetooth App Controlled

WG SMART APP COMPATIBLE RGBW PAR20/PAR30/PAR38, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 TC-PAR20-4.5W-RGBW-WIFI	4.5W 400LM RGBW E26 Base	50
 TC-PAR30-11W-RGBW-WIFI	11W 850LM RGBW E26 Base	50
 TC-PAR38-10W-RGBW-WIFI FOR REMOTE CONTROL SEE PAGE 104	10W 1050LM RGBW E26 Base	50

WG SMART APP COMPATIBLE RGBW G25 LAMP, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 TC-G25-5W-RGBW-WIFI FOR REMOTE CONTROL SEE PAGE 104	5W 450LM RGBW E26 Base	50

WG SMART APP COMPATIBLE RGBW CANDELABRA, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 TC-E12-4.5W-RGBW-WIFI FOR REMOTE CONTROL SEE PAGE 104	4.5W 325LM RGBW E12 Base	50

WG SMART APP COMPATIBLE RGBW A19 LAMP, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 TC-A19-9W-RGBW-WIFI FOR REMOTE CONTROL SEE PAGE 104	9W 800LM RGBW E26 Base	50

WG SMART APP COMPATIBLE RGBW PUCK LIGHT - ROUND



CATALOG NO.	DESCRIPTION
 TC-PL12-RGBW	4W 250LM RGB
TC-PL12-RGBW-SPLITTER4	RGB Puck Light 4-Port Splitter With 6in Cable
TC-PL12-RGBW-CONTROLLER FOR REMOTE CONTROL SEE PAGE 104	RGBW In-Line Smart Controller App Compatible

RIBBON LIGHTING

SEARCH FOR THE SERIES NAME @WESTGATEMFG.COM




ULR-IN-SO SERIES




ULR-IN-HO SERIES



ULR-IN-XHO SERIES



ULR-COB SERIES



ULS SERIES



RGBW CONTROLLER SERIES



ELECTRONIC DRIVER SERIES



CHANNEL/LENS SERIES



HOSPITALITY LOUNGE - 24V TAPE LIGHTS



Live inventory. Real-time pricing. No waiting.
Access the MyWestgate Portal to check
availability and pricing instantly.
Scan the QR code to skip the line.

24-VOLT INDOOR LED RIBBON LIGHTS - STANDARD OUTPUT



Standard
OUTPUT

CATALOG NO.	DESCRIPTION	REEL LENGTH
STANDARD OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 49ft)		
 ULR-IN-16F-SO-27K	1.5W/FT 100LM/FT 2700K 8mm Width	16.4FT
ULR-IN-16F-SO-30K	1.5W/FT 100LM/FT 3000K 8mm Width	16.4FT
ULR-IN-16F-SO-35K	1.5W/FT 100LM/W 3500K 8mm Width	16.4FT
ULR-IN-16F-SO-40K	1.5W/FT 100LM/FT 4000K 8mm Width	16.4FT
ULR-IN-16F-SO-50K	1.5W/FT 100LM/FT 5000K 8mm Width	16.4FT
STANDARD OUTPUT LED RIBBON—INDOOR (98.4FT ROLLS) (Max Run 49ft)		
 ULR-IN-98F-SO-27K	1.5W/FT 100LM/FT 2700K 8mm Width	98.4FT
ULR-IN-98F-SO-30K	1.5W/FT 100LM/FT 3000K 8mm Width	98.4FT
ULR-IN-98F-SO-35K	1.5W/FT 100LM/W 3500K 8mm Width	98.4FT
ULR-IN-98F-SO-40K	1.5W/FT 100LM/FT 4000K 8mm Width	98.4FT
ULR-IN-98F-SO-50K	1.5W/FT 100LM/FT 5000K 8mm Width	98.4FT
INDOOR TANDEM COUPLINGS		
 ULR-IN-SO-COUP-6I-WR	Coupling to connect 2 standard output ribbons, 6"	
ULR-IN-SO-COUP-3F-WR	Coupling to connect 2 standard output ribbons, 3ft	
ULR-IN-SO-COUP-NO-WR	Coupling to connect 2 standard output ribbons, no wire	
INDOOR POWER FEED CABLES		
 ULR-IN-SO-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"	
ULR-IN-SO-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft	
ULR-IN-SO-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft	
ULR-IN-SO-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft	

24-VOLT INDOOR LED RIBBON LIGHTS - HIGH OUTPUT



High
OUTPUT

High
OUTPUT

High
OUTPUT

CATALOG NO.	DESCRIPTION	REEL LENGTH
HIGH OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 20ft)		
 ULR-IN-16F-HO-27K	4.4W/FT 310LM/FT 2700K 10mm Width	16.4FT
ULR-IN-16F-HO-30K	4.4W/FT 310LM/FT 3000K 10mm Width	16.4FT
ULR-IN-16F-HO-35K	4.4W/FT 310LM/FT 3500K 10mm Width	16.4FT
ULR-IN-16F-HO-40K	4.4W/FT 330LM/FT 4000K 10mm Width	16.4FT
ULR-IN-16F-HO-50K	4.4W/FT 350LM/FT 5000K 10mm Width	16.4FT
HIGH OUTPUT LED BLACK RIBBON—INDOOR (16.4FT ROLLS) (Max Run 20ft)		
 ULR-IN-16F-HO-27K-BK	4.4W/FT 310LM/FT 2700K 10mm Width	16.4FT
ULR-IN-16F-HO-30K-BK	4.4W/FT 310LM/FT 3000K 10mm Width	16.4FT
ULR-IN-16F-HO-35K-BK	4.4W/FT 310LM/FT 3500K 10mm Width	16.4FT
ULR-IN-16F-HO-40K-BK	4.4W/FT 330LM/FT 4000K 10mm Width	16.4FT
ULR-IN-16F-HO-50K-BK	4.4W/FT 350LM/FT 5000K 10mm Width	16.4FT
HIGH OUTPUT LED RIBBON—INDOOR (98.4FT ROLLS) (Max Run 20ft)		
 ULR-IN-98F-HO-27K	4.4W/FT 310LM/FT 2700K 10mm Width	98.4FT
ULR-IN-98F-HO-30K	4.4W/FT 310LM/FT 3000K 10mm Width	98.4FT
ULR-IN-98F-HO-35K	4.4W/FT 310LM/FT 3500K 10mm Width	98.4FT
ULR-IN-98F-HO-40K	4.4W/FT 330LM/FT 4000K 10mm Width	98.4FT
ULR-IN-98F-HO-50K	4.4W/FT 350LM/FT 5000K 10mm Width	98.4FT
INDOOR TANDEM COUPLINGS		
 ULR-IN-HO-COUP-6I-WR	Coupling to connect 2 high & Extra output ribbons, 6"	
ULR-IN-HO-COUP-3F-WR	Coupling to connect 2 high & Extra output ribbons, 3ft	
ULR-IN-HO-COUP-NO-WR	Coupling to connect 2 high & Extra output ribbons, no wire	
INDOOR POWER FEED CABLES		
 ULR-IN-HO-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"	
ULR-IN-HO-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft	
ULR-IN-HO-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft	
ULR-IN-HO-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft	

RIBBON

CATALOG NO.	DESCRIPTION	REEL LENGTH
EXTRA HIGH OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 11ft)		
 ULR-IN-16F-XHO-27K	8.8W/FT 620LM/FT 2700K 10mm Width	16.4FT
ULR-IN-16F-XHO-30K	8.8W/FT 620LM/FT 3000K 10mm Width	16.4FT
ULR-IN-16F-XHO-35K	8.8W/FT 620LM/FT 3500K 10mm Width	16.4FT
ULR-IN-16F-XHO-40K	8.8W/FT 680LM/FT 4000K 10mm Width	16.4FT
ULR-IN-16F-XHO-50K	8.8W/FT 700LM/FT 5000K 10mm Width	16.4FT
EXTRA HIGH OUTPUT LED RIBBON—INDOOR (98.4FT ROLLS) (Max Run 11ft)		
 ULR-IN-98F-XHO-27K	8.8W/FT 620LM/FT 2700K 10mm Width	98.4FT
ULR-IN-98F-XHO-30K	8.8W/FT 620LM/FT 3000K 10mm Width	98.4FT
ULR-IN-98F-XHO-35K	8.8W/FT 620LM/FT 3500K 10mm Width	98.4FT
ULR-IN-98F-XHO-40K	8.8W/FT 680LM/FT 4000K 10mm Width	98.4FT
ULR-IN-98F-XHO-50K	8.8W/FT 700LM/FT 5000K 10mm Width	98.4FT
ULTRA HIGH OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 14ft)		
 ULR-IN-16F-YHO-27K	6.7W/FT 820LM/FT 2700K 10mm Width	16.4FT
ULR-IN-16F-YHO-30K	6.7W/FT 820LM/FT 3000K 10mm Width	16.4FT
ULR-IN-16F-YHO-35K	6.7W/FT 820LM/FT 3500K 10mm Width	16.4FT
ULR-IN-16F-YHO-40K	6.7W/FT 880LM/FT 4000K 10mm Width	16.4FT
ULR-IN-16F-YHO-50K	6.7W/FT 900LM/FT 5000K 10mm Width	16.4FT
INDOOR TANDEM COUPLINGS		
 ULR-IN-HO-COUP-6I-WR	Coupling to connect 2 high & Extra output ribbons, 6"	
ULR-IN-HO-COUP-3F-WR	Coupling to connect 2 high & Extra output ribbons, 3ft	
ULR-IN-HO-COUP-NO-WR	Coupling to connect 2 high & Extra output ribbons, no wire	
INDOOR POWER FEED CABLES		
 ULR-IN-HO-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"	
ULR-IN-HO-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft	
ULR-IN-HO-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft	
 ULR-IN-HO-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft	

24-VOLT INDOOR COB RIBBON LIGHTS - HIGH OUTPUT




CATALOG NO.	DESCRIPTION	REEL LENGTH
HIGH OUTPUT COB RIBBON—INDOOR (16.4FT ROLLS) (Max Run 20ft)		
 ULR-IN-16F-HO-COB-27K	3W/FT 290LM/FT 2700K 10mm Width	16.4FT
ULR-IN-16F-HO-COB-30K	3W/FT 304LM/FT 3000K 10mm Width	16.4FT
ULR-IN-16F-HO-COB-35K	3W/FT 304LM/FT 3500K 10mm Width	16.4FT
ULR-IN-16F-HO-COB-40K	3W/FT 337LM/FT 4000K 10mm Width	16.4FT
ULR-IN-16F-HO-COB-50K	3W/FT 340LM/FT 5000K 10mm Width	16.4FT
ULR-IN-16F-HO-COB-65K	3W/FT 340LM/FT 6500K 10mm Width	16.4FT
HIGH OUTPUT COB RIBBON—INDOOR (98.4FT ROLLS) (Max Run 20ft)		
 ULR-IN-98F-HO-COB-27K	3W/FT 290LM/FT 2700K 10mm Width	98.4FT
ULR-IN-98F-HO-COB-30K	3W/FT 304LM/FT 3000K 10mm Width	98.4FT
ULR-IN-98F-HO-COB-35K	3W/FT 304LM/FT 3500K 10mm Width	98.4FT
ULR-IN-98F-HO-COB-40K	3W/FT 337LM/FT 4000K 10mm Width	98.4FT
ULR-IN-98F-HO-COB-50K	3W/FT 340LM/FT 5000K 10mm Width	98.4FT
ULR-IN-98F-HO-COB-65K	3W/FT 340LM/FT 6500K 10mm Width	98.4FT
INDOOR TANDEM COUPLINGS		
 ULR-IN-HO-COB-COUP-6I-WR	Coupling to connect 2 COB ribbons, 6"	
ULR-IN-HO-COB-COUP-3F-WR	Coupling to connect 2 COB ribbons, 3ft	
ULR-IN-HO-COB-COUP-NO-WR	Coupling to connect 2 COB ribbons, no wire	
INDOOR POWER FEED CABLES		
 ULR-IN-HO-COB-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"	
ULR-IN-HO-COB-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft	
ULR-IN-HO-COB-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft	
 ULR-IN-HO-COB-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft	



24-VOLT INDOOR WHITE-TUNING COB RIBBON LIGHTS, WHITE-TUNING WITH CONTROLLER -HIGH OUTPUT

INSTALL WITH ELECTRONIC DRIVERS ONLY



CATALOG NO.	DESCRIPTION	REEL LENGTH
 ULR-IN-16F-HO-COB-WT	3W/FT 340LM/FT White Tuning 10mm Width	16.4FT
ULR-M2-M3-3A	White-Tuning Ribbon Light Controller With Remote	
ULR-LTECH-E2	White-Tuning Ribbon Light Wall-Mount Controller	
ULR-T86-JB	86X86mm PVC Junction Box For Wall-Mount Controllers	



ULR-M2-M3-3A



ULR-LTECH-E2



ULR-T86-JB

24-VOLT IP54 DAMP LOCATION LED RIBBON LIGHTS - HIGH OUTPUT



CATALOG NO.	DESCRIPTION	REEL LENGTH
	HIGH OUTPUT LED RIBBON— DAMP LOCATION (16.4FT ROLLS) (Max Run 20ft)	
ULR-IP54-16F-HO-27K	4.4W/FT 310LM/FT 2700K 10mm Width	16.4FT
ULR-IP54-16F-HO-30K	4.4W/FT 310LM/FT 3000K 10mm Width	16.4FT
ULR-IP54-16F-HO-35K	4.4W/FT 310LM/FT 3500K 10mm Width	16.4FT
ULR-IP54-16F-HO-40K	4.4W/FT 330LM/FT 4000K 10mm Width	16.4FT
ULR-IP54-16F-HO-50K	4.4W/FT 350LM/FT 5000K 10mm Width	16.4FT
	INDOOR TANDEM COUPLINGS	
ULR-IP54-HO-COUP-6I-WR	Coupling to connect 2 high & Extra output ribbons, 6"	
ULR-IP54-HO-COUP-3F-WR	Coupling to connect 2 high & Extra output ribbons, 3ft	
ULR-IP54-HO-COUP-NO-WR	Coupling to connect 2 high & Extra output ribbons, no wire	
	INDOOR POWER FEED CABLES	
ULR-IP54-HO-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"	
ULR-IP54-HO-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft	
ULR-IP54-HO-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft	
ULR-IP54-HO-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft	

24-VOLT LED RGBW RIBBON LIGHTS, Max Run 16.4ft INDOOR & OUTDOOR VERSIONS

INSTALL WITH ELECTRONIC DRIVERS ONLY



CATALOG NO.	DESCRIPTION	REEL LENGTH
 ULR-IN-16F-HO-RGBW	INDOOR 5.8W/FT 225LM/FT RGB 20FT. Max Run 12mm Width	16.4FT IP20
 ULR-OT-16F-HO-RGBW	WET LOCATION 5.8W/FT 225LM/FT RGB 20FT. Max Run 12mm Width	16.4FT IP67
RGBW-CONTROLLER	RGBW Controller (Remote incl.), 192W Max, 12-24 VDC	
RGBW-WIFI-CONTROLLER	RGBW lighting controller with integrated WI-FI and app, RC incl.	
 ULR-IN-HO-RGBW-COUP-6I-WR	Coupling to connect 2 RGBW ribbons, 6"	
ULR-IN-HO-RGBW-COUP-3F-WR	Coupling to connect 2 RGBW ribbons, 3ft.	
ULR-IN-HO-RGBW-COUP-NO-WR	Coupling to connect 2 RGBW ribbons, no wire	
 ULR-IN-HO-RGBW-CONN-6I-WR	1 side ribbon connector, 1 side open end, 6"	
ULR-IN-HO-RGBW-CONN-3F-WR	1 side ribbon connector, 1 side open end, 3ft	
 ULR-OT-HO-RGBW-CONN-3F-WR	3ft RGBW 5C wire both side's open with 1 rubber jacket (use silicone, page 267)	

RGBW CONTROLLERS

REQUIRES 24V ELECTRONIC DRIVER

CATALOG NO.	DESCRIPTION
RGBW-CONTROLLER	RGBW Controller (Remote incl.), 192W Max, 12-24 VDC
ULR-M4-M4-3A	RGBW Controller (Remote incl.), 288W Max, 12-24 VDC
RGBW-WIFI-CONTROLLER	RGBW lighting controller with integrated WI-FI and app, RC incl.
ULR-LTECH-E5S	RGBW-Tuning Ribbon Light Wall-Mount Controller
ULR-T86-JB	86X86mm PVC Junction Box For Wall-Mount Controllers



RGBW-CONTROLLER



ULR-M4-M4-3A



RGBW-WIFI-CONTROLLER



ULR-LTECH-E5S



ULR-T86-JB

24-VOLT IP67 OUTDOOR LED RIBBON LIGHTS - HIGH OUTPUT



High
OUTPUT



HIGH OUTPUT LED RIBBON—OUTDOOR (16.4FT ROLLS) (Max Run 20ft)

CATALOG NO.	DESCRIPTION	REEL LENGTH
ULR-OT-16F-HO-27K	4.4W/FT 310LM/FT 2700K 10mm Width	16.4FT
ULR-OT-16F-HO-30K	4.4W/FT 310LM/FT 3000K 10mm Width	16.4FT
ULR-OT-16F-HO-35K	4.4W/FT 310LM/FT 3500K 10mm Width	16.4FT
ULR-OT-16F-HO-40K	4.4W/FT 330LM/FT 4000K 10mm Width	16.4FT
ULR-OT-16F-HO-50K	4.4W/FT 350LM/FT 5000K 10mm Width	16.4FT

High
OUTPUT



HIGH OUTPUT LED RIBBON—OUTDOOR (49FT ROLLS) (Max Run 20ft)

CATALOG NO.	DESCRIPTION	REEL LENGTH
ULR-OT-49F-HO-27K	4.4W/FT 350LM/FT 2700K 10mm Width	49FT
ULR-OT-49F-HO-30K	4.4W/FT 310LM/FT 3000K 10mm Width	49FT
ULR-OT-49F-HO-35K	4.4W/FT 310LM/FT 3500K 10mm Width	49FT
ULR-OT-49F-HO-40K	4.4W/FT 330LM/FT 4000K 10mm Width	49FT
ULR-OT-49F-HO-50K	4.4W/FT 350LM/FT 5000K 10mm Width	49FT

OUTDOOR TANDEM COUPLINGS



ULR-OT-HO-COUP-6I-WR	Coupling to connect 2 high & Extra output ribbons, 6"
ULR-OT-HO-COUP-3F-WR	Coupling to connect 2 high & Extra output ribbons, 3ft
ULR-OT-HO-COUP-NO-WR	Coupling to connect 2 high & Extra output ribbons, no wire

OUTDOOR POWER FEED CABLES



ULR-OT-HO-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"
ULR-OT-HO-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft
ULR-OT-HO-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft
ULR-OT-HO-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft

RIBBON

24-VOLT IP67 OUTDOOR LED RIBBON LIGHTS - EXTRA HIGH OUTPUT



Extra High
OUTPUT



EXTRA HIGH OUTPUT LED RIBBON—OUTDOOR (16.4FT ROLLS) (Max Run 16.4ft)

CATALOG NO.	DESCRIPTION	REEL LENGTH
ULR-OT-16F-XHO-27K	5.8W/FT 440LM/FT 2700K 10mm Width	16.4FT
ULR-OT-16F-XHO-30K	5.8W/FT 440LM/FT 3000K 10mm Width	16.4FT
ULR-OT-16F-XHO-35K	5.8W/FT 440LM/FT 3500K 10mm Width	16.4FT
ULR-OT-16F-XHO-40K	5.8W/FT 450LM/FT 4000K 10mm Width	16.4FT
ULR-OT-16F-XHO-50K	5.8W/FT 450LM/FT 5000K 10mm Width	16.4FT

EXTRA HIGH OUTPUT LED RIBBON—OUTDOOR (49FT ROLLS) (Max Run 16.4ft)



CATALOG NO.	DESCRIPTION	REEL LENGTH
ULR-OT-49F-XHO-27K	5.8W/FT 450LM/FT 2700K 10mm Width	49FT
ULR-OT-49F-XHO-30K	5.8W/FT 440LM/FT 3000K 10mm Width	49FT
ULR-OT-49F-XHO-35K	5.8W/FT 440LM/FT 3500K 10mm Width	49FT
ULR-OT-49F-XHO-40K	5.8W/FT 450LM/FT 4000K 10mm Width	49FT
ULR-OT-49F-XHO-50K	5.8W/FT 450LM/FT 5000K 10mm Width	49FT

OUTDOOR TANDEM COUPLINGS



ULR-OT-HO-COUP-6I-WR	Coupling to connect 2 high & Extra output ribbons, 6"
ULR-OT-HO-COUP-3F-WR	Coupling to connect 2 high & Extra output ribbons, 3ft
ULR-OT-HO-COUP-NO-WR	Coupling to connect 2 high & Extra output ribbons, no wire

OUTDOOR POWER FEED CABLES



ULR-OT-HO-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"
ULR-OT-HO-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft
ULR-OT-HO-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft
ULR-OT-HO-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft

CATALOG NO.	DESCRIPTION	REEL LENGTH
HIGH OUTPUT COB RIBBON—OUTDOOR (16.4FT ROLLS) (Max Run 20ft)		
 ULR-OT-16F-HO-COB-27K	3W/FT 290LM/FT 2700K 10mm Width	16.4FT
ULR-OT-16F-HO-COB-30K	3W/FT 304LM/FT 3000K 10mm Width	16.4FT
ULR-OT-16F-HO-COB-35K	3W/FT 304LM/FT 3500K 10mm Width	16.4FT
ULR-OT-16F-HO-COB-40K	3W/FT 337LM/FT 4000K 10mm Width	16.4FT
ULR-OT-16F-HO-COB-50K	3W/FT 340LM/FT 5000K 10mm Width	16.4FT
ULR-OT-16F-HO-COB-65K	3W/FT 340LM/FT 6500K 10mm Width	16.4FT
HIGH OUTPUT COB RIBBON—OUTDOOR (98.4FT ROLLS) (Max Run 20ft)		
 ULR-OT-98F-HO-COB-27K	3W/FT 290LM/FT 2700K 10mm Width	98.4FT
ULR-OT-98F-HO-COB-30K	3W/FT 304LM/FT 3000K 10mm Width	98.4FT
ULR-OT-98F-HO-COB-35K	3W/FT 304LM/FT 3500K 10mm Width	98.4FT
ULR-OT-98F-HO-COB-40K	3W/FT 337LM/FT 4000K 10mm Width	98.4FT
ULR-OT-98F-HO-COB-50K	3W/FT 340LM/FT 5000K 10mm Width	98.4FT
ULR-OT-98F-HO-COB-65K	3W/FT 340LM/FT 6500K 10mm Width	98.4FT
INDOOR TANDEM COUPLINGS		
 ULR-OT-HO-COB-COUP-6I-WR	6In Ribbon-To-Ribbon Coupling For COB IP65 Creates IP20 Ends	
ULR-OT-HO-COB-COUP-3F-WR	3Ft Ribbon-To-Ribbon Coupling For COB IP65 Creates IP20 Ends	
INDOOR POWER FEED CABLES		
 ULR-OT-HO-COB-CONN-3F-PT	3Ft Ribbon Pigtail Snap Connector To Female End For COB IP65 Creates IP20 End	
 ULR-OT-HO-COB-CONN-10F-PT	10Ft Ribbon Pigtail Snap Connector To Female End For COB IP65 Creates IP20 End	
ULR-OT-HO-COB-CONN-6I-WR	6In Ribbon Pigtail Snap Connector To Stripped End For COB IP65 Creates IP20 End	
ULR-OT-HO-COB-CONN-3F-WR	3Ft Ribbon Pigtail Snap Connector To Stripped End For COB IP65 Creates IP20 End	
ULR-OT-HO-COB-CONN-6I-WR-IP65	COB Ribbon Wet Loc IP65 Cap With Pigtail For Solder And Silicone Bag Of 5, Creates IP65 End	
ULR-OT-HO-COB-UCLIP-5PC	COB Ribbon Wet Loc IP65 Mounting Clips And Screws Bag Of 5	
ULR-OT-HO-COB-ENDC-5PC	COB Ribbon Wet Loc IP65 Closed End Cap Bag Of 5, Use With Silicone For IP65 Results	

24V LED FLEXIBLE SHEET 24cmX48cm

CATALOG NO.	DESCRIPTION	PKG. QTY.
 ULS-2448-35W-30K	35W 3000K	1
ULS-2448-35W-40K	35W 4000K	1
ULS-2448-35W-50K	35W 5000K	1
ULS-2448-70W-WT	35W WT: White Tuning	1

LED INDOOR ELECTRONIC RIBBON LIGHT PLUG-IN DRIVERS (FOR DIMMABLE DRIVERS SEE PAGE 291)

CATALOG NO.	DESCRIPTION
 ULR-IN-PIDR-48W	48W MAX, 2A, 100-240V INPUT, 15A Plug & Male 24V Connector
ULR-IN-PIDR-72W	72W MAX, 3A, 100-240V INPUT Plug & Male 24V Connector

LED INDOOR ELECTRONIC RIBBON LIGHT HARDWARE DRIVERS, NON-DIMMABLE

CATALOG NO.	DESCRIPTION
 ULR-IN-HWDR-75W	75W MAX, 3.2A, 85-264V INPUT, 15A, 24V
 ULR-IN-HWDR-100W	100W MAX, 4.5A, 85-264V INPUT, 15A, 24V
 ULR-IN-HWDR-150W	150W MAX, 6.5A, 85-132V INPUT, 15A, 24V
 ULR-IN-HWDR-200W	200W MAX, 8.8A, 90-132V INPUT, 15A, 24V
 ULR-IN-HWDR-350W	350W MAX, 14.6A, 90-132V INPUT, 15A, 24V
 ULR-IN-HWDR-450W	450W MAX, 18.8A, 90-132V INPUT, 15A, 24V
 ULR-IN-HWDR-600W	600W MAX, 25A, 90-132V INPUT, 15A, 24V

5-IN-1 DIMMABLE ELECTRONIC LED DRIVER WITH JUNCTION BOX, 120-277V



CATALOG NO.	DESCRIPTION
 LEDDR-24V-60W-UNIV	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 60W
LEDDR-24V-96W-UNIV	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 96W
LEDDR-24V-120W-UNIV	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 120W
LEDDR-24V-150W-UNIV	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 150W
LEDDR-24V-192W-UNIV	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 192W
LEDDR-24V-288W-UNIV	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 288W
LEDDR-24V-384W-UNIV	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 384W






24-VOLT LED OUTDOOR ELECTRONIC NON-DIMMABLE DRIVERS 120V INPUT

(FOR MAG. DIMMABLE DRIVERS SEE PAGE 291)






CATALOG NO.	DESCRIPTION
 LEDDR-24V-WP-200W	200W 120V INPUT

SURFACE MOUNT CHANNELS & LENSES

CATALOG NO.	DESCRIPTION
 ULR-CH-SURF-SHALLOW	12X6 mm Surface mount channel, 4ft.
 ULR-CH-SURF-DEEP	12X12 mm Surface mount channel, 4ft.
 ULR-LENS-SURF-F	Frosted Lens for 12X6 mm & 12X12 mm Channels
 ULR-LENS-SURF-C	Clear Lens for 12X6 mm & 12X12 mm Channels
 ULR-CH-SURF-SHALLOW-CAP	End Cap for 12X6 mm Channels
 ULR-CH-SURF-DEEP-CAP	End Cap for 12X12 mm Channels
 ULR-CH-SURF-16X14	16X14 mm Surface mount channel, 4ft.
 ULR-LENS-SURF-16X14-F	Frosted Lens for 16X14 mm Channels
 ULR-LENS-SURF-16X14-C	Clear Lens for 16X14 mm Channels
 ULR-LENS-SURF-16X14-CAP	End Cap for 16X14 mm Channels

MUD-IN RECESSED MOUNT CHANNELS & LENSES



CATALOG NO.	DESCRIPTION
 ULR-CH-MUD-13X15	13X15 mm Mud-In Recessed mount channel, 4ft.
 ULR-LENS-MUD-13X15-F	Frosted Lens for 13X15 mm Channels
 ULR-LENS-MUD-13X15-C	Clear Lens for 13X15 mm Channels
 ULR-CH-MUD-13X15-CAP	End Cap for 13X15 mm Channels
 ULR-CH-MUD-37X15	37X15 mm Mud-In Recessed mount channel (Can fit 2 Ribbons), 4ft.
 ULR-LENS-MUD-37X15-F	Frosted Lens for 37X15 mm Channels
 ULR-LENS-MUD-37X15-C	Clear Lens for 37X15 mm Channels
 ULR-LENS-MUD-37X15-CAP	End Cap for 37X15 mm Channels



45 DEGREE CHANNEL & LENSES

CATALOG NO.	DESCRIPTION
 ULR-CH-45D ULR-LENS-45D-F ULR-CH-45D-CAP	12X18 mm 45° Channel, 4ft. Frosted Lens for 45° Channels End Cap for 45° Channels

RECESSED MOUNT CHANNELS & LENSES

CATALOG NO.	DESCRIPTION
 ULR-CH-REC-SHALLOW ULR-CH-REC-DEEP ULR-LENS-REC-F ULR-LENS-REC-C ULR-CH-REC-SHALLOW-CAP ULR-CH-REC-DEEP-CAP	20X10 mm Recessed mount channel, 4ft. 20X20 mm Recessed mount channel(Can fit 2 Ribbons), 4ft. Frosted Lens for 20X10 mm & 20X20 mm Channels Clear Lens for 20X10 mm & 20X20 mm Channels End Cap for 20X10 mm Channels End Cap for 20X20 mm Channels
 ULR-CH-REC-12X7 ULR-LENS-REC-12X7-F ULR-LENS-REC-12X7-C ULR-CH-REC-12X7-CAP ULR-CH-REC-12X12 ULR-LENS-REC-12X12-F ULR-LENS-REC-12X12-C ULR-CH-REC-12X12-CAP	12X7 mm Recessed mount channel, 4ft. Frosted Lens for 12X7 mm Channels Clear Lens for 12X7 mm Channels End Cap for 12X7 mm Channels 12X12 mm Recessed mount channel, 4ft. Frosted Lens for 12X12 mm Channels Clear Lens for 12X12 mm Channels End Cap for 12X12 mm Channels

ACCESSORIES

CATALOG NO.	DESCRIPTION
 ULR-OUT-ENDC-5PC ULR-OUT-UCLIP-10PC ULR-OUT-SGLUE ULR-2HSTRP	End cap for IP67 ribbons, Pack of 5 Mounting Clip, Pack of 10 Silicone glue for sealing compound 2-hole rubber strap, Pack of 10

EXTENSION CORDS FOR SECONDARY-SIDE OF DRIVERS

CATALOG NO.	DESCRIPTION
 ULR-DCJ-2ML-1FT ULR-DCJ-2ML-3FT ULR-DCJ-2ML-10FT	DC Jumper cable, Both sides male, 1ft. DC Jumper cable, Both sides male, 3ft. DC Jumper cable, Both sides male, 10ft.
 ULR-DCJ-1M1F-1FT ULR-DCJ-1M1F-3FT ULR-DCJ-1M1F-10FT	DC Jumper cable, one side male one side female, 1ft. DC Jumper cable, one side male one side female, 3ft. DC Jumper cable, one side male one side female, 10ft.
 ULR-DCJ-2FM-1FT ULR-DCJ-2FM-3FT ULR-DCJ-2FM-10FT	DC Jumper cable, Both sides female, 1ft. DC Jumper cable, Both sides female, 3ft. DC Jumper cable, Both sides female, 10ft.
 ULR-DCJ-1S1F-3FT ULR-DCJ-1S1F-10FT	DC Jumper cable, one side female one side striped, 3ft DC Jumper cable, one side female one side striped, 10ft
 ULR-DCJ-1S1M-3FT ULR-DCJ-1S1M-10FT	DC Jumper cable, one side male one side striped, 3ft DC Jumper cable, one side male one side striped, 10ft

WIRES

CATALOG NO.	DESCRIPTION
 ULR-2WRE-50FT-18 ULR-2WRE-100FT-18 ULR-2WRE-50FT-22 ULR-2WRE-100FT-22 ULR-5WRE-50FT-22 ULR-5WRE-100FT-22	50' Roll of 18/2 AWG wire 100' Roll of 18/2 AWG wire 50' Roll of 22/2 AWG wire 100' Roll of 22/2 AWG wire 50' Roll of 22/5 AWG wire 100' Roll of 22/5 AWG wire

CUSTOM LENGTHS/ORDER BY FOOT

We Cut & Solder Each Section With Your Desired Sizes

Provide the lighting plan/ wiring diagram - Ensure to order Pigtails/Connectors

24-VOLT INDOOR LED RIBBON LIGHTS - STANDARD OUTPUT IP20

	CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
STANDARD OUTPUT	STANDARD OUTPUT LED RIBBON—INDOOR		
	ULR-IN-1FT-S0-27K	1.5W/FT 100LM/FT 2700K 8mm Width	49FT
	ULR-IN-1FT-S0-30K	1.5W/FT 100LM/FT 3000K 8mm Width	49FT
	ULR-IN-1FT-S0-40K	1.5W/FT 100LM/FT 4000K 8mm Width	49FT
	ULR-IN-1FT-S0-50K	1.5W/FT 100LM/FT 5000K 8mm Width	49FT

24-VOLT INDOOR LED RIBBON LIGHTS - HIGH OUTPUT IP20

	CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
HIGH OUTPUT	HIGH OUTPUT LED RIBBON—INDOOR		
	ULR-IN-1FT-H0-27K	4.4W/FT 310LM/FT 2700K 10mm Width	20FT
	ULR-IN-1FT-H0-30K	4.4W/FT 310LM/FT 3000K 10mm Width	20FT
	ULR-IN-1FT-H0-40K	4.4W/FT 330LM/FT 4000K 10mm Width	20FT
	ULR-IN-1FT-H0-50K	4.4W/FT 350LM/FT 5000K 10mm Width	20FT
HIGH OUTPUT	HIGH OUTPUT LED BLACK RIBBON—INDOOR		
	ULR-IN-1FT-H0-27K-BK	4.4W/FT 310LM/FT 2700K 10mm Width	20FT
	ULR-IN-1FT-H0-30K-BK	4.4W/FT 310LM/FT 3000K 10mm Width	20FT
	ULR-IN-1FT-H0-40K-BK	4.4W/FT 330LM/FT 4000K 10mm Width	20FT
	ULR-IN-1FT-H0-50K-BK	4.4W/FT 350LM/FT 5000K 10mm Width	20FT

24-VOLT INDOOR LED RIBBON LIGHTS - EXTRA HIGH OUTPUT IP20

	CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
EXTRA HIGH OUTPUT	EXTRA HIGH OUTPUT LED RIBBON—INDOOR		
	ULR-IN-1FT-XH0-27K	8.8W/FT 620LM/FT 2700K 10mm Width	11FT
	ULR-IN-1FT-XH0-30K	8.8W/FT 620LM/FT 3000K 10mm Width	11FT
	ULR-IN-1FT-XH0-40K	8.8W/FT 680LM/FT 4000K 10mm Width	11FT
	ULR-IN-1FT-XH0-50K	8.8W/FT 700LM/FT 5000K 10mm Width	11FT
ULTRA HIGH OUTPUT	ULTRA HIGH OUTPUT LED RIBBON—INDOOR		
	ULR-IN-1FT-YH0-27K	6.7W/FT 820LM/FT 2700K 10mm Width	14FT
	ULR-IN-1FT-YH0-30K	6.7W/FT 820LM/FT 3000K 10mm Width	14FT
	ULR-IN-1FT-YH0-40K	6.7W/FT 880LM/FT 4000K 10mm Width	14FT
	ULR-IN-1FT-YH0-50K	6.7W/FT 900LM/FT 5000K 10mm Width	14FT

24-VOLT INDOOR COB RIBBON LIGHTS - HIGH OUTPUT IP20

	CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
HIGH OUTPUT	EXTRA HIGH OUTPUT COB RIBBON—INDOOR		
	ULR-IN-1FT-H0-COB-27K	3W/FT 290LM/FT 2700K 10mm Width	20FT
	ULR-IN-1FT-H0-COB-30K	3W/FT 304LM/FT 3000K 10mm Width	20FT
	ULR-IN-1FT-H0-COB-40K	3W/FT 337LM/FT 4000K 10mm Width	20FT
	ULR-IN-1FT-H0-COB-50K	3W/FT 340LM/FT 5000K 10mm Width	20FT
	ULR-IN-1FT-H0-COB-65K	3W/FT 340LM/FT 6500K 10mm Width	20FT

24-VOLT INDOOR WHITE-TUNING COB RIBBON LIGHTS, WHITE-TUNING WITH CONTROLLER -HIGH OUTPUT INSTALL WITH ELECTRONIC DRIVERS ONLY

	CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
HIGH OUTPUT	ULR-IN-1FT-H0-COB-WT	3W/FT 340LM/FT White Tuning 10mm Width	20FT
	OPT-CONNECT-WTUNE-CTRL	Connect Ribbon With White Tuning Controller and Driver	



24-VOLT IP54 DAMP LOCATION LED RIBBON LIGHTS - HIGH OUTPUT IP54

	CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
HIGH OUTPUT	HIGH OUTPUT LED RIBBON— DAMP LOCATION		
	ULR-IP54-1FT-H0-27K	4.4W/FT 310LM/FT 2700K 10mm Width	20FT
	ULR-IP54-1FT-H0-30K	4.4W/FT 310LM/FT 3000K 10mm Width	20FT
	ULR-IP54-1FT-H0-40K	4.4W/FT 330LM/FT 4000K 10mm Width	20FT
	ULR-IP54-1FT-H0-50K	4.4W/FT 350LM/FT 5000K 10mm Width	20FT

24-VOLT LED RGBW RIBBON LIGHTS



	CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
HIGH OUTPUT	ULR-IN-1FT-H0-RGBW	5.8W/FT 225LM/FT RGB 10mm Width IP20	20FT
	ULR-OT-1FT-H0-RGBW	5.8W/FT 225LM/FT RGB 10mm Width IP67	20FT
	OPT-CONNECT-RGBW-CTRL	Connect RGBW With Controller and Driver	

24-VOLT IP67 OUTDOOR LED RIBBON LIGHTS - HIGH OUTPUT IP67

	CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
HIGH OUTPUT	HIGH OUTPUT LED RIBBON—OUTDOOR		
	ULR-OT-1FT-H0-27K	4.4W/FT 310LM/FT 2700K 10mm Width	20FT
	ULR-OT-1FT-H0-30K	4.4W/FT 310LM/FT 3000K 10mm Width	20FT
	ULR-OT-1FT-H0-40K	4.4W/FT 330LM/FT 4000K 10mm Width	20FT
	ULR-OT-1FT-H0-50K	4.4W/FT 350LM/FT 5000K 10mm Width	20FT

24-VOLT IP67 OUTDOOR LED RIBBON LIGHTS - EXTRA HIGH OUTPUT IP67

	CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
EXTRA HIGH OUTPUT	EXTRA HIGH OUTPUT LED RIBBON—OUTDOOR		
	ULR-OT-1FT-XH0-27K	5.8W/FT 440LM/FT 2700K 10mm Width	16.4FT
	ULR-OT-1FT-XH0-30K	5.8W/FT 440LM/FT 3000K 10mm Width	16.4FT
	ULR-OT-1FT-XH0-40K	5.8W/FT 450LM/FT 4000K 10mm Width	16.4FT
	ULR-OT-1FT-XH0-50K	5.8W/FT 450LM/FT 5000K 10mm Width	16.4FT

FACTORY-INSTALLED OPTIONS FOR ULR 1FT

	CATALOG NO.	DESCRIPTION
	OPT-PT-2HW-6I	Solder 6" 2 Wire Pigtail To Ribbon
	OPT-PT-2HW-36I	Solder 36" 2 Wire Pigtail To Ribbon
	OPT-PT-2HW-120I	Solder 120" 2 Wire Pigtail To Ribbon
	OPT-PT-2HW-240I	Solder 240" 2 Wire Pigtail To Ribbon
	OPTF-PTF-2W-6I	Solder 6" 2 Wire Pigtail To Ribbon With Female DC
	OPTF-PTF-2W-36I	Solder 36" 2 Wire Pigtail To Ribbon With Female DC
	OPTF-PTF-2W-120I	Solder 120" 2 Wire Pigtail To Ribbon With Female DC
	OPTF-PTF-2W-240I	Solder 240" 2 Wire Pigtail To Ribbon With Female DC
	OPT-PT-5HW-6I	Solder 6" 5 Wire Pigtail To Ribbon
	OPT-PT-5HW-36I	Solder 36" 5 Wire RGBW Pigtail To Ribbon
	OPT-PT-5HW-120I	Solder 120" 5 Wire RGBW Pigtail To Ribbon
	OPT-PT-5HW-240I	Solder 240" 5 Wire RGBW Pigtail To Ribbon
	OPT-COUP-2HW	Couple Two Ribbons No Wire
	OPT-COUP-2HW-XXI	Couple Two Ribbons W. Specified Length 2 Wire
	OPT-COUP-2HW-6I	Couple Two Ribbons W. 6" 2 Wire
	OPT-COUP-2HW-36I	Couple Two Ribbons W. 36" 2 Wire
	OPT-COUP-2HW-120I	Couple Two Ribbons W. 120" 2 Wire
	OPT-COUP-2HW-240I	Couple Two Ribbons W. 240" 2 Wire
	OPT-COUP-5HW-XXI	Couple Two Ribbons W. Specified Length 5 Wire
	OPT-COUP-5HW-6I	Couple Two RGBW Ribbons W. 6" 5 Wire
	OPT-COUP-5HW-36I	Couple Two RGBW Ribbons W. 36" 5 Wire
	OPT-COUP-5HW-120I	Couple Two RGBW Ribbons W. 120" 5 Wire
	OPT-COUP-5HW-240I	Couple Two RGBW Ribbons W. 240" 5 Wire

LANDSCAPE LIGHTING

SEARCH FOR THE SERIES NAME @WESTGATEMFG.COM



AD-018 SERIES



AD120 SERIES



GL SERIES



LFLD SERIES



LD-180 SERIES



LFLD SERIES



LD-CR SERIES



LD-009-BZ SERIES



LD-176-BZ SERIES



LD-006-BZ SERIES



LD-103-BZ SERIES



LD-103-AN SERIES



LD-099-BZ SERIES



LD-099-BZB SERIES



LD-174-BZ SERIES



LD-110-BZ SERIES



AD-102 SERIES



AD-003 SERIES



AD-003-SIL SERIES



AD-131-BR SERIES



LD-192-BZ SERIES



LD-192-BZ SERIES



AD-192 SERIES



LD-192-FBK SERIES



LVW-100 SERIES



LVW-110 SERIES



LVW-110-UD-SERIES



LVW-115 SERIES




LVW-200 SERIES



LVW-210 SERIES



LVW-210-UD SERIES



LVW-215 SERIES



LVW-250 SERIES



LVW-300 SERIES



LVW-310 SERIES



WMC1-12V-DL SERIES



WMC1-12V-UDL SERIES



WMC2-12V-DL SERIES



WMC2-12V-UDL SERIES



AA-18L SERIES



AA-19L SERIES



AA-20L SERIES



AA-21L SERIES



AA-22L SERIES



AA-23L SERIES



AA-24L SERIES



AA-46L SERIES



LA-112-BZ SERIES



LA-115-BZ SERIES



LA-117-BZ SERIES



LA-116-BZ SERIES



LA-120-BZ SERIES



LA-118-BZ SERIES



LA-111-BZ SERIES



LA-008-BZ SERIES



LA-010-BZ SERIES



LA-002-BZ SERIES



LA-112-AN SERIES



LA-117-AN SERIES



LA-116-AN SERIES



LA-111-AN SERIES



LA-111-CR SERIES



LA-111-CR SERIES



LA-116-CR SERIES



LA-010-CR SERIES



LA-118-CR SERIES



LA-112-CR SERIES



AA-146 SERIES



LAL-12V-117 SERIES



LAL-12V-118 SERIES



LA-12V-120 SERIES



LA-12V-122 SERIES



LAL-12V-124 SERIES



LAL-12V-124 SERIES



LAL-12V-127 SERIES



LAL-12V-128 SERIES



LAL-12V-130 SERIES



LAL-136 SERIES



LAL-131 SERIES



LAL-145 SERIES



SLM SERIES



AS-158 SERIES



LS-158 SERIES



LS SERIES



SLSM SERIES



IGL SERIES



IGLA SERIES




WL SERIES



UW SERIES



WLL SERIES



SOLR SERIES



WL-FGBZ SERIES



TR SERIES



MR16 SERIES



PAR36 SERIES



GZ-JC SERIES



SLE SERIES




Live inventory. Real-time pricing. No waiting.
Access the MyWestgate Portal to check
availability and pricing instantly.
Scan the QR code to skip the line.



12V 7W LED NEW GENERATION ALUMINUM SPOT LIGHT

Aluminum, Black & Metallic Oil-Rubbed Bronze & Brass Simulation Finishes

CATALOG NO.	DESCRIPTION
AD-018-MCT-BK	7W 600LM 30K/40K/50K
AD-018-MCT-ORB	7W 600LM 30K/40K/50K
AD-018-MCT-AZ	7W 600LM 30K/40K/50K
AD-018-MCT-WH	7W 700LM 30K/40K/50K
AD-018-RGBW-PB-ORB	7W 600LM RGBW PUSH BUTTON
AD-018-RGBW-W-BT-ORB	7W 600LM RGBW APP CONTROL



120V GARDEN BULLET WITHOUT OR WITH SHROUD

CATALOG NO.	DESCRIPTION
AD120-017-MCT-ORB	8W 700LM 30K/40K/50K 17"
AD120-017-MCT-BK	8W 700LM 30K/40K/50K 17"
AD120-017-MCT-WH	8W 700LM 30K/40K/50K 17"
AD120-018-MCT-ORB	8W 700LM 30K/40K/50K 18"
AD120-018-MCT-BK	8W 700LM 30K/40K/50K 18"




12-VOLT AC/DC LED GARDEN FLOOD LIGHTS

CATALOG NO.	DESCRIPTION
GL-12V-12W-30K-BR	12W 960LM 3000K
GL-12V-12W-40K-BR	12W 960LM 4000K
GL-12V-12W-50K-BR	12W 960LM 5000K
GL-12V-24W-30K-BR	24W 1920LM 3000K
GL-12V-24W-40K-BR	24W 1920LM 4000K
GL-12V-24W-50K-BR	24W 1920LM 5000K



12V LED DIRECTIONAL LIGHT - SOLID BRASS

CATALOG NO.	DESCRIPTION
LFLD-5W-30K-BZB	5W 400LM 3000K Bronzed Brass
LFLD-5W-30K-BZ	5W 400LM 3000K Bronze
LD-180-BZ	6W 300LM 3000K Bronze



12V LED DIRECTIONAL LIGHT - SOLID BRASS

CATALOG NO.	DESCRIPTION
LFLD2-6W-30K-BZ	6W 280LM 3000K
LFLD3-8W-30K-BZ	8W 430LM 3000K

LED 12V
LIGHTS 35°



12V INTEGRATED LED LANDSCAPE FLOOD LIGHTS

CATALOG NO.	DESCRIPTION
FLV12-6W-30K	6W 500LM 3000K
FLV12-6W-50K	6W 550LM 5000K
FLV12-12W-30K	12W 1200LM 3000K
FLV12-12W-50K	12W 1300LM 5000K
FLV12-24W-30K	24W 2200LM 3000K
FLV12-24W-50K	24W 2500LM 5000K
FLV12-32W-30K	32W 3200LM 3000K
FLV12-32W-50K	32W 3500LM 5000K



12-VOLT AC/DC LED GARDEN LIGHT

CATALOG NO.	DESCRIPTION
LF12-6W-27K-KN	6W 400LM 2700K
LF12-6W-30K-KN	6W 400LM 3000K
LF12-6W-40K-KN	6W 450LM 4000K
LF12-6W-50K-KN	6W 450LM 5000K
LF12-6W-RGBW-KN	6W 450LM RGB + 3000K

2ND GEN. 12-VOLT AC/DC LED GARDEN LIGHT

LF12-G2-7W-MCT5-BK	7W 500-550LM 27K/30K/35K/40K/50K
LF12-G2-7W-MCT5-ORB	7W 500-550LM 27K/30K/35K/40K/50K

NEEDS RGBW CONTROLLER SEE PAGE 279

12V Wall Wash (INTEGRATED) LED FLOODLIGHTS



12V INTEGRATED LED WALL WASH LIGHTS

CATALOG NO.	DESCRIPTION
LF4-12V-6W-30K	6W 440LM 3000K
LF4-12V-6W-50K	6W 500LM 5000K
LF4-12V-12W-30K	12W 1080LM 3000K
LF4-12V-12W-50K	12W 1260LM 5000K
LF4-12V-24W-30K	24W 2155LM 3000K
LF4-12V-24W-50K	24W 2500LM 5000K
LF4-12V-30W-30K	30W 2700LM 3000K
LF4-12V-30W-50K	30W 3150LM 5000K
LF4-12V-50W-30K	50W 4500LM 3000K
LF4-12V-50W-50K	50W 5250LM 5000K




CATALOG NO.	DESCRIPTION
LD-098-CR	5W 400LM 3000K Cast Copper
LD-176-CR	5W 400LM 3000K Cast Copper
LD-009-BZ	5W 400LM 3000K Bronze
LD-009-BZB	5W 400LM 3000K Bronzed Brass
LD-176-BZ	5W 400LM 3000K Bronze
LD-176-BZB	5W 400LM 3000K Bronzed Brass



CATALOG NO.	DESCRIPTION
LD-006-BZ	5W 400LM 3000K
LD-006-BZB	5W 400LM 3000K
LD-103-BZ	5W 400LM 3000K
LD-103-BZB	5W 400LM 3000K
LD-103-AN	5W 400LM 3000K
LD-099-BZ	5W 400LM 3000K
LD-099-BZB	5W 400LM 3000K
LD-174-BZ	5W 400LM 3000K
LD-110-BZ	5W 400LM 3000K



CATALOG NO.	DESCRIPTION
AD-102-BK	5W 400LM 3000K Black
AD-102-BR	5W 400LM 3000K Bronze
AD-003-BK	5W 400LM 3000K Black
AD-003-BR	5W 400LM 3000K Bronze
AD-003-SIL	5W 400LM 3000K Silver
AD-131-BR	5W 400LM 3000K Bronze



CATALOG NO.	DESCRIPTION
LD-192-BZ	5W 400LM 3000K
LD-192-BZB	5W 400LM 3000K
LD-192-FBK	5W 400LM 3000K
AD-192-BK	5W 400LM 3000K
AD-192-BR	5W 400LM 3000K



CATALOG NO.	DESCRIPTION
LVW-100-MCT-ORB	3W 200LM 30K/40K/50K
LVW-110-MCT-ORB	3W 200LM 30K/40K/50K
LVW-110-UD-MCT-ORB	6W 400LM 30K/40K/50K
LVW-115-MCT-ORB	3W 200LM 30K/40K/50K
LVW-200-MCT-ORB	3W 200LM 30K/40K/50K
LVW-210-MCT-ORB	3W 200LM 30K/40K/50K
LVW-210-UD-MCT-ORB	6W 400LM 30K/40K/50K
LVW-215-MCT-ORB	3W 200LM 30K/40K/50K
LVW-250-MCT-ORB	6W 400LM 30K/40K/50K
LVW-300-MCT-ORB	6W 400LM 30K/40K/50K
LVW-300-MCT-WH	6W 400LM 30K/40K/50K
LVW-310-MCT-ORB	6W 400LM 30K/40K/50K
LVW-310-MCT-WH	6W 400LM 30K/40K/50K



CATALOG NO.	DESCRIPTION
12V 1.6in LED WALL CYLINDERS, 25°	
WMC1-12V-DL-MCT-ORB	3W 300LM 30K/40K/50K
WMC1-12V-DL-MCT-BN	3W 300LM 30K/40K/50K
WMC1-12V-DL-MCT-BK	3W 300LM 30K/40K/50K
WMC1-12V-UDL-MCT-ORB	2X3W 600LM 30K/40K/50K
WMC1-12V-UDL-MCT-BN	2X3W 600LM 30K/40K/50K
WMC1-12V-UDL-MCT-BK	2X3W 600LM 30K/40K/50K
12V 2in LED WALL CYLINDERS, 25°	
WMC2-12V-DL-MCT-ORB	5W 500LM 30K/40K/50K
WMC2-12V-DL-MCT-BN	5W 500LM 30K/40K/50K
WMC2-12V-DL-MCT-BK	5W 500LM 30K/40K/50K
WMC2-12V-UDL-MCT-ORB	10W 1000LM 30K/40K/50K
WMC2-12V-UDL-MCT-BN	10W 1000LM 30K/40K/50K
WMC2-12V-UDL-MCT-BK	10W 1000LM 30K/40K/50K

LED PATH LIGHTS

CATALOG NO.

DESCRIPTION

3CCT LED PATH LIGHTS

AA-STEM-22-MCT-ORB	5W 200LM 30K/40K/50K 22" Oil-Rubbed Bronze
AA-STEM-22-MCT-BK	5W 200LM 30K/40K/50K 22" Black
AA-STEM-22-MCT-AZ	5W 200LM 30K/40K/50K 22" Antique Brass
AA-STEM-15-MCT-ORB	5W 200LM 30K/40K/50K 15" Oil-Rubbed Bronze
AA-STEM-15-MCT-BK	5W 200LM 30K/40K/50K 15" Black
AA-STEM-15-MCT-AZ	5W 200LM 30K/40K/50K 15" Antique Brass

PUSH BUTTON RGBW LED PATH LIGHTS

AA-STEM-22-RGBW-PB-ORB	5W 200LM RGBW 22" Oil-Rubbed Bronze
AA-STEM-22-RGBW-PB-BK	5W 200LM RGBW 22" Black
AA-STEM-22-RGBW-PB-AZ	5W 200LM RGBW 22" Antique Brass
AA-STEM-15-RGBW-PB-ORB	5W 200LM RGBW 15" Oil-Rubbed Bronze
AA-STEM-15-RGBW-PB-BK	5W 200LM RGBW 15" Black
AA-STEM-15-RGBW-PB-AZ	5W 200LM RGBW 15" Antique Brass

RGBWW BLUETOOTH WG APP LED PATH LIGHTS

AA-STEM-22-RGBWW-BT-ORB	5W 200LM RGBW 22" Oil-Rubbed Bronze
AA-STEM-22-RGBWW-BT-BK	5W 200LM RGBW 22" Black
AA-STEM-22-RGBWW-BT-AZ	5W 200LM RGBW 22" Antique Brass
AA-STEM-15-RGBWW-BT-ORB	5W 200LM RGBW 15" Oil-Rubbed Bronze
AA-STEM-15-RGBWW-BT-BK	5W 200LM RGBW 15" Black
AA-STEM-15-RGBWW-BT-AZ	5W 200LM RGBW 15" Antique Brass

FOR REMOTE CONTROL SEE PAGE 104

ALUMINUM PATH LIGHT CAP

CATALOG NO.

DESCRIPTION

AA-18L-ORB	Model 18 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-18L-BK	Model 18 Aluminum Path Light Cap, Black
AA-18L-AZ	Model 18 Aluminum Path Light Cap, Antique Brass
AA-19L-ORB	Model 19 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-19L-BK	Model 19 Aluminum Path Light Cap, Black
AA-19L-AZ	Model 19 Aluminum Path Light Cap, Antique Brass
AA-20L-ORB	Model 20 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-20L-BK	Model 20 Aluminum Path Light Cap, Black
AA-20L-AZ	Model 20 Aluminum Path Light Cap, Antique Brass
AA-21L-ORB	Model 21 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-21L-BK	Model 21 Aluminum Path Light Cap, Black
AA-21L-AZ	Model 21 Aluminum Path Light Cap, Antique Brass
AA-22L-ORB	Model 22 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-22L-BK	Model 22 Aluminum Path Light Cap, Black
AA-22L-AZ	Model 22 Aluminum Path Light Cap, Antique Brass
AA-23L-ORB	Model 23 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-23L-BK	Model 23 Aluminum Path Light Cap, Black
AA-23L-AZ	Model 23 Aluminum Path Light Cap, Antique Brass
AA-24L-ORB	Model 24 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-24L-BK	Model 24 Aluminum Path Light Cap, Black
AA-24L-AZ	Model 24 Aluminum Path Light Cap, Antique Brass
AA-46L-MCT5-ORB	Model 46 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-46L-MCT5-BK	Model 46 Aluminum Path Light Cap, Black

NEW GENERATION OF INTEGRATED LED PATH LIGHTS, ALUM. ALLOY
SELECTABLE COLOR TEMPERATURE OR PUSH-BUTTON RGBWW WITH SCENES, APP-CONTROLLED RGBWW
IN 3 FINISHES, SIMULATED DARK BRASS, BLACK, METALLIC OIL-RUBBED BRONZE
2 DIFFERENT HEIGHTS: 15" OR 22"
STEMS AND CAPS SOLD SEPARATELY

23"
12V AREA LIGHTS
SOLID BRASS
TOTAL LENGTH: 23"
BUILT-IN LED



12V LED AREA LIGHTS – SOLID BRASS

CATALOG NO.	DESCRIPTION
LA-112-BZ	3W 200LM 3000K
LA-115-BZ	3W 200LM 3000K
LA-117-BZ	3W 200LM 3000K
LA-116-BZ	3W 200LM 3000K
LA-120-BZ	3W 200LM 3000K

12V AREA LIGHTS
SOLID BRASS

BUILT-IN LED



12V LED AREA LIGHTS – SOLID BRASS

CATALOG NO.	DESCRIPTION
LA-118-BZ	3W 200LM 3000K
LA-111-BZ	3W 200LM 3000K
LA-008-BZ	3W 200LM 3000K
LA-010-BZ	3W 200LM 3000K
LA-002-BZ	3W 200LM 3000K

12"
12V AREA LIGHTS
SOLID BRASS
TOTAL LENGTH: 12"
BUILT-IN LED



12V LED AREA LIGHTS

CATALOG NO.	DESCRIPTION
LA-112-BZ-12IN	3W 200LM 3000K
LA-115-BZ-12IN	3W 200LM 3000K
LA-117-BZ-12IN	3W 200LM 3000K
LA-116-BZ-12IN	3W 200LM 3000K
LA-118-BZ-12IN	3W 200LM 3000K
LA-111-BZ-12IN	3W 200LM 3000K
LA-111-CR-12IN	3W 200LM 3000K
LA-116-CR-12IN	3W 200LM 3000K
LA-117-CR-12IN	3W 200LM 3000K


12V AGED NICKEL
COLLECTION
Cast Brass, Aged Nickel Finish
TOTAL LENGTH: 23"
BUILT-IN LED



AGED NICKEL COLLECTION

CATALOG NO.	DESCRIPTION
LA-112-AN	3W 200LM 3000K
LA-117-AN	3W 200LM 3000K
LA-116-AN	3W 200LM 3000K
LA-111-AN	3W 200LM 3000K

12V AREA LIGHTS
SOLID COPPER
TOTAL LENGTH: 23"
BUILT-IN LED



12V LED AREA LIGHTS – SOLID COPPER

CATALOG NO.	DESCRIPTION
LA-111-CR	3W 200LM 3000K
LA-116-CR	3W 200LM 3000K
LA-117-CR	3W 200LM 3000K

12V AREA LIGHTS
SOLID COPPER



12V LED AREA LIGHTS – SOLID COPPER

CATALOG NO.	DESCRIPTION
LA-010-CR	3W 200LM 3000K
LA-112-CR	3W 200LM 3000K
LA-118-CR	3W 200LM 3000K

12V PAGODA LIGHTS BLACK OR BRONZE



12V LED PAGODA LIGHTS

CATALOG NO.	DESCRIPTION
AA-146-BK	3W 200LM 3000K
AA-146-BR	3W 200LM 3000K



AREA LIGHTS

12V AREA LIGHTS

POWDER-COATED
BRONZE OR BLACK

For 120V installations, add a mini transformer inside the LAL fixtures.
see page 282



12V PATH LIGHTS

POWDER-COATED
BRONZE OR BLACK OR SILVER

TOTAL
LENGTH: 23"



12V LED PATH LIGHTS

CATALOG NO.	DESCRIPTION
LAL-145-MCT5-ORB	3W 200LM 27K/30K/35K/40K/50K
LAL-145-MCT5-BK	3W 200LM 27K/30K/35K/40K/50K
LAL-136-MCT-ORB	5W 300LM 30K/40K/50K
LAL-136-MCT-BK	5W 300LM 30K/40K/50K
LAL-136-RGBWW-BT-ORB	5W 200LM RGBW
LAL-136-RGBWW-BT-BK	5W 200LM RGBW
LAL-136-RGBWW-PB-ORB	5W 200LM RGBW/W
LAL-131-30K-ORB	5W 200LM 3000K
LAL-131-30K-BK	5W 200LM 3000K
LAL-126-SIL	3W 200LM 3000K



LFLV-7W



LFLV-12W

12V INTEGRATED LED LANDSCAPE UPLIGHTS

CATALOG NO.	DESCRIPTION
LFLV-7W-27K	7W 500LM 2700K
LFLV-7W-40K	7W 550LM 4000K

WHILE SUPPLIES LAST

12V LED AREA LIGHTS-GROUND OR SURFACE MOUNT

Custom Design Aluminum Spike & Surface Mounting Base Inc.



CATALOG NO.	DESCRIPTION
LAL-12V-117-31-30K-BR	10W 720LM 3000K 31"
LAL-12V-117-31-30K-BK	10W 720LM 3000K 31"
LAL-12V-118-31-30K-BR	10W 720LM 3000K 31"
LAL-12V-118-31-30K-BK	10W 720LM 3000K 31"
LAL-12V-120-23-30K-BR	10W 720LM 3000K 23"
LAL-12V-120-23-30K-BK	10W 720LM 3000K 23"
LAL-12V-122-31-30K-BR	10W 720LM 3000K 31"
LAL-12V-122-31-30K-BK	10W 720LM 3000K 31"
LAL-12V-124-15-30K-BR	10W 720LM 3000K 15"
LAL-12V-124-15-30K-BK	10W 720LM 3000K 15"
LAL-12V-124-31-30K-BR	10W 720LM 3000K 31"
LAL-12V-124-31-30K-BK	10W 720LM 3000K 31"
LAL-12V-127-23-30K-BR	10W 720LM 3000K 23"
LAL-12V-127-23-30K-BK	10W 720LM 3000K 23"
LAL-12V-128-31-30K-BR	10W 720LM 3000K 31"
LAL-12V-128-31-30K-BK	10W 720LM 3000K 31"
LAL-12V-130-31-30K-BR	10W 720LM 3000K 31"
LAL-12V-130-31-30K-BK	10W 720LM 3000K 31"

12V STEP LIGHTS



SLM-R1-BK



SLM-R1-WH



SLM-S1-BK




SLM-S1-WH

MINI STEP LIGHT - 12V

CATALOG NO.	DESCRIPTION
SLM-R1-12V-30K-BK	2W 160LM 3000K
SLM-R1-12V-30K-WH	2W 160LM 3000K
SLM-S1-12V-30K-BK	2W 160LM 3000K
SLM-S1-12V-30K-WH	2W 160LM 3000K

12V
ALUMINUM



4"

STEP LIGHTS WITH LED LAMPS- ALUMINUM

CATALOG NO.	DESCRIPTION
AS-158-BR	3W 200LM 3000K
AS-158-BK	3W 200LM 3000K
AS-158-MCT-ORB	2.5W 80LM 30K/40K/50K



LS-185-BZ



LS-158-BZ



LS-159-BZ



LS-175-ORB-LEDI

STEP LIGHTS WITH LED LAMPS

CATALOG NO.	DESCRIPTION
LS-185-BZ	3W 200LM 3000K
LS-158-BZ	3W 200LM 3000K
LS-158-SS	3W 200LM 3000K
LS-159-BZ	3W 200LM 3000K
LS-175-ORB-LEDI	3W 200LM 27K/30K/35K/40K/50K

12V STEP LIGHTS WITH INTEGRATED SMD LED MODULE



LS-124-AN



LS-161-BZ



LS-155-BZ



LS-160-BZ
LS-160-AN

LED STEP LIGHTS

CATALOG NO.	DESCRIPTION
LS-124-AN	3W 200LM 3000K
LS-161-BZ	3W 200LM 3000K
LS-160-BZ	3W 200LM 3000K
LS-160-AN	3W 200LM 3000K
LS-155-BZ	3W 200LM 3000K



SLSM-LH-MCT5-ORB
Surface Mount
(NO HOUSING)



SLSM-LH-MCT5-WH
Surface Mount
(NO HOUSING)



LS-172-BZ-LEDI
Surface Mount
(NO HOUSING)

SURFACE-MOUNT HORIZONTAL LOUVER STEP LIGHT

CATALOG NO.	DESCRIPTION
SLSM-LH-MCT5-ORB	4W 30LM 27K/30K/35K/40K/50K
SLSM-LH-MCT5-WH	4W 30LM 27K/30K/35K/40K/50K
LS-172-BZ-LEDI	3W 200LM 3000K

12V INTEGRATED IP67 COB (IN GROUND) LIGHTS



12V
COB

INTEGRATED
(IN GROUND) LIGHTS

IP67



IGL-1W



IGL-3W



IGL-7W



IGL-1W-TWLN



RGBW-CONTROLLER



RGBW-WIFI-CONTROLLER

12V INTEGRATED LED (IN GROUND) LIGHTS



CATALOG NO.	DESCRIPTION
IGL-1W-30K	1W 100LM 3000K
IGL-1W-40K	1W 100LM 4000K

IGL-1W-TWLN	1W in ground light lock nut for thin wall
-------------	---

IGL-3W-30K	3W 290LM 3000K
------------	----------------

IGL-3W-40K	3W 290LM 4000K
------------	----------------

IGL-3W-RGBW	3W 290LM RGB+3000K
-------------	--------------------

IGL-7W-30K	7W 620LM 3000K
------------	----------------

IGL-7W-40K	7W 620LM 4000K
------------	----------------

IGL-10W-RGBW	10W 620LM RGB+3000K
--------------	---------------------

RGBW-CONTROLLER	RGBW Controller (Remote incl.), 192W Max, 12-24 VDC
-----------------	---

RGBW-WIFI-CONTROLLER	RGBW lighting controller with integrated Wi-Fi and app, RC incl.
----------------------	--



IGL-1W-TRM-AL-RBK



IGL-1W-TRM-AL-RWH



IGL-1W-TRM-AL-RBN



IGL-1W-TRM-AL-RLBN



IGL-1W-TRM-AL-SCP



IGL-1W-TRM-AL-SCP-AZ



IGL-1W-TRM-SS-1WY



IGL-1W-TRM-SS-2WY



IGL-1W-TRM-SS-SQR



IGL-1W-TRM-SS-SQSQ



IGL-1W-TRM-AL-RAZ

OPTIONAL TRIMS FOR 1W IN-GROUND FIXTURES

CATALOG NO.	DESCRIPTION
IGL-1W-TRM-AL-RBK	1.8" DIAMETER
IGL-1W-TRM-AL-RWH	1.8" DIAMETER
IGL-1W-TRM-AL-RBN	1.8" DIAMETER
IGL-1W-TRM-AL-RLBN	2.75" DIAMETER
IGL-1W-TRM-AL-SCP	1.8" DIAMETER
IGL-1W-TRM-SS-1WY	1.8" DIAMETER
IGL-1W-TRM-SS-2WY	1.8" DIAMETER
IGL-1W-TRM-SS-SQR	1.8" DIAMETER
IGL-1W-TRM-SS-SQSQ	1.8" DIAMETER
IGL-1W-TRM-AL-RAZ	1.8" DIAMETER
IGL-1W-TRM-AL-SCP-AZ	1.8" DIAMETER



OPTIONAL TRIMS FOR 3W IN-GROUND FIXTURES

CATALOG NO.	DESCRIPTION
IGL-3W-TRM-SS-1WY	2.3" DIAMETER
IGL-3W-TRM-SS-2WY	2.3" DIAMETER
IGL-3W-TRM-SS-SQR	2.3" DIAMETER
IGL-3W-TRM-SS-SQSQ	2.3" DIAMETER
IGL-3W-TRM-SS-R	2.3" DIAMETER
IGL-3W-TRM-AL-RBN	2.75" DIAMETER
IGL-3W-TRM-SS-SCP	2.3" DIAMETER
IGL-3W-TRM-SS-SCP-AZ	2.3" DIAMETER, BRONZE
IGL-3W-TRM-AL-AZ	2.3" DIAMETER

PVC SLEEVES
BRUSHED NICKEL FINISH



IGLA-3W-30K-BN



IGLA-7W-30K-BN

12V ALUM. INTEGRATED LED INGROUND LIGHTS

CATALOG NO.	DESCRIPTION
IGLA-3W-30K-BN	3W 320LM 3000K
IGLA-7W-30K-BN	7W 720LM 3000K

12V HARDSCAPE AREA LIGHTS 8 FT Cable



HSL-7-MCT
HSL-7-RGBCW



HSL-12-MCT
HSL-12-RGBCW

LED HARDSCAPE LIGHTS WITH FRONT TRIM

CATALOG NO.	DESCRIPTION
HSL-7-MCT	5W 200LM 30K/40K/50K
HSL-12-MCT	7W 280LM 30K/40K/50K
HSL-7-RGBCW	5W 200LM RGBCW
HSL-12-RGBCW	7W 280LM RGBCW



WL-140-FBK
FIBER GLASS
FOR PAR36
No Lamp



LD-001-BZ
CAST BRASS
FOR PAR36
No Lamp

CATALOG NO. DESCRIPTION

WL-140-FBK Fiber Glass, Black

LD-001-BZ Die-cast Brass, Antique Bronze Finish

UNDERWATER LIGHTS

INCL. 5W 30K
MR16 LED



UW-125-SS




UW-125-BS



UW-126-BZ

LED UNDERWATER LIGHTS 30FT CABLE

CATALOG NO.	DESCRIPTION
UW-125-SS	5W 400LM 3000K
UW-125-BS	5W 400LM 3000K
UW-126-BZ	5W 400LM 3000K



SOLR-SL1-60K-SEN
14/5"(H) X 4 2/5"(W)



SOLRW-30K
4 1/7"(H) X 3 5/6"(W)



SOLR-WL2-MCT-SEN
4 1/2"(H) X 12"(W) X 2 1/2"(D)



SOLR-WL1-30K-SEN-BK
5"(H) X 6 1/3"(W) X 2 3/7"(D)



SOLR-PL1-30K
20 8/9"(H) X 4 2/7"(W) X 4 1/2"(D)

SPEC SERIES SOLAR LIGHT COLLECTION



CATALOG NO.	DESCRIPTION
SOLRW-30K	0.2W 50LM 3000K
SOLR-SL1-60K-SEN	0.5W+0.2W 100LM 6000K/3000K
SOLR-WL1-30K-SEN-BK	5W 500LM 3000K
SOLR-WL2-MCT-SEN	8W 1000LM 3000K/6000K
SOLR-PL1-30K	3W 300LM 3000K

4" DIA. & PVC SLEEVES



WLL-105-30K-BK
WLL-105-RGBWW-BT-ORB



WLL-106-30K-BK



WLL-152-30K-BK
WLL-152-30K-ORB



WLL-157-30K-BK
WLL-157-RGBWW-BT-ORB



WLL-159-30K-BK



WLL-181-30K-BK
WLL-181-RGBWW-BT-ORB

INTEGRATED ALUMINUM LED WELL/PATH LIGHTS

CATALOG NO.	DESCRIPTION
WLL-105-30K-BK	6W 580LM 3000K
WLL-105-RGBWW-BT-ORB	6W 580LM RGBW
WLL-106-30K-BK	6W 500LM 3000K
WLL-152-30K-BK	6W 200LM 3000K
WLL-152-30K-ORB	6W 200LM 3000K Oil-Rubbed Bronze
WLL-157-30K-BK	6W 500LM 3000K
WLL-157-RGBWW-BT-ORB	6W 180LM RGBW
WLL-159-30K-BK	6W 400LM 3000K
WLL-181-30K-BK	6W 580LM 3000K
WLL-181-RGBWW-BT-ORB	6W 420LM RGBW
FOR REMOTE CONTROL SEE PAGE 104	

12V WELL LIGHTS MR16 LED INCL. 5W 30K



WL-137-BK



WL-137-BZ
Solid Brass



WL-138-BK



WL-138-BZ
Solid Brass



WL-138-SS

WELL LIGHTS WITH SLEEVE & LED LAMPS

CATALOG NO.	DESCRIPTION
WL-137-BK	5W 400LM 3000K
WL-137-BZ	5W 400LM 3000K
WL-138-BK	5W 400LM 3000K
WL-138-BZ	5W 400LM 3000K
WL-138-SS	5W 400LM 3000K

12V WELL LIGHTS MR16 LED INCL. 5W 30K



WL-105-1-BK



WL-105-BK



WL-181-BK
WL-181-BR



WL-181-BZ



WL-157-FGBZ

WELL LIGHTS WITH SLEEVE & LED LAMPS

CATALOG NO.	DESCRIPTION
WL-105-1-BK	5W 400LM 3000K
WL-105-BK	5W 400LM 3000K
WL-181-BK	5W 400LM 3000K
WL-181-BZ	5W 400LM 3000K
WL-181-BR	5W 400LM 3000K
WL-157-FGBZ	5W 400LM 3000K

WHILE SUPPLIES LAST

12V WELL LIGHTS MR16 LED WITH DIRECTIONAL LAMP BRACKET INCL. 5W 30K, 400LM



WL-701-FGBZ



WL-705-FGBZ



WL-707-FGBZ



WL-708-FGBZ

SOLID BRASS WELL LIGHTS WITH DIRECTIONAL LAMP BRACKET

CATALOG NO.	DESCRIPTION
WL-701-FGBZ	5W 400LM 3000K
WL-705-FGBZ	5W 400LM 3000K
WL-707-FGBZ	5W 400LM 3000K
WL-708-FGBZ	5W 400LM 3000K

LANDSCAPE



WIFI WG APP MULTI-TAP (12V/13V/14V/15V AC) LANDSCAPE TRANSFORMERS



CATALOG NO.	DESCRIPTION
TR-300W-MT-SS-WIFI	300W
TR-ZC-WIFI	Wifi Controller



12VAC MULTI-ZONE TRANSFORMER. PROGRAMMABLE AND ON AT DUSK OFF AFTER 2/4/6/8Hrs

CATALOG NO.	ARRIVES THIS SEASON CHECK & PRE-ORDER
TR-100W-2Z-TPC-SS	100W 2-Zone
TR-200W-2Z-TPC-SS	200W 2-Zone
TR-300W-3Z-TPC-SS	300W 3-Zone
TR-100W-2Z-TPC-BK	100W 2-Zone
TR-200W-2Z-TPC-BK	200W 2-Zone
TR-300W-3Z-TPC-BK	300W 3-Zone

DUAL-TAP WITH TIMER & PHOTOCELL SLIDE DOOR STAINLESS STEEL



TR-40W-DT-TPC-SS
TR-75W-DT-TPC-SS



TR-100W-DT-TPC-SS
TR-200W-DT-TPC-SS

DUAL-TAP (12V/15V AC) LANDSCAPE TRANSFORMERS WITH TIMER & PHOTOCELL SLIDE

CATALOG NO.	DESCRIPTION
TR-40W-DT-TPC-SS	40W
TR-75W-DT-TPC-SS	75W
TR-100W-DT-TPC-SS	100W
TR-200W-DT-TPC-SS	200W

PROFESSIONAL SERIES
TRANSFORMERS
MULTI-TAP TIMER & PHOTOCELL READY
STAINLESS STEEL



TR-150W-MT-SS



TR-300W-MT-SS



TR-600W-MT-SS
TR-900W-MT-SS

MULTI-TAP (12V/13V/14V/15V AC) LANDSCAPE TRANSFORMERS TIMER & PHOTOCELL READY (NOT INCLUDED) HINGE DOOR



DESCRIPTION

TR-75W-MT-T-SS	75W
TR-150W-MT-SS	150W
TR-300W-MT-SS	300W
TR-600W-MT-SS	600W
TR-900W-MT-SS	900W



TR-MTMR



TR-DTMR



TR-PC

MULTI-TAP LANDSCAPE TRANSFORMERS PLUG-IN OPTIONS

CATALOG NO.	DESCRIPTION
TR-MTMR	MECHANICAL TIMER
TR-DTMR	DIGITAL TIMER
TR-PC	PHOTOCELL



LVT-60



LVT-100


DRY LOCATION AC TRANSFORMERS, 12V

CATALOG NO.	DESCRIPTION
LVT-60	60W
LVT-100	100W

MR16



CATALOG NO.	DESCRIPTION
MR16-400L-27K-D	5W 380LM 2700K
MR16-400L-30K-D	5W 380LM 3000K
MR16-400L-41K-D	5W 390LM 4100K
MR16-400L-50K-D	5W 400LM 5000K
MR16-500L-C90-30K-D	7W 500LM 3000K
MR16-500L-C90-40K-D	7W 560LM 4000K
MR16-500L-C90-50K-D	7W 560LM 5000K



CATALOG NO.	DESCRIPTION
WE167	3" 18-1/2" PVC mounting post with brass hub
WE167-25	3" 25" PVC mounting post with brass hub
WE167-CAP	Cap only for WE167
WE167-CAP-BZ	Brass with bronze finish Cap only for WE167



CATALOG NO.	DESCRIPTION
A-41-S	Tree mounting base
A-GM-50	Gutter Surface Mounting Bracket With 1/2In Hub, Orb
A-STAB	Inground Stabilizer Plate With Male And Female 1/2" Hubs
LG-SMB-BZ	12V brass landscape tree or surface bracket, antique bronze finish

BUNGEE CORDS

CATALOG NO.	DESCRIPTION
BC-10	10" Bungee cords with hooks
BC-15	15" Bungee cords with hooks
BC-18	18" Bungee cords with hooks
BC-21	21" Bungee cords with hooks
BC-32	32" Bungee cords with hooks



PATH LIGHTING ACCESSORIES

CATALOG NO.	DESCRIPTION
LA-T-BZ	Fixture mounting "T" Attachment
LA-90-BZ	Fixture mounting 90° elbow Attachment
LA-FMS21-BZ	21" Solid brass fixture mounting stem Antique bronze finish

PAR36-IP65



CATALOG NO.	DESCRIPTION
PAR36-12W-30K	12W 1000LM 3000K
PAR36-12W-40K	12W 1000LM 4000K
PAR36-12W-50K	12W 1000LM 5000K




12V AC/DC REPLACEMENT LAMPS

CATALOG NO.	DESCRIPTION
GZ-JC-39L-27K	3W 250LM 2700K
GZ-JC-39L-30K	3W 250LM 3000K
GZ-JC-18L-27K	3W 250LM 2700K
GZ-JC-WP-3W-32K	3W 180LM 3200K
GZ-S8-32K-G2	2.2W 230LM 3200K
GZ-G4-9L-32K	2W 120LM 3200K
GZ-JC-60L-TFL	3W 60LM TURTLE FRIENDLY CCT
GZ-JC-300L-27K	3W 300LM 2700K
GZ-JC-300L-30K	3W 300LM 3000K



BRASS BASE

CATALOG NO.	DESCRIPTION
B-41	1/2" NPT hub, Solid Brass, Antique Bronze finish
B-41-AN	1/2" NPT hub, Solid Brass, Aged Nickel finish



ALUMINUM BASE

CATALOG NO.	DESCRIPTION
A-41-BR	1/2" NPT hub, Cast aluminum, Bronze Powder coat finish
A-41-BK	1/2" NPT hub, Cast aluminum, Black Powder coat finish
A-51-BK	1/2In Modern Surface Mounting Base, Alum., Black
A-51-ORB	1/2In Modern Surface Mounting Base, Alum., Orb



SILICON-FILLED WIRE NUTS

CATALOG NO.	DESCRIPTION
LSWN1	Bag of 24, Waterproof wire connectors, for up to two 14-2 + one 16-2 cables
LSWN2	Box of 24, Waterproof wire connectors, for up to three 12-2 cables
LSWN2-100	Jar of 100, Waterproof wire connectors, for up to three 12-2 cables

SPIKES



WL-SLEEVE



SPIKE-BG



SPIKE-10

CATALOG NO.	DESCRIPTION
-------------	-------------

WL-SLEEVE PVC sleeve Kit for 4" well lights

SPIKE-BG 8.5" PVC spike

SPIKE-10 10" PVC spike



LA-STEM-REPL-LED



LA-STEM-RL



LA-STEM-KNOB

AREA LIGHTING REPLACEMENT PARTS

CATALOG NO.	DESCRIPTION
-------------	-------------

LA-STEM-RL Replacement Glass Lens for Path Light stem

LA-STEM-KNOB Replacement Knob

LA-STEM-REPL-LED 3000K Replacement LED Tower for path lights Also fits Pagoda Lights

LA-STEM-REPL-LED-27K 2700K Replacement LED Tower for path lights Also fits Pagoda Lights

LA-STEM-REPL-LED-40K 4000K Replacement LED Tower for path lights Also fits Pagoda Lights

LA-STEM-REPL-LED-50K 5000K Replacement LED Tower for path lights Also fits Pagoda Lights



PAGODA LIGHTS REPLACEMENT GLASS

CATALOG NO.	DESCRIPTION
-------------	-------------

AA-145-RG Replacement Glass for 2-Tier pagodas

AA-146-RG Replacement Glass for 3-Tier pagodas

AA-147-RG Replacement Glass for 4-Tier pagodas



WE-CONN

12V SNAP CONNECTOR

CATALOG NO.	DESCRIPTION
-------------	-------------

WE-CONN black color

LSFLC-20 20 Fast-Lock In-Line Landscape Connectors



LSFLC-20

LOW-VOLTAGE CABLE MUST ORDER IN MULTIPLES OF 500FT



CATALOG NO.	DESCRIPTION
-------------	-------------

LOV-14 #14 AWG (41 Strands)

LOV-12 #12 AWG (65 Strands)

LOV-10 #10 AWG (104 Strands)

LOV-8 #8 AWG (168 Strands)



LOW-VOLTAGE CABLE MUST ORDER IN MULTIPLES OF 100FT

CATALOG NO.	DESCRIPTION
-------------	-------------

LOV-14-100FT #14 AWG (41 Strands)

LOV-12-100FT #12 AWG (65 Strands)

LOV-10-100FT #10 AWG (104 Strands)

LOV-8-100FT #8 AWG (168 Strands)



STEP LIGHTING REPLACEMENT LED MODULE

CATALOG NO.	DESCRIPTION
-------------	-------------

LS-REPL-LED 3000K Replacement LED Module

LS-REPL-LED-27K 2700K Replacement LED Module



LANDSCAPE-DISPLAY



LANDSCAPE-DISPLAY2-UBR



LANDSCAPE-DISPLAY2-UBK

LANDSCAPE DISPLAY

CATALOG NO.	DESCRIPTION
-------------	-------------

LANDSCAPE-DISPLAY Display for Landscape

LANDSCAPE-DISPLAY2-UBK Display for Landscape

LANDSCAPE-DISPLAY2-UBR Display for Landscape

BOLLARD CUSTOMIZATION

CATALOG NO.	POST SIZE		FIXTURES PER POLE		COLOR TEMPERATURE		FINISH	
	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
WMS-S	18	18 Inch	1	1 Sided	30K	3000K	BR	Bronze
WMS-R	36	36 Inch	2	2 Sided	40K	4000K	WH	White
LMW					50K	5000K		

LWA-12

For more information on each fixture model, refer to: LWA-12 page 12-13, LMW page 20, WMS page 20.



Mounting Options
Shown with LMW series



Mounting Options
Shown with LWA-12W



Mounting Options
Shown with WMS series





SLE-A-120V-MCT-WH
SLE-A-12V-MCT-WH
White



SLE-A-120V-MCT-ORB
SLE-A-12V-MCT-ORB
SLE-A-120V-RGBWW-PB-ORB
SLE-A-12V-RGBWW-PB-ORB



SLE-A-120V-MCT-BN
SLE-A-12V-MCT-BN
Brushed Nickel



SLE-A-120V-MCT-PIR-WH
SLE-A-12V-MCT-PIR-WH
White



SLE-A-120V-MCT-PIR-ORB
SLE-A-12V-MCT-PIR-ORB
Oil-Rubbed Bronze



SLE-F-120V-MCT-WH
SLE-F-12V-MCT-WH
White



SLE-F-120V-MCT-ORB
SLE-F-12V-MCT-ORB
Oil-Rubbed Bronze



SLE-F-120V-MCT-BN
SLE-F-12V-MCT-BN
Brushed Nickel



SLE-LH-120V-MCT-WH
SLE-LH-12V-MCT-WH
White



SLE-LH-120V-MCT-ORB
SLE-LH-12V-MCT-ORB
Oil-Rubbed Bronze



SLE-LH-120V-MCT-BN
SLE-LH-12V-MCT-BN
Brushed Nickel



SLE-EL-120V-MCT5-WH
SLE-EL-12V-MCT5-WH
White



SLE-EL-120V-MCT5-ORB
SLE-EL-12V-MCT5-ORB
Oil-Rubbed Bronze

SELECTABLE CCT LED INTEGRATED STEP LIGHTS



CATALOG NO.

DESCRIPTION

MODEL A - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-A-120V-MCT-WH	3.5W	100LM	30K/40K/50K	White
SLE-A-120V-MCT-ORB	3.5W	50LM	30K/40K/50K	Oil-Rubbed Bronze
SLE-A-120V-RGBWW-PB-ORB	3.5W	50LM	RGBWW	Oil-Rubbed Bronze
SLE-A-120V-MCT-BN	3.5W	50LM	30K/40K/50K	Brushed Nickel

MODEL A - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS WITH PIR MOTION SENSOR & PHOTOCELL

SLE-A-120V-MCT-PIR-WH	3W	150LM	30K/40K/50K	White
SLE-A-120V-MCT-PIR-ORB	3W	75LM	30K/40K/50K	Oil-Rubbed Bronze

MODEL LH - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-LH-120V-MCT-WH	5W	150LM	30K/40K/50K	White
SLE-LH-120V-MCT-ORB	5W	75LM	30K/40K/50K	Oil-Rubbed Bronze
SLE-LH-120V-MCT-BN	5W	75LM	30K/40K/50K	Brushed Nickel

MODEL F - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-F-120V-MCT-WH	3.5W	200LM	30K/40K/50K	White
SLE-F-120V-MCT-ORB	3.5W	100LM	30K/40K/50K	Oil-Rubbed Bronze
SLE-F-120V-MCT-BN	3.5W	75LM	30K/40K/50K	Brushed Nickel

MODEL EL - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-EL-120V-MCT5-WH	3W	90LM	27K/30K/35K/40K/50K	White
SLE-EL-120V-MCT5-ORB	3W	50LM	27K/30K/35K/40K/50K	Oil-Rubbed Bronze

MODEL A - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-A-12V-MCT-WH	3.5W	100LM	30K/40K/50K	White
SLE-A-12V-MCT-ORB	3.5W	50LM	30K/40K/50K	Oil-Rubbed Bronze
SLE-A-12V-RGBWW-PB-ORB	3.5W	50LM	RGBWW	Oil-Rubbed Bronze
SLE-A-12V-MCT-BN	3.5W	50LM	30K/40K/50K	Brushed Nickel

MODEL A - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS WITH PIR MOTION SENSOR & PHOTOCELL

SLE-A-12V-MCT-PIR-WH	3W	150LM	30K/40K/50K	White
SLE-A-12V-MCT-PIR-ORB	3W	75LM	30K/40K/50K	Oil-Rubbed Bronze

MODEL LH - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-LH-12V-MCT-WH	5W	150LM	30K/40K/50K	White
SLE-LH-12V-MCT-ORB	5W	75LM	30K/40K/50K	Oil-Rubbed Bronze
SLE-LH-12V-MCT-BN	5W	75LM	30K/40K/50K	Brushed Nickel

MODEL F - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-F-12V-MCT-WH	3.5W	200LM	30K/40K/50K	White
SLE-F-12V-MCT-ORB	3.5W	100LM	30K/40K/50K	Oil-Rubbed Bronze
SLE-F-12V-MCT-BN	3.5W	75LM	30K/40K/50K	Brushed Nickel

MODEL EL - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-EL-12V-MCT5-WH	3W	90LM	27K/30K/35K/40K/50K	White
SLE-EL-12V-MCT5-ORB	3W	50LM	27K/30K/35K/40K/50K	Oil-Rubbed Bronze

MODERN LED TREE LIGHTS

CATALOG NO.

DESCRIPTION



TL-118-MCT-ORB	4.5W	300LM	30K/40K/50K
TL-118-MCT-AZ	4.5W	300LM	30K/40K/50K



STEP LIGHT ENGINES

Polycarbonate




DESCRIPTION

SLEA-12V-27K	2W	86LM	2700K
SLEA-12V-30K	2W	86LM	3000K
SLEA-12V-40K	2W	86LM	4000K
SLEA-12V-50K	2W	86LM	5000K
SLEA-120V-27K	2W	86LM	2700K
SLEA-120V-30K	2W	86LM	3000K
SLEA-120V-40K	2W	86LM	4000K
SLEA-120V-50K	2W	86LM	5000K

FACE PLATES (Order Separately)

PRECISION-CAST ALUMINUM

SLT-A-WH
(WHITE FINISH)SLT-A-BN
(BRUSHED NICKEL FINISH)SLT-A-AZ
(ANTIQUE BRONZE FINISH)SLT-A-ORB
(OIL-RUBBED BRONZE FINISH)

STEP LIGHT ENGINES

Polycarbonate




DESCRIPTION

SLEB-12V-27K	2W	86LM	2700K
SLEB-12V-30K	2W	86LM	3000K
SLEB-12V-40K	2W	86LM	4000K
SLEB-12V-50K	2W	86LM	5000K
SLEB-120V-27K	2W	86LM	2700K
SLEB-120V-30K	2W	86LM	3000K
SLEB-120V-40K	2W	86LM	4000K
SLEB-120V-50K	2W	86LM	5000K

FACE PLATES (Order Separately)

PRECISION-CAST ALUMINUM

SLT-B-WH
(WHITE FINISH)SLT-B-BN
(BRUSHED NICKEL FINISH)SLT-B-AZ
(ANTIQUE BRONZE FINISH)SLT-B-ORB
(OIL-RUBBED BRONZE FINISH)

STEP LIGHT ENGINES

Polycarbonate




CATALOG NO. DESCRIPTION

SLE-12V-27K	2W	100LM	2700K
SLE-12V-30K	2W	100LM	3000K
SLE-12V-40K	2W	100LM	4000K
SLE-12V-50K	2W	118LM	5000K
SLE-120V-27K	2W	90LM	2700K
SLE-120V-30K	2W	90LM	3000K
SLE-120V-40K	2W	90LM	4000K
SLE-120V-50K	2W	104LM	5000K

FACE PLATES (Order Separately)

PRECISION-CAST ALUMINUM

SLT-LH-ORB
(OIL-RUBBED BRONZE FINISH)SLT-LH-BN
(BRUSHED NICKEL FINISH)SLT-LH-WH
(WHITE FINISH)SLT-LH-AZ
(ANTIQUE BRONZE FINISH)SLT-F-ORB
(OIL-RUBBED BRONZE FINISH)SLT-F-BN
(BRUSHED NICKEL FINISH)SLT-F-WH
(WHITE FINISH)SLT-F-AZ
(ANTIQUE BRONZE FINISH)SLT-S-ORB
(OIL-RUBBED BRONZE FINISH)SLT-S-BN
(BRUSHED NICKEL FINISH)SLT-S-WH
(WHITE FINISH)SLT-S-AZ
(ANTIQUE BRONZE FINISH)SLT-LV-ORB
(OIL-RUBBED BRONZE FINISH)SLT-LV-BN
(BRUSHED NICKEL FINISH)SLT-LV-WH
(WHITE FINISH)SLT-LV-AZ
(ANTIQUE BRONZE FINISH)Clear PVC Gasket Set Included with Light Engine
for J-box or weatherproof box mounting

UNDER CABINET LIGHTING

SEARCH FOR THE SERIES NAME @WESTGATEMFG.COM




UCE SERIES



UCA SERIES




UCR SERIES



UCA-RGBW SERIES



PSA SERIES



UC-24V SERIES



UCM SERIES




UC-ADJ SERIES



PL12-PIR SERIES




TC-PL12-RGBW SERIES




PL12ADJ SERIES



PL12R SERIES



PL12S SERIES



PL12 SERIES



STUDIO KITCHEN - LINEAR UNDER CABINET LIGHTS



Live inventory. Real-time pricing. No waiting.
Access the MyWestgate Portal to check
availability and pricing instantly.
Scan the QR code to skip the line.



BUILDER SERIES 5CCT HARD-WIRE UNDER CABINET LIGHT, OPTIONAL CORD



CATALOG NO.	DESCRIPTION				PKG. QTY.
UCE-9-WHT	3W	180LM	27K/30K/35K/40K/50K	White	10
UCE-12-WHT	5W	300LM	27K/30K/35K/40K/50K	White	10
UCE-18-WHT	8W	480LM	27K/30K/35K/40K/50K	White	10
UCE-21-WHT	10W	600LM	27K/30K/35K/40K/50K	White	10
UCE-24-WHT	12W	720LM	27K/30K/35K/40K/50K	White	10
UCE-32-WHT	16W	960LM	27K/30K/35K/40K/50K	White	10
UCE-40-WHT	20W	1200LM	27K/30K/35K/40K/50K	White	10
UCA-LC8-WHT	8in Linking Cord For UCA And UCE Series, White				
UCA-PC-6FT-WHT	6Ft Power Cord Cord For UCA And UCE Series, White				

ADJUSTABLE ANGLE MULTI COLOR-TEMPERATURE UNDERCABINET LIGHTS



	CATALOG NO.	DESCRIPTION				PKG. QTY.
	UCA-8-WHT	3W	150LM	2700K/3000K/4000K	8"L WHITE	10
	UCA-12-WHT	5W	275LM	2700K/3000K/4000K	12"L WHITE	10
	UCA-16-WHT	6.5W	390LM	2700K/3000K/4000K	16"L WHITE	10
	UCA-21-WHT	8W	450LM	2700K/3000K/4000K	21"L WHITE	10
	UCA-24-WHT	12W	650LM	2700K/3000K/4000K	24"L WHITE	10
	UCA-33-WHT	16W	900LM	2700K/3000K/4000K	33"L WHITE	10
	UCA-42-WHT	20W	1100LM	2700K/3000K/4000K	42"L WHITE	10
	UCA-LC12-WHT	12" Linking Cable for White UCA Series - White color				
	UCA-LC8-WHT	8in Linking Cord For Uce And UCE Series, White				
	UCA-PC-6FT-WHT	6Ft Power Cord Cord For Uce And UCE Series, White				
	UCA-8-BRZ	3W	150LM	2700K/3000K/4000K	8"L BRONZE	10
	UCA-12-BRZ	5W	275LM	2700K/3000K/4000K	12"L BRONZE	10
	UCA-16-BRZ	6.5W	390LM	2700K/3000K/4000K	16"L BRONZE	10
	UCA-21-BRZ	8W	450LM	2700K/3000K/4000K	21"L BRONZE	10
	UCA-24-BRZ	12W	650LM	2700K/3000K/4000K	24"L BRONZE	10
	UCA-33-BRZ	16W	900LM	2700K/3000K/4000K	33"L BRONZE	10
	UCA-42-BRZ	20W	1100LM	2700K/3000K/4000K	42"L BRONZE	10
	UCA-LC12-BLK	12" Linking Cable for Bronze UCA Series - Black color (Matches the color of included cables)				
	UCA-LC8-BLK	8in Linking Cord For UCA And UCE Series, Black				
	UCA-PC-6FT-BLK	6Ft Power Cord Cord For UCA And UCE Series, Black				
	UCA-DISPLAY	Display Board for UCA Series				

MULTI COLOR-TEMPERATURE LIGHTS Accessories Included



- 6' Power Cord
- 8" Interconnect Cable
- End-to-End Coupling
- Mounting Screws



On/Off Switch with
100% /50% Dimming.
Color Temp. selection
Switch: 2700K/ 3000K/ 4000k



3/8" KOs
Cable Connector
included

UNDER CABINET LIGHTS



UCR-12-WHT
White



UCR-18-WHT
White



UCR-24-WHT
White



UCR-32-WHT
White



UCR-40-WHT
White



UCR-12-BK
Black



UCR-18-BK
Black



UCR-24-BK
Black



UCR-32-BK
Black





UCR-40-BK
Black

UNDERCABINET SERIES WITH RECEPTACLES AND USB PORTS



CATALOG NO.	DESCRIPTION					PKG. QTY.
UCR-12-WHT	5W	300LM	27K/30K/35K/40K/50K	White, 1 Outlet		10
UCR-18-WHT	8W	480LM	27K/30K/35K/40K/50K	White, 1 outlet, 1 USB port, and 1 USB-C port		10
UCR-24-WHT	12W	720LM	27K/30K/35K/40K/50K	White, 3 outlets, 2 USB ports, 2 USB-C ports		10
UCR-32-WHT	16W	960LM	27K/30K/35K/40K/50K	White, 4 outlets, 2 USB ports, 2 USB-C ports		10
UCR-40-WHT	20W	1200LM	27K/30K/35K/40K/50K	White, 4 outlets, 2 USB ports, 2 USB-C ports		10
UCR-12-BK	5W	300LM	27K/30K/35K/40K/50K	Black, 1 Outlet		10
UCR-18-BK	8W	480LM	27K/30K/35K/40K/50K	Black, 1 outlet, 1 USB port, and 1 USB-C port		10
UCR-24-BK	12W	720LM	27K/30K/35K/40K/50K	Black, 3 outlets, 2 USB ports, 2 USB-C ports		10
UCR-32-BK	16W	960LM	27K/30K/35K/40K/50K	Black, 4 outlets, 2 USB ports, 2 USB-C ports		10
UCR-40-BK	20W	1200LM	27K/30K/35K/40K/50K	Black, 4 outlets, 2 USB ports, 2 USB-C ports		10



RGBW (9 MODES) & 3CCT UNDER CABINET LIGHT, PUSH-BUTTON COLOR CONTROL



CATALOG NO.	DESCRIPTION					PKG. QTY.
UCA-RGBW-PB-12-BR	5W	275LM	30K/40K/50K + RGB	Bronze		10
UCA-RGBW-PB-12-WH	5W	275LM	30K/40K/50K + RGB	White		10
UCA-RGBW-PB-18-BR	8W	440LM	30K/40K/50K + RGB	Bronze		10
UCA-RGBW-PB-18-WH	8W	440LM	30K/40K/50K + RGB	White		10
UCA-RGBW-PB-24-BR	12W	660LM	30K/40K/50K + RGB	Bronze		10
UCA-RGBW-PB-24-WH	12W	660LM	30K/40K/50K + RGB	White		10
UCA-RGBW-PB-32-BR	16W	880LM	30K/40K/50K + RGB	Bronze		10
UCA-RGBW-PB-32-WH	16W	880LM	30K/40K/50K + RGB	White		10
UCA-RGBW-PB-40-BR	20W	1100LM	30K/40K/50K + RGB	Bronze		10
UCA-RGBW-PB-40-WH	20W	1100LM	30K/40K/50K + RGB	White		10



ANGLED POWER STRIP & UNDERCABINET LIGHT W/ POWER RECEPTACLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
PSAL-13-1R-MCT5-WH	420LM 27K/30K/35K/40K/50K 13" White	12
PSAL-13-1R-MCT5-BR	420LM 27K/30K/35K/40K/50K 13" Bronze	12
PSAL-13-1R-MCT5-BN	420LM 27K/30K/35K/40K/50K 13" Brushed Nickel	12
PSAL-18-2R-MCT5-WH	600LM 27K/30K/35K/40K/50K 18" White	12
PSAL-18-2R-MCT5-BR	600LM 27K/30K/35K/40K/50K 18" Bronze	12
PSAL-18-2R-MCT5-BN	600LM 27K/30K/35K/40K/50K 18" Brushed Nickel	12
PSAL-24-3R-MCT5-WH	790LM 27K/30K/35K/40K/50K 24" White	6
PSAL-24-3R-MCT5-BR	790LM 27K/30K/35K/40K/50K 24" Bronze	6
PSAL-24-3R-MCT5-BN	790LM 27K/30K/35K/40K/50K 24" Brushed Nickel	6
PSAL-30-3R-MCT5-WH	900LM 27K/30K/35K/40K/50K 30" White	6
PSAL-30-3R-MCT5-BR	900LM 27K/30K/35K/40K/50K 30" Bronze	6
PSAL-30-3R-MCT5-BN	900LM 27K/30K/35K/40K/50K 30" Brushed Nickel	6
PSAL-36-4R-MCT5-WH	1050LM 27K/30K/35K/40K/50K 36" White	6
PSAL-36-4R-MCT5-BR	1050LM 27K/30K/35K/40K/50K 36" Bronze	6
PSAL-36-4R-MCT5-BN	1050LM 27K/30K/35K/40K/50K 36" Brushed Nickel	6
PSAL-42-4R-MCT5-WH	1275LM 27K/30K/35K/40K/50K 42" White	6
PSAL-42-4R-MCT5-BR	1275LM 27K/30K/35K/40K/50K 42" Bronze	6
PSAL-42-4R-MCT5-BN	1275LM 27K/30K/35K/40K/50K 42" Brushed Nickel	6




ANGLED POWER STRIP W/ POWER & USB RECEPTACLES




CATALOG NO.	DESCRIPTION
PSA-12-2R-1U-WH	12In Angled 2-Receptacle 1 Usb 20A Power Strip White
PSA-12-2R-1U-BR	12In Angled 2-Receptacle 1 Usb 20A Power Strip Bronze
PSA-12-2R-1U-BN	12In Angled 2-Receptacle 1 Usb 20A Power Strip Brushed Nickel
PSA-18-2R-1U-WH	18In Angled 2-Receptacle 1 Usb 20A Power Strip White
PSA-18-2R-1U-BR	18In Angled 2-Receptacle 1 Usb 20A Power Strip Bronze
PSA-18-2R-1U-BN	18In Angled 2-Receptacle 1 Usb 20A Power Strip Brushed Nickel
PSA-24-3R-2U-WH	24In Angled 3-Receptacle 2 Usb 20A Power Strip White
PSA-24-3R-2U-BR	24In Angled 3-Receptacle 2 Usb 20A Power Strip Bronze
PSA-24-3R-2U-BN	24In Angled 3-Receptacle 2 Usb 20A Power Strip Brushed Nickel
PSA-30-3R-2U-WH	30In Angled 3-Receptacle 2 Usb 20A Power Strip White
PSA-30-3R-2U-BR	30In Angled 3-Receptacle 2 Usb 20A Power Strip Bronze
PSA-30-3R-2U-BN	30In Angled 3-Receptacle 2 Usb 20A Power Strip Brushed Nickel
PSA-36-4R-2U-WH	36In Angled 4-Receptacle 2 Usb 20A Power Strip White
PSA-36-4R-2U-BR	36In Angled 4-Receptacle 2 Usb 20A Power Strip Bronze
PSA-36-4R-2U-BN	36In Angled 4-Receptacle 2 Usb 20A Power Strip Brushed Nickel
PSA-42-4R-2U-WH	42In Angled 4-Receptacle 2 Usb 20A Power Strip White
PSA-42-4R-2U-BR	42In Angled 4-Receptacle 2 Usb 20A Power Strip Bronze
PSA-42-4R-2U-BN	42In Angled 4-Receptacle 2 Usb 20A Power Strip Brushed Nickel

LED LINEAR UNDERCABINET LIGHTS (Use External Drivers)



12V



24V



CATALOG NO.	DESCRIPTION	PKG. QTY.
UCW6WW	2W 140LM 3000K 6"	30
UCW6W	2W 168LM 6000K 6"	30
UCW12WW	3W 250LM 3000K 12"	30
UCW12W	3W 280LM 6000K 12"	30
UCW20WW	5W 420LM 3000K 20"	30
UCW20W	5W 462LM 6000K 20"	30
UCW32WW	8W 590LM 3000K 32"	30
UCW32W	8W 640LM 6000K 32"	30
UCW40WW	11W 820LM 3000K 40"	30
UCW40W	11W 880LM 6000K 40"	30
UC6WW	2W 140LM 3000K 6"	30
UC6W	2W 168LM 6000K 6"	30
UC12WW	3W 250LM 3000K 12"	30
UC12W	3W 280LM 6000K 12"	30
UC20WW	5W 420LM 3000K 20"	30
UC20W	5W 462LM 6000K 20"	30
UC32W	8W 640LM 6000K 32"	30
UC40WW	11W 820LM 3000K 40"	30
UC40W	11W 880LM 6000K 40"	30
UC-DISPLAY	Display Board for UC Series	-

PLUG-IN DRIVERS (Non-Dimming)

12V



24V



CATALOG NO.	DESCRIPTION
UC12PS6W	6W, 12V, POWER SUPPLY WITH CABLE
UCPS6W	6W, 24V, POWER SUPPLY W/ CABLE
UCPS12W	12W, 24V, POWER SUPPLY W/ 1.5 POWER CABLE
UCPS24W	24W, 24V, 1A, POWER SUPPLY W/ 1.5 POWER CABLE
UCPS48W	48W, 24V, 1A, POWER SUPPLY W/ 1.5 POWER CABLE

MAGNETIC DIMMABLE DRIVERS* (Use Magnetic Low-Voltage Dimmers)



24V 12V



CATALOG NO.	DESCRIPTION
UCM-20L-12DC	DIMMABLE, 20W, 12V, 5" X 2-1/8" X 2"
UCM-40L-12DC	DIMMABLE, 40W, 12V, 5" X 2-1/8" X 2"
UCM-50L-12DC	DIMMABLE, 50W, 12V, 5" X 2-1/8" X 2"
UCM-100L-12DC	DIMMABLE, 100W, 12V, 5" X 4-1/8" X 2"
UCM-150L-12DC	DIMMABLE, 150W, 12V, 5" X 4-1/8" X 4"
UCM-300L-12DC	DIMMABLE, 300W, 12V, 5" X 4-1/8" X 4"
UCM-20L-24DC	DIMMABLE, 20W, 24V, 5" X 2-1/8" X 2"
UCM-40L-24DC	DIMMABLE, 40W, 24V, 5" X 2-1/8" X 2"
UCM-50L-24DC	DIMMABLE, 50W, 24V, 5" X 2-1/8" X 2"
UCM-60L-24DC	DIMMABLE, 60W, 24V, 5" X 2-1/8" X 2"
UCM-96L-24DC	DIMMABLE, 96W, 24V, 5" X 4-1/8" X 2"
UCM-150L-24DC	DIMMABLE, 150W, 24V, 5" X 4-1/8" X 4"
UCM-300L-24DC	DIMMABLE, 300W, 24V, 5" X 4-1/8" X 4"

*Not dimmable with RGB products (use the dimming feature of your RGB controller)

UNDER CABINET LIGHTING PARTS & ACCESSORIES

CATALOG NO.	DESCRIPTION
 UCDIMMER	LED UNDER CABINET LIGHTS DIMMER
 UCDIMMER-TOUCH	LINEAR UNDER CABINET TOUCH DIMMER TO CONNECT TO FIXTURES END, BLACK
 UCDIMMER-TOUCH-WH	LINEAR UNDER CABINET TOUCH DIMMER TO CONNECT TO FIXTURES END, WHITE
 UCJUNCTION-W	HARD WIRE POWER FEED IN / OUT, WHITE
 UCSENS-PIR-1	PIR SENSOR, AUTO ON/OFF WHEN MOVEMENT, MAX 72W, 4" (10CM) RANGE, 120D, -20°C TO 40°C INDOORS
 UCSENS-PIR	PIR SENSOR, AUTO ON/OFF WHEN MOVEMENT, MAX 72W, 4" (10CM) RANGE, 120D, -20°C TO 40°C INDOORS
 UCCONCABLE	3.25 FT. CONNECTOR CABLE, BLACK
 UCCONCABLE-WH	3.25 FT. CONNECTOR CABLE, WHITE
 UCCONCABLE-10	10 FT. UNDER CABINET LIGHT CONNECTOR CABLE, BOTH SIDE MALE, BLACK
 UCCONCABLE-10-WH	10 FT. UNDER CABINET LIGHT CONNECTOR CABLE, BOTH SIDE MALE, WHITE
 UCCOP-3F	3 FT. UNDER CABINET LIGHT COUPLING, BOTH SIDE FEMALE, BLACK
 UCCOP-3F-WH	3 FT. UNDER CABINET LIGHT COUPLING, BOTH SIDE FEMALE, WHITE
 UCPOWERC-10F	10 FT. UNDER CABINET LIGHT POWER CONNECTOR, 1 SIDE MALE, 1 SIDE FEMALE, BLACK
 UCPOWERC-10F-WH	10 FT. UNDER CABINET LIGHT POWER CONNECTOR, 1 SIDE MALE, 1 SIDE FEMALE, WHITE
 UCRE04	4 OUTPUT EASY RECEPTACLE
 UCRE08	8 OUTPUT EASY RECEPTACLE
 UCAC01	CORNER CONNECTOR, BLACK
 UCAC01-WH	CORNER CONNECTOR, WHITE
 UCPLASCONN-WH	PLASTIC CONNECTOR, WHITE
 UCMAGNET+3M	2 PCS OF MAGNET AND 2 PCS OF 3M TAPE FOR LED UNDER CABINET LIGHTS

LED ADJUSTABLE UNDERCABINET, 24V

CATALOG NO.	DESCRIPTION	PKG. QTY.
 UC-ADJ-12WW	5W 380LM 3000K 11.81"	30
UC-ADJ-12W	5W 400LM 6000K 11.81"	30
UC-ADJ-20WW	8W 600LM 3000K 19.68"	30
UC-ADJ-20W	8W 640LM 6000K 19.68"	30
UC-ADJ-40WW	16W 1200LM 3000K 39.37"	30
UC-ADJ-40W	16W 1280LM 6000K 39.37"	30
UC-ADJ-PIR	PIR SENSOR FOR U/C ADJUSTABLE SERIES	-
UC-ADJ-DMR	TOUCH DIMMER WITH MEMORY FOR U/C ADJUSTABLE SERIES	-

LED LINKABLE STRIP WITH INTERNAL DRIVER, 120VAC DIRECT, DIMMABLE

CATALOG NO.	DESCRIPTION	MAX RUN	PKG. QTY.
 T5-12IN-5W-30K-D	5W 575LM 3000K 1FT.	15'	24
T5-12IN-5W-40K-D	5W 575LM 4000K 1FT.	15'	24
T5-12IN-5W-50K-D	5W 625LM 5000K 1FT.	15'	24
T5-22IN-9W-30K-D	9W 1035LM 3000K 2FT.	24'	24
T5-22IN-9W-40K-D	9W 1035LM 4000K 2FT.	24'	24
T5-22IN-9W-50K-D	9W 1125LM 5000K 2FT.	24'	24
T5-47IN-16W-30K-D	16W 1840LM 3000K 4FT.	31'	24
T5-47IN-16W-50K-D	16W 2000LM 5000K 4FT.	31'	24
 T5-6FT-PC	6 FT. Plug-in Power Cord	-	-
T5-6FT-PCS	6 FT. Plug-in Power Cord with Switch	-	-
 T5-8IN-JUMP	8" Linking Cable	-	-
T5-6FT-PT	6' AC Input Wire (PIGTAIL)	-	-
 T5-COUPLER	Coupler (1 Included)	-	-
T5-MAGSET	Clip-on Secure Magnet Set	-	-

12V PUCK 5CCT WITH PIR SENSOR



CATALOG NO.	DESCRIPTION
PL12-MCT5-PIR-WH	5W 300LM 27K/30K/35K/40K/50K White
PL12-MCT5-PIR-BN	5W 300LM 27K/30K/35K/40K/50K Brushed-Nickel

WG SMART APP COMPATIBLE RGBW PUCK LIGHT - ROUND



CATALOG NO.	DESCRIPTION
TC-PL12-RGBW	4W 250LM RGB
TC-PL12-RGBW-SPLITTER4	RGB Puck Light 4-Port Splitter With 6in Cable
TC-PL12-RGBW-CONTROLLER	RGBW In-Line Smart Controller App Compatible

LED ADJUSTABLE PUCK LIGHTS, 120V

6Ft. Power Cord with In-Line switch



CATALOG NO.	DESCRIPTION
3" ROUND ADJUSTABLE PUCK LIGHT	
PL120ADJ-30K-WH	4.5W 250LM 3000K White
PL120ADJ-40K-WH	4.5W 250LM 4000K White
PL120ADJ-50K-WH	4.5W 250LM 5000K White
PL120ADJ-30K-BK	4.5W 250LM 3000K Black
PL120ADJ-40K-BK	4.5W 250LM 4000K Black
PL120ADJ-50K-BK	4.5W 250LM 5000K Black
PL120ADJ-30K-BN	4.5W 250LM 3000K Brushed-Nickel
PL120ADJ-40K-BN	4.5W 250LM 4000K Brushed-Nickel
PL120ADJ-50K-BN	4.5W 250LM 5000K Brushed-Nickel

3-PACK 3" ROUND ADJUSTABLE PUCK LIGHT	
PL120ADJ-3KIT-30K-WH	4.5W 250LM 3000K White
PL120ADJ-3KIT-40K-WH	4.5W 250LM 4000K White
PL120ADJ-3KIT-50K-WH	4.5W 250LM 5000K White
PL120ADJ-3KIT-30K-BK	4.5W 250LM 3000K Black
PL120ADJ-3KIT-40K-BK	4.5W 250LM 4000K Black
PL120ADJ-3KIT-50K-BK	4.5W 250LM 5000K Black
PL120ADJ-3KIT-30K-BN	4.5W 250LM 3000K Brushed-Nickel
PL120ADJ-3KIT-40K-BN	4.5W 250LM 4000K Brushed-Nickel
PL120ADJ-3KIT-50K-BN	4.5W 250LM 5000K Brushed-Nickel

LED PUCK LIGHTS (3.3 FT. CORD WITH MALE SOCKET, MOUNTING HARDWARE, SCREWLESS TRIM)



CATALOG NO.	DESCRIPTION
4" ROUND & SQUARE SLIM PUCK LIGHT	
PL12R-30K-WH	3.5W 230LM 3000K White
PL12R-40K-WH	3.5W 230LM 4000K White
PL12R-50K-WH	3.5W 230LM 5000K White
PL12S-30K-WH	3.5W 230LM 3000K White
PL12S-40K-WH	3.5W 230LM 4000K White
PL12S-50K-WH	3.5W 230LM 5000K White

PL12R & PL12S SERIES COLOR TRIMS	
PL12R-TRM-BK	PL12R series replacement color trim-Black
PL12R-TRM-BN	PL12R series replacement color trim-Brushed-Nickel
PL12R-TRM-BR	PL12R series replacement color trim-Bronze
PL12S-TRM-BK	PL12S series replacement color trim-Black
PL12S-TRM-BN	PL12S series replacement color trim-Brushed-Nickel
PL12S-TRM-BR	PL12S series replacement color trim-Bronze

120V

12V

UNDERCABINET

LED PUCK LIGHTS (3.3 FT. CORD WITH MALE SOCKET, MOUNTING HARDWARE, SCREWLESS TRIM)



CATALOG NO.

DESCRIPTION

3" ROUND SLIM PUCK LIGHT - 1/8" H (1/16" WHEN RECESSED)

PL12-30K-WH	2W	120LM	3000K	White
PL12-40K-WH	2W	120LM	4000K	White
PL12-50K-WH	2W	120LM	5000K	White
PL12-30K-BK	2W	120LM	3000K	Black
PL12-40K-BK	2W	120LM	4000K	Black
PL12-50K-BK	2W	120LM	5000K	Black
PL12-30K-BN	2W	120LM	3000K	Brushed-Nickel
PL12-40K-BN	2W	120LM	4000K	Brushed-Nickel
PL12-50K-BN	2W	120LM	5000K	Brushed-Nickel

3" ROUND SLIM PUCK LIGHT - 5CCT ADJUSTABLE - 5/8" H (1/16" WHEN RECESSED) **MCT5**

PL12-MCT5-WH	4W	250LM	27K/30K/35K/40K/50K	White
PL12-MCT5-BK	4W	250LM	27K/30K/35K/40K/50K	Black
PL12-MCT5-BN	4W	250LM	27K/30K/35K/40K/50K	Brushed-Nickel

3-PACK 3" ROUND SLIM PUCK LIGHT - 1/8" H (1/16" WHEN RECESSED)

PL12-3KIT-30K-WH	2W	120LM	3000K	White
PL12-3KIT-40K-WH	2W	120LM	4000K	White
PL12-3KIT-50K-WH	2W	120LM	5000K	White
PL12-3KIT-30K-BK	2W	120LM	3000K	Black
PL12-3KIT-40K-BK	2W	120LM	4000K	Black
PL12-3KIT-50K-BK	2W	120LM	5000K	Black
PL12-3KIT-30K-BN	2W	120LM	3000K	Brushed-Nickel
PL12-3KIT-40K-BN	2W	120LM	4000K	Brushed-Nickel
PL12-3KIT-50K-BN	2W	120LM	5000K	Brushed-Nickel

PL12 SERIES COLOR TRIMS

PL12-TRM-BK	PL12 series replacement color trim-Black
PL12-TRM-BN	PL12 series replacement color trim-Brushed-Nickel
PL12-TRM-BR	PL12 series replacement color trim-Bronze

3" ROUND ADJUSTABLE PUCK LIGHT - DRIVER NOT INCL.

PL12ADJ-30K-WH	4.5W	250LM	3000K	White
PL12ADJ-40K-WH	4.5W	250LM	4000K	White
PL12ADJ-50K-WH	4.5W	250LM	5000K	White
PL12ADJ-30K-BK	4.5W	250LM	3000K	Black
PL12ADJ-40K-BK	4.5W	250LM	4000K	Black
PL12ADJ-50K-BK	4.5W	250LM	5000K	Black
PL12ADJ-30K-BN	4.5W	250LM	3000K	Brushed-Nickel
PL12ADJ-40K-BN	4.5W	250LM	4000K	Brushed-Nickel
PL12ADJ-50K-BN	4.5W	250LM	5000K	Brushed-Nickel

LED PUCK LIGHT ACCESSORIES

PL12-SPLIT3-WH	3-Hole mini splitter with female socket & 40" cord, white
PL12-SPLIT3-BK	3-Hole mini splitter with female socket & 40" cord, Black
PL12-SPLIT6-WH	6-Hole mini splitter with female socket & 40" cord, white
PL12-SPLIT6-BK	6-Hole mini splitter with female socket & 40" cord, Black
PL12-SPLIT10-WH	10-Hole mini splitter with female socket & 40" cord, white
PL12-SPLIT10-BK	10-Hole mini splitter with female socket & 40" cord, Black
PL12-PF-WH	6" Power feed cord, White
PL12-PF-BK	6" Power feed cord, Black
PL12-PIDR-12W-WH	12W Plug-in driver with switch, white
PL12-PIDR-12W-BK	12W Plug-in driver with switch, Black
PL12-PIDR-24W-WH	24W Plug-in driver with switch, white
PL12-PIDR-24W-BK	24W Plug-in driver with switch, Black
PL12-ILDMR-WH	In-Line dimming control, White
PL12-ILDMR-BK	In-Line dimming control, Black
PL12-HWDR-25W-D	25W Hardwired Dimmable driver with switch, 120V

LED PUCK LIGHTS DISPLAY BOARD

CATALOG NO.

DESCRIPTION

PL12-DISPLAY

Display board with Brochures for PL12 Series



EXIT & EMERGENCY LIGHTING

SEARCH FOR THE SERIES NAME @WESTGATEMFG.COM



XTSL SERIES



XT-RW SERIES



XTU-RG SERIES



XT-TH SERIES



XT-EL SERIES



XT-ELRMA SERIES



XE SERIES



XT-WP SERIES



XT-WP WET LOCATION SERIES



XTN4X SERIES



XTSL SERIES



XT-CL-EM SERIES



XTU-CL-RG-EM SERIES



XIT-STRIP SERIES



XT-C-ADJ SERIES



CWLEZ SERIES



XTCLN4X SERIES



LLXT SERIES



XT-CLWP SERIES



XT-CWP SERIES



EL-MT SERIES



EL-M5 SERIES



EL-M5-HO SERIES



EL-M2 SERIES



EL-M1 SERIES



EL-1 SERIES



EL-1D SERIES



EL-M5-HO SERIES



EL-HO SERIES



EW-16-LED SERIES



EL-WP SERIES



EL-RH SERIES



EL-RH-WP SERIES



LEDTFX SERIES



LESW SERIES



DELW SERIES



DBEL SERIES



RHN4X SERIES



ELN4X SERIES



ELB SERIES



OFFICE COMPLEX PARKING - LED COMBO LIGHT



Live inventory. Real-time pricing. No waiting.
Access the MyWestgate Portal to check
availability and pricing instantly.
Scan the QR code to skip the line.

BUILDER SERIES SUPER SLIM LED EXIT SIGN, 120-277V, 12"(W) x 7 1/2"(H) x 1"(D)



CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY
 XTSL-RW	Universal Single/Double	RED	White	1.2V Ni-MH
 XTSL-GW	Universal Single/Double	GREEN	White	1.2V Ni-MH

LED EXIT SIGN EXIT SIGN, 120-277V, 12"(W) x 7 1/2"(H) x 1 1/2"(D)



CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY
 XT-RW-EM	Universal Single/Double	RED	White	NiCd
XT-GW-EM	Universal Single/Double	GREEN	White	NiCd

2-IN-1 COLOR- SELECTABLE UNIVERSAL EXIT SIGN, 120-277V, 15-1/2"(W) x 12-1/2"(H) x 9"(D)

DEFAULT IS RED, FLIP SWITCH INSIDE AND CHANGE PROVIDED GREEN FILM[S] FOR GREEN



CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY
 XTU-RG-EM-BK	Universal Single/Double	RED/GREEN	Black	1.2V Ni-MH
XTU-RG-EM	Universal Single/Double	RED/GREEN	White	1.2V Ni-MH
 XTU-RG-2C-120V	Universal Single/Double	RED/GREEN	White	N/A
XTU-RG-2C-277V	Universal Single/Double	RED/GREEN	White	N/A
XTU-RG-BK-2C-120V	Universal Single/Double	RED/GREEN	Black	N/A
XTU-RG-BK-2C-277V	Universal Single/Double	RED/GREEN	Black	N/A

Two Circuits
Two Circuits
Two Circuits
Two Circuits

SPEC SERIES THIN DIECAST LED EXIT SIGN, 120-277V, 11-13/16"(W) x 7-3/4"(H) x 7/8"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
 XD-TH-1GAAEM	Single Face	Green	Aluminum	NiCd
XD-TH-1GBBEM	Single Face	Green	Black	NiCd
XD-TH-1GWWEM	Single Face	Green	White	NiCd
XD-TH-1RAAEM	Single Face	Red	Aluminum	NiCd
XD-TH-1RBBEM	Single Face	Red	Black	NiCd
XD-TH-1RWWEM	Single Face	Red	White	NiCd
XD-TH-2GAAEM	Double Face	Green	Aluminum	NiCd
XD-TH-2GBBEM	Double Face	Green	Black	NiCd
XD-TH-2GWWEM	Double Face	Green	White	NiCd
XD-TH-2RAAEM	Double Face	Red	Aluminum	NiCd
XD-TH-2RBBEM	Double Face	Red	Black	NiCd
XD-TH-2RWWEM	Double Face	Red	White	NiCd

BUILDER SERIES EDGELIT LED EXIT SIGN WITH ALUMINUM HOUSING, SINGLE FACE WITH OPTIONAL DOUBLE FACE, OPT. RECESS-MT. ACCESSORY



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	FACE COLOR	BATTERY	HOUSING
 XT-EL1RCA-EM	Single Face	Red	Clear	NiCd	Aluminum
XT-EL1GCA-EM	Single Face	Green	Clear	NiCd	Aluminum
XT-EL2RM-CP	Field-Installed Double-Face Mirror Panel only to Convert Single Face to Double Face- Red				
XT-EL2GM-CP	Field-Installed Double-Face Mirror Panel only to Convert Single Face to Double Face- Green				
 XT-ELRMA	Field-Installed Recessed Mounting Conversion Kit, Order together with Exit Sign above				
XT-EL1RCA-EM-WH	Single Face	Red	Clear	NiCd	White
XT-EL1GCA-EM-WH	Single Face	Green	Clear	NiCd	White
XT-EL2RM-WH-CP	Field-Installed Double-Face Mirror Panel only to Convert Single Face to Double Face- Red White				

XT-EL2GM-WH-CP Field-Installed Double-Face Mirror Panel only to Convert Single Face to Double Face- Green White

 **XT-ELRMA-WH** Field-Installed Recessed Mounting Conversion Kit, Order together with Exit Sign above White

XT-ELRMA RECESSED CONVERSION KIT (FIXTURE NOT INCL.)

LED EXIT SIGN

SPEC SERIES EDGELIT LED EXIT SIGN, 120-277V, 13"(W) x 11-1/8"(H) x 1-3/4"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	FACE COLOR	CANOPY	BATTERY
XE-1RCA-EM	Single Face	Red	Clear	Aluminum	NiCd
XE-1RCW-EM	Single Face	Red	Clear	White	NiCd
XE-2RMW-EM	Double Face	Red	Mirror	White	NiCd
XE-2RMA-EM	Double Face	Red	Mirror	Aluminum	NiCd
XE-1GCA-EM	Single Face	Green	Clear	Aluminum	NiCd
XE-1GCW-EM	Single Face	Green	Clear	White	NiCd
XE-2GMW-EM	Double Face	Green	Mirror	White	NiCd
XE-2GMA-EM	Double Face	Green	Mirror	Aluminum	NiCd
XE-2C-120V	Optional Dual circuits, 120V				
XE-2C-277V	Optional Dual circuits, 277V				
XE-SDT	Optional Self Diagnostics Test				

WET LOCATION LED EXIT SIGN, UNIVERSAL



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
XT-WP-RG-EM	Universal Single/Double	Red	Gray	NiCd
XT-WP-GG-EM	Universal Single/Double	Green	Gray	NiCd

SPEC SERIES WET LOCATION LED EXIT SIGN

(TWO-CIRCUITS OPTION AVAILABLE), 120-277V, 12-1/2"(W) x 9-1/4"(H) x 4-3/8"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
XT-WP-1RG-EM	Single Face	Red	Gray	NiCd
XT-WP-2RG-EM	Double Face	Red	Gray	NiCd
XT-WP-2GG-EM	Double Face	Green	Gray	NiCd
XT-WP-1RB-EM	Single Face	Red	Black	NiCd
XT-WP-1GB-EM	Single Face	Green	Black	NiCd
XT-WP-2RB-EM	Double Face	Red	Black	NiCd
XT-WP-2GB-EM	Double Face	Green	Black	NiCd
XT-WP-SDT	Optional Self Diagnostics Test			
XT-WP-2C-120V	Optional Dual circuits, 120V			
XT-WP-2C-277V	Optional Dual circuits, 277V			

SPEC SERIES NEMA 4X LED EXIT SIGN, 120-277V 14-3/4"(W) X 10"(H) X 6"(D)



NEMA 4X
RATED



CATALOG NO.	WATTS	NUMBER OF FACES	LETTER COLOR	HOUSING COLOR	BATTERY
XTN4X-1GB	3.8W	Single Face	Green	Black	-
XTN4X-1GW	3.8W	Single Face	Green	White	-
XTN4X-1RB	3.2W	Single Face	Red	Black	-
XTN4X-1RW	3.2W	Single Face	Red	White	-
XTN4X-2GB	3.8W	Double Face	Green	Black	-
XTN4X-2GW	3.8W	Double Face	Green	White	-
XTN4X-2RB	3.2W	Double Face	Red	Black	-
XTN4X-2RW	3.2W	Double Face	Red	White	-
XTN4X-1GBEM	3.8W	Single Face	Green	Black	NiCd
XTN4X-1GWEM	3.8W	Single Face	Green	White	NiCd
XTN4X-1RBEM	3.2W	Single Face	Red	Black	NiCd
XTN4X-1RWEM	3.2W	Single Face	Red	White	NiCd
XTN4X-2GBEM	3.8W	Double Face	Green	Black	NiCd
XTN4X-2GWEM	3.8W	Double Face	Green	White	NiCd
XTN4X-2RBEM	3.2W	Double Face	Red	Black	NiCd
XTN4X-2RWEM	3.2W	Double Face	Red	White	NiCd

BUILDER SERIES SUPER SLIM LED EXIT SIGN

WITH ADJUSTABLE LED HEADS, 120-277V, 12"(W) x 7 3/5"(H) x 1"(D)



CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY
XTSL-CL-RW	Universal Single/Double	RED	White	3.6 Ni-MH
XTSL-CL-GW	Universal Single/Double	GREEN	White	3.6 Ni-MH

COMBINATION LED EXIT SIGN & LED EMERGENCY, 120-277V, 21"(W) x 9"(H) x 4-7/16"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
XT-CL-RW-EM	Universal Single/Double	Red	White	NiCd
XT-CL-GW-EM	Universal Single/Double	Green	White	NiCd

2-IN-1 COLOR-SELEC UNIVERSAL COMBO UNIT, 120-277V, 15-1/2"(W) x 12-1/2"(H) x 9"(D)

DEFAULT IS RED, FLIP SWITCH INSIDE AND CHANGE PROVIDED GREEN FILM[S] FOR GREEN



CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY	
XTU-CL-RG-EM-BK	Universal Single/Double	RED/GREEN	Black	1.2V Ni-MH	
XTU-CL-RG-EM	Universal Single/Double	RED/GREEN	White	1.2V Ni-MH	
XTU-CL-RG-EM-RC	Universal Single/Double	RED/GREEN	White	1.2V Ni-MH	Remote Capable
XTU-CL-RG-EM-RC-BK	Universal Single/Double	RED/GREEN	Black	1.2V Ni-MH	Remote Capable

LED STRIP COMBINATION EXIT/EMERGENCY LIGHT, SINGLE OR DOUBLE FACE



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
XIT-STRIP-2R-W	Double Face	Red	White	NiCd
XIT-STRIP-2G-W	Double Face	Green	White	NiCd
XIT-STRIP-2R-B	Double Face	Red	Black	NiCd
XIT-STRIP-2G-B	Double Face	Green	Black	NiCd

SPEC SERIES COMBO DIE-CAST ALUMINUM LED EXIT SIGN

ADJUSTABLE HEADS, 120-277V, 12-1/2"(W) x 11-3/4"(H) x 2-3/8"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
XT-C-ADJ-3RBBEM	Universal Single/Double	Red	Black	NiCd
XT-C-ADJ-3RAAEM	Universal Single/Double	Red	Aluminum	NiCd
XT-C-ADJ-3RWWEM	Universal Single/Double	Red	White	NiCd
XT-C-ADJ-3GBBEM	Universal Single/Double	Green	Black	NiCd
XT-C-ADJ-3GAAEM	Universal Single/Double	Green	Aluminum	NiCd
XT-C-ADJ-3GWWEM	Universal Single/Double	Green	White	NiCd
XT-C-ADJ-RC	Optional Remote Capability			

SPEC SERIES WET LOCATION COMBINATION LED EXIT SIGN &

LED EMERGENCY, 120-277V 3.6W, 13-11/16"(W) x 12-3/8"(H) x 4-1/16"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING
CWLEZXTE1GW	Single Face	Green	White
CWLEZXTE1GG	Single Face	Green	Gray
CWLEZXTE1RW	Single Face	Red	White
CWLEZXTE1RG	Single Face	Red	Gray
CWLEZXTE1GB	Single Face	Green	Black
CWLEZXTE1RB	Single Face	Red	Black
CWLEZXTE2GB	Double Face	Green	Black
CWLEZXTE2RB	Double Face	Red	Black
CWLEZXTE2GW	Double Face	Green	White
CWLEZXTE2GG	Double Face	Green	Gray
CWLEZXTE2RW	Double Face	Red	White
CWLEZXTE2RG	Double Face	Red	Gray
CWLEZ-SDT	Optional Self Diagnostics Test		
CWLEZ-RC	Optional Remote Capability		
CWLEZ-CW	Optional Cold Weather		

EXIT & EMERGENCY

SPEC SERIES NEMA 4X COMBINATION LED EXIT SIGN & LED EMERGENCY, 120-277V



CATALOG NO.	NO. OF FACES/LETTER COLOR	VOLTAGE	WATTAGE	HOUSING COLOR	ITEMS DESCRIPTION
XTCLN4X	1G 1R 2G 2R	6 12 6V 12V	12W 12W 15W 15W 28W 28W	W B G WHITE BLACK GRAY	6V, 15W, SINGLE FACE 6V, 28W, SINGLE FACE 12V, 15W, SINGLE FACE 12V, 28W, SINGLE FACE 6V, 12W, DOUBLE FACE 12V, 12W, DOUBLE FACE

SAMPLE ORDERING:
XTCLN4X-1G-12-15W-W

LOW LEVEL LED EXIT & EMERGENCY COMBO



CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY
LLXT-RW	Universal Single	RED	Frost White	NiCd
LLXT-GW	Universal Single	GREEN	Frost White	NiCd
LLXT-RB	Universal Single	RED	Black	NiCd
LLXT-GB	Universal Single	GREEN	Black	NiCd



WET LOCATION COMBO LED EXIT & EMERGENCY SIGN, UNIVERSAL



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	FACE COLOR	BATTERY
XT-CLWP-RG-EM	Universal Single/Double	Red	White	NiCd
XT-CLWP-GG-EM	Universal Single/Double	Green	White	NiCd



WET LOCATION COMBINATION LED EXIT SIGN &

INCANDESCENT EMERGENCY, 120-277V, 11-3/4" (W) x 18-1/4" (H) x 3-3/4" (D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
XT-CWP-RG-EM	Single Face	Red	Gray	NiCd
XT-CWP-HTR	Optional Internal Heater			



MODERN MINI BUG-EYE EMERGENCY LIGHTS - 120-277 - 7"X7"



CATALOG NO.	WATTS	LUMENS	HOUSING COLOR	MOUNTING	BATTERY
EL-MT	1.5W(2)	150LM	White	Wall	3.6V NiCd
EL-MT-HO	1.5W(2)	250LM	White	Wall	3.6V NiCd



MODERN MINI EMERGENCY LIGHTS- 120-277V - 7"(H) X 14" (W)



CATALOG NO.	WATTS	LUMENS	HOUSING COLOR	MOUNTING	BATTERY
EL-M5	1W(2)	150LM	White	Wall	3.6V NiCd
EL-M5-BK	1W(2)	150LM	Black	Wall	3.6V NiCd



WET LOCATION MODERN MINI EMERGENCY LIGHTS- 120-277V - 7"(H) X 14" (W)



CATALOG NO.	WATTS	LUMENS	HOUSING COLOR	MOUNTING	BATTERY
EL-M5-HO-WP	1.5W(2)	200LM	White	Wall	3.6V NiCd



LED 2-HEAD MINI EMERGENCY LIGHT, 120-277V, 4"(H) x 8 1/2"(W) x 1 3/4"(D)



	CATALOG NO.	WATTS	LUMEN	HOUSING COLOR	MOUNTING	BATTERY
	EL-M2	1W(2)	200LM	White	Wall	3.6V NiCd
	EL-M2-BK	1W(2)	200LM	Black	Wall	3.6V NiCd

LED 2-HEAD MINI EMERGENCY LIGHT, 120-277V, 4-1/4"(H) x 9-1/4"(W) x 1-3/5"(D)



	CATALOG NO.	WATTS	LUMEN	HOUSING COLOR	MOUNTING	BATTERY	LUMEN
	EL-M1	1W(2)	200LM	White	Wall	3.6V Ni-MH	200LM
	EL-M1-BK	1W(2)	200LM	Black	Wall	3.6V Ni-MH	200LM

BUILDER SERIES LED EMERGENCY LIGHTS, 120-277V, 13.7" W X 4.3" H X 3.5" D



	CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
	EL-1	1W per Head	White	Wall & Ceiling	NiCd

SPEC SERIES LARGE LED EMERGENCY LIGHTS WITH HIGHER OUTPUT, 120-277V, 15.5" W X 5" H X 4.75" D



	CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
	EL-1L	1.2W per Head	White	Wall & Ceiling	NiCd
	EL-1L-BK	1.2W per Head	Black	Wall & Ceiling	NiCd

SPEC SERIES LARGE LED EMERGENCY LIGHTS

WITH REMOTE CAPABLE & HIGHER OUTPUT, 120-277V, 15.5" W X 5" H X 4.75" D



	CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
	EL-1L-RC	1.2W per Head	White	Wall & Ceiling	NiCd Remote Capable

LED 2-HEAD DESIGNER EMERGENCY LIGHT, 120-277V, 4- 1/3"(H) x 13- 1/2"(W) x 3- 1/2"(D)



	CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
	EL-1D	2.4W(2)	White	Wall	3.6V NiCd

BUILDER SERIES LED EMERGENCY LIGHTS, 120-277V, 4 5/8"(H) x 9 1/2"(W) x 2 1/4"(D)



	CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
	EL-2A	1.2W per head	White	Wall & Ceiling	3.6V 1Ah NI-CAD

SPEC SERIES LED 2-HEAD HIGH-OUTPUT EMERGENCY LIGHT, 120-277V, 5"(H) x 12-1/2"(W) x 2-4/5"(D)



CATALOG NO.	WATTS	HOUSING COLOR	BATTERY	LUMEN
EL-HO	3W(2)	White	Lead Acid	650LM

LED 2-HEAD EXTRA HIGH-OUTPUT EMERGENCY LIGHT, 120-277V, 5"(H) x 12-1/2"(W) x 2-4/5"(D)



CATALOG NO.	WATTS	HOUSING COLOR	BATTERY	LUMENS
EL-EHO	10W per Head	White	Lead Acid	1250LM

WET LOCATION LED 2-HEAD EMERGENCY LIGHT, 120-277V 4-1/5"(H) x 12-1/4"(W) x 5-1/4"(D)



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY	LUMEN
EL-WP	6W(2)	White	Wall & Ceiling	6V Ni-MH	400LM

INDOOR SQUARE LED REMOTE HEADS, 120-277V



CATALOG NO.	WATTS	VOLTAGE	HOUSING COLOR	HEADS PER FIXTURE	
EL-RH1	1W per Head	3.6V/6V/9.9V/12 DC	White	Single	6-3/8"(H) x 4-1/4"(W) x 4-1/4"(D)
EL-RH2	1W per Head	3.6V/6V/9.9V/12 DC	White	Double	6-3/4"(H) x 4-1/4"(W) x 10-3/8"(D)

WET LOCATION OUTDOOR SQUARE LED REMOTE HEADS, 120-277V



CATALOG NO.	WATTS	VOLTAGE	HOUSING COLOR	HEADS PER FIXTURE	
EL-RH1-WP	1W per Head	3.6V/6V/9.9V/12 DC	White	Single	6-3/8"(H) x 4-1/4"(W) x 4-1/4"(D)
EL-RH2-WP	1W per Head	3.6V/6V/9.9V/12 DC	White	Double	6-3/4"(H) x 4-1/4"(W) x 10-3/8"(D)

WET LOCATION LED EMERGENCY LIGHTS WITH REMOTE CAPABILITY, 120-277V, 6"(H) x 12-1/2"(W) x 8-1/2"(D)



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
LEDTFX-2	1.875W per Head	Gray	Wall	NiCd
LEDTFX-2-B	1.875W per Head	Black	Wall	NiCd

BUILDER SERIES ECONOMY OUTDOOR EMERGENCY WALL PACK

WITH PHOTOCELL, SELECTABLE 15~30W, 30/40K/50K, 120~277V **MTO made to order**



CATALOG NO.

DESCRIPTION

LESW-15-30W-MCTP-P-EM

15W/20W/30W **135LM/W** 3000K/4000K/5000K Bronze

LESW-15-30W-MCTP-P-WH-EM

15W/20W/30W **135LM/W** 3000K/4000K/5000K White



BUILDER SERIES DECORATIVE OUTDOOR

LED AC/EMERGENCY UNIT, 120~277V, 3-5/8"(H) x 10-1/2"(W) x 6-3/5"(D)



CATALOG NO.

WATTS

HOUSING
COLOR

BATTERY

DESCRIPTION

DELW-15W-MCT-BK

15W

Black

NiCd

With Photocell

DELW-15W-MCT-BR

15W

Dark Bronze

NiCd

With Photocell

DELW-15W-MCT-WH

15W

White

NiCd

With Photocell



SPEC SERIES DECORATIVE OUTDOOR

LED AC/EMERGENCY UNIT, 120~277V, 3-5/8"(H) x 10-1/2"(W) x 6-3/5"(D)



CATALOG NO.

WATTS

HOUSING
COLOR

BATTERY

DESCRIPTION

DBEL-ACEM-WH-SDT

12W

White

NiCd

With Photocell

DBEL-ACEM-BK-SDT

12W

Black

NiCd

With Photocell

DBEL-ACEM-BR-SDT

12W

Dark Bronze

NiCd

With Photocell

DBEL-ACEM-N-SDT

12W

Nickel

NiCd

With Photocell

DBEL-ACEM-WH-SDT-CW

12W

White

NiCd

With Cold Weather & Photocell

DBEL-ACEM-BK-SDT-CW

12W

Black

NiCd

With Cold Weather & Photocell

DBEL-ACEM-BR-SDT-CW

12W

Dark Bronze

NiCd

With Cold Weather & Photocell

DBEL-ACEM-N-SDT-CW

12W

Nickel

NiCd

With Cold Weather & Photocell



SPEC SERIES NEMA 4X OUTDOOR LED REMOTE HEADS, 120~277V, 4-7/8"(H) x 9-5/8"(W) x 5-1/2"(D)



CATALOG NO.

WATTS

VOLTAGE

HOUSING
COLOR

HEADS

PER FIXTURE

RHN4X-1W

3.3W per Head

6V/12VDC

White

Single Square Head

RHN4X-1B

3.3W per Head

6V/12VDC

Black

Double Square Head

RHN4X-2W

3.3W per Head

6V/12VDC

White

Single Square Head

RHN4X-2B

3.3W per Head

6V/12VDC

Black

Double Square Head



SPEC SERIES NEMA 4X LED EMERGENCY LIGHTS, 120~277V



CATALOG NO.

WATTS

VOLTAGE

HOUSING
COLOR

BATTERY

ELN4X-12-15W-B

15W

12V

Black

NiCd

ELN4X-12-15W-W

15W

12V

White

NiCd

ELN4X-12-36W-B

36W

12V

Black

NiCd

ELN4X-12-36W-W

36W

12V

White

NiCd

ELN4X-12-54W-B

54W

12V

Black

NiCd

ELN4X-12-54W-W

54W

12V

White

NiCd

ELN4X-6-15W-B

15W

6V

Black

NiCd

ELN4X-6-15W-W

15W

6V

White

NiCd

ELN4X-6-36W-B

36W

6V

Black

NiCd

ELN4X-6-36W-W

36W

6V

White

NiCd

ELN4X-6-54W-B

54W

6V

Black

NiCd

ELN4X-6-54W-W

54W

6V

White

NiCd



POLYCARBONATE VANDAL/ENVIRONMENTAL SHIELD GUARDS



CATALOG NO.

DESCRIPTION

PCS-1

For use with most standard Exit signs

BG-1

For use with most standard Exit signs

BGR-1

For use with most standard Emergency lights

WG-1

Wire Guard, 13-3/4 X 15-1/4 X 6"

WG-3

Wire Guard, 13-3/4 X 30-1/4 X 6"




ELB-0848


ELB-1048-HH

ELB-1248

ELB-1548-HH

ELB-18150-B

**ELB-2048
ELB-20150**

ELB-0460-FM

ELB-2048-EXTR

ELB-08170-EXTR

**ELB-08120-AC
ELB-09120-AC
ELB-12120-AC
ELB-15120-AC**

ELB-09120-AC-JB

**ELB-3048-FLEX
ELB-30150-FLEX**

**ELB-2048-IP65
ELB-20150-IP65**

ELB-0895


**ELB-20175-AC-FLEX
ELB-23120-HH-AC-FLEX**

ELB-40170-AC-FLEX

ELB-60170-AC-FLEX

**ELB-CW-18W-MW
ELB-CW-27W-MW**

ELB-CW-27W-MV-IP66

ELB-15300-HH-B

**ELB-0856-CP-SD-HH-B
ELB-1556-CP-SD-HH-B
ELB-2056-CP-SD-HH-B**


EMERGENCY BATTERY BACKUPS

CATALOG NO.	OUTPUT VOLTAGE	OUTPUT POWER	BATTERY	NOTES
ELB-0848	25-48V DC	8W MAX	Li-ion 2500mAh	8W SPLIT
ELB-1048-HH	25-48V DC	10W MAX	LiFePO4 3000mAh	10W SPLIT HEAT TOLERANT
ELB-1248	25-48V DC	12W MAX	Li-ion 2500mAh	12W SPLIT
ELB-1548-HH	25-48V DC	15W MAX	LiFePO4 3000mAh	15W SPLIT HEAT TOLERANT
ELB-2048	25-48V DC	20W MAX	Li-ion 4000mAh	20W SPLIT
ELB-0460-FM	10-60V DC	4W MAX	Li-ion 2500mAh	4W INTEGRATED
ELB-2048-EXTR	25-48V DC	20W MAX	Ni-MH 4000mAh	20W INTEGRATED
ELB-3048-FLEX	25-48V DC	30W MAX	Li-ion 4000mAh	30W INTEGRATED
ELB-0895	95V DC MAX	8W MAX	Ni-MH 2600mAh	8W INTEGRATED HIGH DC VOLTAGE
ELB-30150-FLEX	50-150V DC	30W MAX	Li-ion 4000mAh	30W INTEGRATED HIGH DC VOLTAGE
ELB-2048-IP65	25-48V DC	20W MAX	Li-ion 4000mAh	20W INTEGRATED IP65
ELB-20150-IP65	50-150V DC	20W MAX	Li-ion 4000mAh	20W INTEGRATED HIGH DC VOLTAGE IP65
ELB-20150	50-150V DC	20W MAX	Li-ion 4000mAh	20W INTEGRATED HIGH DC VOLTAGE
ELB-08170-EXTR	170VDC	8W MAX	Li-ion	WITH FLEX
ELB-08120-AC	120V AC	8W MAX	Li-ion	8W & AC VOLTAGE
ELB-09120-AC	120V AC	9W MAX	Li-ion	9W & AC VOLTAGE
ELB-09120-AC-JB	4in SQUARE J-BOX WITH FLAT BRACKET FOR CEILING LIGHTS WITH 9W AC-CONNECT			
ELB-12120-AC	120V AC	12W MAX	Li-ion	12W & AC VOLTAGE
ELB-15120-AC	120V AC	15W MAX	Li-ion	15W & AC VOLTAGE
ELB-20175-AC-FLEX	175VDC	20W MAX	Li-ion 4000mAh	20W INTEGRATED
ELB-40170-AC-FLEX	170VDC	40W MAX		DIRECT AC-CONNECT
ELB-60170-AC-FLEX	170VDC	60W MAX		DIRECT AC-CONNECT
ELB-18150-B	50-150VDC	18W MAX	Li-ion	18W SPLIT
ELB-CW-18W-MW	COLD-WEATHER LED EMERGENCY BACKUP 18W MULTI-VOLTAGE INTERNAL			
ELB-CW-27W-MW	COLD-WEATHER LED EMERGENCY BACKUP 27W MULTI-VOLTAGE INTERNAL			
ELB-CW-27W-MW-IP66	COLD-WEATHER LED EMERGENCY BACKUP 27W MULTI-VOLTAGE INTERNAL, IP66			
ELB-15300-HH-B	60-300VDC	15W	CONSTANT-POWER INTERNAL BACKUP	100-347V INPUT SELF-TEST
ELB-23120-HH-AC-FLEX	120VAC	23W	BACKUP FOR T8 LAMPS AND DOB DOWNLIGHTS	
ELB-0856-CP-SD-HH-B	100-347VAC	25-56VDC	8W LiFePO4	CONSTANT POWER SELF-DIAG. 2PC BOXED EM
ELB-1556-CP-SD-HH-B	100-347VAC	25-56VDC	15W LiFePO4	CONSTANT POWER SELF-DIAG. 2PC BOXED EM
ELB-2056-CP-SD-HH-B	100-347VAC	25-56VDC	20W LiFePO4	CONSTANT POWER SELF-DIAG. 2PC BOXED EM



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

CATALOG NO.	DESCRIPTION
OPT-EM-CW2EXT	COLD-WEATHER EXTERNAL EMERGENCY POWER SUPPLY 27w FACTORY OPTION
OPT-EM-CW2INT	COLD-WEATHER INTERNAL EMERGENCY POWER SUPPLY 27w FACTORY OPTION
OPT-EM-CW1INT	COLD-WEATHER INTERNAL EMERGENCY POWER SUPPLY 18w FACTORY OPTION



ELECTRICAL

SEARCH FOR THE SERIES NAME @WESTGATEMFG.COM




W1B SERIES



W1 SERIES



W1D SERIES




W2B SERIES



W2 SERIES



WC2 SERIES



W2D SERIES




W2X SERIES



W3 SERIES



W3D SERIES



WRB SERIES



WRC SERIES



WRE SERIES



WXB SERIES



WXF SERIES



WXR SERIES




LB SERIES



LL SERIES



LR SERIES



C SERIES



T SERIES



SLB SERIES



CG SERIES



LH150 SERIES



PL SERIES



MS07CW SERIES



MS50 SERIES



GPA SERIES



EL-HO SERIES



EX143 SERIES




MVP98 SERIES



MVP99 SERIES



MVP94 SERIES



MVP99 SERIES



USB2 SERIES



YM SERIES



INFRASTRUCTURE CEILING - ELECTRICAL CONDUITS



Live inventory. Real-time pricing. No waiting.
Access the MyWestgate Portal to check
availability and pricing instantly.
Scan the QR code to skip the line.

ONE-GANG BOXES, 2" DEEP

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	W1B50-3	1/2" trade size, 3 outlet holes, 18.3 cu. in.	20
	W1B50-3-WH	1/2" trade size, 3 outlet holes, 18.3 cu. in., white	20
	W1B50-3-BRZ	1/2" trade size, 3 outlet holes, 18.3 cu. in., bronze	20
	W1B75-3	3/4" trade size, 3 outlet holes, 18.3 cu. in.	20
	W1B75-3-WH	3/4" trade size, 3 outlet holes, 18.3 cu. in., white	20
	W1B75-3-BRZ	3/4" trade size, 3 outlet holes, 18.3 cu. in., bronze	20
	W1B100-3	1" trade size, 3 outlet holes, 18.3 cu. in.	20
	W1B50-4	1/2" trade size, 4 outlet holes, 18.3 cu. in.	20
	W1B50-4-WH	1/2" trade size, 4 outlet holes, 18.3 cu. in., white	20
	W1B50-4-BRZ	1/2" trade size, 4 outlet holes, 18.3 cu. in., bronze	20
	W1B75-4	3/4" trade size, 4 outlet holes, 18.3 cu. in.	20
	W1B75-4-WH	3/4" trade size, 4 outlet holes, 18.3 cu. in., white	20
	W1B75-4-BRZ	3/4" trade size, 4 outlet holes, 18.3 cu. in., bronze	20
	W1B50-5	1/2" trade size, 5 outlet holes, 18.3 cu. in.	20
	W1B50-5-WH	1/2" trade size, 5 outlet holes, 18.3 cu. in., white	20
	W1B50-5-BRZ	1/2" trade size, 5 outlet holes, 18.3 cu. in., bronze	20
	W1B75-5	3/4" trade size, 5 outlet holes, 18.3 cu. in.	20
	W1B75-5-WH	3/4" trade size, 5 outlet holes, 18.3 cu. in., white	20
	W1B75-5-BRZ	3/4" trade size, 5 outlet holes, 18.3 cu. in. bronze	20
	W1B50-5X	1/2" trade size, 5 outlet holes, 18.3 cu. in.	20
	W1B75-5X	3/4" trade size, 5 outlet holes, 18.3 cu. in.	20

ONE-GANG DEVICE COVERS DEEP

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	W1BC	BLANK COVER	50
	W1BC-WH	BLANK COVER, white	50
	W1BC-BRZ	BLANK COVER, bronze	50
	W1BC-G	HEAVY DUTY GALVANIZED BLANK COVER - gray	50
	W1C-DV	DUPLEX, VERTICAL	25
	W1C-DV-WH	DUPLEX, VERTICAL, white	25
	W1C-DV-BRZ	DUPLEX, VERTICAL, bronze	25
	W1C-GV	GFCI, VERTICAL	25
	W1C-GV-WH	GFCI, VERTICAL - white	25
	W1C-GV-BRZ	GFCI, VERTICAL - Bronze	25
	W1C-P020	20A RECEPTACLE, 1.60" DIAMETER	25
	W1C-P030	30A RECEPTACLE, 1.75" DIAMETER	25
	W1C-P040	40-50A RECEPTACLE, 2.30" DIAMETER	25
	W1C-SV	SINGLE RECEPTACLE, VERTICAL	25
	W1C-SV-WH	SINGLE RECEPTACLE, VERTICAL, white	25
	W1C-SV-BRZ	SINGLE RECEPTACLE, VERTICAL, bronze	25
	W1C-SW	1 LEVER, VERTICAL, SWITCH NOT INCLUDED	25
	W1C-SW-WH	1 LEVER, VERTICAL, SWITCH NOT INCLUDED	25
	W1C-SW-BRZ	1 LEVER, VERTICAL, SWITCH NOT INCLUDED	25

ONE-GANG DEVICE COVERS

	CATALOG NO.		PKG. QTY.
	W1C-TS	TOGGLE SWITCH, VERTICAL	25
	W1C-TS-WH	TOGGLE SWITCH, VERTICAL, white	25
	W1C-TS-BRZ	TOGGLE SWITCH, VERTICAL, bronze	25
	W1C-DH	DUPLEX, HORIZONTAL	25
	W1C-GH	GFCI, HORIZONTAL	25
	W1C-GH-WH	GFCI, HORIZONTAL - white	25
	W1C-GH-BRZ	GFCI, HORIZONTAL - bronze	25
	W1CL-DV	LOCKABLE 1 GANG W/P COVER 1 SI	25
	W1CL-GV	LOCKABLE 1 GANG W/P DEVICE COV	25
	W1CL-SV	LOCKABLE 1 GANG W/P COVER 1 SI	25
	W1C-SH	SINGLE RECEPTACLE HORIZONTAL	25

ONE-GANG BOXES | 2-5/8" DEEP

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	W1DB50-3	1/2" trade size, 3 outlet holes, 23.8 cu. in.	12
	W1DB75-3	3/4" trade size, 3 outlet holes, 23.8 cu. in.	12
	W1DB100-3	1" trade size, 3 outlet holes, 23.8 cu. in.	12
	W1DB50-4	1/2" trade size, 4 outlet holes, 23.8 cu. in.	12
	W1DB75-4	3/4" trade size, 4 outlet holes, 23.8 cu. in.	12
	W1DB50-5X	1/2" trade size, 5 outlet holes, 23.8 cu. in.	12
	W1DB75-5X	3/4" trade size, 5 outlet holes, 23.8 cu. in.	12
	W1DB100-5X	1" trade size, 5 outlet holes, 23.8 cu. in.	12

TWO-GANG STANDARD BOXES | 2" DEEP

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	W2B50-3	1/2" trade size, 3 outlet holes, 30.5 cu. in.	12
	W2B75-3	3/4" trade size, 3 outlet holes, 30.5 cu. in.	12
	W2B100-3	1" trade size, 3 outlet holes, 30.5 cu. in.	12
	W2B50-4	1/2" trade size, 4 outlet holes, 30.5 cu. in.	12
	W2B75-4	3/4" trade size, 4 outlet holes, 30.5 cu. in.	12
	W2B100-4	1" trade size, 4 outlet holes, 30.5 cu. in.	12
	W2B50-5	1/2" trade size, 5 outlet holes, 30.5 cu. in.	12
	W2B75-5	3/4" trade size, 5 outlet holes, 30.5 cu. in.	12
	W2B50-5X	1/2" trade size, 5 outlet holes, 30.5 cu. in.	12
	W2B75-5X	3/4" trade size, 5 outlet holes, 30.5 cu. in.	12
	W2B100-5X	1" trade size, 4 outlet holes, 30.5 cu. in.	12
	W2B50-6X	1/2" trade size, 6 outlet holes, 30.5 cu. in.	12
	W2B75-6X	3/4" trade size, 6 outlet holes, 30.5 cu. in.	12
	W2B50-7	1/2" trade size, 7 outlet holes, 30.5 cu. in.	12
	W2B75-7	3/4" trade size, 7 outlet holes, 30.5 cu. in.	12
	W2B50-7X	1/2" trade size, 7 outlet holes, 30.5 cu. in.	12
	W2B75-7X	3/4" trade size, 7 outlet holes, 30.5 cu. in.	12
	W2B50-9	1/2" trade size, 9 outlet holes, 30.5 cu. in.	12
	W2B75-9	3/4" trade size, 9 outlet holes, 30.5 cu. in.	12

TWO-GANG DEVICE COVERS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	W2BC	2 GANG WEATHERPROOF BLANK COVE	25
	W2BC-WH	2 GANG WEATHERPROOF BLANK COVE, white	25
	W2BC-BRZ	2 GANG WEATHERPROOF BLANK COVE, bronze	25
	W2C-2D	2 DUPLEX RECEPTACLES	12
	W2BC-G	HEAVY DUTY GALVANIZED BLANK COVER	25
	W2C-2G	2 GFCI RECEPTACLES	12
	W2C-2S	2 SINGLE RECEPTACLES 1.406" DIAMETER	12
	W2C-GD	1 GFCI & 1 DUPLEX RECEPTACLE	12
	W2C-GS	1 GFCI & 1 SINGLE RECEPTACLE	12
	W2C-SD	1 DUPLEX & 1 SINGLE RECEPTACLE 1.41" DIAMETER	12
	W2C-SW	2 LEVERS + 2-15A SINGLE POLE SWITCHES -NOT INCLUDED	12
	W2CL-P050	40-50A RECEPTACLE, 2.125" DIAMETER, LOCKABLE	12
	W2CL-P060	60A RECEPTACLE, 2.468" DIAMETER, LOCKABLE	12
	W2C-DH	OVER-SIZED DUPLEX, HORIZONTAL	12

SERVICE ENTRANCE CAPS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	WC2-50	SERVICE ENTRANCE CAPS, DIE-CAS	15
	WC2-75	SERVICE ENTRANCE CAPS, DIE-CAS	10
	WC2-100	SERVICE ENTRANCE CAPS, DIE-CAS	7
	WC2-125	SERVICE ENTRANCE CAPS, DIE-CAS	5
	WC2-150	SERVICE ENTRANCE CAPS, DIE-CAS	4
	WC2-200	SERVICE ENTRANCE CAPS, DIE-CAS	4
	WC2-250	SERVICE ENTRANCE CAPS, DIE-CAS	1
	WC2-300	SERVICE ENTRANCE CAPS, DIE-CAS	1
	WC2-350	SERVICE ENTRANCE CAPS, DIE-CAS	1
	WC2-400	SERVICE ENTRANCE CAPS, DIE-CAS	1

TWO-GANG DEEP BOXES | 2-5/8" DEEP

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	W2DB50-5	1/2" trade size, 5 outlet holes, 40.3 cu. in.	9
	W2DB75-5	3/4" trade size, 5 outlet holes, 40.3 cu. in.	9
	W2DB100-5	1" trade size, 5 outlet holes, 40.3 cu. in.	9
	W2DB50-7X	1/2" trade size, 7 outlet holes, 40.3 cu. in.	9
	W2DB75-7X	3/4" trade size, 7 outlet holes, 40.3 cu. in.	9
	W2DB100-7X	1" trade size, 7 outlet holes, 40.3 cu. in.	9

TWO-GANG EXTENSION BOXES | 1-9/16" DEEP

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	W2XB50-6	1/2" trade size, 6 outlet holes, 15.0 cu. in.	9
	W2XB75-6	3/4" trade size, 6 outlet holes, 15.0 cu. in.	9
	W2XB50-8	1/2" trade size, 8 outlet holes, 15.0 cu. in.	9
	W2XB75-8	3/4" trade size, 8 outlet holes, 15.0 cu. in.	9

THREE-GANG DEVICE COVER

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	W3BC	BLANK COVER	7
	W3C-3D	3 DUPLEX RECEPTACLES	7
	W3C-3G	3 GFCI RECEPTACLES	7
	W3C-3S	3 SINGLE 1.41" DIAMETER RECEPTACLES	7

THREE-GANG DEEP BOXES | 2-5/8" DEEP

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	W3DB50-7	1/2" trade size, 7 outlet holes, 54.0 cu. in.	10
	W3DB75-7	3/4" trade size, 7 outlet holes, 54.0 cu. in.	10
	W3DB100-7	1" trade size, 7 outlet holes, 54.0 cu. in.	10

ROUND EXTENSION BOXES | 4" DEEP



CATALOG NO.	DESCRIPTION	PKG. QTY.
WRB50-5	1/2" trade size, 5 outlet holes, 15.8 cu. in.	16
WRB50-5-WH	1/2" trade size, 5 outlet holes, 15.8 cu. in., white	16
WRB50-5-BRZ	1/2" trade size, 5 outlet holes, 15.8 cu. in., bronze	16
WRB50-5-BK	1/2" trade size, 5 outlet holes, 15.8 cu. in., black	16
WRB75-5	3/4" trade size, 5 outlet holes, 54.0 cu. in	16

ROUND COVERS | 4" DEEP



CATALOG NO.	DESCRIPTION	PKG. QTY.
WRC-1	1/2" trade size, 1 outlet holes	25
WRC-1-WH	1/2" trade size, 1 outlet holes, white	25
WRC-1-BRZ	1/2" trade size, 1 outlet holes, bronze	25
WRC-1-BK	1/2" trade size, 1 outlet holes, black	25
WRC-2	1/2" trade size, 2 outlet holes	25
WRC-2-WH	1/2" trade size, 2 outlet holes, white	25
WRC-2-BRZ	1/2" trade size, 2 outlet holes, bronze	25
WRC-2-BK	1/2" trade size, 2 outlet holes, black	25
WRC-3	1/2" trade size, 3 outlet holes	25
WRC-3-WH	1/2" trade size, 3 outlet holes, white	25
WRC-3-BRZ	1/2" trade size, 3 outlet holes, bronze	25
WRC-3-BK	1/2" trade size, 3 outlet holes, black	25
W4RBC	4" round blank cover with gasket	50

ONE-GANG RECTANGULAR COVERS



CATALOG NO.	DESCRIPTION	PKG. QTY.
WRE-1	1/2" trade size, 1 outlet holes	25
WRE-1-WHT	1/2" trade size, 1 outlet holes, white	25
WRE-1-BRZ	1/2" trade size, 1 outlet holes, bronze	25
WRE-2	1/2" trade size, 2 outlet holes	25
WRE-2-WHT	1/2" trade size, 2 outlet holes, white	25
WRE-2-BRZ	1/2" trade size, 2 outlet holes, bronze	25
WRE-3	1/2" trade size, 3 outlet holes	25
WRE-3-WH	1/2" trade size, 3 outlet holes, white	25
WRE-3-BRZ	1/2" trade size, 3 outlet holes, bronze	25

ONE-GANG EXTENSION BOXES | 1-3/8" DEEP



CATALOG NO.	DESCRIPTION	PKG. QTY.
WXB50-4	1/2" trade size, 4 outlet holes, 9.5 cu. in.	12
WXB75-4	3/4" trade size, 4 outlet holes, 9.5 cu. in.	12
WXB50-6	1/2" trade size, 6 outlet holes, 9.5 cu. in	12
WXB75-6	3/4" trade size, 6 outlet holes, 9.5 cu. in.	12

ONE-GANG FLANGED EXTENSION BOXES | 1-9/16" DEEP



CATALOG NO.	DESCRIPTION	PKG. QTY.
WXF50-2	1/2" trade size, 2 outlet holes, 13.5 cu. in.	10
WXF75-2	3/4" trade size, 2 outlet holes, 13.5 cu. in.	10
WXF50-4	1/2" trade size, 4 outlet holes, 13.5 cu. in.	10
WXF75-4	3/4" trade size, 4 outlet holes, 13.5 cu. in.	10
WXF50-6	1/2" trade size, 6 outlet holes, 13.5 cu. in.	10
WXF75-6	3/4" trade size, 6 outlet holes, 13.5 cu. in	10

ONE-GANG FLANGED EXTENSION RING | 1" DEEP



CATALOG NO.	DESCRIPTION	PKG. QTY.
WXR-1	1 GANG W/P EXTENSION RING	24
WXR-2	2 GANG W/P EXTENSION RING	12
WXR50-4	4" ROUND W/P EXT. BOX 4 1/2" H	16
WXR75-4	4" ROUND W/P EXT. BOX 4 3/4" H	16
WRC-GASKET	Universal 1-gang foam gasket	25

THREADED CONDUIT BODIES | LB SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	LB-50CG	1/2"	4-5/16"	1-5/16"	2-11/32"	10
	LB-75CG	3/4"	5-3/32"	1-9/16"	2-5/8"	10
	LB-100CG	1"	5-29/32"	1-13/16"	3"	5
	LB-125CG	1-1/4"	7-13/16"	2-1/2"	3-3/4"	2
	LB-150CG	1-1/2"	7-13/16"	2-1/2"	3-3/4"	2
	LB-200CG	2"	10-1/16"	3-3/16"	4-3/4"	1
	LB-250CG	2-1/2"	12-13/16" 12-	4-1/2"	5-9/16"	1
	LB-300CG	3"	13/16"	4-1/2"	6-5/32"	1
	LB-400CG	4"	15-5/8"	5-9/16"	7-9/16"	1

THREADED CONDUIT BODIES | LL SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	LL-50CG	1/2"	4-5/16"	2-1/32"	1-5/8"	10
	LL-75CG	3/4"	5-3/32"	2-5/16"	1-7/8"	10
	LL-100CG	1"	5-29/32"	2-11/16"	2-1/8"	5
	LL-125CG	1-1/4"	7-13/16"	3-1/2"	2-3/4"	2
	LL-150CG	1-1/2"	7-13/16"	3-1/2"	2-3/4"	2
	LL-200CG	2"	10-1/16"	4-9/32"	3-5/8"	1
	LL-250CG	2-1/2"	12-13/16" 12-	5-7/8"	4-1/4"	1
	LL-300CG	3"	13/16"	5-7/8"	4-3/4"	1
	LL-400CG	4"	15-5/8"	7-21/32"	5-7/8"	1

THREADED CONDUIT BODIES | LR SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	LR-50CG	1/2"	4-5/16"	2-1/32"	1-5/8"	10
	LR-75CG	3/4"	5-3/32"	2-5/16"	1-7/8"	10
	LR-100CG	1"	5-29/32"	2-11/16"	2-1/8"	5
	LR-125CG	1-1/4"	7-13/16"	3-1/2"	2-3/4"	2
	LR-150CG	1-1/2"	7-13/16"	3-1/2"	2-3/4"	2
	LR-200CG	2"	10-1/16"	4-9/32"	3-5/8"	1
	LR-250CG	2-1/2"	12-13/16" 12-	5-7/8"	4-1/4"	1
	LR-300CG	3"	13/16"	5-7/8"	4-3/4"	1
	LR-400CG	4"	15-5/8"	7-21/32"	5-7/8"	1

THREADED CONDUIT BODIES | C SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	C-50CG	1/2"	4-11/16"	1-5/16"	1-5/8"	10
	C-75CG	3/4"	5-1/2"	1-9/16"	1-7/8"	10
	C-100CG	1"	6-7/16"	1-13/16"	2-1/8"	5
	C-125CG	1-1/4"	8-3/8"	2-1/2"	2-3/4"	2
	C-150CG	1-1/2"	8-3/8"	2-1/2"	2-3/4"	2
	C-200CG	2"	10-9/16"	3-3/16"	3-5/8"	1
	C-250CG	2-1/2"	13-1/2"	4-1/2"	4-1/4"	1
	C-300CG	3"	13-1/2"	4-1/2"	4-3/4"	1
	C-400CG	4"	16-5/16"	5-9/16"	5-7/8"	1

THREADED CONDUIT BODIES | T SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	T-50CG	1/2"	4-11/16"	2-1/32"	1-5/8"	10
	T-75CG	3/4"	5-1/2"	2-5/16"	1-7/8"	10
	T-100CG	1"	6-7/16"	2-11/16"	2-1/8"	5
	T-125CG	1-1/4"	8-3/8"	3-1/2"	2-3/4"	2
	T-150CG	1-1/2"	8-3/8"	3-1/2"	2-3/4"	2
	T-200CG	2"	10-9/16"	4-9/32"	3-5/8"	1
	T-250CG	2-1/2"	13-1/2"	5-7/8"	4-1/4"	1
	T-300CG	3"	13-1/2"	5-7/8"	4-3/4"	1
	T-350CG	3-1/2"	16-5/16"	7-21/32"	5-7/8"	1
	T-400CG	4"	16-5/16"	7-21/32"	5-7/8"	1

THREADED CONDUIT BODIES | SLB SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	SLB-50	1/2"	3-9/32"	1-3/8"	1-5/8"	20
	SLB-75	3/4"	3-19/32"	1-9/16"	1-27/32"	20
	SLB-100	1"	4-5/16"	1-31/32"	2-1/8"	10

COVERS & GASKETS FOR THREADED CONDUIT BODIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	CG-50	1/2"	3-7/8"	1-5/16"	-	100
	CG-75	3/4"	4-11/16"	1-9/16"	-	50
	CG-100	1	5-3/8"	1-3/4"	-	50
	CG-125/150	1-1/4" &	7-5/16"	2-1/2"	-	25
	CG-200	1-1/2"	9-1/2"	3-1/8"	-	10
	CG-250/300	2"	12-1/16"	4-7/16"	-	10
	CG-350/400	2-1/2"	15-1/16"	5-9/2016"	-	5

LAMP HOLDERS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	LH150-1	STANDARD WEATHERPROOF LAMP HOLDER	20
	LH150-1-WH	STANDARD WEATHERPROOF LAMP HOLDER, BRONZE	12
	LH150-GASKET	Silicon Gasket For LH150	20

LAMP HOLDERS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	PL-50	CLOSE-UP PLUG 1/2" - 50 PER BA	500 per bag
	PL-50-BRZ	CLOSE-UP PLUG 1/2" - 50 PER BA, BRONZE	500 per bag
	PL-50-WH	CLOSE-UP PLUG 1/2" - 50 PER BA, WHITE	500 per bag
	PL-75	CLOSE-UP PLUG 3/4" - 50 PER BA	500 per bag
	PL-100	CLOSE-UP PLUG 1" - 50 PER BAG	200 per bag

PORCELAIN LAMP HOLDERS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	M507CW-UL	E26, PORCELAIN LAMPHOLDER WITH PULL CHAIN, 2 TERMINAL SCREWS, 660W/250V RATING, WHITE	48

PLASTIC LAMP HOLDERS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	MS507C-UL	E26, BAKELITE KEYLESS LAMPHOLDER WITH 2 TERMINAL SCREWS, 660W/250V RATING, WHITE	108
	MS507CW-UL	E26, BAKELITE LAMPHOLDER WITH PULL CHAIN, 2 TERMINAL SCREWS, 660W/250V RATING, WHITE	108

ANGLE PLUG, GENERAL PURPOSE CORDS | 125V-13A, GRAY

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	GPA3-2	SPT-2 16AWG/ 3 CONDUCTOR, ANGLE PLUG, NEMA 5-15P, 125V, GRAY, 3FT	100
	GPA6-2	SPT-2 16AWG/ 3 CONDUCTOR, ANGLE PLUG, NEMA 5-15P, 125V, GRAY, 6FT	100
	GPA8-2	SPT-2 16AWG/ 3 CONDUCTOR, ANGLE PLUG, NEMA 5-15P, 125V, GRAY, 8FT	100

STRAIGHT PLUG, GENERAL PURPOSE CORDS | 125V-13A, GRAY

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	GPS3-2	SPT-2 16AWG/ 3 CONDUCTOR, STRAIGHT PLUG, NEMA 5-15P, 125V, GRAY, 3FT	100
	GPS6-2	SPT-2 16AWG/ 3 CONDUCTOR, STRAIGHT PLUG, NEMA 5-15P, 125V, GRAY, 6FT	100
	GPS8-2	SPT-2 16AWG/ 3 CONDUCTOR, STRAIGHT PLUG, NEMA 5-15P, 125V, GRAY, 8FT	100

STRAIGHT PLUG WITH VINYL INSULATION

	CATALOG NO.	DESCRIPTION	
	EX143-50	Replacement Cords For Range Or Dryer	

DIRECTIONAL ARMORED GROUND CLAMP WITH STEEL SCREWS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	MVP98	TRADE SIZE 1/2" - 1" WIRE SIZE 4-6-8	100

FEED-THROUGH ARMORED GROUND CLAMP WITH STEEL SCREWS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	MVP99	TRADE SIZE 1/2" - 1" WIRE SIZE 4-6-8,	100

FEED-THROUGH ARMORED GROUND CLAMP WITH STEEL SCREWS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	MVP94-50	1/2" FEED-THROUGH ARMORED GROUND CLAMP	100
	MVP94-75	3/4" FEED-THROUGH ARMORED GROUND CLAMP	100

FEED-THROUGH ARMORED GROUND CLAMP WITH CABLE ADAPTOR

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	MVP99-360-1C	TRADE SIZE 1/2" - 1" WIRE SIZE 4-6-8, MASTER 80 WITH 1 ARMORED CABLE ADAPTOR	80
	MVP99-360-2C	TRADE SIZE 1/2" - 1" WIRE SIZE 4-6-8, MASTER 80 WITH 2 ARMORED CABLE ADAPTOR	80

STEEL JACK CHAIN & FIXTURE HANGER

	CATALOG NO.	DESCRIPTION
	CH-1212	Steel jack chain, 100ft., 12GA, (Meets weight requirements for Linear High Bays)
	CH-1010	Steel jack chain, 100ft., 10GA
	FH-S	Side mount Steel fixture hangers, 10GA
	FH-E	End mount Steel fixture hangers, 10GA
	H-SCREW	Steel flat hanger screw with single hole, 1/4" x 3"

OCCUPANCY/VACANCY SENSORS

	CATALOG NO.	DESCRIPTION
	YM183-W	Occupancy PIR Sensor, 180°, 30FT (720FT), 120V 800/1200W max, Single Pole, Neutral Req.
	YM2108-W	Vacancy & Occupancy PIR Sensor, 180°, 30FT (720FT), 120V 800/1200W max, Single Pole, Neutral Req.
	YM2108-T-W	Vacancy & Occupancy PIR Sensor, 180°, 25FT (600FT), 120V 600/1000W max, 3-Way, Neutral Req.

2 VERTICAL USB PORT 5V DC

	CATALOG NO.	DESCRIPTION
	USB2-15TR-WH	15A Receptacle W/2 USB Ports
	USB2-20TR-WH	20A Receptacle W/2 USB Ports

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"



LWAX-SM
White



LWAX-SM
Dark Bronze




LWAX-MD
Dark Bronze



LWAX-LG
Dark Bronze

POWER & CCT-ADJUSTABLE CUTOFF WALL PACK, 120-277V TYPE 2 LENS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LWAX-SM-12W-50K	12W 1500LM 5000K	30
LWAX-MD-30W-30K	30W 3900LM 3000K	92
LWAX-MD-30W-50K	30W 3900LM 5000K	73
LWAX-SM-12W-30K-WH	12W 1500LM 3000K	225

LED ADJUSTABLE CUTOFF WALL PACK, 120-277V TYPE 2 LENS

Dark Bronze & White



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LWA-50CW-WH	50W 5200LM 5000K	46
LWA-50WW-WH	50W 4900LM 3000K	178
LWA-120NW	120W 13700LM 4000K	20
LWA-120WW	120W 13700LM 5000K	16



LED ADJUSTABLE CUTOFF WALL PACK, 120-277V

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LWA-20WW	20W 2000LM 3000K	46
LWA-30CW-WH	30W 3200LM 5000K	42
LWA-30WW	30W 3000LM 3000K	13



LED CUTOFF WALL PACK, 120-277V



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	AVAILABLE QTY.
LWP-22CW	22W 2000LM 5000K	50-100 MH	93
LWP-80CW	80W 7900LM 5000K	320-400 MH	28



LED ROTATABLE WALL PACKS, 120-277V

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LW360-25W-MCT-G2	25W 3250LM 30K/40K/50K	21
LW360-60W-40K	60W 8100LM 4000K	87



FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED ROTATABLE WALL PACKS, 120-277V

Dark Bronze & White



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	AVAILABLE QTY.
 LW360-60W-30K	60W 8100LM 3000K Bronze	200-300MH	143
LW360-80W-30K	80W 10800LM 3000K Bronze	250-400 MH	44
LW360-80W-40K	80W 10800LM 4000K Bronze	250-400 MH	48
LW360-25W-30K-WH	25W 3375LM 3000K White	100-150 MH	210

LED NON-CUTOFF WALL PACKS, 120-277V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 WML-HL-100W-30K	100W 14800LM 3000K	47
WML-HL-30W-30K	30W 4200LM 3000K	129
WML-HL-50W-50K	50W 7100LM 5000K	13
WML-HL-60W-30K	60W 8700LM 3000K	208
 WML-HL-80W-30K	80W 11600LM 3000K	134
WML-HL-80W-50K	80W 11600LM 5000K	17

SHIELD FOR WML 30W

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 WML-SH1	Shield For WML 30W	50

LED NON-CUTOFF WALL PACKS WITH DIRECTIONAL OPTIC LENS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 WML2-28W-50K-HL-SM-D	28W 3500LM 5000K	524
WML2-50W-30K-HL	48W 6000LM 3000K	112
WML2-50W-30K-SM	50W 5500LM 3000K	195
WML2-120W-30K-HL-LG	120W 15000LM 3000K	13

LED SMALL NON-CUTOFF WALL PACK WITH PHOTOCELL, 120V

CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	AVAILABLE QTY.
 LESW-12W-30K-P	12W 1225LM 3000K	50-70MH	53

LED SMALL (11") WALL PACK WITH PHOTOCELL 120-277V TYPE 2 LENS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LSWX-20W-30K-PC	20W 2450LM 3000KBronze	577



6" LED CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT) H: 18"

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
WMCL-UDL-MCT-BK	40W 3200LM 3000K/4000K/5000K	10



LFX-LG
Dark Bronze



LFX-XL
Dark Bronze



LFX-XXL
Dark Bronze

SPEC SERIES POWER-ADJUSTABLE AREA LIGHT, TYPE 3 LENS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, 120-277V		
LFX-LG-50-150W-30K	50W/80W/100W/150W 140LM/W 3000K	70
LFX-LG-50-150W-40K	50W/80W/100W/150W 140LM/W 4000K	35
LFX-XL-150-300W-30K	150W/200W/240W/300W 145LM/W 3000K	378
LFX-XL-150-300W-40K	150W/200W/240W/300W 145LM/W 4000K	65
LFX-XXL-300-600W-50K	300W/400W/500W/600W 140LM/W 5000K	435
SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, 480V		
LFX-XXL-300-600W-50K-480V	300W/400W/500W/600W 140LM/W 5000K	238



SPEC SERIES POWER & CCT ADJUSTABLE ARCHITECTURAL ROUND-BACK FLOOD LIGHT, 120-277V

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LF4PRO-50-150W-MCTP	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K	397



FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED FLOOD LIGHT 120-277

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 LF-120WW-SF	120W 10000LM 3000K	11

LED FLOOD LIGHTS LF3 SERIES WITH KNUCKLE, 120-277V (NOT DIMMABLE)

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 LF-55WW-KN	55W 4500LM 3000K	77

LF2 ARCHITECTURAL FLOOD LIGHTS, 120-277V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 LF2-10CW-TR	10W 942LM 5000K TRUNNION	196
LF2-10WW-TR	10W 900LM 3000K TRUNNION	19
LF2-80WW-TR	80W 6282LM 3000K TRUNNION	12

12V LED GARDEN LIGHT

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 LF12-6NW	6W 450LM 4000K	18
LF12-20WW	20W 1330LM 3000K	63
LF12-30CW	30W 2000LM 5000K	22
LF12-50WW	50W 3330LM 3000K	28
LF12-6W-RGBW-KN	6W 450LM RGB + 3000K	462

LED FLOOD LIGHTS LF3 SERIES w/ SLIP FITTER, 120-277V

Dark Bronze



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 LF3-80WW-SF	80W 9600LM 3000K	14
LF3-300WW-SF	300W 30800LM 3000K	21

LED FLOOD LIGHTS LF3 SERIES WITH U BRACKET, 120-277V (NOT DIMMABLE)



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 LF3-WH-30WW-TR	30W 3600LM 3000K TRUNNION	707
LF3-30WW-TR	30W 3600LM 3000K TRUNNION	11
LF3-30NW-TR	30W 3600LM 4000K TRUNNION	123
LF3-50NW-TR	50W 6100LM 4000K TRUNNION	36
LF3-100WW-TR	100W 10000LM 3000K TRUNNION	11

FINAL DEALS

LED FLOOD LIGHTS LF3 SERIES WITH YOKE, 120-277V

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LF3-150WW-YK	150W 20680LM 3000K	238
LF3-300CW-YK	300W 39000LM 5000K	14



LED FLOOD LIGHTS LF3 SERIES, 120-277V

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LF3-HL-80W-40K-D	80W 10400LM 4000K	17
LF3-HL-100W-30K-D	100W 13000LM 3000K	52
LF3-HL-150W-30K-D	150W 19700LM 3000K	24
LF3-HL-300W-40K-D	300W 39000LM 4000K	16



LED FLOOD LIGHTS LF3 SERIES, 480V

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LF3-HL-100W-40K-480V	100W 13200LM 4000K	57
LF3-HL-100W-50K-480V	100W 13200LM 5000K	14
LF3-HL-150W-40K-480V	150W 20680LM 4000K	167
LF3-HL-230W-40K-480V	230W 31000LM 4000K	73



LED FLOOD LIGHTS LF3 SERIES, 120-277V

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LF3-HL-80W-40K-TR	80W 10700LM 4000K	44
LF3-HL-100W-30K-TR	100W 13000LM 3000K	14
LF3-HL-300W-50K-TR	300W 39000LM 5000K	12



ACCESSORIES FOR LF3 HL CSERIES

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LF3-EXTARM	STRAIGHT EXTENSION ARM FOR SHOE BOX APPLICATION, WITH K/O TO INSTALL PC OR SENSOR (LF3-80-300)	459
LF3-HL-ASA	ADJUSTABLE STRAIGHT ARM FOR LF3-HL SERIES	116
LF3-HL-EXT	STRAIGHT EXTENSION ARM FOR SHOE BOX APPLICATION	159
LF3-HL-PMR1	ROUND POLE MOUNT FOR LF3-HL-80W/100W/150W	151
LF3-HL-PMR2	ROUND POLE MOUNT FOR LF3-HL-300W	110
LF3-HL-PMS1	SQUARE POLE MOUNT FOR LF3-HL-80W/100W/150W	665
LF3-HL-RSF	ROUND SLIP FITTER FOR LF3-HL SERIES	651
LF3-HL-SF	ADJUSTABLE SLIP FITTER FOR POLE MOUNT	248
LF3-HL-FSF		104
LF3-HL-PK2		376
LF3-HL-RA		22
LF3-HL-TR-230/300W	U BRACKET FOR LF3-HL-230W&300W	69
LF3-HL-TR-80/100/150W	U BRACKET FOR LF3-HL-80W,100W, AND 150W.	92
LF3-HL-YK-100W/150W/230W	ADJUSTABLE U SHAPE YOKE MOUNT FOR LF3-HL-100W/150W/230W	108
LF3-HL-YK-300W	ADJUSTABLE U SHAPE YOKE MOUNT FOR LF3-HL-300W	91
LF3-HL-TYPEII-150W/230W/300W	TYPE 2 LENS FOR LF3-HL SERIES LF3-HL 150W/230W/300W (ORDER 2)	178
LF3-HL-TYPEIII-100W	TYPE 3 LENS FOR LF3-HL SERIES 100W (ORDER 2)	77
LF3-HL-TYPEIII-150W/230W/300W	TYPE 3 LENS FOR LF3-HL SERIES LF3-HL 150W/230W/300W (ORDER 2)	395
LF3-HL-TYPEIV-100W	TYPE 4 LENS FOR LF3-HL SERIES 100W (ORDER 2)	388
LF3-HL-TYPEIV-150W/230W/300W	TYPE 4 LENS FOR LF3-HL SERIES LF3-HL 150W/230W/300W (ORDER 2)	205

LF3 ACCESSORIES

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LF3-SH4FG	FULL-GLARE SHROUD FOR LF3-HL-230W	27
LF3-SH5	SHROUD FOR LF3-220W/300W	46
LF3-EXTARM	STRAIGHT EXTENSION ARM FOR SHOE BOX APPLICATION, WITH K/O TO INSTALL PC OR SENSOR (LF3-80-300)	475
LF3-STR	STREET LIGHT ARM 6" LONG WITH 20" WIRE AND STRAIN RELIEF CONNECTOR (LF3-80-300)	63
LF3-TR	TRUNNION BRACKET FOR LF3 SERIES	15
LF3-SF	ADJUSTABLE SLIP FITTER FOR POLE MOUNT 2" -2-1/2", WITH K/O TO INSTALL PC OR SENSOR (LF3-80-300)	310
LF3-PK	0.00	133
LF3-WMA	WALL MOUNTING PLATE FOR LF3 AN	255
LF3-WG3	WIRE GUARD FOR LF3-HL-80W/100W	59
LF3-WG4	WIRE GUARD FOR LF3-HL-230W	99
LF3-WG5	WIRE GUARD FOR LF3-HL-300W	96
LF3-YOK	ADJUSTABLE U SHAPE YOKE MOUNT 5"L X 4"H WITH 20" WIRE & STRAIN RELIEF CON. (LF3-80-300)	1588
LF3-TYPEIII-150W/300W	TYPE 3 LENS FOR LF3 SERIES - FITS 150W & 300W FIXTURES - ONE LENS PANEL	97
LF3-TYPEIII-80W/100W/220W	TYPE 3 LENS FOR LF3 SERIES - FITS 80W & 100W & 220W FIXTURES - ONE LENS PANEL	55
LF3-TYPEIV-150W/300W	TYPE 4 LENS FOR LF3 SERIES - FITS 150W & 300W FIXTURES - ONE LENS PANEL	226
LF3-TYPEIV-80W/100W/220W	TYPE 4 LENS FOR LF3 SERIES - FITS 80W & 100W & 220W FIXTURES - ONE LENS PANEL	113



COMPACT FLOOD LIGHTS

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	LFE-80W-MCT-D	80W 10500LM 3000K/4000K/5000K	560
	LFE-100W-MCT-D	100W 13000LM 3000K/4000K/5000K	661

LED FLOOD LIGHTS LF3 SERIES WITH U-BRACKET, 120-277V (NOT DIMMABLE)

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	LFE-15W-MCT-TR	15W 1600LM 3000K/4000K/5000K	560
	LFE-30W-MCT-TR	30W 3250LM 3000K/4000K/5000K	50
	LFE-50W-MCT-TR	50W 5250LM 3000K/4000K/5000K	465

LED ARCHITECTURAL ROUND-BACK FLOOD LIGHTS, 120V-277V



	CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	AVAILABLE QTY.
	LF4-12CW-KN	12W 1300LM 5000K	50-70 MH	37

LED FLOOD ARCHITECTURAL SERIES 120-277V



	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	LF4-30WW-TR	30W 3100LM 3000K	12
	LF4-50WW-TR	50W 5400LM 3000K	103
	LF4-100CW-TR	100W 11200LM 5000K	45
	LF4-12WW-TR	12W 1240LM 3000K	19

SHROUD FOR LF4 SERIES

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	LF4-SH4	Shroud For Lf4 Series (Bronze) Fits Lf4-80W & 100W (Cast Aluminum)	39
	LF4-SH5	Shroud For Lf4 Series (Bronze) Fits Lf4-150W (Cast Aluminum)	122

LF4 with Half Shroud

ECONOMY FLOOD/AREA LIGHT SERIES TYPE 3 LENSES



	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	LFC0-80W-40K	80W 10800LM 4000K	63
	LFC0-80W-50K	80W 10800LM 5000K	113
	LFC0-TR1	"U" Bracket For 80W 100W 150W	327
	LFC0-TR2	"U" Bracket For 300W	250
	LFC0-SA		129
	LFC0-SF		417

LED BULLET FLOOD LIGHTS w/ 1/2" KNUCKLE (1st Gen.)



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	AVAILABLE QTY.
 FLD-12WW-WH	12W 800LM 3000K WHITE	100 PAR	90
FLD-30CW-WH	30W 2500LM 5000K WHITE	70-100 MH	30
FLD-30WW-WH	30W 2450LM 3000K WHITE	70-100 MH	144
FLD-30CW-GRN	30W 2500LM 5000K GREEN	70-100 MH	101

LED BULLET FLOOD LIGHTS w/ 1/2" KNUCKLE (1st Gen.)

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 FLD-12CW-GRN	12W 800LM 5000K	106
FLD-30WW	30W 2450LM 3500K	19
FLD-30WW-GRN	30W 2450LM 3000K	26

SHROUD FITS FLD2-50W

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 FL-SH4	POLYCARBONATE SHROUD (BRONZE) FITS FLD2-50W	208

12V INTEGRATED LED LANDSCAPE UPLIGHTS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 LFLV-7W-27K	7W 500LM 2700K	164
LFLV-7W-40K	7W 550LM 4000K	32

LED GARDEN POST LIGHT, 100-277V

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 LGP-100W-30K	100W 12000LM 3000K	42
LGP-42W-30K	42W 5000LM 3000K	10
LGP-A2	Auxiliary Second Arm	337
LGP-EXTARM	External Arm for LGP	16

HAZARDOUS LOCATION CLASS 1 DIV. 2 FLOOD LIGHT

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 EXPF-180W-60K	180W 20700LM 6000K	117

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"



SL-20W-BZ-P
Dark Bronze



SL-20W-WH-P
White



SL-30W-BZ-P
Dark Bronze



SL-30W-WH-P
White

PHOTOCELL SECURITY LIGHTS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
SL-20W-30K-BZ-P	20W 1900LM 3000K	12
SL-20W-30K-WH-P	20W 1900LM 3000K	82
SL-20W-50K-BZ-P	20W 1900LM 5000K	68
SL-30W-30K-BZ-P	30W 2800LM 3000K	263
SL-30W-30K-WH-P	30W 2800LM 3000K	166
SL-30W-50K-WH-P	30W 2800LM 5000K	165



SL-28W-BZ-D
Bronze



SL-28W-WH-D
Bronze/White



SL-40W-BZ-D
Bronze

DIMMABLE SECURITY LIGHTS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
SL-28W-30K-BZ-D	28W 3400LM 3000K	326
SL-28W-50K-WH-D	28W 3400LM 5000K	20
SL-40W-30K-BZ-D	40W 4800LM 3000K	232
SL-40W-50K-BZ-D	40W 4800LM 5000K	196



SL-10W-BZ-D
Dark Bronze



SL-10W-WH-D
White



SL-20W-BZ-D
Dark Bronze



SL-20W-WH-D
White



SL-30W-BZ-D
Dark Bronze



SL-30W-WH-D
White

DIMMABLE SECURITY LIGHTS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
SL-10W-30K-BZ-D	10W 950LM 3000K	520
SL-10W-30K-WH-D	10W 950LM 3000K	349
SL-10W-50K-BZ-D	10W 950LM 5000K	51
SL-10W-50K-WH-D	10W 950LM 5000K	289
SL-20W-30K-BZ-D	20W 1900LM 3000K	11
SL-20W-50K-BZ-D	20W 1900LM 5000K	13
SL-30W-30K-BZ-D	30W 2800LM 3000K	49
SL-30W-30K-WH-D	30W 2800LM 3000K	96
SL-30W-50K-WH-D	30W 2800LM 5000K	25

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"



SECURITY LIGHTS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
SL-20W-30K-BZ	20W 2000LM 3000K	213
SL-20W-30K-WH	20W 2000LM 3000K	605
SL-20W-50K-BZ	20W 2000LM 5000K	888
SL-20W-50K-WH	20W 2000LM 5000K	912



PHOTOCELL SECURITY LIGHTS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
SL-28W-30K-BZ-P	28W 3400LM 3000K	32
SL-28W-30K-WH-P	28W 3400LM 3000K	256
SL-28W-50K-WH-P	28W 3400LM 5000K	185

LOHB ACCESSORIES

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LOHB-A	LOHB 3.3 FT SUSPENSION CABLE (SET OF 2)	1861
LOHB-E	LOHB "T" MOUNTING BRACKET STAINLESS STEEL	43
LOHB-F	LOHB "X" MOUNTING BRACKET STAINLESS STEEL	45
LOHB-K	1/2" NPT THREADED-KNUCKLE ADAPTOR (SET OF 2)	82
LOHB-SH-2FT	SHROUD FOR LOHB-2FT	288
LOHB-SH-4FT	SHROUD FOR LOHB-4FT	52



LED RESIDENTIAL LANTERNS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LRS-B-40K-PC	6W 550LM 4000K	17
LRS-C-30K-D	12W 1100LM 3000K	49
LRS-C-40K-D	12W 1100LM 4000K	23
LRS-D-30K-D	12W 1100LM 3000K	271
LRS-D-40K-D	12W 1100LM 4000K	218

CRES ENGINES & TRIMS

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
   	CRES-EGN-30K-BR	15W 1300LM 3000K	220
	CRES-EGN-30K-SIL	15W 1300LM 3000K	226
	CRES-EGN-40K-BR	15W 1300LM 4000K	281
	CRES-EGN-40K-SIL	15W 1300LM 4000K	224
	CRES-EGN-50K-SIL	15W 1300LM 5000K	311
	CRES-51-SIL	Trim for CRES-51, Sliver	255

CREST ENGINES

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	CRE-EGN-30K-BR	10W(2.5WX4) 900LM 3000K	552
	CRE-EGN-30K-SIL	10W(2.5WX4) 900LM 3000K	303
	CRE-EGN-40K-BR	10W(2.5WX4) 900LM 4000K	34
	CRE-EGN-HL20-30K-SIL	20W(5WX4) 1800LM 3000K	36
	CRE-EGN-HL20-50K-SIL	20W(5WX4) 1800LM 5000K	14

4" CYLINDER LIGHTS, 120V, IP65



	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	WMC-DL-15W-50K-BN	15W 1144LM 5000K	201



	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	LDS-12W-30K-D	12W 1200LM 3000K	125

LR ECO ARM

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	LR-ECO-ARM	90° Arm for LR-ECO Series,(Mounting Strap Incl.)	414



Shown with
Wall Mounting Arm - 12-3/4"
Length for 50W & above



Shown with
Half Shroud (Reversible), See
Factory-Installed
option below



Shown with
Full Shroud, See
Factory-Installed
option below

LED STREET/ROADWAY LIGHTS

w/NEMA TWIST-LOCK PHOTOCELL SOCKET, (SHORTING CAP INCL.)



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	AVAILABLE QTY.
STL3-50W-50K	50W 6750LM 5000K	100-277V	13
STL2-80W-30K	80W 10800LM 3000K	100-277V	38

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"




SPEC SERIES LED ADJUSTABLE CANOPY/PARKING LIGHTS, 120-277V



 SPEC SERIES	NO.	DESCRIPTION				AVAILABLE QTY.
SPEC SERIES LED ADJUSTABLE CANOPY/PARKING LIGHTS, 120-277V						
	CDX-35W-35K-BR	35W	4600LM	3500K	Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	367
	CDX-35W-35K-WH	35W	4600LM	3500K	White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	14
	CDX-35W-40K-BR	35W	4600LM	4000K	Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	100
	CDX-35W-40K-WH	35W	4600LM	4000K	White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	60
	CDX-35W-50K-BR	35W	4600LM	5000K	Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	533
	CDX-35W-50K-WH	35W	4600LM	5000K	White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	111
	CDX-55W-35K-BR	55W	7250LM	3500K	Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	670
	CDX-55W-35K-WH	55W	7250LM	3500K	White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	258
	CDX-55W-50K-BR	55W	7250LM	5000K	Bronze 10.6" (L) x 10.6" (W) x 4-1/2" (H)	376
	CDX-55W-50K-WH	55W	7250LM	5000K	White 10.6" (L) x 10.6" (W) x 4-1/2" (H)	287

LED CANOPY/GARAGE WITH ULTRASONIC MULTI-LEVEL MOTION SENSOR

CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	AVAILABLE QTY.
CDL2-45CW-M	45W 4400LM 5000K	100-150 MH	14



STADIUM LIGHTS, 120-277V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
SFX-G5-RB	ROTATABLE BASE FOR SFX SERIES	41
SFX-G5-SF	SLIP FITTER FOR SFX SERIES	101
SFX-G5-SH2	SHROUD FOR 1000W - FOR SFX SERIES	67

VAPOR LIGHTS, 120-277V, IP65 NEMA 3R

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
VT-CM-12W-50K	12W 861LM 5000K CEILING MOUNTED	30



FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"



BOLL-42-R-L-C-MCTP-BK
Black



BOLL-42-S-C-C-MCTP-BK
Black



Anchor Bolts
& Mounting Plate
Included

MTO made to order

ROUND AND SQUARE BOLLARD, 120-277VAC, (ADJUSTABLE POWER 14-24W & CCT 30K/40K/50K)



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
BOLL-42-S-C-C-MCTP-BK	Bollard 42In Square Flat Top Cone Clear Lens, Black,, 6" SQ	269
BOLL-42-S-C-C-MCTP-BR	Bollard 42In Square Flat Top Cone Clear Lens, Bronz,, 6" SQ	238

BOLLARD ROUND FROSTED LENS ACCESSORY

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
BOLL-R-ACC-FL		692

MOTION SENSOR

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
WEC-2MD-35	0-10V MW 120-277V SENSOR DIP, WHITE	48
WEC-2MDR-33	MICROWAVE SENSOR FOR LINEAR STRIP LIGHTS WITH DIP, REMOTE CAPABLE	61
WEC-2MDR-36	0-10V MW 120-277V SENSOR + SENSOR HEAD DIP & RC, WHITE	1433
WEC-2MDRH-36	120-277 VAC SPLIT MICROWAVE SENSOR, BI-LEVEL, DAYLIGHT HAVEST, DIP AND RC	2124
WEC-2TS	0-10V TEMPERATURE SENSOR FIXTURE CONTROLLER	198

MOTION SENSORS FOR OUTDOOR

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
WEC-2P-44	0-10V PIR 6-24VDC TROFFER SENSOR DIP	748
WEC-3MDR-42	0-10V MW 120-277V SENSOR DIP & RC	124
WEC-3MR-4-BR	90-DEGREE IP67 MICROWAVE SENSOR, REMOTE CAPABLE, BRONZE	196
WEC-3MR-4-WH	90-DEGREE IP67 MICROWAVE SENSOR, REMOTE CAPABLE, WHITE	287
WEC-3MRLV-5-GY	0-10V MW LOW-VOLTAGE DIMMER WITH REMOTE DRIVER 120-277V REMOTE CAPABLE - GRAY	126
WEC-3MRLV-5-WH	0-10V MW LOW-VOLTAGE DIMMER WITH REMOTE DRIVER 120-277V REMOTE CAPABLE - WHITE	53
WEC-3PDR-52	0-10V PIR 120-277V SENSOR DIP & RC	484
WEC-3PDR-52CAP-BR	REPLACEMENT CAP WITH LENS FOR BR1823 BRONZE TO MATCH COLOR OF LIGHTS	500
WEC-ON50-WH	SENSOR MOUNTING OFFSET NIPPLE, 1/2 INCH SIZE , WHITE	340

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED WORK LIGHT S-HOOK, USB CABLE & ADAPTOR INCL.



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
WL-EZCG-10W-50K WL-EZCG-SOLP	10W 300-600LM 5000K Solar panel 10 ft. cord & magnetic base	138 301



3IN1 LED WORK LIGHT(WORK LIGHT/SOS LIGHT/POWER BANK) USB CABLE INCL.

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
WL-3IN1-10W	10W 400LM 6000K	224



Retail Packaging - MOQ 1 Master Carton of 10



The WEC-MOD installed on a 0~10V or Triac fixture to control the luminaries via WIFI, BT or a remote control.

WEC-MOD-010V-BT
WEC-MOD-010V-WIFI
WEC-MOD-TR-WIFI

WESTGATE SMART LIGHTING CONTROL MODULES - 1/2" KNUCKLE



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
WEC-MOD-010V-BT	WG Smart Lighting Control Module 1000W 0-10V Bluetooth IP65	247
WEC-MOD-010V-WIFI	WG Smart Lighting Control Module 1000W 0-10V Wifi IP65	44
WEC-MOD-TR-WIFI	WG Smart Lighting Control Module 300W Triac Wifi IP65	55

WESTGATE SMART LIGHTING CONTROL SWITCHES SWITCHES WORK AS STAND ALONE OR WITH WESTGATE APP.



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
WEC-SW-PB1-010V-BT	WG Smart Push Button Wall Switch 1000W 0-10V Bluetooth + Wall Plate	402
WEC-SW-PB1-TR-WIFI	WG Smart Push Button Wall Switch 300W Triac Wifi + Wall Plate	949



This stand-alone "wall dimmer" functions similarly to traditional wall switches by directly wiring to the fixture.

EV CHARGER, AC POWER 120-240V, SAE J1772 CONNECTOR



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
EVC-A-48A-MP-BT	Level 2 48A, 11.5KW, Selectable Power, Westgate App Enabled	12



FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"



BUILDER SERIES POWER AND CCT- ADJUSTABLE UFO Highbay, 120-277V (SENSOR-READY)



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
UHXE-80-150W-MCTP4-SR	80W/110W/150W 140LM/W 30K/35K/40K/50K Black	1154
UHXE-165-220W-MCTP4-SR	165W/190W/220W 140LM/W 30K/35K/40K/50K Black	11
UHXE-165-220W-MCTP4-SR-WH	165W/190W/220W 140LM/W 30K/35K/40K/50K White	247
UHXE-SMB	UHXE Surface Mounting U Bracket, Black	
UHXE-RPMB	UHXE 1-FT Rigid Pipe Stand with Canopy for Hard Surface (not Swivel)	
UHXE-PCR-A-90D	UHXE-80-150W 90-Degree PC Reflector	
UHXE-PCR-A-60D	UHXE-80-150W 60-Degree PC Reflector	
UHXE-PCR-B-90D	UHXE-165-220W 90-Degree PC Reflector	
UHXE-PCR-B-60D	UHXE-165-220W 60-Degree PC Reflector	
UHXE-PCC-A	UHXE-80-150W Bottom Cover For Pc Reflector, Fits Both 60D 90D	
UHXE-PCC-B	UHXE-165-220W Bottom Cover For Pc Reflector, Fits Both 60D 90D	



SPEC SERIES NEW GENERATION - UFO Highbay, 120-277V



DESCRIPTION	AVAILABLE QTY.
UHX-150W-MP-50K 50W/80W/100W/150W 140LM/W 5000K Black MP	12
UHX-150W-MP-40K 50W/80W/100W/150W 140LM/W 4000K Black MP	1929
UHX-230W-MP-50K 100W/150W/200W/230W 140LM/W 5000K Black MP	23
UHX-150W-MCTP 50W/80W/100W/150W 125LM/W 30K/40K/50K/57K Black MCTP	17
UHX-150W-MCTP-WH 50W/80W/100W/150W 125LM/W 30K/40K/50K/57K White MCTP	91
UHX-230W-MCTP-WH 100W/150W/200W/230W 125LM/W 30K/40K/50K/57K White MCTP	70

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"



SPEC SERIES NEW GENERATION - UFO HIGHBAY, 480V

MT0 made to order



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
MP UHX-150W-MP-50K-480V	50W/80W/100W/150W 160LM/W 5000K Black	12
MP UHX-230W-MP-50K-480V	100W/150W/200W/230W 160LM/W 5000K Black	1929
MCTP UHX-300W-MP-50K-480V	150W/200W/240W/300W 160LM/W 5000K Black	23
MCTP UHX-150W-MCTP-480V	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K Black	17
MCTP UHX-150W-MCTP-WH-480V	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K White	91
MCTP UHX-230W-MCTP-WH-480V	100W/150W/200W/230W 125LM/W 30K/40K/50K/57K White	70

LED HIGH-LUMEN UFO HIGH BAY, 110° BEAM ANGLE- HOOK WITH 3/4" THREAD



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 ULHB-150W-50K	150W 19500LM 5000K	30
ULHB-240W-40K	240W 31200LM 4000K	26
ULHB-100W-50K-480V	100W 13000LM 5000K	114
ULHB-90KIT-100/150	90 Degree Reflector and Glass Kit for 100W & 150W (Conversion from default 110° beam angle)	83
ULHB-90KIT-200/240	90 Degree Reflector and Glass Kit for 200W & 240W (Conversion from default 110° beam angle)	13
ULHB-ALR-100/150	Aluminum Reflector for 100W & 150W	219
ULHB-ALR-200/240	Aluminum Reflector for 200W & 240W	232
ULHB-FL-200/240	FROSTED LENS FOR ULHB 200-240W	247
ULHB-FL-50/100/150	FROSTED LENS FOR ULHB 50-150W	160
ULHB-PCC-200/240	Polycarbonate Cover for 200W & 240W (for ULHB-PCR-200/240 only) - Increases heat captured in the reflector. Not recommended when not necessary.	88
ULHB-PCR-100/150	Polycarbonate Reflector for 100W & 150W	245
ULHB-PCR-200/240	Polycarbonate Reflector for 200W & 240W	174
ULHB-SC-100/150	Safety Cable for 100W & 150W	331
ULHB-SC-200/240	Safety Cable for 200W & 240W	355
ULHB-SC-300	Safety Cable for 300W	130
ULHB-SK	Ultrasonic Bi-Level (Dimming) Motion Sensor Kit for 120-277V UFO High Bays	195
ULHB-SK-480V	Ultrasonic Bi-Level (Dimming) Motion Sensor Kit for 480V UFO High Bays	89
ULHB-SMB-100/150	Surface Mount Bracket for 100W & 150W	95
ULHB-SMB-200/240	Surface Mount Bracket for 200W & 240W	107
ULHB-WG-100/150	Wire Guard for 100W & 150W	104
ULHB-WG-200/240	Wire Guard for 200W & 240W	109
ULHB-WG-300	Wire Guard for 300W	126

LED FOOD SERVICE & LABORATORY HIGH BAY



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 UFHB-150W-50K	150W 20250LM 5000K	22

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED SATURN ARCHITECTURAL HIGH BAY

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 USHB-150W-40K	150W 19500LM 4000K	28
USHB-240W-40K	240W 31200LM 4000K	25

UFO HIGHBAY

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 LHB2-50W-30K-WH	50W 6750LM 3000K	98
LHB2-50W-40K-WH	50W 6750LM 4000K	74
LHB2-50W-50K	50W 6750LM 5000K	35
LHB2-50W-50K-WH	50W 6750LM 5000K	128

IP69 2-FOOT LINEAR HIGH BAY FOR FOOD AND CHEMICAL FACILITIES, SENSOR READY

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 LLHB-120-200W-MCTP-SR	120W/160W/200W 150LM/W 40K/45K/50K	56

LED LINEAR HIGH BAY

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 LLHB2-100W-40K-D	100W 14000LM 4000K	15
LLHB2-150W-40K-D	150W 21600LM 4000K	16
LLHB2-220W-40K-D	220W 30800LM 4000K	11

LED LINEAR VAPOR LIGHT

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 LLVT-8FT-100W-40K-D	100W 13000LM 4000K	156



SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LLHB-CL-120/180	CLEAR LENS FOR LLHB 120W & 180W	420
LLHB-OC-REMOTE	INDOOR HIGHBAY OCCUPANCY SENSOR WITH BI-LEVEL DIMMING - NEEDS LLHB-OC-REMOTE TO CHANGE SETTINGS	213

SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS, 480V

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 LLHB4-200W-50K-D	200W 31000LM 5000K	38



FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"



LLHB4-MCTP
LLHB4-MP (200W TO 500W)
White




LLHB4-MP (100W TO 150W)
White



OPT-LLHB4-SMK



LLHB4-100W-WG
LLHB4-150W-WG



LLHB4-RODKIT

SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS



CATALOG NO.	DESCRIPTION				AVAILABLE QTY.
POWER & CCT ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V					38
LLHB4-80-150W-MCTP	80W/110W/150W	125LM/W	35K/40K/50K		
POWER ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V					350
LLHB4-100W-MP-40K-D	50W/80W/100W	125LM/W	4000K	2FT. X 13.77	
LLHB4-100W-MP-50K-D	50W/80W/100W	125LM/W	5000K	2FT. X 13.77	378
LLHB4-150W-MP-40K-D	80W/110W/150W	125LM/W	4000K	2FT. X 17.75	214
LLHB4-150W-MP-50K-D	80W/110W/150W	125LM/W	5000K	2FT. X 17.75	41
LLHB4-300W-MP-40K-D	150W/225W/300W	125LM/W	4000K	4FT. X 17.75	431
LLHB4-300W-MP-50K-D	150W/225W/300W	125LM/W	5000K	4FT. X 17.75	78
LLHB4-410W-MP-50K-D	200W/300W/410W	125LM/W	5000K	4FT. X 23.20	128
LLHB4-500W-MP-50K-D	250W/400W/500W	125LM/W	5000K	4FT. X 23.20	32
POWER & CCT ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 480V (7DAYS LEAD TIME)					38
LLHB4-80-150W-MCTP-480V	80W/110W/150W	125LM/W	35K/40K/50K		
POWER ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 480V (7DAYS LEAD TIME)					350
LLHB4-100W-MP-40K-D-480V	50W/80W/100W	125LM/W	4000K	2FT. X 13.77	
LLHB4-100W-MP-50K-D-480V	50W/80W/100W	125LM/W	5000K	2FT. X 13.77	378
LLHB4-150W-MP-40K-D-480V	80W/110W/150W	125LM/W	4000K	2FT. X 17.75	214
LLHB4-150W-MP-50K-D-480V	80W/110W/150W	125LM/W	5000K	2FT. X 17.75	41
LLHB4-300W-MP-40K-D-480V	150W/225W/300W	125LM/W	4000K	4FT. X 17.75	431
LLHB4-300W-MP-50K-D-480V	150W/225W/300W	125LM/W	5000K	4FT. X 17.75	78
LLHB4-410W-MP-50K-D-480V	200W/300W/410W	125LM/W	5000K	4FT. X 23.20	128
LLHB4-500W-MP-50K-D-480V	250W/400W/500W	125LM/W	5000K	4FT. X 23.20	32

SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V



CATALOG NO.	DESCRIPTION				AVAILABLE QTY.
LLHB4-50W-40K-D	50W	7750LM	4000K	1FT. X 13.75	137

FINAL DEALS

LLHB4 ACCESSORIES

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LLHB4-150W-WG	LLHB4 Linear Highbay 150W Wireguard - White	25
LLHB4-SMB	LLHB4 Linear Highbay Surface Mounting Bracket Set	100



LHB ACCESSORIES

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LHB-AL-18	Aluminum Reflector For Led High Bays	367
LHB-BRKT-150	Bracket, Metal For LHB	14

LED LINEAR HIGH BAY

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LLHB-90W-40K-D	90W 14400LM 4000K	11
LLHB-180W-40K-D	150W 23250LM 4000K	42



CORN LAMPS, 100-277V AC

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
CL-36W-30K-E26	36W 4456LM 3000K E26	415
CL-36W-30K-E39	36W 4456LM 3000K E39	314
CL-36W-50K-E39	36W 4456LM 5000K E39	12



LED 180 DEGREE FLAT HID RETROFIT LAMP

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
CL-FLT-36-54W-50K-E39	36W/45W/54W 150LM/W 5000K E39	716
CL-FLT-54-75W-50K-E39	54W/63W/75W 150LM/W 5000K E39	482
CL-FLT-75-115W-50K-E39	75W/97W/115W 150LM/W 5000K E39	1254
CL-FLTW-54-75W-50K-E39	54W/63W/75W 150LM/W 5000K E39	394
CL-FLTW-75-110W-50K-E39	75W/97W/110W 150LM/W 5000K E39	2396



HIGH-LUMEN LED CORN LAMP WITH UP LIGHT, 100-277V AC



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
CL-HL-14W-30K-E26	14W 1820LM 3000K E26	19
CL-HL-27W-30K-E26	27W 3510LM 3000K E26	316
CL-HL-36W-30K-E26	36W 4680LM 3000K E26	42
CL-HL-36W-30K-E39	36W 4680LM 3000K E39	27
CL-HL-45W-30K-E39	45W 5850LM 3000K E39	27
CL-HL-75W-30K-E39	75W 9750LM 3000K E39	126
CL-HL-100W-30K-E39	100W 13000LM 3000K E39	66



LED CONSTRUCTION STRING LIGHT

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
CL-CONST-75W-50K	75W 12500LM 5000K	28



FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED HIGH POWER LAMPS, 120-277V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 HPL-16W-30K-E26	16W 2000LM 3000K	12
HPL-HB-60W-50K-E39	60W 6480LM 5000K	47
HPL-HB-75W-50K-E39	75W 8100LM 5000K	163
HPL-HB-100W-50K-E39	100W 12500LM 5000K	154
HPL-HB-R1	Optional PC Reflector for HPL-HB-60W	132
HPL-HB-R2	Optional PC Reflector for HPL-HB-75W & 100W	237
HPL-HB-R3	Optional PC Reflector for HPL-HB-120W & HPL-HB-140W	70

LED 180 DEGREE FLAT HID RETROFIT LAMP



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	AVAILABLE QTY.
 CL-FLT-75W-50K-E39	75W 9000LM 5000K 11.7"(L) x 5.5"(W) x 3.4"(H)	150-320 MH	47
CL-FLT-115W-50K-E39	115W 13570LM 5000K 11.7"(L) x 5.5"(W) x 3.4"(H)	320-400 MH	14

PREMIUM HIGH-OUTPUT LED PANELS, 125LM/W



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 LP-2X4-50W-40K-D-HL	50W 6260LM 4000K	31
LP-2X4-50W-50K-D-HL	50W 6260LM 5000K	45

LED PANEL LIGHTS WITH EMERGENCY BATTERY BACKUP



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 LP-1X4-40W-40K-DS-EM	40W 4400LM 4000K	45
LP-1X4-40W-50K-DS-EM	40W 4400LM 5000K	30
LP-2X2-40W-50K-DS-EM	40W 4400LM 5000K	28

LED PANEL LIGHTS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 LP-1X4-40W-27K-DS	40W 3600LM 2700K	18
LP-2X4-60W-27K-DS	60W 5400LM 2700K	19
LP-2X4-60W-35K-DS	60W 6300LM 3500K	20
LP-2X4-72W-27K-DS	72W 6480LM 2700K	13
LP-2X4-72W-35K-DS	72W 7560LM 3500K	145
LP-2X4-72W-40K-DS	72W 7920LM 4000K	10

LED PANEL 2X4

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 LP-2X4-72W-27K-D	72W 7200LM 2700K	45

ADJUSTABLE AIRCRAFT CABLE SUSPENSION KIT

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LP-SSPC-1X4	Adjustable Aircraft Cable Suspension Kit For 1X4 Panel	12
LP-SSPC-2X2	Adjustable Aircraft Cable Suspension Kit For 2X2 Panel	285
LP-SSPC-2X4	Adjustable Aircraft Cable Suspension Kit For 2X4 Panel	112

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

RECESSED MOUNTING FLANGE KIT FOR 2X2 PANELS



CATALOG NO. DESCRIPTION

LP-RMK-2X2 Recessed Mounting Flange Kit For 2X2 Panels

AVAILABLE
QTY.
18

LED BACKLIT PANEL LIGHT, 100-277VAC



CATALOG NO.

DESCRIPTION

AVAILABLE
QTY.

LPNG-2X2-4KLM-50K-D 40W **4400LM** 5000K
LPNG-2X4-4KLM-50K-D 40W **4200LM** 5000K
LPNG-2X4-5KLM-35K-D 50W **5140LM** 3500K
LPNG-2X4-5KLM-50K-D 50W **5250LM** 5000K
LPNG-2X4-6KLM-35K-D 60W **6300LM** 3500K
LPNG-2X4-6KLM-40K-D 60W **6600LM** 4000K
LPNG-2X4-6KLM-50K-D 60W **6600LM** 5000K
LPNG-2X4-7KLM-35K-D 60W **7560LM** 3500K
LPNG-1X4-4KLM-27K-D 40W **3800LM** 2700K
LPNG-1X4-4KLM-50K-D 40W **4400LM** 5000K
LPNG-1X4-MCTP 20/30/40W 35K/40K/50K

23
279
180
43
434
2392
1483
304
681
11
71

SINGLE CCT T-BAR GRID LIGHTS



CATALOG NO.

DESCRIPTION

AVAILABLE
QTY.

TGL-2X4-30K 60W **6000LM** 3000K
TGL-2X4-40K 60W **6000LM** 4000K

94
13

INTERNAL-DRIVER LED SURFACE MOUNT PANELS, (1X4 & LARGER CAN BE RECESS MOUNTED)



CATALOG NO.

DESCRIPTION

AVAILABLE
QTY.

LPS-1X4-40K-D 40W **4000LM** 4000K 120-277VAC
LPS-2X2-30K-D 40W **4400LM** 3000K 120-277VAC
LPS-2X2-50K-D 40W **4400LM** 5000K 120-277VAC
LPS-2X4-50K-D 50W **5500LM** 5000K 120-277VAC

13
995
10
13

DURABLE (PC BODY) TROFFER LIGHTS, 140LM/W



CATALOG NO.

DESCRIPTION

AVAILABLE
QTY.

LTRP-2X2-35W-50K-D 35W **4900LM** 5000K
LTRP-2X4-50W-50K-D 50W **6850LM** 5000K

47
105

SPEC SERIES LED SELECTABLE COLOR TEMP. & WATTAGE TROFFERS, AC 100-277V

NO PARTIAL
MUST BUY IN QTY OF TWO



CATALOG NO.

DESCRIPTION

AVAILABLE
QTY.

LTRE-2X2-MCTP 26W, 32W, 40W **125LM/W** 3500K, 4000K, 5000K
LTRE-2X4-MCTP 32W, 40W, 50W **125LM/W** 3500K, 4000K, 5000K
LTRE-1X4-MCTP 26W, 32W, 40W **125LM/W** 3500K, 4000K, 5000K

32
215
143



FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

BUILDER SERIES POWER & CCT- ADJUSTABLE STACK TROFFER

REQUIRES 1 MINUTE ASSEMBLY

NO PARTIAL
MUST BUY IN PKG. QTY.



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LTRS-1X4-MCTP	25W/35W/36W/40W 125LM/W 3500K/4000K/5000K	114

LED DIRECT-INDIRECT (METAL HOUSING+PC LENS) TROFFERS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LTR-2X4-50W-40K-D	50W 5590LM 4000K	105
LTR-2X4-50W-50K-D	50W 5702LM 5000K	208



HIGH LUMEN LED RETROFIT BASKET TROFFER



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LRT-HL-2X2-40W-40K-D	40W 5200LM 4000K	12
LRT-HL-2X4-50W-40K-D	50W 6500LM 4000K	21



SCX LINEAR SERIES



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
SCX-2FT-20W-30K-D	20W 2240LM 3000K	193
SCX-2FT-20W-35K-D	20W 2300LM 3500K	63
SCX-2FT-20W-40K-D	20W 2360LM 4000K	59
SCX-2FT-20W-50K-D	20W 2420LM 5000K	165
SCX-3FT-30W-30K-D	30W 3360LM 3000K	67
SCX-ULM-8FT-32W-50K	UPLIGHT FOR SCX	65
SCX-T-40K	SCX SERIES T SECTION 40K	81



SINGLE CCT SCX ACCESSORIES

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
SCX-IC-30K	SCX SERIES INSIDE CORNER SECTION 30K	36
SCX-IC-35K	SCX SERIES INSIDE CORNER SECTION 35K	17
SCX-IC-40K	SCX SERIES INSIDE CORNER SECTION 40K	37
SCX-IC-50K	SCX SERIES INSIDE CORNER SECTION 50K	33
SCX-T-35K	SCX SERIES T SECTION 35K	92
SCX-T-50K	SCX SERIES T SECTION 50K	99



LED SUSPENDED UP/DOWN CLEAR ROUND PANEL LIGHT, 22" DIA., 6FT HEIGHT



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
SRPL-40W-35K-D	40W 2100LM/2100LM 3500K	13
SRPL-40W-40K-D	40W 2100LM/2100LM 4000K	10
SRPL-40W-50K-D	40W 2100LM/2100LM 5000K	121



LED ARCHITECTURAL ROUND SUSPENDED DOWN LIGHT, 24" DIA, 6FT HEIGHT



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
SCR-24D-40K-D	50W 5197LM 4000K	45



FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED SUSPENDED UP/DOWN CLEAR PANEL LIGHT, 120-277V (SUSPENSION & CORD NOT INCL.)



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
SPL-4FT-40W-40K-D	40W 2100LM/2100LM 4000K	200
SPL-4FT-40W-50K-D	40W 2100LM/2100LM 5000K	76



4FT 2in MICRO OPTIC LINEAR LIGHT

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
SCO-4FT-40W-MCT-WB	40W 3760LM 3500K/4000K/5000K	97



ARCHITECTURAL PARABOLIC SUSPENDED LIGHT - 4FT

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
SCLP-4FT-40W-MCT-D	40W 4600LM 35K/40K/50K	32



LED SUSPENDED 2/3 PERFORATED BASKETLIGHT (UP/DOWN)

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
SCPL-UD-4FT-60W-35K-D	40W/20W OR 60W 4400LM/2100LM 3500K	37



LED PARABOLIC SUSPENDED LIGHT



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
SCLT-4FT-40W-50K-D	40W 4600LM 5000K	34
SCLT-4FT-40W-MCT-D	40W 4600LM 35K/40K/50K	60



SPEC SERIES LED STRIP LIGHT, 120-277V

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LSL-8FT-64W-35K-D	64W 7000LM 3500K	14




SUSPENSION KIT

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
SCL-CSY	ADJ. 6FT 1/16in DOUBLE SUSPENSION KIT WITH Y DOUBLE KEY HOLE CONNECTORS, CANOPIES, T-BAR CLIPS, ACCESSORIES	21
SCL-CS		19
SCL-TBJJ-14-4		22
SCL-WRTH-14		25



ARCHITECTURAL SUSPENDED COMMERCIAL LIGHT

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
SCL-2FT-25W-50K-D	25W 2750LM 5000K	105
SCL-2FT-25W-40K-D	25W 2750LM 4000K	110
SCL-2FT-25W-35K-D	25W 2750LM 3500K	36
SCL-4FT-40W-35K-D	40W 4400LM 3500K	16
SCL-4FT-UD-40W-50K-D	15W/25W 1650LM/2750LM 5000K	120



LED LINEAR SUSPENDED PERFORATED BASKET LIGHT (UP/DOWN)

White



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
SCLL-UD-4FT-60W-50K-D	40W/20W OR 60W 4400LM/2100LM 5000K	159
SCLL-UD-4FT-60W-40K-D	40W/20W OR 60W 4400LM/2100LM 4000K	23
SCLL-UD-4FT-60W-35K-D	40W/20W OR 60W 4400LM/2100LM 3500K	25

LED STANDARD WRAP-AROUND FIXTURE, 120-277V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
WAS-4FT-42W-35K-D	42W 4400LM 3500K 4FT	1332
WAS-4FT-42W-50K-D	42W 4400LM 5000K 4FT	1186



SPEC SERIES LED ARCHITECTURAL WRAP-AROUND LIGHT



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
WA-2FT-25W-35K-D	25W 2750LM 3500K	686
WA-2FT-25W-40K-D	25W 2750LM 4000K	58
WA-2FT-25W-50K-D	25W 2750LM 5000K	71
WA-2FT-25W-MCT-D	25W 2800LM 35K/40K/50K	682



BUILDER SERIES LED ECONOMY WRAP-AROUND FIXTURES



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
WAE-2FT-MCT-DT	20W 1600LM 3000K/4000K/5000K	112



LED ARCHITECTURAL STRIP LIGHT, 120-277V

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
CSL-4FT-40W-50K-D	40W 4600LM 5000K	43
CSL-4FT-40W-35K-D	40W 4600LM 3500K	20



LED ARCHITECTURAL STRIP LIGHT WITH MW MOTION SENSOR

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
CSL-4FT-25W-50K-OC	25W 3000LM 5000K With Sensor	31
CSL-4FT-25W-40K-OC	25W 3000LM 4000K With Sensor	24



U-SHAPED T8 LED **PLASTIC/ALUMINUM** LAMPS

Works 3 ways: 1) With existing electronic ballast 2) A/C direct one end 3) A/C direct 2 ends

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 T8-U2F-EZ3-15W-41K-C	15W 1450LM 4100K BALLAST COMPATIBLE OR 100-277 AC	70
T8-U2F-EZ3-15W-50K-C	15W 1500LM 5000K BALLAST COMPATIBLE OR 100-277 AC	14

4FT. LED T5 **GLASS** LAMPS

NO PARTIAL/MUST SHIP CASE QTY.

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 4FT T5-TYPB-25W-40K-F	25W 3200LM 4000K FROSTED	66

4FT. LED T5 **GLASS** LAMPS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 T5-TYPB-25W-50K-F	25W 3200LM 5000K FROSTED	15

X-GEN **3CCT** LED T8 **GLASS** LAMPS

3 COLOR-TEMPERATURES IN ONE LAMP TYPE A+B (A/C OR BALLAST)

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 T8-EZX-MCT-GS-2FT-8W-C	8W 1216LM 35K/40K/50K Clear, G13, Type A & B	781
T8-EZX-MCT-GS-2FT-8W-F	8W 1216LM 35K/40K/50K Frosted, G13, Type A & B	68
T8-EZX-MCT-GS-3FT-12W-C	12W 1500LM 35K/40K/50K Clear, G13, Type A & B	2703
T8-EZX-MCT-GS-4FT-15W-C	15W 1875LM 35K/40K/50K Clear, G13, Type A & B	53

LED T8 2FT , PLASTIC ALUMINUM TUBE



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 T8-EZ6-AHL-2FT-15W-40K-F	15W 1650LM 4000K	1001
T8-EZ6-AHL-2FT-15W-40K-C	15W 1725LM 4000K	270
T8-EZ6-AHL-4FT-18W-30K-F	18W 1980LM 3000K	229
T8-EZ6-AHL-4FT-18W-40K-F	18W 1980LM 4000K	15
T8-EZ6-AHL-4FT-18W-50K-F	18W 1980LM 5000K	13

4FT. T8-EZ4 LED LAMPS 110° Beam Angle Clear, 200° Frosted

ELECTRONIC BALLASTS **(TYPE A)**

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 T8-EZ4-18W-40K-C	18W 2200LM 4000K G13, TYPE A , CLEAR GLASS	37

X-GEN **SELECTABLE-POWER** LED T8 **GLASS** LAMPS, TYPE B FOR DIRECT A/C (BALLAST OVERRIDE)

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 T8-EZX-TB-4FT-12-18W-50K-F	12W/15W/18W 120LM/W 5000K Frosted, G13, Type B	2320
T8-EZX-TB-4FT-12-18W-50K-C	12W/15W/18W 120LM/W 5000K Clear, G13, Type B	2202
T8-EZX-TB-4FT-12-18W-40K-F	12W/15W/18W 120LM/W 4000K Frosted, G13, Type B	468
T8-EZX-TB-4FT-12-18W-40K-C	12W/15W/18W 120LM/W 4000K Clear, G13, Type B	1333

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

U-SHAPED T8 EZ6 LED GLASS LAMPS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
T8-EZ6-U2F-15W-41K-C	15W 2100LM 4100K Ballast Compatible Or 100-277 Ac	1455
T8-EZ6-U2F-15W-50K-C	15W 2100LM 5000K Ballast Compatible Or 100-277 Ac	1540
T8-EZ6-U2F-15W-50K-F	15W 2000LM 5000K Ballast Compatible Or 100-277 Ac	596



4FT. T8 GLASS LAMPS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
T8-4FT-TYPB-2E-18W-40K-C	18W 2200LM 4000K CLEAR	192
T8-4FT-TYPB-2E-18W-40K-F	18W 2200LM 4000K FROSTED	496



4FT. T8 LED GLASS LAMPS DIMMABLE DIRECT A/C (one end N+L)



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
T8-4FT-DIM-18W-35K-C	18W 1900LM 3500K	830
T8-4FT-DIM-18W-50K-C	18W 2150LM 5000K	25
T8-4FT-DIM-18W-50K-F	18W 2150LM 5000K	50



CRL ENGINES

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
CRL-EGN-18W-30K	18W 1639LM 3000K	325
CRL-EGN-18W-50K	18W 1639LM 5000K	282
CRL-EGN-27W-30K	27W 2387LM 3000K	158
CRL-EGN-40W-30K	40W 3447LM 3000K	117
CRL-EGN-40W-50K	40W 3447LM 5000K	130
CRL-EGN-54W-30K	54W 4500LM 3000K	137
CRL-EGN-54W-40K	54W 4500LM 4000K	64
CRL-EGN-54W-50K	54W 4500LM 5000K	410



CRLC ENGINES

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
CRLC-EGN-15W-30K-D	15W 1200LM 3000K	24
CRLC-EGN-15W-50K-D	15W 1275LM 5000K	747
CRLC-EGN-20W-50K-D	20W 1720LM 5000K	139



LED VANITY LIGHT, 120-277VAC



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LVL-2FT-17W-30K	17W 1900LM 3000K	125
LVL-2FT-17W-40K	17W 1900LM 4000K	231



LED TRACK LIGHTS, 120V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
TRI-R-10W-WH-50K	10W 702LM 5000K	50
TRI-S-10W-BK-30K	10W 681LM 3000K	36
TRI-S-10W-BK-40K	10W 706LM 4000K	16
TRI-S-10W-WH-30K	10W 681LM 3000K	289
TRI-S-10W-WH-40K	10W 706LM 4000K	138
TRI-S-10W-WH-50K	10W 732LM 5000K	48
TRI-REFL-13D	Replacement Reflector For Tri Series Track Lights 13"	119



FINAL DEALS


BUILDER PLUS ENVIRONMENTAL SERIES PC 5CCT+3 POWER-LEVEL SELECTABLE LED RECESSED LIGHT TRIM- COMPOSITE SERIES



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 RDPF4-MCTP	8W/10W/13W 80LM/W 27K/30K/35K/40K/50K 4" BAFFLE	1986
RDPF6-MCTP	10W/13W/17W 80LM/W 27K/30K/35K/40K/50K 6" BAFFLE	8155

BUILDER PLUS ENVIRONMENTAL SERIES PC 5CCT SELECTABLE LED RECESSED LIGHT TRIM- COMPOSITE SERIES



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 RDPF4-MCT5	10W 800LM 27K/30K/35K/40K/50K 4" BAFFLE	2409
RDPF6-MCT5	13W 1040LM 27K/30K/35K/40K/50K 6" BAFFLE	2260
RDPS4-MCT5	10W 800LM 27K/30K/35K/40K/50K 4" SMOOTH	8055
RDPS6-MCT5	13W 1040LM 27K/30K/35K/40K/50K 6" SMOOTH	941

SPEC PLUS & WESTGATE SIGNATURE LED RECESSED TRIM SERIES 3", 4", 5/6" SELECTABLE 5CCT [JA8]



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 RDL3-MCT5-WP	7W 560LM 27K/30K/35K/40K/50K 3"	1289
RDL4-MCT5-WP	8W 650LM 27K/30K/35K/40K/50K 4"	1115
RDL6-MCT5-WP	14W 1140LM 27K/30K/35K/40K/50K 5/6"	47

SINGLE CCT LED TRIMS 3", 4", 5/6" E26 included in the box (JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 SMOOTH 3"	RDL3-27K-WP	9W 540LM 2700K
	RDL3-41K-WP	9W 540LM 4100K
	RDL3-50K-WP	9W 540LM 5000K
	RDL4-27K-WP	12W 650LM 2700K
	RDL4-35K-WP	12W 725LM 3500K
	RDL4-65K-WP	12W 850LM 6500K
 SMOOTH 4"	RDL6-65K-WP	19W 1400LM 6500K
	RDL4-BF-27K	10W 650LM 2700K
	RDL4-BF-35K	10W 720LM 3500K
	RDL4-BF-41K	10W 746LM 4100K
	RDL4-BF-50K	10W 761LM 5000K
	RDL6-BF-35K	18W 1280LM 3500K
 SMOOTH 4"	RDL4-ADJ-27K	10W 650LM 2700K
	RDL4-ADJ-30K	10W 650LM 3000K
	RDL4-ADJ-41K	10W 650LM 4100K
	RDL4-ADJ-50K	10W 650LM 5000K
	RDL6-ADJ-50K	13W 900LM 5000K
 BAFFLE 5/6"		
 BAFFLE 4"		

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

4" LED SQUARE TRIMS




CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 SDL4-BF-27K	10W 600LM 2700K	4091
SDL4-BF-30K	10W 650LM 3000K	482
SDL4-BF-50K	10W 700LM 5000K	437
SDL6-BF-27K	16.5W 1073LM 2700K	351
SDL6-BF-30K	16.5W 1100LM 3000K	23
SDL6-BF-41K	16.5W 1150LM 4100K	40
SDL6-BF-50K	16.5W 1200LM 5000K	290

SINGLE CCT LED ULTRA SLIM RECESSED LIGHTS, 120V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 SSL4-27K	9W 630LM 2700K	16
 SSL6-27K	15W 1125LM 2700K	22
SSL6-30K	15W 1125LM 3000K	255
SSL6-40K	15W 1125LM 4000K	21
SSL6-50K	15W 1125LM 5000K	11

AIRTIGHT LED RECESSED LIGHT HOUSING

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 ICFAL-4	4" Fire-Rated Ic New Construction Led Recessed Housing	1569
 ICFAL-6	6" Fire-Rated Ic New Construction Led Recessed Housing	123

LED ADJUSTABLE ULTRA SLIM RECESSED LIGHTS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 RSL4-ADJ-27K	9W 700LM 2700K	71
RSL4-ADJ-40K	9W 700LM 4000K	540
RSL4-ADJ-50K	9W 700LM 5000K	16
RSL4-ADJ-MCT5	9W 700LM 27K/30K/35K/40K/50K	24
RSL6-ADJ-30K	12W 900LM 3000K	21

SINGLE CCT LED ULTRA SLIM RECESSED LIGHTS, 120V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 RSL3-27K	6W 400LM 2700K	1444
RSL3-30K-ORB	6W 400LM 3000K	13
RSL3-40K	6W 420LM 4000K	11
RSL3-50K	6W 420LM 5000K	18
 RSL4-30K-BN	9W 630LM 3000K	495
RSL4-30K-ORB	9W 630LM 3000K	13
RSL4-40K	9W 650LM 4000K	18
RSL4-50K	9W 650LM 5000K	55
 RSL6-27K	15W 1125LM 2700K	12
RSL6-30K-BN	15W 1125LM 3000K	167
RSL6-40K	15W 1125LM 4000K	28
RSL8-40K	18W 1300LM 4000K	28
RSL8-MCT	18W 1300LM MULTI-CCT:3000K/4000K/5000K	11

LED COMMERCIAL SLIM CANLESS RECESSED REGRESSED BAFFLE LIGHTS 120-277V, 0-10V DIMMING



With External J-Box. Included. No need for Housing



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
RSLC6-BF-30K	15W 1200LM 3000K	224
RSLC8-BF-30K	18W 1440LM 3000K	164



4" SINGLE CCT LED ADJUSTABLE PULL-DOWN ULTRA SLIM RECESSED LIGHTS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
RSL4-APD-50K	12W 700LM 5000K	521



LED ADJUSTABLE ULTRA SLIM RECESSED LIGHTS



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
RSL4-ADJ-27K	9W 700LM 2700K	71
RSL4-ADJ-40K	9W 700LM 4000K	540
RSL4-ADJ-50K	9W 700LM 5000K	16
RSL4-ADJ-MCT5	9W 700LM 27K/30K/35K/40K/50K	27
RSL6-ADJ-30K	12W 900LM 3000K	21



2" LED RECESSED LIGHTS (Baffle)(JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
RDL2S-BF-27K-WH	8W 600LM 2700K	12
RDL2S-BF-40K-WH	8W 600LM 4000K	270
RDL2S-BF-50K-WH	8W 600LM 5000K	167



2" LED RECESSED LIGHTS (Baffle)(JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
SDL2S-BF-27K-WH	8W 600LM 2700K	324
SDL2S-BF-40K-WH	8W 600LM 4000K	51
SDL2S-BF-50K-WH	8W 600LM 5000K	213



3" LED ADJUSTABLE (EYEBALL) RECESSED LIGHTS (JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
SDL3S-ADJ-27K-WH	8W 600LM 2700K	157
SDL3S-ADJ-30K-WH	8W 600LM 3000K	148
SDL3S-ADJ-40K-WH	8W 600LM 4000K	107



FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

DUSK-TO-DAWN AREA LIGHT, 120-277V

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 	LRD-EGN-10W-35K-D	10W 700LM 3500K	411
	LRD-EGN-10W-40K-D	10W 700LM 4000K	50
	LRD-EGN-10W-50K-D	10W 700LM 5000K	1031

LED 5CCT CLOUD FIXTURE WITH PRE-INSTALLED SENSOR, 120V



	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	FCRB-16-MCT5-SEN	20W 1400LM 27K/30K/35K/40K/50K 16" DIA	1475

12V LED DIRECTIONAL LIGHTS - ALUMINUM



	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	FCS-11-12W-40K	15W 1100LM 4000K	36

BUILDER COMPOSITE SERIES DECORATIVE FLUSH MOUNT FIXTURES

120V 5CCT E26 VER. INCL. (EXCEPT R12) RECESS ACCESSORIES



	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	FMLE-R5-MCT5-E26	9W 650LM 27K/30K/35K/40K/50K 5"	3264
	FMLE-R9-MCT5-E26	17W 1300LM 27K/30K/35K/40K/50K 9"	980
	FMLE-R12-MCT5	21W 1500LM 27K/30K/35K/40K/50K 12"	1060

SPEC SERIES ARCHITECTURAL DIE-CAST FLUSH MOUNT FIXTURES, 120V, 3CCT



	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	FML-R6-MCT	11W 660LM 30K/40K/50K 6"	1180
	FML-R8-MCT	14W 840LM 30K/40K/50K 8"	1652
	FML-R10-MCT	17W 1020LM 30K/40K/50K 10"	204
	FML-R14-MCT	26W 1560LM 30K/40K/50K 10"	15
	FML-R18-MCT	30W 2100LM 30K/40K/50K 18"	53

ARCHITECTURAL FLUSH MOUNT SURFACE FIXTURES, 120V



	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 	FML-R6-11W-50K	11W 550LM 5000K 6" DIAMETER	285
	FML-R8-14W-30K	14W 750LM 3000K 8" DIAMETER	234
	FML-R8-14W-50K	14W 750LM 5000K 8" DIAMETER	17
	FML-R10-17W-30K	17W 950LM 3000K 10" DIAMETER	33
	FML-S6-11W-50K	11W 550LM 5000K 6" X 6"	1854
	FML-S8-14W-30K	14W 750LM 3000K 8" X 8"	448
	FML-S10-17W-30K	17W 950LM 3000K 10" X 10"	929

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED DRUM FIXTURES, 120V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 FDL-14-20W-30K	20W 1500LM 3000K	23
FDL-14-MCT5	20W 1500LM 27K/30K/35K/40K/50K	1106
FDL-16-25W-30K	25W 1800LM 3000K	97
FDL-16-MCT5	24W 1800LM 27K/30K/35K/40K/50K	2401
FDL-18-30W-30K	30W 2250LM 3000K	39

BUILDER SERIES 6" LED ECONOMY DISC LIGHT, 120V



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 DLSE6-30K	15W 900LM 3000K	12
DLSE6-50K	15W 900LM 5000K	2327
DLSE6-MCT-BN	15W 1000LM 3000K/4000K/5000K	219

LED DISC LIGHT 4" & 6" 120V (J-BOX MOUNTING)(JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 DLSN4-27K	10W 600LM 2700K	164
DLSN4-50K	10W 600LM 5000K	453
DLSN6-27K	15W 1000LM 2700K	2936
DLSN6-41K	15W 1000LM 4100K	16
DLSN6-50K	15W 1000LM 5000K	226
DLSN6-30K-BR	15W 1000LM 3000K	12
DLSN6-30K-BN	15W 1000LM 3000K	42

LED 5" DISC LIGHT WITH PIR MOTION SENSOR

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 DLSN5-30K-PIR	10W 650LM 3000K	21

SPEC SERIES HIGH-PERFORMANCE DISC LIGHTS, 120V

DIE CAST ALUMINUM, ALL MOUNTING OPTIONS INCL.



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 DLS4-27K	9W 550-600LM 2700K 4"	461
DLS4-30K	9W 550-600LM 3000K 4"	20
DLS4-41K	9W 550-600LM 4100K 4"	1316
DLS4-50K	9W 550-600LM 5000K 4"	89
DLS6-30K	15W 950-1000LM 3000K 6"	19
DLS6-41K	15W 950-1000LM 4100K 6"	637
DLS6-30K-BN	15W 950-1000LM 3000K 6" BRUSHED NICKEL	302

G4 BASE LAMPS

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	GZ-JC-39L-27K	3W 250LM 2700K	84
	GZ-JC-39L-30K	3W 250LM 3000K	19

LED PL LAMPS

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	LPL-EB-14W-H-L-40K	12W 1200LM 4000K	23
	LPL-EB-9W-H-40K	9W 800LM 4000K	122

PAR LAMPS

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	PAR30-LN-10W-50K-D	10W 900LM 5000K	14
	PAR38-18W-30K-D	18W 1620LM 3000K	67

A19 LAMP, CRI 90

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	A19-C90-8PK-800L-50K-D	9.5W 800LM 5000K	427

RGBW CONTROLLER + REMOTE CONTROL, 192W MAX, LED CONTROLLER

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	RGBW-CONTROLLER	Rgbw Controller + Remote Control, 192W Max, Led Controller	8

24-VOLT **INDOOR** LED RIBBON LIGHTS - **EXTRA HIGH OUTPUT** XHO MODEL MUST BE INSTALLED IN ALUMINUM CHANNEL FOR BETTER HEAT DISSIPATION

	CATALOG NO.	DESCRIPTION	REEL LENGTH	AVAILABLE QTY.
	EXTRA HIGH OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 11ft)			
	ULR-IN-16F-XHO-27K	8.8W/FT 620LM/FT 2700K 10mm Width	16.4FT	68
	ULR-IN-16F-XHO-30K	8.8W/FT 620LM/FT 3000K 10mm Width	16.4FT	27
	ULR-IN-16F-XHO-35K	8.8W/FT 620LM/FT 3500K 10mm Width	16.4FT	46
	ULR-IN-16F-XHO-40K	8.8W/FT 680LM/FT 4000K 10mm Width	16.4FT	16
	ULR-IN-16F-XHO-50K	8.8W/FT 700LM/FT 5000K 10mm Width	16.4FT	379
	EXTRA HIGH OUTPUT LED RIBBON—INDOOR (98.4FT ROLLS) (Max Run 11ft)			
	ULR-IN-98F-XHO-27K	8.8W/FT 620LM/FT 2700K 10mm Width	98.4FT	14
	ULR-IN-98F-XHO-30K	8.8W/FT 620LM/FT 3000K 10mm Width	98.4FT	197
	ULR-IN-98F-XHO-35K	8.8W/FT 620LM/FT 3500K 10mm Width	98.4FT	12
	ULR-IN-98F-XHO-40K	8.8W/FT 680LM/FT 4000K 10mm Width	98.4FT	43
	ULR-IN-98F-XHO-50K	8.8W/FT 700LM/FT 5000K 10mm Width	98.4FT	169

Extra High
OUTPUT

FINAL DEALS

FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED T5 RETROFIT LAMPS WITH INTERNAL DRIVER



CATALOG NO.	DESCRIPTION	MAX RUN	AVAILABLE QTY.
 T5-22IN-9W-40K	9W 1035LM 4000K 2FT	24'	306
T5-22IN-9W-50K	9W 1125LM 5000K 2FT	24'	623
T5-47IN-16W-40K	16W 1840LM 4000K 4FT	31'	14
T5-47IN-16W-50K	16W 2000LM 5000K 4FT	31'	345
 T5-6FT-PC	6 FT. Plug-in Power Cord	-	-
T5-6FT-PCS	7 FT. Plug-in Power Cord	-	-
T5-8IN-JUMP	8" Linking Cable	-	-
T5-6FT-PT	6' AC Input Wire (PIGTAIL)	-	-
T5-COUPLER	Coupler (1 Included)	-	-
T5-MAGSET	Clip-on Secure Magnet Set	-	-

LED PUCK LIGHTS, 120V INTERNAL DRIVERS Surface/Recess

6Ft. Power Cord
with In-Line switch



CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 PL12ADJ-30K-BK	4.5W 250LM 3000K PLASTIC WHITE 1LIGHT	88
PL12ADJ-40K-BK	4.5W 250LM 4000K PLASTIC BRUSHED NICKEL 1LIGHT	492
PL12ADJ-50K-BK	4.5W 250LM 5000K PLASTIC BLACK 1LIGHT	484

120V



DIRECTIONAL LIGHT, 12V, SOLID BRASS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LD-184-BZ	5W 400LM 3000K	88



STEP LIGHT, 12V

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
AS-159-BK	3W 200LM 3000K	158
AS-159-BR	3W 200LM 3000K	155



STEP LIGHT, 12V

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
LS-159-BZ	3W 200LM 3000K	177

FINAL DEALS


WELL LIGHTS WITH SLEEVE & LED LAMPS

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	WL-105-1-BK	5W 400LM 3000K	211
	WL-105-BK	5W 400LM 3000K	13
	WL-170-BK	5W 400LM 3000K	26
	WL-181-BK	5W 400LM 3000K	24
	WL-181-BR	5W 400LM 3000K	161
	WL-181-BZ	5W 400LM 3000K	78

PLUG-IN DRIVERS (Non-Dimming)

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	UC12PS6W	6W, 12V, POWER SUPPLY WITH CABLE	72
	UCPS6W	6W, 24V, POWER SUPPLY W/ CABLE	38
	UCPS12W	12W, 24V, POWER SUPPLY W/ 1.5 POWER CABLE	509
	UCPS24W	24W, 24V, 1A, POWER SUPPLY W/ 1.5 POWER CABLE	189
	UCPS48W	48W, 24V, 1A, POWER SUPPLY W/ 1.5 POWER CABLE	123

LED LINEAR UNDERCABINET LIGHTS (Use External Drivers)

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	UCW6WW	2W 140LM 3000K 6"	586
	UCW6W	2W 168LM 6000K 6"	169
	UCW12WW	3W 250LM 3000K 12"	186
	UCW12W	3W 280LM 6000K 12"	64
	UCW20WW	5W 420LM 3000K 20"	310
	UCW20W	5W 462LM 6000K 20"	309
	UCW32WW	8W 590LM 3000K 32"	816
	UCW32W	8W 640LM 6000K 32"	35
	UCW40WW	11W 820LM 3000K 40"	29
	UCW40W	11W 880LM 6000K 40"	136
	UC6WW	2W 140LM 3000K 6"	285
	UC6W	2W 168LM 6000K 6"	76
	UC12WW	3W 250LM 3000K 12"	72
	UC12W	3W 280LM 6000K 12"	150
	UC20WW	5W 420LM 3000K 20"	150
	UC20W	5W 462LM 6000K 20"	11
	UC32W	8W 640LM 6000K 32"	38
	UC40WW	11W 820LM 3000K 40"	60
	UC40W	11W 880LM 6000K 40"	126

LED ADJUSTABLE UNDERCABINET, 24V

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	UC-ADJ-12WW	5W 380LM 3000K 11.81"	82
	UC-ADJ-12W	5W 400LM 6000K 11.81"	17
	UC-ADJ-20WW	8W 600LM 3000K 19.68"	141
	UC-ADJ-20W	8W 640LM 6000K 19.68"	98
	UC-ADJ-40WW	16W 1200LM 3000K 39.37"	79
	UC-ADJ-40W	16W 1280LM 6000K 39.37"	99
	UC-ADJ-PIR	PIR SENSOR FOR U/C ADJUSTABLE SERIES	89
	UC-ADJ-DMR	TOUCH DIMMER WITH MEMORY FOR U/C ADJUSTABLE SERIES	92

UNDER CABINET LIGHTING PARTS & ACCESSORIES

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	UCDIMMER	LED UNDER CABINET LIGHTS DIMMER	40
	UCDIMMER-TOUCH	LINEAR UNDER CABINET TOUCH DIMMER TO CONNECT TO FIXTURES END, BLACK	43
	UCDIMMER-TOUCH-WH	LINEAR UNDER CABINET TOUCH DIMMER TO CONNECT TO FIXTURES END, WHITE	207
	UCJUNCTION-W	HARD WIRE POWER FEED IN / OUT, WHITE	224
	UCSENS-PIR-1	PIR SENSOR, AUTO ON/OFF WHEN MOVEMENT, MAX 72W, 4" (10CM) RANGE, 120D, -20°C TO 40°C INDOORS	77
	UCSENS-PIR	PIR SENSOR, AUTO ON/OFF WHEN MOVEMENT, MAX 72W, 4" (10CM) RANGE, 120D, -20°C TO 40°C INDOORS	154
	UCCONCABLE	3.25 FT. CONNECTOR CABLE, BLACK	59
	UCCONCABLE-WH	3.25 FT. CONNECTOR CABLE, WHITE	75
	UCCONCABLE-10	10 FT. UNDER CABINET LIGHT CONNECTOR CABLE, BOTH SIDE MALE, BLACK	36
	UCCONCABLE-10-WH	10 FT. UNDER CABINET LIGHT CONNECTOR CABLE, BOTH SIDE MALE, WHITE	261
	UCCOP-3F	3 FT. UNDER CABINET LIGHT COUPLING, BOTH SIDE FEMALE, BLACK	69
	UCCOP-3F-WH	3 FT. UNDER CABINET LIGHT COUPLING, BOTH SIDE FEMALE, WHITE	216
	UCPOWERC-10F	10 FT. UNDER CABINET LIGHT POWER CONNECTOR, 1 SIDE MALE, 1 SIDE FEMALE, BLACK	47
	UCPOWERC-10F-WH	10 FT. UNDER CABINET LIGHT POWER CONNECTOR, 1 SIDE MALE, 1 SIDE FEMALE, WHITE	196
	UCRE04	4 OUTPUT EASY RECEPTACLE	83
	UCRE08	8 OUTPUT EASY RECEPTACLE	18
	UCAC01	CORNER CONNECTOR, BLACK	38
	UCAC01-WH	CORNER CONNECTOR, WHITE	17
	UCPLASCONN-WH	PLASTIC CONNECTOR, WHITE	167

LED EMERGENCY DRIVER

	CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	ELB-2548-EXTR	LED EMERGENCY DRIVER FOR LED PRODUCTS WITH EXTERNAL DRIVER, UL RECOGNIZED 120-277 INPUT 25W 90	71

LED R1 REMOTE HEAD, DIE CAST, DOUBLE, 9.6V

CATALOG NO.	WATTS	VOLTAGE	HOUSING COLOR	HEADS PER FIXTURE	AVAILABLE QTY.
RHLED2-MV	1W per Head	3.6V/6V/9.9V/12 DC	Grey	Double	42

LED R1 REMOTE HEAD, DIE CAST, DOUBLE, OUTDOOR WEATHER PROOF, 9.6V

CATALOG NO.	WATTS	VOLTAGE	HOUSING COLOR	HEADS PER FIXTURE	AVAILABLE QTY.
RHLED2-WP-MV	1W per Head	3.6V/6V/9.9V/12 DC	Grey	Double	20

COMBINATION LED EXIT SIGN & LED EMERGENCY, 120-277V, 21"(W) x 9"(H) x 4-7/16"(D)

CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY	AVAILABLE QTY.
XT-CL-RB-EM	Universal Single/Double	Red	Black	NiCd	27



FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

LED EXIT SIGN WITH REMOTE CAPABILITY, 120-277V

	CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY	AVAILABLE QTY.
	XT-RCRW-EM	Universal Single/Double	RED	White	Lead Acid	62
	XT-RCGW-EM	Universal Single/Double	GREEN	White	Lead Acid	11

EMERGENCY BATTERY BACKUPS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
ELB-08120-AC	SPLIT 120VAC 8W Li-Ion EMERGENCY LED BACKUP FOR DOB FIXTURES	157
ELB-0860-FLEX	30-60VDC 8W Li-Ion LED EMERGENCY BACKUP WITH FLEX FOR BACKLIT PANELS	11
ELB-18150-B	SPLIT 50-150VDC 18W Li-Ion EMERGENCY LED BACKUP FOR LED T8 & T5 LAMPS AND RECESSED TRIMS, UL CEC	30
ELB-30175-AC-HB	30W 175VDC INTEGRATED HIGHBAY LED EMERGENCY BACKUP DRIVER WITH JUNCTION BOX FOR DIRECT AC CONNECTIONS - REMOTE CAPABLE	92

SENSOR, IP66

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 MS0-IP66-KN	OUTDOOR BI-LEVEL PROGRAMMABLE MOTIONS SENSOR WITH 1/2" KNUCKLE	122

EXTENSION CORD

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
	EX143-25 SJTW 14Awg/3C, 25 Ft, 13A, 125V, Outside Extension Cord, 10 Pcs/Ctn	112
	EX163-50 SJTW 14Awg/3C, 50 Ft, 13A, 125V, Outside Extension Cord, 8 Pcs/Ctn	497
	EXL143-50 SJTW 14Awg/3C, 50 Ft, 15A, 125V, Blue Outdoor Extension Cord, Lighted Plug, 6 Pcs/Ctn	58
	EXL123-50 SJTW 3C/12Awg, 50 Ft, 15A, 125V, Blue Outdoor Extension Cord, Lighted Plug, 4 Pcs/Ctn	22

STRAIGHT ANGLE PLUG WITH THICK VINYL INSULATION

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 DRY5	Heavy-Duty Strain Relief Protects Cord Resulting In Longer Cord Life	17

VACANCY SENSOR AUTO/MANUAL-ON 120V W. LED INDIC.

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 YM2105-W	Vacancy Sensor Auto/Manual-On 120V W. Led Indc.(No Neutral Required)	60

OCCUPANCY/VACANCY SENSORS

CATALOG NO.	DESCRIPTION	AVAILABLE QTY.
 YM183-W	Occupancy PIR Sensor, 180°, 30FT (720FT), 120V 800/1200W max, Single Pole, Neutral Req.	703

Westgate Series

INDEX

WG Series	Page No.	WG Series	Page No.	WG Series	Page No.	WG Series	Page No.	WG Series	Page No.	WG Series	Page No.	WG Series	Page No.	WG Series	Page No.
A19	213	DLSU	235	GSK	89	LFXPRO	24	LTRL	132	SCLP	160	T8-EM	210	W3B	309
A19-FLA	216	DLW	21	GZ	215	LFX-SC	24	LTRM	133	SCLT	160	T8-EXZ	210	W3C	309
A-41	283	DMX	66	HBL	208	LFX-TR	32	LTRR	133	SCO	146	T8-EZ6-GS	211	W3D	309
AA-146	277	DMX-CIGL	67	HEX	134	LFXU	22	LTRS	131	SCP	158	T8-EZ6-U2F	210	WA	168
AA-RG	284	DMX-IGLC	67	HEX-RGB	135	LH150	312	LTRW	132	SCPL	161	T8-HL-SPLIT	212	WAE	169
AA-STEM	276	DPL	254	HL	224	LHB2	112	LTW	16	SCPP	161	T8HO	212	WAEW	169
AD	273	DSLE	235	HML	82	LHCMAX	114	LVA	193	SCR	162	T8-TYPB	211	WAS	168
AD120	39	DSP	255	HNS	62	LHCX	115	LVB	191	SCRH	162	T8-U2F-EZ3	210	WASLR	167
AS	279	E12	215	HPL	208	LL	311	LVC	191	SCSL	157	TC	65	WAX	15
B-41	283	ED	208	HSL	280	LLHB	1108	LVD	192	SCSSL	156	TC-A19	214	WCF	163
BKH	16	EL-1	301	ICFAL	224	LLHB4	116	LVE	192	SCX	140	TC-E12	215	WCPL	163
BKRD	17	EL-1D	301	IGL	279	LLHB4	117	LVF	191	SCX	141	TC-FL	38	WCPL	163
BKRF	17	EL-2A	301	IGLA	280	LLHBF	119	LVG	193	SCX1.5	143	TC-FL-12V	41	WE167	283
BKRN	17	ELB	304	IGLC	100	LLHC	114	LVJ	193	SCX2	145	TC-FML	242	WEC-MOD	105
BOL-502	96	EL-EHO	302	KEA	102	LLVT	121	LVL	190	SCX4	144	TC-GL-12V	41	WEC-SW	105
BOL-505	96	EL-HO	302	KEB	102	LLVT-480V	122	LVO	192	SCX6	145	TC-PAR	214	WESTGATE SMART	257
BOL-602	97	EL-M	301	LA	277	LLXT	300	LVP	194	SCXA	139	TC-RDPS	223	WESTGATE SMART	258
BOL-605	98	EL-M5	300	LAL	278	LMIR	195	LVS	194	SCXA2	138	TGL	128	WESTGATE SMART	259
BOL-608	98	EL-MT	300	LA-STEM	284	LMW	20	LVT	282	SCX-BK	142	TGLK	128	WFL-DC-RC	198
BOL-700	97	ELN4X	303	LA-T	283	LOHB	68	LVTE	120	SCXC	150	TL	285	WFL-DC-RC	199
BOL-800	99	EL-RH	302	LB	311	LOV	284	LVTF	121	SCXCF	150	TOL	71	WFL-PC	196
BOL-G2	94	EL-WP	302	LCEU	247	LPCR	134	LVW	60	SCX-FMRK	148	TR1	199	WFL-RC	197
BOL-G4	92	ERSH	61	LCFA	248	LPF	169	LVW	274	SCX-IP66	137	TRACK ACCESSORIES	203	WFL-W5	197
BOL-G4-SOLAR	91	EVC	106	LCFB	252	LPL	213	LW360	14	SCX-MIFK	148	TRD	201	WHCK	10
BOL-G5	92	EW-16	302	LCFC	247	LPNG	126	LWAX	13	SCXR	146	TRD-MCTB	202	WL	281
BOL-G5-SOLAR	93	EX	313	LCFD	251	LPNP	127	LWAX-P	12	SCX-RGB	147	TR-DT-TPC-SS	282	WL-140	280
BOL-G7	93	EXPF	80	LCFE	252	LPS	129	LWPMAX	11	SCXT	146	TRC	200	WL-3IN1	69
BOL-G8	95	EXPL	80	LCFE-E26	253	LPSB	129	LWPX	11	SCXT	149	T-RFG	212	WL-EZCG	69
BOL-RP	99	EXPR	80	LCFF	246	LP-SLF	126	M507	312	SDL	222	TR-MT-SS	282	WLF	46
BPS	90	FCD	246	LCFG	253	LR	311	MR11	214	SDLS-ADJ	230	TRP	201	WLL	281
BR30	214	FCR	238	LCFG-E26	254	LRD	233	MR16	214	SDLS-SB	231	TRPK	200	WMA	49
BRL	256	FCRB	238	LCFH	252	LRD	234	MR16	283	SDLS-ST	231	TRS	202	WMC-12V	274
BUNGEE CORDS	283	FCS	238	LCFI	250	LRP-HL	134	MR16-RGB	216	SDLTS	232	TR-Z-TPC	282	WMC2	49
C	311	FDL	237	LCFJ	249	LRS-A	60	MVP	313	SDPS	222	TSR	67	WMC3	49
CAX	88	FDLH	190	LCFL	250	LRS-B	60	OUTDOOR ACCESSORIES	34	SDTL	158	UCA	288	WMC4	50
CCL	168	FDLS	237	LCFN	248	LRS-C	60	OUTDOOR ACCESSORIES	35	SENSORS	103	UC-ADJ	292	WMC6	52
CDLX	87	FEL	129	LCFP	251	LRS-CR	62	OUTDOOR ACCESSORIES	36	SENSORS	104	UCA-RGBW	289	WMC8	52
CDX	89	FEL	240	LCFPM	248	LRS-D	60	PAR	214	SFL	159	UCE	288	WMC-CD	51
CG	312	FLD2	39	LCFQ	249	LRS-E	59	PAR36	283	SFX-G10	82	UCM	291	WMC-CD-RGBW	51
CGL	87	FLD3	39	LCFR	251	LRS-F	59	PHOTOCONTROLS	101	SFX-G7	81	UCR	289	WMC1	52
CIGL	100	FLDF	38	LCFS	249	LRS-G	59	PL	312	SFX-G9	81	UCW	291	WMC-RGBW	53
CL-CONST	209	FLDX	37	LCFT	249	LRS-H	59	PL12	294	SL	44	UHL	112	WMC5	54
CL-EHL	207	FLDXPRO	37	LCG	90	LRS-J	59	PL120ADJ	293	SLB	312	UHX	110	WMC5R	53
CL-FLT	208	FLDX-RGBW	38	LCL	167	LRS-K	62	PL12-PIR	293	SL-CAM	43	UHXE	111	WML	19
CMC 1	175	FLH	42	LD	274	LRL	167	PL12R	293	SL-D	44	UHXF	112	WMQ5	55
CMC ACCESSORIES	183	FLS	42	LDAP	250	LRS-L	60	PL12-RGBW	293	SLE	285	UHX-G2	109	WMS	20
CMC12	181	FLV12	41	LDL	122	LRS-M	61	PL12S	293	SLE-120V	286	UHXMAX	108	WMV	16
CMC2	176	FLV12	273	LDLS	232	LRS-MC	64	PML	79	SLE-12V	286	ULR-1FT-RGBW	269	WMX	19
CMC3	175	FLVX	40	LDS	58	LRS-ML	63	POB	163	SLEA	286	ULR-2WRE	267	WMXE	18
CMC4	177	FLVXPRO	40	LDSB	57	LRS-N	61	POL	72	SL-P	43	ULR-CH	266	WMXMAX	18
CMC4-ADJ	178	FLVX-RGBW	41	LDSC	58	LRS-O	62	PSA	290	SLR	113	ULR-DCJ	267	WMXPRO	19
CMC4-GIM	178	FMD	237	LDSL	58	LRS-P	56	PSAL	290	SLRP	113	ULR-IN-1FT-HO	268	WPAX	15
CMC5-MILAN	178	FMHR	239	LDSS	57	LRS-PV	60	RDDF	220	SLSM	279	ULR-IN-1FT-HO-COB	268	WPCX	12
CMC6	179	FMHT	239	LDSW	57	LRS-Q	64	RDDS	220	SLX	43	ULR-IN-1FT-SO	268	WPFX	17
CMC8	180	FML	174	LDSX	56	LRS-R	56	RDJ	223	SOLA	84	ULR-IN-1FT-XHO	268	WPMAX	8
CMC9	180	FML	243	LDSXL	58	LRS-S	56	RDL	221	SOLA-SPLT	83	ULR-IN-1FT-YHO	268	WPMX	10
CMC-RGBW	181	FMLB	244	LEDDR	266	LRS-S	60	RDL	223	SOLB	91	ULR-IN-HO	261	WPV	16
CMCSR	182	FMLB	245	LEDTFX	302	LRS-SG	63	RDL-12V	223	SOLF	83	ULR-IN-HO-COB	262	WPX	9
CMCW	184	FMLE	241	LESW	21	LRS-SH	63	RDL5-ADJ	230	SOLN	84	ULR-IN-HWDR	266	WRB	310
CRE	45	FMLS	241	LESW-EM	303	LRS-SWG	60	RDL5-BF	230	SOLRW	280	ULR-IN-SO	261	WRC	310
CREA	64	FMLT	241	LF SHROUD	31	LRS-T	56	RDL5-BF-D2W	230	SOLS	68	ULR-IN-XHO	262	WRE	310
CRE5	45	FMLU	239	LF12	42	LRS-TU	55	RDL5-SB	231	SOLW	69	ULR-IN-YHO	262	WSO	47
CRL	187	FML-UGR	242	LF12	273	LRS-WS	62	RDL5-ST	231	SP10KV	105	ULR-IP54	263	WSX	47
CRLB	189	FML--UGR-010V	242	LF4-12V	42	LRT-HL	134	RDL-TRM	222	SPL	161	ULR-IP54-1FT-HO	269	WXB	310
CRLC	186	FR-HL	224	LF4-12V	273	LRX	70	RDLTS	232	SRC	151	ULR-LENS	267	WXF	310
CRLC4	185	FSL	237	LF4-KN	31	LS	279	RDMF	221	SRL	135	ULR-OT-1FT-XHO	269	WXR	310
CRLE	188	FWH	173	LF4MAX	26	LSC	190	RDPF	220	SRPL	162	ULR-OT-COB	265	XD	297
CRLE-BF	189	G10	215	LF4MAX	27	LSL	166	RDPS	220	SSL-FR	228	ULR-OT-HO	264	XE	298
CRXL	187	GL	38	LF4PRO	27	LSN	165	RECESSED ACCESSORIES	227	SSLRB	226	ULR-OT-XHO	264	XIT	299
CWLEZKTE	299	GL-12V	41	LF4PRO	33	LSP	168	REMOTES	104	ST19	216	ULR-OUT	267	XT-C-ADJ	299
CWS	195	GL-12V	273	LF4C	174	LS-REPL	284	RHN4X	303	ST360	159	ULR-RGBW	263	XT-CL	299
CXER	86	GNB	48	LF4C	33	LSS	164	RMS	113	ST64	216	ULS	265	XTCLN4X	299
CXES	86	GNBA	48	LFE	33	LSWN	283	RSL	189	STG	213	USB2	313	XT-CLWP	300
CXU	88	GPA	75	LFE-KN	30	LSWX	22	RSL	225	STL	85	UW	280	XT-CWP	300
DAB	77	GPA-2	312	LFE-TR	32	LTVP	119	RSL-ADJ	229	STP	21	VTA	70	XT-EL	297
DAB-SOL	78	GPC	76	FLFD	273	LTRA	134	RSL-APD	229	T	311	VTU	70	XT-EM	297
DBEL	303	GPE	72	LF4V-12V	278	LTRAR	131	RSLC	189	T10	216	W1B	307	XTN4X	298
DELW	303	GPET	72	LFX	23	LTRB	131	RSL-FR	228	T12-EXZ-GS	212	W1C	307	XTSL	297
DLS	236	GPH	76	LFX MOUNTING	28	LTRC	132	RSL-GIM	229	T5-D	292	W1D	308	XTU	297
DLSE	235	GPL	75	LFX SHROUD	28	LTRD	132	RSL-JB	229	T5-E26	212	W2B	308	XTU-CL-EM	299
DLSF	236	GPS	313	LFXE	23	LTRF	130	RSL-TRM	226	T5-TYP	212	W2C	309	XT-WP	298
DLSN	236	GPX	73	LFX-KN	29	LTRG	133	SCE	136	T8-DIM	211	W2D	309	YM	313
DLST	235	GPX-CAT	74	LFXMAX	25	LTRI	132	SCLL	160	T8-ELV	212	W2X	309		

NEED ADDITIONAL SERVICES?

REVIEW THE BELOW LIST OF FLAT RATE SERVICES OFFERED BY WESTGATE

Add a part number from the below lists to your PO to request additional services.

Optional Add-Ons:

PART#	SERVICE DESCRIPTION	2026 Terms
/SR-EXTW-3YR	3 years Additional Warranty	Request A Quote
/SR-STRG-14D	Additional 14days Storage*	Request A Quote
/SR-STRG-30D	Additional 30days Storage*	Request A Quote
/SR-EXPED-LTL	Expedited Pallet Delivery*	Request A Quote
/SR-SIGN-PKG	Signature Required For FedEx/UPS Delivery	Request A Quote

* Westgate offers up to 14 days of free storage hold for your orders.

* *Free freight is the standard speed is at Westgate's discretion.

Manadatory Charges:

PART#	SERVICE DESCRIPTION	2026 Terms
/SR-RESI-D	Residential Pallet Delivery fee*	Request A Quote
/SR-LIFT-G	Lift Gate fee	Request A Quote
/SR-REDELIVERY	Truck Re-delivery Fee	Request A Quote
/SR-WAIT-T	Wait Fee At The Delivery Location	Request A Quote

* The additional fee applies even if when the standard shipping is Prepaid by Westgate.

Westgate will send a new invoice referencing the original purchase order number when the additional freight charges occur after the initial invoice.

18
YEARS

WESTGATE
THE FUTURE IS HERE... AND IT'S QUITE BRIGHT!



**Design Your
Lighting Project!**



**Warranty Claims
Made Easy**



**Build Your
Custom Lighting**

18
YEARS

\$1

NO MINIMUMS ☐
QUICK FREE SHIPPING 🚚
FRIENDLY POLICIES 😊

Energy-Efficient Lighting
Easier and More Profitable!



@WESTGATEMFG

WWW.WESTGATEMFG.COM